


802.11n HT40 UNII 2A 4TX MIMO


Lowest Channel (5 270 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
5 855.81	V	69.93	35.03	-41.68	-	63.28	68.20	4.92
7 026.84	V	63.08	35.49	-50.69	-	47.88	68.20	20.32
10 582.86	V	59.02	37.37	-49.68	-	46.71	68.20	21.49
15 848.42 ¹⁾	V	54.80	40.78	-45.76	-	49.82	74.00	24.18
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz





Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Highest Channel (5 310 MHz)


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
5 457.04 ¹⁾	V	47.03	34.51	-24.49	-	57.05	74.00	16.95
5 900.33	V	69.68	35.08	-41.58	-	63.18	68.20	5.02
10 626.70 ¹⁾	V	58.70	37.40	-49.63	-	46.47	74.00	27.53
15 945.81 ¹⁾	V	54.25	40.86	-45.84	-	49.27	74.00	24.73
Average Data								
5 457.04 ¹⁾	V	39.20	34.51	-24.49	2.63	51.85	54.00	2.15



Horizontal/Vertical for 1 GHz ~ 6.5 GHz



Horizontal/Vertical for 6.5 GHz ~ 18 GHz




802.11ac VHT20 UNII 2A ANT 0


Lowest Channel (5 260 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
7 013.19	V	63.24	35.49	-50.71	-	48.02	68.20	20.18
10 512.42 ¹⁾	V	59.57	37.31	-49.77	-	47.11	68.20	21.09
15 768.64 ¹⁾	V	54.41	40.71	-45.71	-	49.41	74.00	24.59
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Middle Channel (5 300 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
7 066.38	V	63.06	35.47	-50.62	-	47.91	68.20	20.29
10 609.09 ¹⁾	V	60.43	37.39	-49.65	-	48.17	74.00	25.83
15 935.03 ¹⁾	H	55.02	40.85	-45.83	-	50.04	74.00	23.96
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Highest Channel (5 320 MHz)


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
5 351.10 ¹⁾	V	47.21	34.30	-24.66	-	56.85	74.00	17.15
7 093.33	V	61.87	35.46	-50.57	-	46.76	68.20	21.44
10 712.95 ¹⁾	H	59.22	37.47	-49.52	-	47.17	74.00	26.83
15 989.30 ¹⁾	H	54.15	40.89	-45.87	-	49.17	74.00	24.83
Average Data								
5 351.10 ¹⁾	V	40.27	34.30	-24.66	0.77	50.68	54.00	3.32




Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 6.5 GHz



Horizontal/Vertical for 6.5 GHz ~ 18 GHz




802.11ac VHT20 UNII 2A ANT 1


Lowest Channel (5 260 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
7 013.19	H	63.30	35.49	-50.71	-	48.08	68.20	20.12
10 509.19	V	59.56	37.31	-49.77	-	47.10	68.20	21.10
15 767.92 ¹⁾	V	54.41	40.71	-45.71	-	49.41	74.00	24.59
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Middle Channel (5 300 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
10 599.39	V	59.85	37.38	-49.66	-	47.57	68.20	20.63
15 984.98 ¹⁾	H	54.54	40.89	-45.86	-	49.57	74.00	24.43
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz





Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Highest Channel (5 320 MHz)


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
5 360.38 ¹⁾	H	47.10	34.32	-24.66	-	56.76	74.00	17.24
10 654.38 ¹⁾	V	59.82	37.42	-49.59	-	47.65	74.00	26.35
15 964.50 ¹⁾	V	54.52	40.87	-45.85	-	49.54	74.00	24.46
Average Data								
5 360.38 ¹⁾	H	37.22	34.32	-24.66	0.77	47.65	54.00	6.35



Horizontal/Vertical for 1 GHz ~ 6.5 GHz



Horizontal/Vertical for 6.5 GHz ~ 18 GHz




802.11ac VHT20 UNII 2A ANT 2


Lowest Channel (5 260 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
10 565.97	V	59.44	37.35	-49.70	-	47.09	68.20	21.11
15 775.47 ¹⁾	V	55.13	40.72	-45.71	-	50.14	74.00	23.86
16 846.77	V	56.03	43.15	-46.88	-	52.30	68.20	15.90
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Middle Channel (5 300 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
1 092.47 ¹⁾	V	67.39	27.78	-48.02	-	47.15	74.00	26.85
10 613.05 ¹⁾	H	58.68	37.39	-49.64	-	46.43	74.00	27.57
15 951.92 ¹⁾	V	54.60	40.86	-45.84	-	49.62	74.00	24.38
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz





Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Highest Channel (5 320 MHz)


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
5 351.52 ¹⁾	V	45.83	34.30	-24.66	-	55.47	74.00	18.53
7 093.33	V	62.79	35.46	-50.57	-	47.68	68.20	20.52
10 628.86 ¹⁾	V	59.87	37.40	-49.62	-	47.65	74.00	26.35
15 970.25 ¹⁾	H	54.31	40.88	-45.85	-	49.34	74.00	24.66
Average Data								
5 351.52 ¹⁾	V	37.34	34.30	-24.66	0.77	47.75	54.00	6.25



Horizontal/Vertical for 1 GHz ~ 6.5 GHz



Horizontal/Vertical for 6.5 GHz ~ 18 GHz




802.11ac VHT20 UNII 2A ANT 3


Lowest Channel (5 260 MHz)

Frequency (MHz)	Pol. (V/H)	Reading (dB(μV))	Antenna Factor (dB)	Amp. + Cable (dB)	DCF (dB)	Result (dB($\mu V/m$))	Limit (dB($\mu V/m$))	Margin (dB)
Peak data								
1 051.73 ¹⁾	V	68.27	27.79	-48.07		47.99	74.00	26.01
10 518.53	V	60.97	37.31	-49.76		48.52	68.20	19.68
15 781.22 ¹⁾	V	55.45	40.72	-45.72		50.45	74.00	23.55
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Middle Channel (5 300 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
1 095.91 ¹⁾	V	67.45	27.78	-48.02	-	47.21	74.00	26.79
10 594.36	V	59.34	37.38	-49.67	-	47.05	68.20	21.15
15 979.59 ¹⁾	V	54.56	40.88	-45.86	-	49.58	74.00	24.42
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Highest Channel (5 320 MHz)


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
5 356.46 ¹⁾	V	46.74	34.31	-24.66	-	56.39	74.00	17.61
10 706.48 ¹⁾	V	58.88	37.47	-49.53	-	46.82	74.00	27.18
16 131.61 ¹⁾	V	54.15	42.14	-46.27	-	50.02	74.00	23.98
Average Data								
5 356.46 ¹⁾	V	37.85	34.31	-24.66	0.77	48.27	54.00	5.73




Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 6.5 GHz



Horizontal/Vertical for 6.5 GHz ~ 18 GHz




802.11ac VHT20 UNII 2A 4TX MIMO


Lowest Channel (5 260 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
7 013.19	V	64.48	35.49	-50.71	-	49.26	68.20	18.94
10 547.64	H	58.66	37.34	-49.72	-	46.28	68.20	21.92
15 714.02 ¹⁾	H	54.58	40.67	-45.67	-	49.58	74.00	24.42
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Middle Channel (5 300 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
7 066.73	V	64.71	35.47	-50.62	-	49.56	68.20	18.64
10 547.28	V	59.12	37.34	-49.73	-	46.73	68.20	21.47
15 976.72 ¹⁾	H	54.90	40.88	-45.86	-	49.92	74.00	24.08
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz





Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Highest Channel (5 320 MHz)


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
5 355.96 ¹⁾	V	47.39	34.31	-24.66	-	57.04	74.00	16.96
7 093.33	V	63.12	35.46	-50.57	-	48.01	68.20	20.19
10 645.75 ¹⁾	V	58.68	37.42	-49.60	-	46.50	74.00	27.50
15 982.47 ¹⁾	V	54.58	40.89	-45.86	-	49.61	74.00	24.39
Average Data								
5 355.96 ¹⁾	V	38.88	34.31	-24.66	0.77	49.30	54.00	4.70



Horizontal/Vertical for 1 GHz ~ 6.5 GHz



Horizontal/Vertical for 6.5 GHz ~ 18 GHz




802.11ac VHT40 UNII 2A ANT 0


Lowest Channel (5 270 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
7 026.48	V	62.45	35.49	-50.69	-	47.25	68.20	20.95
10 597.23	V	59.47	37.38	-49.66	-	47.19	68.20	21.01
15 894.06 ¹⁾	H	54.92	40.82	-45.80	-	49.94	74.00	24.06
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Highest Channel (5 310 MHz)


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
5 458.87 ¹⁾	V	46.28	34.52	-24.48	-	56.32	74.00	17.68
7 079.31	V	62.33	35.47	-50.60	-	47.20	68.20	21.00
10 579.63	H	59.43	37.36	-49.69	-	47.10	68.20	21.10
16 016.97 ¹⁾	V	54.12	41.84	-45.92	-	50.04	74.00	23.96
Average Data								
5 458.87 ¹⁾	V	39.00	34.52	-24.48	0.89	49.93	54.00	4.07




Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 6.5 GHz



Horizontal/Vertical for 6.5 GHz ~ 18 GHz




802.11ac VHT40 UNII 2A ANT 1


Lowest Channel (5 270 MHz)

Frequency (MHz)	Pol. (V/H)	Reading (dB(μV))	Antenna Factor (dB)	Amp. + Cable (dB)	DCF (dB)	Result (dB($\mu V/m$))	Limit (dB($\mu V/m$))	Margin (dB)
Peak data								
10 597.59	V	59.74	37.38	-49.66	-	47.46	68.20	20.74
15 875.38 ¹⁾	H	54.09	40.80	-45.78	-	49.11	74.00	24.89
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz





Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Highest Channel (5 310 MHz)


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
5 368.21 ¹⁾	H	46.64	34.34	-24.66	-	56.32	74.00	17.68
10 605.14 ¹⁾	H	58.94	37.38	-49.65	-	46.67	74.00	27.33
15 861.72 ¹⁾	H	55.41	40.79	-45.77	-	50.43	74.00	23.57
Average Data								
5 368.21 ¹⁾	H	36.71	34.34	-24.66	0.89	47.28	54.00	6.72



Horizontal/Vertical for 1 GHz ~ 6.5 GHz



Horizontal/Vertical for 6.5 GHz ~ 18 GHz




802.11ac VHT40 UNII 2A ANT 2


Lowest Channel (5 270 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
7 027.20	V	62.57	35.49	-50.68	-	47.38	68.20	20.82
10 542.97	V	57.79	37.33	-49.73	-	45.39	68.20	22.81
15 754.98 ¹⁾	H	55.54	40.70	-45.70	-	50.54	74.00	23.46
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Highest Channel (5 310 MHz)


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
5 358.05 ¹⁾	V	46.03	34.32	-24.66	-	55.69	74.00	18.31
7 079.67	V	61.44	35.47	-50.59	-	46.32	68.20	21.88
10 649.34 ¹⁾	H	59.53	37.42	-49.60	-	47.35	74.00	26.65
15 886.16 ¹⁾	V	54.39	40.81	-45.79	-	49.41	74.00	24.59
Average Data								
5 358.05 ¹⁾	V	36.88	34.32	-24.66	0.89	47.43	54.00	6.57




Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 6.5 GHz



Horizontal/Vertical for 6.5 GHz ~ 18 GHz




802.11ac VHT40 UNII 2A ANT 3


Lowest Channel (5 270 MHz)

Frequency (MHz)	Pol. (V/H)	Reading (dB(μV))	Antenna Factor (dB)	Amp. + Cable (dB)	DCF (dB)	Result (dB($\mu V/m$))	Limit (dB($\mu V/m$))	Margin (dB)
Peak data								
10 365.80	V	60.05	37.22	-49.71	-	47.56	68.20	20.64
15 708.63 ¹⁾	V	55.04	40.67	-45.66	-	50.05	74.00	23.95
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Highest Channel (5 310 MHz)


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
5 365.76 ¹⁾	V	46.07	34.33	-24.66	-	55.74	74.00	18.26
10 657.61 ¹⁾	V	59.62	37.43	-49.59	-	47.46	74.00	26.54
16 005.11 ¹⁾	V	53.14	41.81	-45.89	-	49.06	74.00	24.94
Average Data								
5 365.76 ¹⁾	V	37.02	34.33	-24.66	0.89	47.58	54.00	6.42




Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 6.5 GHz



Horizontal/Vertical for 6.5 GHz ~ 18 GHz




802.11ac VHT40 UNII 2A 4TX MIMO


Lowest Channel (5 270 MHz)

Frequency (MHz)	Pol. (V/H)	Reading (dB(μV))	Antenna Factor (dB)	Amp. + Cable (dB)	DCF (dB)	Result (dB($\mu V/m$))	Limit (dB($\mu V/m$))	Margin (dB)
Peak data								
7 026.84	V	63.39	35.49	-50.69	-	48.19	68.20	20.01
10 452.05	V	59.46	37.27	-49.76	-	46.97	68.20	21.23
15 846.27 ¹⁾	H	54.54	40.78	-45.76	-	49.56	74.00	24.44
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz





Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Highest Channel (5 310 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
5 350.46 ¹⁾	V	48.07	34.30	-24.66	-	57.71	74.00	16.29
7 080.39	V	63.33	35.47	-50.59	-	48.21	68.20	19.99
10 652.58 ¹⁾	H	58.94	37.42	-49.59	-	46.77	74.00	27.23
15 976.36 ¹⁾	V	55.18	40.88	-45.86	-	50.20	74.00	23.80
Average Data								
5 350.46 ¹⁾	V	41.10	34.30	-24.66	0.89	51.63	54.00	2.37



Horizontal/Vertical for 1 GHz ~ 6.5 GHz



Horizontal/Vertical for 6.5 GHz ~ 18 GHz




802.11ac VHT80 UNII 2A ANT 0

Middle Channel (5 290 MHz)


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
5 356.11 ¹⁾	V	48.93	34.31	-24.66	-	58.58	74.00	15.42
7 053.80	V	63.81	35.48	-50.64	-	48.65	68.20	19.55
10 578.19	H	59.73	37.36	-49.69	-	47.40	68.20	20.80
15 941.14 ¹⁾	H	54.38	40.85	-45.83	-	49.40	74.00	24.60
Average Data								
5 356.11 ¹⁾	V	39.46	34.31	-24.66	0.95	50.06	54.00	3.94

Average data (5 350.10 MHz)




Blank


Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




802.11ac VHT80 UNII 2A ANT 1

Middle Channel (5 290 MHz)


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
5 361.59 ¹⁾	H	46.96	34.32	-24.66	-	56.62	74.00	17.38
7 053.44	H	63.33	35.48	-50.64	-	48.17	68.20	20.03
10 635.33 ¹⁾	H	59.04	37.41	-49.62	-	46.83	74.00	27.17
15 747.44 ¹⁾	H	54.37	40.70	-45.69	-	49.38	74.00	24.62
Average Data								
5 361.59 ¹⁾	H	36.96	34.32	-24.66	0.95	47.57	54.00	6.43



Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




802.11ac VHT80 UNII 2A ANT 2

Middle Channel (5 290 MHz)


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
5 352.98 ¹⁾	V	47.77	34.31	-24.66	-	57.42	74.00	16.58
7 053.08	V	62.62	35.48	-50.64	-	47.46	68.20	20.74
10 582.86	H	58.74	37.37	-49.68	-	46.43	68.20	21.77
15 880.05 ¹⁾	V	55.36	40.80	-45.79	-	50.37	74.00	23.63
Average Data								
5 352.98 ¹⁾	V	37.28	34.31	-24.66	0.95	47.88	54.00	6.12




Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




802.11ac VHT80 UNII 2A ANT 3

Middle Channel (5 290 MHz)


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
5 352.41 ¹⁾	V	46.73	34.30	-24.66	-	56.37	74.00	17.63
10 786.27 ¹⁾	V	59.74	37.53	-49.43	-	47.84	74.00	26.16
15 802.06 ¹⁾	V	54.64	40.74	-45.73	-	49.65	74.00	24.35
Average Data								
5 352.41 ¹⁾	V	37.38	34.30	-24.66	0.95	47.97	54.00	6.03




Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




802.11ac VHT80 UNII 2A 4TX MIMO

Middle Channel (5 290 MHz)


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
5 362.58 ¹⁾	V	47.68	34.33	-24.66	-	57.35	74.00	16.65
7 053.80	V	62.94	35.48	-50.64	-	47.78	68.20	20.42
10 615.56 ¹⁾	V	58.65	37.39	-49.64	-	46.40	74.00	27.60
15 844.47 ¹⁾	H	55.48	40.78	-45.76	-	50.50	74.00	23.50
Average Data								
5 362.58 ¹⁾	V	40.83	34.33	-24.66	0.95	51.45	54.00	2.55




Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




802.11a UNII 2C ANT 0

Lowest Channel (5 500 MHz)


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
5 458.53 ¹⁾	V	46.20	34.52	-24.49	-	56.23	74.00	17.77
7 333.39 ¹⁾	V	62.74	35.37	-50.16	-	47.95	74.00	26.05
11 034.23 ¹⁾	H	57.72	37.73	-49.17	-	46.28	74.00	27.72
16 531.95	V	54.84	42.65	-47.31	-	50.18	68.20	18.02
Average Data								
5 458.53 ¹⁾	V	37.96	34.52	-24.49	2.64	50.63	54.00	3.37




Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Middle Channel (5 580 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
7 439.77 ¹⁾	V	61.49	35.32	-49.98	-	46.83	74.00	27.17
11 195.59 ¹⁾	V	58.67	37.86	-49.22	-	47.31	74.00	26.69
16 722.78	V	54.47	42.96	-47.05	-	50.38	68.20	17.82
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Highest Channel (5 700 MHz)

Frequency (MHz)	Pol. (V/H)	Reading (dB(μV))	Antenna Factor (dB)	Amp. + Cable (dB)	DCF (dB)	Result (dB(μV/m))	Limit (dB(μV/m))	Margin (dB)
Peak data								
5 735.16	H	48.44	34.88	-24.25	-	59.07	68.20	9.13
11 331.44 ¹⁾	V	59.49	37.97	-49.26	-	48.20	74.00	25.80
17 049.81	V	55.81	41.61	-46.68	-	50.74	68.20	17.46
Average Data								
No spurious emissions were detected within 20 dB of the limit.								


Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Straddle Channel (5 720 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
7 626.64 ¹⁾	V	61.64	35.35	-50.10	-	46.89	74.00	27.11
11 422.36 ¹⁾	V	59.15	38.04	-49.28	-	47.91	74.00	26.09
17 122.77	H	54.86	41.48	-46.70	-	49.64	68.20	18.56
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




802.11a UNII 2C ANT 1

Lowest Channel (5 500 MHz)


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
5 416.70 ¹⁾	H	46.23	34.43	-24.61	-	56.05	74.00	17.95
7 333.39 ¹⁾	V	62.14	35.37	-50.16	-	47.35	74.00	26.65
10 978.17 ¹⁾	V	58.20	37.68	-49.19	-	46.69	74.00	27.31
16 475.89	V	54.91	43.04	-47.29	-	50.66	68.20	17.54
Average Data								
5 416.70 ¹⁾	H	36.67	34.43	-24.61	2.64	49.13	54.00	4.87




Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Middle Channel (5 580 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
7 439.77 ¹⁾	V	63.36	35.32	-49.98	-	48.70	74.00	25.30
11 162.17 ¹⁾	V	60.07	37.83	-49.21	-	48.69	74.00	25.31
16 693.67	H	55.09	42.91	-47.09	-	50.91	68.20	17.29
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Highest Channel (5 700 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
5 725.53	V	53.33	34.87	-24.25	-	63.95	68.20	4.25
7 600.05 ¹⁾	V	62.21	35.34	-50.05	-	47.50	74.00	26.50
11 429.91 ¹⁾	V	58.28	38.04	-49.29	-	47.03	74.00	26.97
17 109.83	H	55.65	41.50	-46.69	-	50.46	68.20	17.74
Average Data								
No spurious emissions were detected within 20 dB of the limit.								


Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Straddle Channel (5 720 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
7 627.00 ¹⁾	V	61.49	35.35	-50.10	-	46.74	74.00	27.26
11 443.56 ¹⁾	V	58.83	38.05	-49.29	-	47.59	74.00	26.41
17 138.94	H	55.68	41.45	-46.70	-	50.43	68.20	17.77
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz





Horizontal/Vertical for 6.5 GHz ~ 18 GHz




802.11a UNII 2C ANT 2

Lowest Channel (5 500 MHz)


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
5 376.77 ¹⁾	V	46.93	34.35	-24.66	-	56.62	74.00	17.38
7 333.03 ¹⁾	V	61.10	35.37	-50.16	-	46.31	74.00	27.69
11 197.03 ¹⁾	H	58.67	37.86	-49.22	-	47.31	74.00	26.69
16 455.41	V	54.45	42.98	-47.23	-	50.20	68.20	18.00
Average Data								
5 376.77 ¹⁾	V	36.57	34.35	-24.66	2.64	48.90	54.00	5.10



Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Middle Channel (5 580 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
7 439.77 ¹⁾	V	61.22	35.32	-49.98	-	46.56	74.00	27.44
10 631.02 ¹⁾	V	60.24	37.40	-49.62	-	48.02	74.00	25.98
11 171.16 ¹⁾	V	58.37	37.84	-49.21	-	47.00	74.00	27.00
16 773.45	V	53.95	43.04	-46.98	-	50.01	68.20	18.19
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Highest Channel (5 700 MHz)


Frequency (MHz)	Pol. (V/H)	Reading (dB(μV))	Antenna Factor (dB)	Amp. + Cable (dB)	DCF (dB)	Result (dB(μV/m))	Limit (dB(μV/m))	Margin (dB)
Peak data								
5 739.80	V	47.40	34.89	-24.25	-	58.04	68.20	10.16
7 600.05 ¹⁾	V	61.62	35.34	-50.05	-	46.91	74.00	27.09
11 294.06 ¹⁾	V	60.39	37.94	-49.25	-	49.08	74.00	24.92
15 936.11 ¹⁾	V	55.84	40.85	-45.83	-	50.86	74.00	23.14
16 998.42	V	55.49	43.40	-46.66	-	52.23	68.20	15.97
17 152.95	H	55.62	41.42	-46.70	-	50.34	68.20	17.86
Average Data								
No spurious emissions were detected within 20 dB of the limit.								



Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Straddle Channel (5 720 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
7 626.64 ¹⁾	V	61.69	35.35	-50.10	-	46.94	74.00	27.06
11 395.41 ¹⁾	H	58.91	38.02	-49.28	-	47.65	74.00	26.35
12 686.64 ¹⁾	H	57.69	39.45	-47.98	-	49.16	74.00	24.84
17 130.67	H	55.08	41.46	-46.70	-	49.84	68.20	18.36
17 481.06	V	57.52	40.83	-46.79	-	51.56	68.20	16.64
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz





Horizontal/Vertical for 6.5 GHz ~ 18 GHz




802.11a UNII 2C ANT 3

Lowest Channel (5 500 MHz)


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
5 459.25 ¹⁾	V	45.74	34.52	-24.48	-	55.78	74.00	18.22
10 748.17 ¹⁾	V	59.94	37.50	-49.48	-	47.96	74.00	26.04
16 450.02	H	54.75	42.97	-47.21	-	50.51	68.20	17.69
Average Data								
5 459.25 ¹⁾	V	36.28	34.52	-24.48	2.64	48.96	54.00	5.04



Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Middle Channel (5 580 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
7 439.77 ¹⁾	V	61.05	35.32	-49.98	-	46.39	74.00	27.61
11 722.44 ¹⁾	V	59.52	38.46	-49.48	-	48.50	74.00	25.50
16 649.47	V	55.19	42.84	-47.15	-	50.88	68.20	17.32
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Highest Channel (5 700 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
5 726.73	V	47.98	34.87	-24.25	-	58.60	68.20	9.60
11 208.89 ¹⁾	H	58.73	37.87	-49.22	-	47.38	74.00	26.62
16 993.03	H	54.17	43.39	-46.67	-	50.89	68.20	17.31
Average Data								
No spurious emissions were detected within 20 dB of the limit.								


Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Straddle Channel (5 720 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
11 393.61 ¹⁾	H	58.91	38.01	-49.28	-	47.64	74.00	26.36
16 993.39	H	54.40	43.39	-46.67	-	51.12	68.20	17.08
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




802.11a UNII 2C 4TX MIMO

Lowest Channel (5 500 MHz)


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
5 427.46 ¹⁾	V	47.11	34.45	-24.58	-	56.98	74.00	17.02
7 333.39 ¹⁾	V	62.56	35.37	-50.16	-	47.77	74.00	26.23
10 917.08 ¹⁾	V	59.41	37.63	-49.27	-	47.77	74.00	26.23
16 511.11	V	54.39	42.62	-47.34	-	49.67	68.20	18.53
Average Data								
5 427.46 ¹⁾	V	37.65	34.45	-24.58	2.64	50.16	54.00	3.84




Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Middle Channel (5 580 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
7 440.13 ¹⁾	V	62.36	35.32	-49.98	-	47.70	74.00	26.30
11 160.73 ¹⁾	V	57.25	37.83	-49.21	-	45.87	74.00	28.13
16 830.59	H	54.79	43.13	-46.90	-	51.02	68.20	17.18
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Highest Channel (5 700 MHz)


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
5 741.34	V	47.67	34.89	-24.25	-	58.31	68.20	9.89
7 600.05 ¹⁾	V	60.87	35.34	-50.05	-	46.16	74.00	27.84
11 233.33 ¹⁾	H	58.73	37.89	-49.23	-	47.39	74.00	26.61
17 190.69	V	55.72	41.36	-46.71	-	50.37	68.20	17.83
Average Data								
No spurious emissions were detected within 20 dB of the limit.								



Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Straddle Channel (5 720 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μ V))	(dB)	(dB)	(dB)	(dB(μ V/m))	(dB(μ V/m))	(dB)
Peak data								
7 626.64 ¹⁾	V	62.97	35.35	-50.10	-	48.22	74.00	25.78
11 407.27 ¹⁾	V	58.25	38.03	-49.28	-	47.00	74.00	27.00
17 178.11	V	55.84	41.38	-46.71	-	50.51	68.20	17.69
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




802.11n HT20 UNII 2C ANT 0

Lowest Channel (5 500 MHz)


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
5 458.81 ¹⁾	V	46.95	34.52	-24.48	-	56.99	74.00	17.01
7 333.39 ¹⁾	V	62.68	35.37	-50.16	-	47.89	74.00	26.11
11 005.48 ¹⁾	V	58.14	37.70	-49.17	-	46.67	74.00	27.33
16 498.17	H	55.44	43.10	-47.35	-	51.19	68.20	17.01
Average Data								
5 458.81 ¹⁾	V	38.12	34.52	-24.48	2.28	50.44	54.00	3.56



Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Middle Channel (5 580 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
11 165.77 ¹⁾	V	58.10	37.83	-49.21	-	46.72	74.00	27.28
16 813.34	H	55.16	43.10	-46.92	-	51.34	68.20	16.86
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Highest Channel (5 700 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
5 731.89	V	53.20	34.88	-24.25	-	63.83	68.20	4.37
11 398.28 ¹⁾	V	58.62	38.02	-49.28	-	47.36	74.00	26.64
17 144.69	H	55.12	41.44	-46.70	-	49.86	68.20	18.34
Average Data								
No spurious emissions were detected within 20 dB of the limit.								


Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Straddle Channel (5 720 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
11 427.39 ¹⁾	H	58.05	38.04	-49.28	-	46.81	74.00	27.19
17 155.47	H	55.94	41.42	-46.70	-	50.66	68.20	17.54
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz





Horizontal/Vertical for 6.5 GHz ~ 18 GHz




802.11n HT20 UNII 2C ANT 1

Lowest Channel (5 500 MHz)


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
5 390.04 ¹⁾	H	47.11	34.38	-24.66	-	56.83	74.00	17.17
10 972.42 ¹⁾	H	57.70	37.68	-49.20	-	46.18	74.00	27.82
16 525.13	H	54.60	42.64	-47.32	-	49.92	68.20	18.28
Average Data								
5 390.04 ¹⁾	H	36.54	34.38	-24.66	2.28	48.54	54.00	5.46



Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Middle Channel (5 580 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
7 440.13 ¹⁾	V	62.49	35.32	-49.98	-	47.83	74.00	26.17
11 162.53 ¹⁾	V	59.35	37.83	-49.21	-	47.97	74.00	26.03
16 812.27	H	56.00	43.10	-46.92	-	52.18	68.20	16.02
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Highest Channel (5 700 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
5 728.45	H	52.49	34.87	-24.25	-	63.11	68.20	5.09
7 600.05 ¹⁾	V	62.03	35.34	-50.05	-	47.32	74.00	26.68
11 413.02 ¹⁾	V	59.70	38.03	-49.28	-	48.45	74.00	25.55
16 996.63	V	55.00	43.39	-46.67	-	51.72	68.20	16.48
Average Data								
No spurious emissions were detected within 20 dB of the limit.								


Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Straddle Channel (5 720 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μ V))	(dB)	(dB)	(dB)	(dB(μ V/m))	(dB(μ V/m))	(dB)
Peak data								
7 626.28 ¹⁾	V	63.09	35.35	-50.10	-	48.34	74.00	25.66
11 430.63 ¹⁾	V	59.22	38.04	-49.29	-	47.97	74.00	26.03
17 179.19	H	56.22	41.38	-46.71	-	50.89	68.20	17.31
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz





Horizontal/Vertical for 6.5 GHz ~ 18 GHz




802.11n HT20 UNII 2C ANT 2

Lowest Channel (5 500 MHz)


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
5 434.51 ¹⁾	V	46.21	34.47	-24.56	-	56.12	74.00	17.88
11 162.17 ¹⁾	V	57.91	37.83	-49.21	-	46.53	74.00	27.47
16 426.30	H	54.25	42.91	-47.14	-	50.02	68.20	18.18
Average Data								
5 434.51 ¹⁾	V	36.58	34.47	-24.56	2.28	48.77	54.00	5.23



Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Middle Channel (5 580 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
7 439.77 ¹⁾	V	60.50	35.32	-49.98	-	45.84	74.00	28.16
11 169.72 ¹⁾	V	61.29	37.84	-49.21	-	49.92	74.00	24.08
11 538.80 ¹⁾	H	59.73	38.16	-49.34	-	48.55	74.00	25.45
16 784.59	H	55.34	43.06	-46.96	-	51.44	68.20	16.76
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Highest Channel (5 700 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
5 731.55	V	50.58	34.88	-24.25	-	61.21	68.20	6.99
7 599.69 ¹⁾	V	61.03	35.34	-50.05	-	46.32	74.00	27.68
11 401.52 ¹⁾	V	60.92	38.02	-49.28	-	49.66	74.00	24.34
17 023.58	V	55.43	41.66	-46.67	-	50.42	68.20	17.78
Average Data								
No spurious emissions were detected within 20 dB of the limit.								


Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Straddle Channel (5 720 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
7 626.64 ¹⁾	V	61.06	35.35	-50.10	-	46.31	74.00	27.69
9 387.22 ¹⁾	V	59.07	36.29	-47.72	-	47.64	74.00	26.36
11 494.59 ¹⁾	H	58.91	38.10	-49.30	-	47.71	74.00	26.29
12 383.69 ¹⁾	V	59.26	39.51	-49.60	-	49.17	74.00	24.83
16 634.38	V	56.42	42.82	-47.17	-	52.07	68.20	16.13
17 219.44	V	55.58	41.31	-46.72	-	50.17	68.20	18.03
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz





Horizontal/Vertical for 6.5 GHz ~ 18 GHz




802.11n HT20 UNII 2C ANT 3

Lowest Channel (5 500 MHz)


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
5 415.07 ¹⁾	V	47.78	34.43	-24.61	-	57.60	74.00	16.40
11 064.78 ¹⁾	V	57.24	37.75	-49.18	-	45.81	74.00	28.19
16 660.25	V	56.05	42.86	-47.14	-	51.77	68.20	16.43
Average Data								
5 415.07 ¹⁾	V	36.85	34.43	-24.61	2.28	48.95	54.00	5.05



Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Middle Channel (5 580 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
11 162.53 ¹⁾	V	60.44	37.83	-49.21	-	49.06	74.00	24.94
17 001.30	V	56.52	41.70	-46.66	-	51.56	68.20	16.64
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Highest Channel (5 700 MHz)

Frequency (MHz)	Pol. (V/H)	Reading (dB(μV))	Antenna Factor (dB)	Amp. + Cable (dB)	DCF (dB)	Result (dB($\mu V/m$))	Limit (dB($\mu V/m$))	Margin (dB)
Peak data								
5 745.98	V	47.29	34.90	-24.24	-	57.95	68.20	10.25
7 600.05 ¹⁾	V	62.41	35.34	-50.05	-	47.70	74.00	26.30
11 378.52 ¹⁾	V	58.33	38.00	-49.27	-	47.06	74.00	26.94
16 877.31	V	55.88	43.20	-46.83	-	52.25	68.20	15.95
Average Data								
No spurious emissions were detected within 20 dB of the limit.								


Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Straddle Channel (5 720 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
7 626.64 ¹⁾	V	62.27	35.35	-50.10	-	47.52	74.00	26.48
11 397.20 ¹⁾	V	58.54	38.02	-49.28	-	47.28	74.00	26.72
17 218.72	H	56.52	41.31	-46.72	-	51.11	68.20	17.09
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz





Horizontal/Vertical for 6.5 GHz ~ 18 GHz




802.11n HT20 UNII 2C 4TX MIMO

Lowest Channel (5 500 MHz)


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
5 459.08 ¹⁾	V	46.54	34.52	-24.48	-	56.58	74.00	17.42
7 333.39 ¹⁾	V	62.26	35.37	-50.16	-	47.47	74.00	26.53
11 000.81 ¹⁾	H	57.81	37.70	-49.16	-	46.35	74.00	27.65
16 636.17	V	55.31	42.82	-47.17	-	50.96	68.20	17.24
Average Data								
5 459.08 ¹⁾	V	38.17	34.52	-24.48	2.28	50.49	54.00	3.51



Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Middle Channel (5 580 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
7 439.77 ¹⁾	V	61.79	35.32	-49.98	-	47.13	74.00	26.87
11 718.13 ¹⁾	V	60.03	38.45	-49.48	-	49.00	74.00	25.00
16 843.53	V	55.62	43.15	-46.88	-	51.89	68.20	16.31
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Highest Channel (5 700 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
5 734.13	V	47.71	34.88	-24.25	-	58.34	68.20	9.86
7 600.05 ¹⁾	V	61.57	35.34	-50.05	-	46.86	74.00	27.14
11 532.33 ¹⁾	V	59.39	38.15	-49.33	-	48.21	74.00	25.79
17 213.33	V	58.49	41.32	-46.72	-	53.09	68.20	15.11
Average Data								
No spurious emissions were detected within 20 dB of the limit.								


Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Straddle Channel (5 720 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
7 627.00 ¹⁾	V	62.39	35.35	-50.10	-	47.64	74.00	26.36
11 552.81 ¹⁾	V	59.29	38.18	-49.35	-	48.12	74.00	25.88
17 000.58	H	57.91	41.70	-46.66	-	52.95	68.20	15.25
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




802.11n HT40 UNII 2C ANT 0

Lowest Channel (5 510 MHz)


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
5 457.84 ¹⁾	V	46.35	34.52	-24.49	-	56.38	74.00	17.62
7 346.33 ¹⁾	V	62.84	35.36	-50.14	-	48.06	74.00	25.94
11 043.22 ¹⁾	H	58.46	37.73	-49.18	-	47.01	74.00	26.99
16 618.56	H	56.52	42.79	-47.19	-	52.12	68.20	16.08
Average Data								
5 457.84 ¹⁾	V	37.96	34.52	-24.49	2.61	50.60	54.00	3.40




Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Middle Channel (5 550 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
7 400.23 ¹⁾	V	61.88	35.34	-50.05	-	47.17	74.00	26.83
11 101.80 ¹⁾	V	58.65	37.78	-49.19	-	47.24	74.00	26.76
16 551.00	V	55.44	42.68	-47.29	-	50.83	68.20	17.37
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Highest Channel (5 670 MHz)

Frequency (MHz)	Pol. (V/H)	Reading (dB(μV))	Antenna Factor (dB)	Amp. + Cable (dB)	DCF (dB)	Result (dB(μV/m))	Limit (dB(μV/m))	Margin (dB)
Peak data								
5 813.53	V	51.81	34.98	-24.15	-	62.64	68.20	5.56
11 360.91 ¹⁾	H	59.49	37.99	-49.27	-	48.21	74.00	25.79
17 002.38	V	55.68	41.70	-46.66	-	50.72	68.20	17.48
Average Data								
No spurious emissions were detected within 20 dB of the limit.								


Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Straddle Channel (5 710 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μ V))	(dB)	(dB)	(dB)	(dB(μ V/m))	(dB(μ V/m))	(dB)
Peak data								
7 613.70 ¹⁾	V	62.39	35.35	-50.08	-	47.66	74.00	26.34
11 422.00 ¹⁾	V	58.95	38.04	-49.28	-	47.71	74.00	26.29
17 100.84	H	56.00	41.52	-46.69	-	50.83	68.20	17.37
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz





Horizontal/Vertical for 6.5 GHz ~ 18 GHz




802.11n HT40 UNII 2C ANT 1

Lowest Channel (5 510 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
5 361.28 ¹⁾	H	47.01	34.32	-24.66	-	56.67	74.00	17.33
11 016.63 ¹⁾	H	57.70	37.71	-49.17	-	46.24	74.00	27.76
16 534.47	V	55.13	42.66	-47.31	-	50.48	68.20	17.72
Average Data								
5 361.28 ¹⁾	H	36.84	34.32	-24.66	2.61	49.11	54.00	4.89



Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Middle Channel (5 550 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
11 103.59 ¹⁾	V	61.28	37.78	-49.19	-	49.87	74.00	24.13
16 609.94	H	55.51	42.78	-47.21	-	51.08	68.20	17.12
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Highest Channel (5 670 MHz)


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
5 727.42	H	53.13	34.87	-24.25	-	63.75	68.20	4.45
11 351.92 ¹⁾	V	58.90	37.98	-49.26	-	47.62	74.00	26.38
17 001.66	V	57.28	41.70	-46.66	-	52.32	68.20	15.88
Average Data								
No spurious emissions were detected within 20 dB of the limit.								



Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Straddle Channel (5 710 MHz)


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
7 613.34 ¹⁾	V	62.04	35.35	-50.08	-	47.31	74.00	26.69
11 421.19 ¹⁾	V	63.51	38.04	-49.28	-	52.27	74.00	21.73
16 971.11	V	55.91	43.35	-46.70	-	52.56	68.20	15.64
Average Data								
11 421.19 ¹⁾	V	49.44	38.04	-49.28	2.61	40.81	54.00	13.19



Horizontal/Vertical for 1 GHz ~ 6.5 GHz



Horizontal/Vertical for 6.5 GHz ~ 18 GHz




802.11n HT40 UNII 2C ANT 2


Lowest Channel (5 510 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
5 367.54 ¹⁾	V	46.90	34.34	-24.66	-	56.58	74.00	17.42
7 346.82 ¹⁾	H	68.20	35.36	-50.14	-	53.42	74.00	20.58
11 083.47 ¹⁾	V	58.66	37.77	-49.19	-	47.24	74.00	26.76
16 521.17	H	54.60	42.63	-47.33	-	49.90	68.20	18.30
Average Data								
5 367.54 ¹⁾	V	36.82	34.34	-24.66	2.61	49.11	54.00	4.89
7 346.82 ¹⁾	H	49.70	35.36	-50.14	2.61	37.53	54.00	16.47


Average data (5 367.54 MHz)




Average data (7 346.82 MHz)




Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Middle Channel (5 550 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
7 399.88 ¹⁾	V	62.04	35.34	-50.05	-	47.33	74.00	26.67
11 119.05 ¹⁾	V	61.73	37.80	-49.20	-	50.33	74.00	23.67
16 646.95	V	55.24	42.84	-47.15	-	50.93	68.20	17.27
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Highest Channel (5 670 MHz)


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
5 754.23	V	48.02	34.91	-24.24	-	58.69	68.20	9.51
7 560.16 ¹⁾	V	62.30	35.32	-49.98	-	47.64	74.00	26.36
9 203.22	V	59.21	36.10	-48.94	-	46.37	68.20	21.83
11 344.38 ¹⁾	V	59.20	37.98	-49.26	-	47.92	74.00	26.08
17 085.03	V	55.02	41.55	-46.69	-	49.88	68.20	18.32
Average Data								
No spurious emissions were detected within 20 dB of the limit.								



Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Straddle Channel (5 710 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
7 613.34 ¹⁾	V	61.74	35.35	-50.08	-	47.01	74.00	26.99
11 422.72 ¹⁾	V	61.37	38.04	-49.28	-	50.13	74.00	23.87
17 203.27	H	55.81	41.33	-46.72	-	50.42	68.20	17.78
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz





Horizontal/Vertical for 6.5 GHz ~ 18 GHz




802.11n HT40 UNII 2C ANT 3

Lowest Channel (5 510 MHz)


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
5 400.07 ¹⁾	H	46.88	34.40	-24.65	-	56.63	74.00	17.37
11 061.55 ¹⁾	H	57.59	37.75	-49.18	-	46.16	74.00	27.84
15 197.23	H	51.85	40.30	-42.90	-	49.25	68.20	18.95
Average Data								
5 400.07 ¹⁾	V	36.91	34.40	-24.65	2.61	49.27	54.00	4.73



Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Middle Channel (5 550 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
11 238.00 ¹⁾	V	58.38	37.89	-49.23	-	47.04	74.00	26.96
16 911.09	V	55.39	43.26	-46.79	-	51.86	68.20	16.34
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Highest Channel (5 670 MHz)

Frequency (MHz)	Pol. (V/H)	Reading (dB(μ V))	Antenna Factor (dB)	Amp. + Cable (dB)	DCF (dB)	Result (dB(μ V/m))	Limit (dB(μ V/m))	Margin (dB)
Peak data								
5 757.16	V	47.01	34.91	-24.24	-	57.68	68.20	10.52
11 403.31 ¹⁾	V	58.31	38.02	-49.28	-	47.05	74.00	26.95
16 779.56	V	54.78	43.05	-46.97	-	50.86	68.20	17.34
Average Data								
No spurious emissions were detected within 20 dB of the limit.								


Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Straddle Channel (5 710 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
7 613.34 ¹⁾	V	63.20	35.35	-50.08	-	48.47	74.00	25.53
11 497.11 ¹⁾	H	58.31	38.10	-49.30	-	47.11	74.00	26.89
16 620.72	V	56.22	42.79	-47.19	-	51.82	68.20	16.38
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




802.11n HT40 UNII 2C 4TX MIMO

Lowest Channel (5 510 MHz)


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
5 361.24 ¹⁾	V	47.41	34.32	-24.66	-	57.07	74.00	16.93
7 346.33 ¹⁾	V	62.72	35.36	-50.14	-	47.94	74.00	26.06
11 022.02 ¹⁾	V	58.55	37.72	-49.17	-	47.10	74.00	26.90
16 636.89	V	56.04	42.82	-47.17	-	51.69	68.20	16.51
Average Data								
5 361.24 ¹⁾	V	39.48	34.32	-24.66	2.63	51.77	54.00	2.23




Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Middle Channel (5 550 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
7 399.88 ¹⁾	V	62.48	35.34	-50.05	-	47.77	74.00	26.23
11 006.92 ¹⁾	H	58.46	37.71	-49.17	-	47.00	74.00	27.00
16 454.33	V	55.15	42.98	-47.22	-	50.91	68.20	17.29
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Highest Channel (5 670 MHz)

Frequency (MHz)	Pol. (V/H)	Reading (dB(μV))	Antenna Factor (dB)	Amp. + Cable (dB)	DCF (dB)	Result (dB($\mu V/m$))	Limit (dB($\mu V/m$))	Margin (dB)
Peak data								
5 821.09	V	49.56	34.99	-24.11	-	60.44	68.20	7.76
7 560.16 ¹⁾	V	61.10	35.32	-49.98	-	46.44	74.00	27.56
11 354.44 ¹⁾	V	59.09	37.98	-49.26	-	47.81	74.00	26.19
16 994.11	V	54.69	43.39	-46.67	-	51.41	68.20	16.79
Average Data								
No spurious emissions were detected within 20 dB of the limit.								


Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Straddle Channel (5 710 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
7 613.34 ¹⁾	V	60.88	35.35	-50.08	-	46.15	74.00	27.85
11 373.84 ¹⁾	V	59.36	38.00	-49.27	-	48.09	74.00	25.91
16 977.58	H	54.57	43.36	-46.69	-	51.24	68.20	16.96
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




802.11ac VHT20 UNII 2C ANT 0

Lowest Channel (5 500 MHz)


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
5 459.46 ¹⁾	V	47.30	34.52	-24.48	-	57.34	74.00	16.66
7 333.39 ¹⁾	V	62.95	35.37	-50.16	-	48.16	74.00	25.84
11 059.39 ¹⁾	V	58.20	37.75	-49.18	-	46.77	74.00	27.23
16 562.50	H	54.48	42.70	-47.27	-	49.91	68.20	18.29
Average Data								
5 459.46 ¹⁾	V	39.80	34.52	-24.48	0.77	50.61	54.00	3.39




Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Middle Channel (5 580 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
11 185.17 ¹⁾	H	58.35	37.85	-49.22	-	46.98	74.00	27.02
16 771.66	V	54.15	43.03	-46.98	-	50.20	68.20	18.00
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Highest Channel (5 700 MHz)

Frequency (MHz)	Pol. (V/H)	Reading (dB(μV))	Antenna Factor (dB)	Amp. + Cable (dB)	DCF (dB)	Result (dB(μV/m))	Limit (dB(μV/m))	Margin (dB)
Peak data								
5 725.70	V	49.57	34.87	-24.25	-	60.19	68.20	8.01
7 599.69 ¹⁾	V	62.12	35.34	-50.05	-	47.41	74.00	26.59
11 476.98 ¹⁾	H	59.70	38.08	-49.30	-	48.48	74.00	25.52
17 060.95	H	55.83	41.59	-46.68	-	50.74	68.20	17.46
Average Data								
No spurious emissions were detected within 20 dB of the limit.								


Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Straddle Channel (5 720 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
7 626.64 ¹⁾	V	62.33	35.35	-50.10	-	47.58	74.00	26.42
11 447.88 ¹⁾	H	58.45	38.06	-49.29	-	47.22	74.00	26.78
17 235.25	V	56.61	41.28	-46.73	-	51.16	68.20	17.04
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz





Horizontal/Vertical for 6.5 GHz ~ 18 GHz




802.11ac VHT20 UNII 2C ANT 1

Lowest Channel (5 500 MHz)


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
5 413.08 ¹⁾	H	47.03	34.43	-24.62	-	56.84	74.00	17.16
11 042.50 ¹⁾	V	58.98	37.73	-49.18	-	47.53	74.00	26.47
16 625.75	H	55.73	42.80	-47.18	-	51.35	68.20	16.85
Average Data								
5 413.08 ¹⁾	H	37.14	34.43	-24.62	0.77	47.72	54.00	6.28



Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Middle Channel (5 580 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
11 167.92 ¹⁾	V	60.28	37.83	-49.21	-	48.90	74.00	25.10
16 733.20	V	54.99	42.97	-47.03	-	50.93	68.20	17.27
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Highest Channel (5 700 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
5 726.05	V	49.94	34.87	-24.25	-	60.56	68.20	7.64
11 391.81 ¹⁾	V	59.80	38.01	-49.27	-	48.54	74.00	25.46
17 015.67	H	56.38	41.67	-46.67	-	51.38	68.20	16.82
Average Data								
No spurious emissions were detected within 20 dB of the limit.								


Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Straddle Channel (5 720 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
7 626.64 ¹⁾	V	62.12	35.35	-50.10	-	47.37	74.00	26.63
11 367.38 ¹⁾	V	59.55	37.99	-49.27	-	48.27	74.00	25.73
17 146.84	H	56.45	41.44	-46.70	-	51.19	68.20	17.01
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz





Horizontal/Vertical for 6.5 GHz ~ 18 GHz




802.11ac VHT20 UNII 2C ANT 2

Lowest Channel (5 500 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
5 430.41 ¹⁾	V	46.93	34.46	-24.57	-	56.82	74.00	17.18
11 022.38 ¹⁾	H	57.75	37.72	-49.17	-	46.30	74.00	27.70
16 488.83	V	54.87	43.07	-47.33	-	50.61	68.20	17.59
Average Data								
5 430.41 ¹⁾	V	37.09	34.46	-24.57	0.77	47.75	54.00	6.25



Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Middle Channel (5 580 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
10 133.28	H	60.15	37.08	-49.59	-	47.64	68.20	20.56
11 160.38 ¹⁾	V	59.41	37.83	-49.21	-	48.03	74.00	25.97
16 808.31	H	54.62	43.09	-46.93	-	50.78	68.20	17.42
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Highest Channel (5 700 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
5 727.77	V	53.81	34.87	-24.25	-	64.43	68.20	3.77
7 600.05 ¹⁾	V	62.38	35.34	-50.05	-	47.67	74.00	26.33
11 409.06 ¹⁾	V	58.89	38.03	-49.28	-	47.64	74.00	26.36
16 993.39	H	54.73	43.39	-46.67	-	51.45	68.20	16.75
Average Data								
No spurious emissions were detected within 20 dB of the limit.								


Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Straddle Channel (5 720 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
7 626.64 ¹⁾	V	61.99	35.35	-50.10	-	47.24	74.00	26.76
11 401.16 ¹⁾	V	58.11	38.02	-49.28	-	46.85	74.00	27.15
17 200.75	V	55.73	41.34	-46.72	-	50.35	68.20	17.85
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz





Horizontal/Vertical for 6.5 GHz ~ 18 GHz




802.11ac VHT20 UNII 2C ANT 3

Lowest Channel (5 500 MHz)


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
5 421.31 ¹⁾	V	47.06	34.44	-24.59	-	56.91	74.00	17.09
10 949.42 ¹⁾	V	57.82	37.66	-49.23	-	46.25	74.00	27.75
16 414.80	H	55.42	42.88	-47.11	-	51.19	68.20	17.01
Average Data								
5 421.31 ¹⁾	V	37.48	34.44	-24.59	0.77	48.10	54.00	5.90



Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz



Middle Channel (5 580 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
11 397.56 ¹⁾	H	60.04	38.02	-49.28	-	48.78	74.00	25.22
16 821.61	H	55.33	43.11	-46.91	-	51.53	68.20	16.67
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz



Horizontal/Vertical for 6.5 GHz ~ 18 GHz

