


**802.11ac VHT80 UNII 2C 4TX MIMO**

**Lowest Channel (5 530 MHz)**


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
<b>Peak data</b>								
5 459.96 <sup>1)</sup>	V	46.42	34.74	-23.66	-	57.50	74.00	16.50
6 144.92	V	61.13	35.39	-42.02	-	54.50	68.20	13.70
7 373.41 <sup>1)</sup>	V	58.46	35.67	-50.23	-	43.90	74.00	30.10
11 058.72 <sup>1)</sup>	V	52.12	38.04	-47.26	-	42.90	74.00	31.10
16 614.81	V	44.94	41.96	-39.90	-	47.00	68.20	21.20
<b>Average Data</b>								
5 459.96 <sup>1)</sup>	V	37.01	34.74	-23.66	0.27	48.36	54.00	5.64

**Average data (5 459.96 MHz)**




Blank


**Horizontal/Vertical for Band-edge**




**Horizontal/Vertical for 1 GHz ~ 6.5 GHz**



**Horizontal/Vertical for 6.5 GHz ~ 18 GHz**




**Horizontal/Vertical for 18 GHz ~ 40 GHz**




**Highest Channel (5 610 MHz)**


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB( $\mu V$ ))	(dB)	(dB)	(dB)	(dB( $\mu V/m$ ))	(dB( $\mu V/m$ ))	(dB)
<b>Peak data</b>								
5 753.18	V	46.92	35.05	-23.67	-	58.30	68.20	9.90
6 233.54	V	59.51	35.44	-41.95	-	53.00	68.20	15.20
11 219.73 <sup>1)</sup>	V	50.48	38.13	-47.21	-	41.40	74.00	32.60
16 840.35	V	44.60	42.28	-39.38	-	47.50	68.20	20.70
<b>Average Data</b>								
No spurious emissions were detected within 20 dB of the limit.								

**Horizontal/Vertical for Band-edge**


**Horizontal/Vertical for 1 GHz ~ 6.5 GHz**



**Horizontal/Vertical for 6.5 GHz ~ 18 GHz**



**Horizontal/Vertical for 18 GHz ~ 40 GHz**




**Straddle Channel (5 690 MHz)**


Frequency (MHz)	Pol. (V/H)	Reading (dB( $\mu$ V))	Antenna Factor (dB)	Amp. + Cable (dB)	DCF (dB)	Result (dB( $\mu$ V/m))	Limit (dB( $\mu$ V/m))	Margin (dB)
<b>Peak data</b>								
11 339.21 <sup>1)</sup>	V	55.36	38.20	-47.16	-	46.40	74.00	27.60
17 068.45	V	44.24	41.80	-39.04	-	47.00	68.20	21.20
<b>Average Data</b>								
No spurious emissions were detected within 20 dB of the limit.								

**KCTL**


**Horizontal/Vertical for 1 GHz ~ 6.5 GHz**



**Horizontal/Vertical for 6.5 GHz ~ 18 GHz**




**Horizontal/Vertical for 18 GHz ~ 40 GHz**




**802.11a UNII 3 ANT 0****Lowest Channel (5 745 MHz)**


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB( $\mu V$ ))	(dB)	(dB)	(dB)	(dB( $\mu V/m$ ))	(dB( $\mu V/m$ ))	(dB)
<b>Peak data</b>								
5 724.76	V	61.40	35.02	-23.52	-	72.90	121.70	48.80
11 495.11 <sup>1)</sup>	V	53.11	38.30	-47.11	-	44.30	74.00	29.70
17 230.09	V	52.43	41.80	-39.13	-	55.10	68.20	13.10
<b>Average Data</b>								
No spurious emissions were detected within 20 dB of the limit.								

**Horizontal/Vertical for Band-edge**


**Horizontal/Vertical for 1 GHz ~ 6.5 GHz**



**Horizontal/Vertical for 6.5 GHz ~ 18 GHz**



**Horizontal/Vertical for 18 GHz ~ 40 GHz**






**Middle Channel (5 785 MHz)**


Frequency (MHz)	Pol. (V/H)	Reading (dB( $\mu V$ ))	Antenna Factor (dB)	Amp. + Cable (dB)	DCF (dB)	Result (dB( $\mu V/m$ ))	Limit (dB( $\mu V/m$ ))	Margin (dB)
<b>Peak data</b>								
11 570.50 <sup>1)</sup>	V	52.08	38.36	-47.04	-	43.40	74.00	30.60
17 357.24	V	48.39	41.80	-39.19	-	51.00	68.20	17.20
<b>Average Data</b>								
No spurious emissions were detected within 20 dB of the limit.								

**KCTL**


**Horizontal/Vertical for 1 GHz ~ 6.5 GHz**



**Horizontal/Vertical for 6.5 GHz ~ 18 GHz**




**Horizontal/Vertical for 18 GHz ~ 40 GHz**




**Highest Channel (5 825 MHz)**

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB( $\mu V$ ))	(dB)	(dB)	(dB)	(dB( $\mu V/m$ ))	(dB( $\mu V/m$ ))	(dB)
<b>Peak data</b>								
5 855.85	V	61.03	35.16	-23.39	-	72.80	110.60	37.80
11 651.01 <sup>1)</sup>	V	53.14	38.42	-46.96	-	44.60	74.00	29.40
17 479.27	V	51.35	41.80	-39.25	-	53.90	68.20	14.30
<b>Average Data</b>								
No spurious emissions were detected within 20 dB of the limit.								


**Horizontal/Vertical for Band-edge**




**Horizontal/Vertical for 1 GHz ~ 6.5 GHz**



**Horizontal/Vertical for 6.5 GHz ~ 18 GHz**




**Horizontal/Vertical for 18 GHz ~ 40 GHz**




**802.11a UNII 3 ANT 1****Lowest Channel (5 745 MHz)**


Frequency (MHz)	Pol. (V/H)	Reading (dB( $\mu V$ ))	Antenna Factor (dB)	Amp. + Cable (dB)	DCF (dB)	Result (dB( $\mu V/m$ ))	Limit (dB( $\mu V/m$ ))	Margin (dB)
<b>Peak data</b>								
5 722.93	H	63.09	35.02	-23.51	-	74.60	117.50	42.90
11 490.64 <sup>1)</sup>	H	55.32	38.29	-47.11	-	46.50	74.00	27.50
17 231.37	H	47.73	41.80	-39.13	-	50.40	68.20	17.80
<b>Average Data</b>								
No spurious emissions were detected within 20 dB of the limit.								

**Horizontal/Vertical for Band-edge**


**Horizontal/Vertical for 1 GHz ~ 6.5 GHz**



**Horizontal/Vertical for 6.5 GHz ~ 18 GHz**




**Horizontal/Vertical for 18 GHz ~ 40 GHz**




**Middle Channel (5 785 MHz)**

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
<b>Peak data</b>								
11 571.14 <sup>1)</sup>	H	61.58	38.36	-47.04	-	52.90	74.00	21.10
17 355.96	H	48.19	41.80	-39.19	-	50.80	68.20	17.40
<b>Average Data</b>								
11 571.14 <sup>1)</sup>	H	48.00	38.36	-47.04	0.22	39.54	54.00	14.46


**Average data (11 571.14 MHz)**




**Horizontal/Vertical for 1 GHz ~ 6.5 GHz**



**Horizontal/Vertical for 6.5 GHz ~ 18 GHz**



**Horizontal/Vertical for 18 GHz ~ 40 GHz**






**Highest Channel (5 825 MHz)**


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
<b>Peak data</b>								
5 851.27	H	55.78	35.15	-23.43	-	67.50	119.20	51.70
11 651.45 <sup>1)</sup>	H	62.34	38.42	-46.96	-	53.80	74.00	20.20
17 477.36	H	49.55	41.80	-39.25	-	52.10	68.20	16.10
<b>Average Data</b>								
11 651.45 <sup>1)</sup>	H	52.64	38.42	-46.96	0.22	44.32	54.00	9.68

**Average data (11 651.45 MHz)**




Blank


**Horizontal/Vertical for Band-edge**




**Horizontal/Vertical for 1 GHz ~ 6.5 GHz**



**Horizontal/Vertical for 6.5 GHz ~ 18 GHz**




**Horizontal/Vertical for 18 GHz ~ 40 GHz**




**802.11a UNII 3 ANT 2****Lowest Channel (5 745 MHz)**


Frequency (MHz)	Pol. (V/H)	Reading (dB( $\mu V$ ))	Antenna Factor (dB)	Amp. + Cable (dB)	DCF (dB)	Result (dB( $\mu V/m$ ))	Limit (dB( $\mu V/m$ ))	Margin (dB)
<b>Peak data</b>								
5 724.15	V	64.90	35.02	-23.52	-	76.40	120.30	43.90
11 488.08 <sup>1)</sup>	H	54.72	38.29	-47.11	-	45.90	74.00	28.10
17 240.96	V	49.03	41.80	-39.13	-	51.70	68.20	16.50
<b>Average Data</b>								
No spurious emissions were detected within 20 dB of the limit.								

**Horizontal/Vertical for Band-edge**


**Horizontal/Vertical for 1 GHz ~ 6.5 GHz**



**Horizontal/Vertical for 6.5 GHz ~ 18 GHz**




**Horizontal/Vertical for 18 GHz ~ 40 GHz**




**Middle Channel (5 785 MHz)**

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
<b>Peak data</b>								
11 568.65 <sup>1)</sup>	V	60.20	38.35	-47.05	-	51.50	74.00	22.50
17 348.93	V	52.08	41.80	-39.18	-	54.70	68.20	13.50
<b>Average Data</b>								
11 568.65 <sup>1)</sup>	V	47.95	38.35	-47.05	0.22	39.47	54.00	14.53


**Average data (11 568.65 MHz)**




**Horizontal/Vertical for 1 GHz ~ 6.5 GHz**



**Horizontal/Vertical for 6.5 GHz ~ 18 GHz**




**Horizontal/Vertical for 18 GHz ~ 40 GHz**




**Highest Channel (5 825 MHz)**


Frequency (MHz)	Pol. (V/H)	Reading (dB( $\mu V$ ))	Antenna Factor (dB)	Amp. + Cable (dB)	DCF (dB)	Result (dB( $\mu V/m$ ))	Limit (dB( $\mu V/m$ ))	Margin (dB)
<b>Peak data</b>								
5 850.66	V	59.79	35.15	-23.44	-	71.50	120.50	49.00
11 647.17 <sup>1)</sup>	V	58.34	38.42	-46.96	-	49.80	74.00	24.20
17 476.08	V	55.95	41.80	-39.25	-	58.50	68.20	9.70
<b>Average Data</b>								
No spurious emissions were detected within 20 dB of the limit.								

**Horizontal/Vertical for Band-edge**


**Horizontal/Vertical for 1 GHz ~ 6.5 GHz**



**Horizontal/Vertical for 6.5 GHz ~ 18 GHz**



**Horizontal/Vertical for 18 GHz ~ 40 GHz**






**802.11a UNII 3 ANT 3**


**Lowest Channel (5 745 MHz)**

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
<b>Peak data</b>								
3 829.95 <sup>1)</sup>	V	62.52	33.26	-43.98	-	51.80	74.00	22.20
5 723.54	V	65.29	35.02	-23.51	-	76.80	118.90	42.10
11 490.82 <sup>1)</sup>	V	66.82	38.29	-47.11	-	58.00	74.00	16.00
17 239.04	V	51.53	41.80	-39.13	-	54.20	68.20	14.00
<b>Average Data</b>								
3 829.95 <sup>1)</sup>	V	60.42	33.26	-43.98	0.22	49.92	54.00	4.08
11 490.82 <sup>1)</sup>	V	58.10	38.29	-47.11	0.22	49.50	54.00	4.50


**Average data (3 829.95 MHz)**




**Average data (11 490.82 MHz)**




**Horizontal/Vertical for Band-edge**




**Horizontal/Vertical for 1 GHz ~ 6.5 GHz**



**Horizontal/Vertical for 6.5 GHz ~ 18 GHz**




**Horizontal/Vertical for 18 GHz ~ 40 GHz**




**Middle Channel (5 785 MHz)**

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
<b>Peak data</b>								
3 856.59 <sup>1)</sup>	V	62.18	33.29	-43.87	-	51.60	74.00	22.40
11 570.98 <sup>1)</sup>	V	64.08	38.36	-47.04	-	55.40	74.00	18.60
17 349.57	V	51.18	41.80	-39.18	-	53.80	68.20	14.40
<b>Average Data</b>								
3 856.59 <sup>1)</sup>	V	61.17	33.29	-43.87	0.22	50.81	54.00	3.19
11 570.98 <sup>1)</sup>	V	58.19	38.36	-47.04	0.22	49.73	54.00	4.27


**Average data (3 856.59 MHz)**




**Average data (11 570.98 MHz)**




**Horizontal/Vertical for 1 GHz ~ 6.5 GHz**



**Horizontal/Vertical for 6.5 GHz ~ 18 GHz**




**Horizontal/Vertical for 18 GHz ~ 40 GHz**



**Highest Channel (5 825 MHz)**


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
<b>Peak data</b>								
3 883.08 <sup>1)</sup>	V	61.36	33.31	-43.77	-	50.90	74.00	23.10
5 850.96	V	59.89	35.15	-23.44	-	71.60	119.80	48.20
11 648.81 <sup>1)</sup>	V	70.54	38.42	-46.96	-	62.00	74.00	12.00
17 482.47	V	51.35	41.80	-39.25	-	53.90	68.20	14.30
<b>Average Data</b>								
11 648.81 <sup>1)</sup>	V	60.26	38.42	-46.96	0.22	51.94	54.00	2.06

**Average data (11 648.81 MHz)**




Blank


**Horizontal/Vertical for Band-edge**




**Horizontal/Vertical for 1 GHz ~ 6.5 GHz**



**Horizontal/Vertical for 6.5 GHz ~ 18 GHz**



**Horizontal/Vertical for 18 GHz ~ 40 GHz**




**802.11a UNII 3 4TX MIMO**

**Lowest Channel (5 745 MHz)**


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
<b>Peak data</b>								
5 509.03	V	59.81	34.81	-42.32	-	52.30	68.20	15.90
5 724.76	V	66.30	35.02	-23.52	-	77.80	121.70	43.90
5 991.53	V	60.06	35.29	-42.15	-	53.20	68.20	15.00
11 490.26 <sup>1)</sup>	V	63.72	38.29	-47.11	-	54.90	74.00	19.10
17 237.76	H	52.13	41.80	-39.13	-	54.80	68.20	13.40
<b>Average Data</b>								
11 490.26 <sup>1)</sup>	V	56.79	38.29	-47.11	0.22	48.19	54.00	5.81

**Average data (11 490.26 MHz)**




Blank


**Horizontal/Vertical for Band-edge**




**Horizontal/Vertical for 1 GHz ~ 6.5 GHz**



**Horizontal/Vertical for 6.5 GHz ~ 18 GHz**




**Horizontal/Vertical for 18 GHz ~ 40 GHz**






**Middle Channel (5 785 MHz)**


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB( $\mu$ V))	(dB)	(dB)	(dB)	(dB( $\mu$ V/m))	(dB( $\mu$ V/m))	(dB)
<b>Peak data</b>								
11 569.61 <sup>1)</sup>	V	65.28	38.36	-47.04	-	56.60	74.00	17.40
17 353.41	H	56.19	41.80	-39.19	-	58.80	68.20	9.40
<b>Average Data</b>								
11 569.61 <sup>1)</sup>	V	58.71	38.36	-47.04	0.22	50.25	54.00	3.75

**Average data (11 569.61 MHz)**


**Horizontal/Vertical for 1 GHz ~ 6.5 GHz**



**Horizontal/Vertical for 6.5 GHz ~ 18 GHz**




**Horizontal/Vertical for 18 GHz ~ 40 GHz**



**Highest Channel (5 825 MHz)**


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
<b>Peak data</b>								
5 850.05	V	63.09	35.15	-23.44	-	74.80	121.90	47.10
6 070.06	V	58.74	35.34	-42.08	-	52.00	68.20	16.20
11 650.41 <sup>1)</sup>	V	65.34	38.42	-46.96	-	56.80	74.00	17.20
17 480.55	V	55.05	41.80	-39.25	-	57.60	68.20	10.60
<b>Average Data</b>								
11 650.41 <sup>1)</sup>	V	59.61	38.42	-46.96	0.22	51.29	54.00	2.71

**Average data (11 650.41 MHz)**




Blank


**Horizontal/Vertical for Band-edge**




**Horizontal/Vertical for 1 GHz ~ 6.5 GHz**



**Horizontal/Vertical for 6.5 GHz ~ 18 GHz**




**Horizontal/Vertical for 18 GHz ~ 40 GHz**




**802.11n HT20 UNII 3 ANT 0****Lowest Channel (5 745 MHz)**


Frequency (MHz)	Pol. (V/H)	Reading (dB( $\mu V$ ))	Antenna Factor (dB)	Amp. + Cable (dB)	DCF (dB)	Result (dB( $\mu V/m$ ))	Limit (dB( $\mu V/m$ ))	Margin (dB)
<b>Peak data</b>								
5 724.76	V	66.20	35.02	-23.52	-	77.70	121.70	44.00
11 480.41 <sup>1)</sup>	V	51.33	38.29	-47.12	-	42.50	74.00	31.50
17 227.54	V	49.22	41.80	-39.12	-	51.90	68.20	16.30
<b>Average Data</b>								
No spurious emissions were detected within 20 dB of the limit.								

**Horizontal/Vertical for Band-edge**


**Horizontal/Vertical for 1 GHz ~ 6.5 GHz**



**Horizontal/Vertical for 6.5 GHz ~ 18 GHz**



**Horizontal/Vertical for 18 GHz ~ 40 GHz**




**Middle Channel (5 785 MHz)**


Frequency (MHz)	Pol. (V/H)	Reading (dB( $\mu V$ ))	Antenna Factor (dB)	Amp. + Cable (dB)	DCF (dB)	Result (dB( $\mu V/m$ ))	Limit (dB( $\mu V/m$ ))	Margin (dB)
<b>Peak data</b>								
11 571.14 <sup>1)</sup>	V	52.58	38.36	-47.04	-	43.90	74.00	30.10
17 362.99	V	46.79	41.80	-39.19	-	49.40	68.20	18.80
<b>Average Data</b>								
No spurious emissions were detected within 20 dB of the limit.								

**KCTL**


**Horizontal/Vertical for 1 GHz ~ 6.5 GHz**



**Horizontal/Vertical for 6.5 GHz ~ 18 GHz**




**Horizontal/Vertical for 18 GHz ~ 40 GHz**






**Highest Channel (5 825 MHz)**


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB( $\mu V$ ))	(dB)	(dB)	(dB)	(dB( $\mu V/m$ ))	(dB( $\mu V/m$ ))	(dB)
<b>Peak data</b>								
5 851.58	V	59.28	35.15	-23.43	-	71.00	118.50	47.50
11 652.92 <sup>1)</sup>	V	53.53	38.42	-46.95	-	45.00	74.00	29.00
17 472.25	V	47.85	41.80	-39.25	-	50.40	68.20	17.80
<b>Average Data</b>								
No spurious emissions were detected within 20 dB of the limit.								

**Horizontal/Vertical for Band-edge**


**Horizontal/Vertical for 1 GHz ~ 6.5 GHz**



**Horizontal/Vertical for 6.5 GHz ~ 18 GHz**




**Horizontal/Vertical for 18 GHz ~ 40 GHz**




**802.11n HT20 UNII 3 ANT 1****Lowest Channel (5 745 MHz)**


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB( $\mu V$ ))	(dB)	(dB)	(dB)	(dB( $\mu V/m$ ))	(dB( $\mu V/m$ ))	(dB)
<b>Peak data</b>								
5 723.85	H	62.20	35.02	-23.52	-	73.70	119.60	45.90
11 482.97 <sup>1)</sup>	H	55.23	38.29	-47.12	-	46.40	74.00	27.60
17 222.43	H	45.42	41.80	-39.12	-	48.10	68.20	20.10
<b>Average Data</b>								
No spurious emissions were detected within 20 dB of the limit.								

**Horizontal/Vertical for Band-edge**


**Horizontal/Vertical for 1 GHz ~ 6.5 GHz**



**Horizontal/Vertical for 6.5 GHz ~ 18 GHz**




**Horizontal/Vertical for 18 GHz ~ 40 GHz**




**Middle Channel (5 785 MHz)**

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB( $\mu$ V))	(dB)	(dB)	(dB)	(dB( $\mu$ V/m))	(dB( $\mu$ V/m))	(dB)
<b>Peak data</b>								
11 568.60 <sup>1)</sup>	H	61.89	38.35	-47.04	-	53.20	74.00	20.80
17 357.88	H	49.69	41.80	-39.19	-	52.30	68.20	15.90
<b>Average Data</b>								
11 568.60 <sup>1)</sup>	H	48.68	38.35	-47.04	0.22	40.21	54.00	13.79


**Average data (11 568.60 MHz)**

Blank

**Horizontal/Vertical for 1 GHz ~ 6.5 GHz**



**Horizontal/Vertical for 6.5 GHz ~ 18 GHz**



**Horizontal/Vertical for 18 GHz ~ 40 GHz**

