



Highest Channel (5 825 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μ V))	(dB)	(dB)	(dB)	(dB(μ V/m))	(dB(μ V/m))	(dB)
Peak data								
5 850.05	H	54.49	35.15	-23.44	-	66.20	121.90	55.70
11 649.19 ¹⁾	H	62.04	38.42	-46.96	-	53.50	74.00	20.50
17 479.91	H	49.55	41.80	-39.25	-	52.10	68.20	16.10
Average Data								
11 649.19 ¹⁾	H	52.57	38.42	-46.96	0.22	44.25	54.00	9.75

Horizontal/Vertical for Band-edge




Average data (11 649.19 MHz)




Blank


Horizontal/Vertical for 1 GHz ~ 6.5 GHz



Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Horizontal/Vertical for 18 GHz ~ 40 GHz




802.11n HT20 UNII 3 ANT 2**Lowest Channel (5 745 MHz)**


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
5 724.46	V	69.70	35.02	-23.52	-	81.20	121.00	39.80
11 498.30 ¹⁾	V	53.01	38.30	-47.11	-	44.20	74.00	29.80
17 230.73	V	48.83	41.80	-39.13	-	51.50	68.20	16.70
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for Band-edge


Horizontal/Vertical for 1 GHz ~ 6.5 GHz



Horizontal/Vertical for 6.5 GHz ~ 18 GHz



Horizontal/Vertical for 18 GHz ~ 40 GHz




Middle Channel (5 785 MHz)


Frequency (MHz)	Pol. (V/H)	Reading (dB(μV))	Antenna Factor (dB)	Amp. + Cable (dB)	DCF (dB)	Result (dB($\mu V/m$))	Limit (dB($\mu V/m$))	Margin (dB)
Peak data								
11 570.50 ¹⁾	V	56.78	38.36	-47.04	-	48.10	74.00	25.90
17 361.07	V	50.89	41.80	-39.19	-	53.50	68.20	14.70
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

KCTL


Horizontal/Vertical for 1 GHz ~ 6.5 GHz



Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Horizontal/Vertical for 18 GHz ~ 40 GHz



Highest Channel (5 825 MHz)


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
5 850.05	V	56.79	35.15	-23.44	-	68.50	121.90	53.40
11 649.63 ¹⁾	V	63.84	38.42	-46.96	-	55.30	74.00	18.70
17 474.16	V	54.15	41.80	-39.25	-	56.70	68.20	11.50
Average Data								
11 649.63 ¹⁾	V	52.03	38.42	-46.96	0.22	43.71	54.00	10.29

Average data (11 649.63 MHz)




Blank


Horizontal/Vertical for Band-edge




Horizontal/Vertical for 1 GHz ~ 6.5 GHz



Horizontal/Vertical for 6.5 GHz ~ 18 GHz



Horizontal/Vertical for 18 GHz ~ 40 GHz




802.11n HT20 UNII 3 ANT 3


Lowest Channel (5 745 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
3 829.96 ¹⁾	V	62.32	33.26	-43.98	-	51.60	74.00	22.40
5 724.46	V	68.70	35.02	-23.52	-	80.20	121.00	40.80
11 489.99 ¹⁾	V	67.72	38.29	-47.11	-	58.90	74.00	15.10
17 249.90	V	51.63	41.80	-39.13	-	54.30	68.20	13.90
Average Data								
3 829.96 ¹⁾	V	61.47	33.26	-43.98	0.22	50.97	54.00	3.03
11 489.99 ¹⁾	V	58.67	38.29	-47.11	0.22	50.07	54.00	3.93


Average data (3 829.96 MHz)




Average data (11 489.99 MHz)




Horizontal/Vertical for Band-edge




Horizontal/Vertical for 1 GHz ~ 6.5 GHz



Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Horizontal/Vertical for 18 GHz ~ 40 GHz




Middle Channel (5 785 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
3 856.74 ¹⁾	V	61.98	33.29	-43.87	-	51.40	74.00	22.60
11 570.77 ¹⁾	V	65.38	38.36	-47.04	-	56.70	74.00	17.30
17 350.85	H	50.69	41.80	-39.19	-	53.30	68.20	14.90
Average Data								
3 856.74 ¹⁾	V	60.79	33.29	-43.87	0.22	50.43	54.00	3.57
11 570.77 ¹⁾	V	58.21	38.36	-47.04	0.22	49.75	54.00	4.25


Average data (3 856.74 MHz)




Average data (11 570.77 MHz)




Horizontal/Vertical for 1 GHz ~ 6.5 GHz



Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Horizontal/Vertical for 18 GHz ~ 40 GHz




Highest Channel (5 825 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
3 883.26 ¹⁾	V	62.26	33.31	-43.77	-	51.80	74.00	22.20
5 850.66	V	65.69	35.15	-23.44	-	77.40	120.50	43.10
11 649.84 ¹⁾	V	65.04	38.42	-46.96	-	56.50	74.00	17.50
17 478.00	H	50.95	41.80	-39.25	-	53.50	68.20	14.70
Average Data								
3 883.26 ¹⁾	V	60.89	33.31	-43.77	0.22	50.65	54.00	3.35
11 649.84 ¹⁾	V	60.12	38.42	-46.96	0.22	51.80	54.00	2.20


Average data (3 883.26 MHz)




Average data (11 649.84 MHz)




Horizontal/Vertical for Band-edge




Horizontal/Vertical for 1 GHz ~ 6.5 GHz



Horizontal/Vertical for 6.5 GHz ~ 18 GHz



Horizontal/Vertical for 18 GHz ~ 40 GHz




802.11ac VHT20 UNII 3 4TX MIMO

Lowest Channel (5 745 MHz)


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
5 510.56	V	58.41	34.81	-42.32	-	50.90	68.20	17.30
5 724.76	V	72.70	35.02	-23.52	-	84.20	121.70	37.50
5 993.06	V	59.25	35.29	-42.14	-	52.40	68.20	15.80
11 491.34 ¹⁾	V	64.92	38.29	-47.11	-	56.10	74.00	17.90
17 244.15	H	52.23	41.80	-39.13	-	54.90	68.20	13.30
Average Data								
11 491.34 ¹⁾	V	58.88	38.29	-47.11	-	50.06	54.00	3.94

Average data (11 491.34 MHz)




Blank


Horizontal/Vertical for Band-edge




Horizontal/Vertical for 1 GHz ~ 6.5 GHz



Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Horizontal/Vertical for 18 GHz ~ 40 GHz



Middle Channel (5 785 MHz)


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
6 032.78	V	59.09	35.32	-42.11	-	52.30	68.20	15.90
11 570.76 ¹⁾	V	66.48	38.36	-47.04	-	57.80	74.00	16.20
17 361.71	V	54.49	41.80	-39.19	-	57.10	68.20	11.10
Average Data								
11 570.76 ¹⁾	V	59.13	38.36	-47.04	-	50.45	54.00	3.55

Average data (11 570.76 MHz)




Blank


Horizontal/Vertical for 1 GHz ~ 6.5 GHz



Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Horizontal/Vertical for 18 GHz ~ 40 GHz



Highest Channel (5 825 MHz)


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
5 588.48	V	57.59	34.89	-42.38	-	50.10	68.20	18.10
5 850.05	V	63.59	35.15	-23.44	-	75.30	121.90	46.60
6 071.28	V	59.64	35.34	-42.08	-	52.90	68.20	15.30
11 650.63 ¹⁾	V	65.24	38.42	-46.96	-	56.70	74.00	17.30
17 472.25	H	52.25	41.80	-39.25	-	54.80	68.20	13.40
Average Data								
11 650.63 ¹⁾	V	59.70	38.42	-46.96	-	51.16	54.00	2.84

Average data (11 650.63 MHz)




Blank


Horizontal/Vertical for Band-edge




Horizontal/Vertical for 1 GHz ~ 6.5 GHz



Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Horizontal/Vertical for 18 GHz ~ 40 GHz




802.11n HT40 UNII 3 ANT 0**Lowest Channel (5 755 MHz)**


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
5 724.46	V	70.90	35.02	-23.52	-	82.40	121.00	38.60
11 509.80 ¹⁾	V	51.09	38.31	-47.10	-	42.30	74.00	31.70
17 267.79	V	49.24	41.80	-39.14	-	51.90	68.20	16.30
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for Band-edge


Horizontal/Vertical for 1 GHz ~ 6.5 GHz



Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Horizontal/Vertical for 18 GHz ~ 40 GHz




Highest Channel (5 795 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
5 861.96	V	57.17	35.16	-23.33	-	69.00	108.90	39.90
11 613.31 ¹⁾	V	51.20	38.39	-46.99	-	42.60	74.00	31.40
17 375.77	V	46.20	41.80	-39.20	-	48.80	68.20	19.40
Average Data								
No spurious emissions were detected within 20 dB of the limit.								


Horizontal/Vertical for Band-edge




Horizontal/Vertical for 1 GHz ~ 6.5 GHz



Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Horizontal/Vertical for 18 GHz ~ 40 GHz




802.11n HT40 UNII 3 ANT 1**Lowest Channel (5 755 MHz)**


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
5 723.23	H	68.19	35.02	-23.51	-	79.70	118.20	38.50
6 394.27	H	61.48	35.54	-41.82	-	55.20	68.20	13.00
11 507.89 ¹⁾	H	57.59	38.31	-47.10	-	48.80	74.00	25.20
17 251.18	H	45.44	41.80	-39.14	-	48.10	68.20	20.10
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for Band-edge


Horizontal/Vertical for 1 GHz ~ 6.5 GHz



Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Horizontal/Vertical for 18 GHz ~ 40 GHz




Highest Channel (5 795 MHz)


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
5 862.58	H	50.37	35.16	-23.33	-	62.20	108.70	46.50
11 587.75 ¹⁾	H	54.45	38.37	-47.02	-	45.80	74.00	28.20
17 394.94	H	47.51	41.80	-39.21	-	50.10	68.20	18.10
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for Band-edge


Horizontal/Vertical for 1 GHz ~ 6.5 GHz



Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Horizontal/Vertical for 18 GHz ~ 40 GHz




802.11n HT40 UNII 3 ANT 2**Lowest Channel (5 755 MHz)**


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
5 722.01	V	72.09	35.02	-23.51	-	83.60	115.40	31.80
6 394.58	V	64.88	35.54	-41.82	-	58.60	68.20	9.60
11 507.89 ¹⁾	V	54.19	38.31	-47.10	-	45.40	74.00	28.60
17 272.90	H	49.35	41.80	-39.15	-	52.00	68.20	16.20
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for Band-edge


Horizontal/Vertical for 1 GHz ~ 6.5 GHz



Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Horizontal/Vertical for 18 GHz ~ 40 GHz




Highest Channel (5 795 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
5 850.05	V	53.89	35.15	-23.44	-	65.60	121.90	56.30
6 438.89	V	61.73	35.56	-41.79	-	55.50	68.20	12.70
11 590.31 ¹⁾	V	55.15	38.37	-47.02	-	46.50	74.00	27.50
17 387.27	H	48.40	41.80	-39.20	-	51.00	68.20	17.20
Average Data								
No spurious emissions were detected within 20 dB of the limit.								


Horizontal/Vertical for Band-edge




Horizontal/Vertical for 1 GHz ~ 6.5 GHz



Horizontal/Vertical for 6.5 GHz ~ 18 GHz



Horizontal/Vertical for 18 GHz ~ 40 GHz




802.11n HT40 UNII 3 ANT 3


Lowest Channel (5 755 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
3 836.70 ¹⁾	V	63.28	33.27	-43.95	-	52.60	74.00	21.40
5 723.54	V	72.09	35.02	-23.51	-	83.60	118.90	35.30
11 509.65 ¹⁾	V	62.39	38.31	-47.10	-	53.60	74.00	20.40
17 276.74	H	50.55	41.80	-39.15	-	53.20	68.20	15.00
Average Data								
3 836.70 ¹⁾	V	61.11	33.27	-43.95	0.44	50.87	54.00	3.13
11 509.65 ¹⁾	V	54.72	38.31	-47.10	0.44	46.37	54.00	7.63


Average data (3 836.70 MHz)




Average data (11 509.65 MHz)




Horizontal/Vertical for Band-edge




Horizontal/Vertical for 1 GHz ~ 6.5 GHz



Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Horizontal/Vertical for 18 GHz ~ 40 GHz




Highest Channel (5 795 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
3 863.31 ¹⁾	V	61.76	33.29	-43.85	-	51.20	74.00	22.80
5 875.10	V	54.33	35.18	-23.21	-	66.30	105.10	38.80
11 589.95 ¹⁾	V	61.85	38.37	-47.02	-	53.20	74.00	20.80
17 375.77	V	47.40	41.80	-39.20	-	50.00	68.20	18.20
Average Data								
3 863.31 ¹⁾	V	61.58	33.29	-43.85	0.44	51.46	54.00	2.54
11 589.95 ¹⁾	V	55.10	38.37	-47.02	0.44	46.89	54.00	7.11


Average data (3 863.31 MHz)




Average data (11 589.95 MHz)




Horizontal/Vertical for Band-edge




Horizontal/Vertical for 1 GHz ~ 6.5 GHz



Horizontal/Vertical for 6.5 GHz ~ 18 GHz



Horizontal/Vertical for 18 GHz ~ 40 GHz




802.11n HT40 UNII 3 4TX MIMO

Lowest Channel (5 755 MHz)


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
5 721.71	V	78.79	35.02	-23.51	-	90.30	114.70	24.40
11 511.13 ¹⁾	V	61.29	38.31	-47.10	-	52.50	74.00	21.50
17 270.98	V	49.25	41.80	-39.15	-	51.90	68.20	16.30
Average Data								
11 511.13 ¹⁾	V	55.08	38.31	-47.10	0.44	46.73	54.00	7.27

Average data (11 511.13 MHz)




Blank


Horizontal/Vertical for Band-edge




Horizontal/Vertical for 1 GHz ~ 6.5 GHz



Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Horizontal/Vertical for 18 GHz ~ 40 GHz



Highest Channel (5 795 MHz)


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
5 852.19	V	56.57	35.15	-23.42	-	68.30	117.10	48.80
6 438.89	V	60.93	35.56	-41.79	-	54.70	68.20	13.50
11 589.89 ¹⁾	V	61.25	38.37	-47.02	-	52.60	74.00	21.40
17 377.69	V	50.30	41.80	-39.20	-	52.90	68.20	15.30
Average Data								
11 589.89 ¹⁾	V	54.36	38.37	-47.02	0.44	46.15	54.00	7.85

Average data (11 589.89 MHz)




Blank


Horizontal/Vertical for Band-edge




Horizontal/Vertical for 1 GHz ~ 6.5 GHz



Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Horizontal/Vertical for 18 GHz ~ 40 GHz




802.11ac VHT80 UNII 3 ANT 0**Middle Channel (5 775 MHz)**


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
5 719.57	V	66.47	35.02	-23.49	-	78.00	110.70	32.70
5 850.66	V	61.09	35.15	-23.44	-	72.80	120.50	47.70
11 555.17 ¹⁾	V	50.81	38.34	-47.05	-	42.10	74.00	31.90
17 331.68	V	45.38	41.80	-39.18	-	48.00	68.20	20.20
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for Band-edge


Horizontal/Vertical for 1 GHz ~ 6.5 GHz



Horizontal/Vertical for 6.5 GHz ~ 18 GHz



Horizontal/Vertical for 18 GHz ~ 40 GHz



802.11ac VHT80 UNII 3 ANT 1**Middle Channel (5 775 MHz)**

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
5 718.96	H	64.17	35.02	-23.49	-	75.70	110.50	34.80
5 857.08	H	58.22	35.16	-23.38	-	70.00	110.20	40.20
11 547.50 ¹⁾	H	53.62	38.34	-47.06	-	44.90	74.00	29.10
17 332.96	H	45.18	41.80	-39.18	-	47.80	68.20	20.40
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for Band-edge