


### 5.3. Radiated Emission Measurement

Below 1 GHz

Standard:	FCC Part 15.247	Test Distance:	3 m
Frequency:	2412 MHz		
Mode:	Mode 1		
Ant.Polar.:	Horizontal		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	81.4100	52.69	-15.54	37.15	40.00	-2.85	QP
2	187.1400	52.81	-12.65	40.16	43.50	-3.34	QP
3	250.1900	54.92	-11.36	43.56	46.00	-2.44	QP
4	320.0300	52.98	-9.11	43.87	46.00	-2.13	QP
5	497.5400	48.37	-4.56	43.81	46.00	-2.19	QP
6	666.3200	41.90	-1.29	40.61	46.00	-5.39	QP

Note:1.Result (dBuV/m) = Correct Factor (dB/m) + Reading(dBuV).

2.Correction factor (dB/m) = Antenna Factor (dB/m) + Cable loss (dB) – Pre-Amplifier gain (dB).

3.When the peak results are less than average limit, so not need to evaluate the average.

Standard:	FCC Part 15.247	Test Distance:	3 m
Frequency:	2412 MHz		
Mode:	Mode 1		
Ant.Polar.:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	64.9200	48.78	-12.11	36.67	40.00	-3.33	QP
2	101.7800	50.72	-14.89	35.83	43.50	-7.67	QP
3	480.0800	47.86	-4.85	43.01	46.00	-2.99	QP
4	492.6900	47.23	-4.64	42.59	46.00	-3.41	QP
5	499.4800	47.00	-4.53	42.47	46.00	-3.53	QP
6	783.6900	41.50	0.66	42.16	46.00	-3.84	QP

Note:1.Result (dBuV/m) = Correct Factor (dB/m) + Reading(dBuV).


2.Correction factor (dB/m) = Antenna Factor (dB/m) + Cable loss (dB) – Pre-Amplifier gain (dB).

3.When the peak results are less than average limit, so not need to evaluate the average.

**Harmonic**


Above 1 GHz

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Harmonic		
Frequency:	2412 MHz		
Mode:	Mode 2		
Ant.Polar.:	Horizontal		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4825.000	46.43	5.09	51.52	74.00	-22.48	peak
2	7236.000	36.42	12.30	48.72	74.00	-25.28	peak
3	9959.000	39.36	16.24	55.60	74.00	-18.40	peak
4	9959.000	32.98	16.24	49.22	54.00	-4.78	AVG

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Harmonic		
Frequency:	2412 MHz		
Mode:	Mode 2		
Ant.Polar.:	Vertical		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4824.000	42.93	5.09	48.02	74.00	-25.98	peak
2	7236.000	43.72	12.30	56.02	74.00	-17.98	peak
3	7236.000	38.53	12.30	50.83	54.00	-3.17	AVG
4	9648.000	34.82	15.45	50.27	74.00	-23.73	peak

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Harmonic		
Frequency:	2437 MHz		
Mode:	Mode 2		
Ant.Polar.:	Horizontal		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4874.000	46.44	5.22	51.66	74.00	-22.34	peak
2	7311.000	34.55	12.48	47.03	74.00	-26.97	peak
3	9748.000	37.37	15.70	53.07	74.00	-20.93	peak

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Harmonic		
Frequency:	2437 MHz		
Mode:	Mode 2		
Ant.Polar.:	Vertical		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4874.000	44.71	5.22	49.93	74.00	-24.07	peak
2	7311.000	41.25	12.48	53.73	74.00	-20.27	peak
3	7311.000	38.15	12.48	50.63	54.00	-3.37	AVG
4	9748.000	36.45	15.70	52.15	74.00	-21.85	peak

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Harmonic		
Frequency:	2462 MHz		
Mode:	Mode 2		
Ant.Polar.:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4924.000	48.92	5.36	54.28	74.00	-19.72	peak
2	4924.000	45.76	5.36	51.12	54.00	-2.88	AVG
3	7386.000	35.53	12.67	48.20	74.00	-25.80	peak
4	9848.000	39.27	15.96	55.23	74.00	-18.77	peak
5	9848.000	34.09	15.96	50.05	54.00	-3.95	AVG


Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Harmonic		
Frequency:	2462 MHz		
Mode:	Mode 2		
Ant.Polar.:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4924.000	47.55	5.36	52.91	74.00	-21.09	peak
2	7386.000	41.22	12.67	53.89	74.00	-20.11	peak
3	7386.000	35.59	12.67	48.26	54.00	-5.74	AVG
4	9848.000	36.48	15.96	52.44	74.00	-21.56	peak




Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Harmonic		
Frequency:	2412 MHz		
Mode:	Mode 3		
Ant.Polar.:	Horizontal		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4824.000	42.38	5.09	47.47	74.00	-26.53	peak
2	7236.000	32.87	12.30	45.17	74.00	-28.83	peak
3	9648.000	37.04	15.45	52.49	74.00	-21.51	peak

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Harmonic		
Frequency:	2412 MHz		
Mode:	Mode 3		
Ant.Polar.:	Vertical		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4824.000	36.74	5.09	41.83	74.00	-32.17	peak
2	7236.000	41.44	12.30	53.74	74.00	-20.26	peak
3	7236.000	27.66	12.30	39.96	54.00	-14.04	AVG
4	9648.000	38.50	15.45	53.95	74.00	-20.05	peak

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Harmonic		
Frequency:	2437 MHz		
Mode:	Mode 3		
Ant.Polar.:	Horizontal		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4874.000	46.19	5.22	51.41	74.00	-22.59	peak
2	7311.000	33.96	12.48	46.44	74.00	-27.56	peak
3	9748.000	36.24	15.70	51.94	74.00	-22.06	peak

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Harmonic		
Frequency:	2437 MHz		
Mode:	Mode 3		
Ant.Polar.:	Vertical		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4874.000	40.34	5.22	45.56	74.00	-28.44	peak
2	7311.000	42.96	12.48	55.44	74.00	-18.56	peak
3	7311.000	31.15	12.48	43.63	54.00	-10.37	AVG
4	9748.000	36.35	15.70	52.05	74.00	-21.95	peak

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Harmonic		
Frequency:	2462 MHz		
Mode:	Mode 3		
Ant.Polar.:	Horizontal		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4924.000	41.94	5.36	47.30	74.00	-26.70	peak
2	7386.000	32.61	12.67	45.28	74.00	-28.72	peak
3	9848.000	37.67	15.96	53.63	74.00	-20.37	peak

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Harmonic		
Frequency:	2462 MHz		
Mode:	Mode 3		
Ant.Polar.:	Vertical		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4924.000	36.53	5.36	41.89	74.00	-32.11	peak
2	7386.000	33.22	12.67	45.89	74.00	-28.11	peak
3	9848.000	36.77	15.96	52.73	74.00	-21.27	peak

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Harmonic		
Frequency:	2412 MHz		
Mode:	Mode 8		
Ant.Polar.:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4824.000	42.34	5.09	47.43	74.00	-26.57	peak
2	7236.000	32.86	12.30	45.16	74.00	-28.84	peak
3	9648.000	38.53	15.45	53.98	74.00	-20.02	peak


Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Harmonic		
Frequency:	2412 MHz		
Mode:	Mode 8		
Ant.Polar.:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4824.000	39.31	5.09	44.40	74.00	-29.60	peak
2	7236.000	36.43	12.30	48.73	74.00	-25.27	peak
3	9648.000	38.03	15.45	53.48	74.00	-20.52	peak




Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Harmonic		
Frequency:	2437 MHz		
Mode:	Mode 8		
Ant.Polar.:	Horizontal		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4874.000	42.68	5.22	47.90	74.00	-26.10	peak
2	7311.000	35.36	12.48	47.84	74.00	-26.16	peak
3	9748.000	36.75	15.70	52.45	74.00	-21.55	peak

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Harmonic		
Frequency:	2437 MHz		
Mode:	Mode 8		
Ant.Polar.:	Vertical		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4874.000	40.59	5.22	45.81	74.00	-28.19	peak
2	7311.000	43.93	12.48	56.41	74.00	-17.59	peak
3	7311.000	31.03	12.48	43.51	54.00	-10.49	AVG
4	9748.000	36.06	15.70	51.76	74.00	-22.24	peak

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Harmonic		
Frequency:	2462 MHz		
Mode:	Mode 8		
Ant.Polar.:	Horizontal		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4924.000	40.78	5.36	46.14	74.00	-27.86	peak
2	7386.000	33.41	12.67	46.08	74.00	-27.92	peak
3	9848.000	38.77	15.96	54.73	74.00	-19.27	peak
4	9848.000	34.37	15.96	50.33	54.00	-3.67	AVG

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Harmonic		
Frequency:	2462 MHz		
Mode:	Mode 8		
Ant.Polar.:	Vertical		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4924.000	36.85	5.36	42.21	74.00	-31.79	peak
2	7386.000	33.84	12.67	46.51	74.00	-27.49	peak
3	9848.000	33.40	15.96	49.36	74.00	-24.64	peak

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Harmonic		
Frequency:	2422 MHz		
Mode:	Mode 9		
Ant.Polar.:	Horizontal		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4844.000	43.11	5.14	48.25	74.00	-25.75	peak
2	7266.000	32.46	12.38	44.84	74.00	-29.16	peak
3	9688.000	37.76	15.54	53.30	74.00	-20.70	peak

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Harmonic		
Frequency:	2422 MHz		
Mode:	Mode 9		
Ant.Polar.:	Vertical		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4844.000	35.42	5.14	40.56	74.00	-33.44	peak
2	7266.000	33.46	12.38	45.84	74.00	-28.16	peak
3	9688.000	36.89	15.54	52.43	74.00	-21.57	peak

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Harmonic		
Frequency:	2437 MHz		
Mode:	Mode 9		
Ant.Polar.:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4874.000	37.86	5.22	43.08	74.00	-30.92	peak
2	7311.000	32.97	12.48	45.45	74.00	-28.55	peak
3	9748.000	36.78	15.70	52.48	74.00	-21.52	peak


Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Harmonic		
Frequency:	2437 MHz		
Mode:	Mode 9		
Ant.Polar.:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4874.000	38.33	5.22	43.55	74.00	-30.45	peak
2	7311.000	35.18	12.48	47.66	74.00	-26.34	peak
3	9748.000	35.11	15.70	50.81	74.00	-23.19	peak




Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Harmonic		
Frequency:	2452 MHz		
Mode:	Mode 9		
Ant.Polar.:	Vertical		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4904.000	35.07	5.31	40.38	74.00	-33.62	peak
2	7356.000	34.56	12.59	47.15	74.00	-26.85	peak
3	9808.000	32.18	15.84	48.02	74.00	-25.98	peak

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Harmonic		
Frequency:	2452 MHz		
Mode:	Mode 9		
Ant.Polar.:	Horizontal		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4904.000	35.81	5.31	41.12	74.00	-32.88	peak
2	7356.000	34.76	12.59	47.35	74.00	-26.65	peak
3	9808.000	36.49	15.84	52.33	74.00	-21.67	peak

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Harmonic		
Mode:	2.4G+5G Simultaneous Transmission		
Ant.Polar.:	Horizontal		
Description:			



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2496.000	47.76	-1.84	45.92	74.00	-28.08	peak
2	4009.000	41.37	3.16	44.53	74.00	-29.47	peak
3	5403.000	34.03	6.10	40.13	74.00	-33.87	peak

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Harmonic		
Mode:	2.4G+5G Simultaneous Transmission		
Ant.Polar.:	Vertical		
Description:			




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2496.000	42.65	-1.84	40.81	74.00	-33.19	peak
2	4009.000	39.15	3.16	42.31	74.00	-31.69	peak
3	5420.000	33.83	6.12	39.95	74.00	-34.05	peak

### Band Edge


Peak
------

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Band edge		
Frequency:	2412 MHz		
Mode:	Mode 2		
Ant.Polar.:	Horizontal		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2387.770	68.36	-2.28	66.08	74.00	-7.92	peak
2	2390.000	66.46	-2.27	64.19	74.00	-9.81	peak
3	2413.950	118.66	-2.17	116.49	74.00	42.49	peak

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Band edge		
Frequency:	2412 MHz		
Mode:	Mode 2		
Ant.Polar.:	Vertical		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2387.220	67.53	-2.29	65.24	74.00	-8.76	peak
2	2390.000	66.51	-2.27	64.24	74.00	-9.76	peak
3	2413.620	118.90	-2.17	116.73	74.00	42.73	peak

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Band edge		
Frequency:	2437 MHz		
Mode:	Mode 2		
Ant.Polar.:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2381.630	67.22	-2.31	64.91	74.00	-9.09	peak
2	2390.000	65.41	-2.27	63.14	74.00	-10.86	peak
3	2433.310	117.07	-2.09	114.98	74.00	40.98	peak
4	2483.500	65.24	-1.89	63.35	74.00	-10.65	peak
5	2496.200	67.97	-1.84	66.13	74.00	-7.87	peak


Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Band edge		
Frequency:	2437 MHz		
Mode:	Mode 2		
Ant.Polar.:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2337.550	67.58	-2.49	65.09	74.00	-8.91	peak
2	2390.000	65.66	-2.27	63.39	74.00	-10.61	peak
3	2438.630	119.21	-2.08	117.13	74.00	43.13	peak
4	2483.500	66.18	-1.89	64.29	74.00	-9.71	peak
5	2493.350	68.36	-1.85	66.51	74.00	-7.49	peak




Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Band edge		
Frequency:	2462 MHz		
Mode:	Mode 2		
Ant.Polar.:	Horizontal		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2463.840	118.25	-1.97	116.28	74.00	42.28	peak
2	2483.500	65.73	-1.89	63.84	74.00	-10.16	peak
3	2495.480	68.22	-1.84	66.38	74.00	-7.62	peak

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Band edge		
Frequency:	2462 MHz		
Mode:	Mode 2		
Ant.Polar.:	Vertical		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2463.560	118.69	-1.97	116.72	74.00	42.72	peak
2	2483.500	67.25	-1.89	65.36	74.00	-8.64	peak
3	2497.000	68.66	-1.83	66.83	74.00	-7.17	peak

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Band edge		
Frequency:	2412 MHz		
Mode:	Mode 3		
Ant.Polar.:	Horizontal		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2388.760	69.34	-2.28	67.06	74.00	-6.94	peak
2	2390.000	63.53	-2.27	61.26	74.00	-12.74	peak
3	2417.690	117.60	-2.16	115.44	74.00	41.44	peak

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Band edge		
Frequency:	2412 MHz		
Mode:	Mode 3		
Ant.Polar.:	Vertical		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2389.090	73.25	-2.28	70.97	74.00	-3.03	peak
2	2390.000	71.81	-2.27	69.54	74.00	-4.46	peak

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Band edge		
Frequency:	2437 MHz		
Mode:	Mode 3		
Ant.Polar.:	Horizontal		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2389.990	62.27	-2.27	60.00	74.00	-14.00	peak
2	2390.000	61.37	-2.27	59.10	74.00	-14.90	peak
3	2430.080	118.90	-2.11	116.79	74.00	42.79	peak
4	2483.500	60.99	-1.89	59.10	74.00	-14.90	peak
5	2490.690	62.67	-1.86	60.81	74.00	-13.19	peak

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Band edge		
Frequency:	2437 MHz		
Mode:	Mode 3		
Ant.Polar.:	Vertical		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2384.670	64.03	-2.29	61.74	74.00	-12.26	peak
2	2390.000	61.38	-2.27	59.11	74.00	-14.89	peak
3	2436.160	118.98	-2.08	116.90	74.00	42.90	peak
4	2483.500	64.60	-1.89	62.71	74.00	-11.29	peak
5	2491.830	66.57	-1.85	64.72	74.00	-9.28	peak

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Band edge		
Frequency:	2462 MHz		
Mode:	Mode 3		
Ant.Polar.:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2460.520	116.65	-1.99	114.66	74.00	40.66	peak
2	2483.500	67.57	-1.89	65.68	74.00	-8.32	peak
3	2484.400	71.31	-1.88	69.43	74.00	-4.57	peak


Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Band edge		
Frequency:	2462 MHz		
Mode:	Mode 3		
Ant.Polar.:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2460.200	116.99	-1.99	115.00	74.00	41.00	peak
2	2483.500	69.94	-1.89	68.05	74.00	-5.95	peak
3	2483.560	74.69	-1.89	72.80	74.00	-1.20	peak




Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Band edge		
Frequency:	2412 MHz		
Mode:	Mode 8		
Ant.Polar.:	Horizontal		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2388.980	67.42	-2.28	65.14	74.00	-8.86	peak
2	2390.000	65.38	-2.27	63.11	74.00	-10.89	peak
3	2416.040	117.10	-2.17	114.93	74.00	40.93	peak

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Band edge		
Frequency:	2412 MHz		
Mode:	Mode 8		
Ant.Polar.:	Vertical		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2388.760	68.91	-2.28	66.63	74.00	-7.37	peak
2	2390.000	69.24	-2.27	66.97	74.00	-7.03	peak
3	2419.780	117.94	-2.14	115.80	74.00	41.80	peak

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Band edge		
Frequency:	2437 MHz		
Mode:	Mode 8		
Ant.Polar.:	Horizontal		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2381.250	67.53	-2.31	65.22	74.00	-8.78	peak
2	2390.000	65.50	-2.27	63.23	74.00	-10.77	peak
3	2444.140	122.31	-2.06	120.25	74.00	46.25	peak
4	2483.500	66.78	-1.89	64.89	74.00	-9.11	peak
5	2486.890	67.60	-1.88	65.72	74.00	-8.28	peak

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Band edge		
Frequency:	2437 MHz		
Mode:	Mode 8		
Ant.Polar.:	Vertical		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2367.570	68.15	-2.37	65.78	74.00	-8.22	peak
2	2390.000	66.53	-2.27	64.26	74.00	-9.74	peak
3	2440.720	124.52	-2.07	122.45	74.00	48.45	peak
4	2483.500	66.52	-1.89	64.63	74.00	-9.37	peak
5	2496.390	68.38	-1.84	66.54	74.00	-7.46	peak

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Band edge		
Frequency:	2462 MHz		
Mode:	Mode 8		
Ant.Polar.:	Horizontal		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2461.040	116.85	-1.98	114.87	74.00	40.87	peak
2	2483.500	61.44	-1.89	59.55	74.00	-14.45	peak
3	2484.320	67.22	-1.88	65.34	74.00	-8.66	peak

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Band edge		
Frequency:	2462 MHz		
Mode:	Mode 8		
Ant.Polar.:	Vertical		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2470.400	117.84	-1.94	115.90	74.00	41.90	peak
2	2483.500	66.26	-1.89	64.37	74.00	-9.63	peak
3	2484.200	73.71	-1.88	71.83	74.00	-2.17	peak

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Band edge		
Frequency:	2422 MHz		
Mode:	Mode 9		
Ant.Polar.:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2376.000	64.12	-2.33	61.79	74.00	-12.21	peak
2	2390.000	62.72	-2.27	60.45	74.00	-13.55	peak
3	2415.000	114.06	-2.17	111.89	74.00	37.89	peak


Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Band edge		
Frequency:	2422 MHz		
Mode:	Mode 9		
Ant.Polar.:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2388.600	67.23	-2.28	64.95	74.00	-9.05	peak
2	2390.000	65.61	-2.27	63.34	74.00	-10.66	peak
3	2419.320	115.11	-2.15	112.96	74.00	38.96	peak




Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Band edge		
Frequency:	2437 MHz		
Mode:	Mode 9		
Ant.Polar.:	Horizontal		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2387.710	63.64	-2.28	61.36	74.00	-12.64	peak
2	2390.000	62.30	-2.27	60.03	74.00	-13.97	peak
3	2431.790	116.24	-2.10	114.14	74.00	40.14	peak
4	2483.500	62.12	-1.89	60.23	74.00	-13.77	peak
5	2485.940	63.42	-1.88	61.54	74.00	-12.46	peak

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Band edge		
Frequency:	2437 MHz		
Mode:	Mode 9		
Ant.Polar.:	Vertical		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2388.090	66.02	-2.28	63.74	74.00	-10.26	peak
2	2390.000	65.06	-2.27	62.79	74.00	-11.21	peak
3	2434.640	117.20	-2.08	115.12	74.00	41.12	peak
4	2483.500	65.42	-1.89	63.53	74.00	-10.47	peak
5	2486.320	67.01	-1.88	65.13	74.00	-8.87	peak

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Band edge		
Frequency:	2452 MHz		
Mode:	Mode 9		
Ant.Polar.:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2453.950	113.76	-2.01	111.75	74.00	37.75	peak
2	2483.500	62.13	-1.89	60.24	74.00	-13.76	peak
3	2484.800	64.25	-1.88	62.37	74.00	-11.63	peak


Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Band edge		
Frequency:	2452 MHz		
Mode:	Mode 9		
Ant.Polar.:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2453.800	115.54	-2.01	113.53	74.00	39.53	peak
2	2483.500	65.28	-1.89	63.39	74.00	-10.61	peak
3	2484.250	68.03	-1.88	66.15	74.00	-7.85	peak


Average

Standard:	FCC Part 15.247	Test Distance:	3m
Test item:	Band edge		
Frequency:	2412 MHz		
Mode:	Mode 2		
Ant.Polar.:	Horizontal		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2389.420	53.91	-2.27	51.64	54.00	-2.36	AVG
2	2390.000	53.89	-2.27	51.62	54.00	-2.38	AVG

Standard:	FCC Part 15.247	Test Distance:	3m
Test item:	Band edge		
Frequency:	2412 MHz		
Mode:	Mode 2		
Ant.Polar.:	Vertical		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2388.540	53.76	-2.28	51.48	54.00	-2.52	AVG
2	2390.000	53.94	-2.27	51.67	54.00	-2.33	AVG

Standard:	FCC Part 15.247	Test Distance:	3m
Test item:	Band edge		
Frequency:	2437 MHz		
Mode:	Mode 2		
Ant.Polar.:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2389.230	54.28	-2.28	52.00	54.00	-2.00	AVG
2	2390.000	54.24	-2.27	51.97	54.00	-2.03	AVG
3	2483.500	53.73	-1.89	51.84	54.00	-2.16	AVG
4	2490.310	53.50	-1.86	51.64	54.00	-2.36	AVG


Standard:	FCC Part 15.247	Test Distance:	3m
Test item:	Band edge		
Frequency:	2437 MHz		
Mode:	Mode 2		
Ant.Polar.:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2310.000	54.25	-2.60	51.65	54.00	-2.35	AVG
2	2390.000	53.69	-2.27	51.42	54.00	-2.58	AVG
3	2483.500	53.55	-1.89	51.66	54.00	-2.34	AVG
4	2494.870	53.84	-1.84	52.00	54.00	-2.00	AVG




Standard:	FCC Part 15.247	Test Distance:	3m
Test item:	Band edge		
Frequency:	2462 MHz		
Mode:	Mode 2		
Ant.Polar.:	Horizontal		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2483.500	51.40	-1.89	49.51	54.00	-4.49	AVG
2	2484.960	51.49	-1.88	49.61	54.00	-4.39	AVG

Standard:	FCC Part 15.247	Test Distance:	3m
Test item:	Band edge		
Frequency:	2462 MHz		
Mode:	Mode 2		
Ant.Polar.:	Vertical		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2483.500	53.14	-1.89	51.25	54.00	-2.75	AVG
2	2484.960	53.56	-1.88	51.68	54.00	-2.32	AVG

Standard:	FCC Part 15.247	Test Distance:	3m
Test item:	Band edge		
Frequency:	2412 MHz		
Mode:	Mode 3		
Ant.Polar.:	Horizontal		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2389.750	52.90	-2.27	50.63	54.00	-3.37	AVG
2	2390.000	52.83	-2.27	50.56	54.00	-3.44	AVG

Standard:	FCC Part 15.247	Test Distance:	3m
Test item:	Band edge		
Frequency:	2412 MHz		
Mode:	Mode 3		
Ant.Polar.:	Vertical		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2389.530	53.20	-2.27	50.93	54.00	-3.07	AVG
2	2390.000	53.71	-2.27	51.44	54.00	-2.56	AVG

Standard:	FCC Part 15.247	Test Distance:	3m
Test item:	Band edge		
Frequency:	2437 MHz		
Mode:	Mode 3		
Ant.Polar.:	Horizontal		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2381.060	50.88	-2.31	48.57	54.00	-5.43	AVG
2	2390.000	50.97	-2.27	48.70	54.00	-5.30	AVG
3	2483.500	50.21	-1.89	48.32	54.00	-5.68	AVG
4	2499.810	51.08	-1.82	49.26	54.00	-4.74	AVG

Standard:	FCC Part 15.247	Test Distance:	3m
Test item:	Band edge		
Frequency:	2437 MHz		
Mode:	Mode 3		
Ant.Polar.:	Vertical		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2356.170	52.29	-2.41	49.88	54.00	-4.12	AVG
2	2390.000	51.67	-2.27	49.40	54.00	-4.60	AVG
3	2483.500	53.69	-1.89	51.80	54.00	-2.20	AVG
4	2500.000	53.73	-1.82	51.91	54.00	-2.09	AVG

Standard:	FCC Part 15.247	Test Distance:	3m
Test item:	Band edge		
Frequency:	2462 MHz		
Mode:	Mode 3		
Ant.Polar.:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2483.500	51.85	-1.89	49.96	54.00	-4.04	AVG
2	2492.640	51.80	-1.85	49.95	54.00	-4.05	AVG


Standard:	FCC Part 15.247	Test Distance:	3m
Test item:	Band edge		
Frequency:	2462 MHz		
Mode:	Mode 3		
Ant.Polar.:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2483.500	53.90	-1.89	52.01	54.00	-1.99	AVG
2	2483.800	53.90	-1.89	52.01	54.00	-1.99	AVG




Standard:	FCC Part 15.247	Test Distance:	3m
Test item:	Band edge		
Frequency:	2412 MHz		
Mode:	Mode 8		
Ant.Polar.:	Horizontal		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2389.640	53.02	-2.27	50.75	54.00	-3.25	AVG
2	2390.000	53.14	-2.27	50.87	54.00	-3.13	AVG

Standard:	FCC Part 15.247	Test Distance:	3m
Test item:	Band edge		
Frequency:	2412 MHz		
Mode:	Mode 8		
Ant.Polar.:	Vertical		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2389.750	53.86	-2.27	51.59	54.00	-2.41	AVG
2	2390.000	54.26	-2.27	51.99	54.00	-2.01	AVG

Standard:	FCC Part 15.247	Test Distance:	3m
Test item:	Band edge		
Frequency:	2437 MHz		
Mode:	Mode 8		
Ant.Polar.:	Horizontal		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2379.160	50.64	-2.32	48.32	54.00	-5.68	AVG
2	2390.000	50.27	-2.27	48.00	54.00	-6.00	AVG
3	2483.500	50.04	-1.89	48.15	54.00	-5.85	AVG
4	2494.300	50.60	-1.85	48.75	54.00	-5.25	AVG

Standard:	FCC Part 15.247	Test Distance:	3m
Test item:	Band edge		
Frequency:	2437 MHz		
Mode:	Mode 8		
Ant.Polar.:	Vertical		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2385.240	51.67	-2.29	49.38	54.00	-4.62	AVG
2	2390.000	51.27	-2.27	49.00	54.00	-5.00	AVG
3	2483.500	53.31	-1.89	51.42	54.00	-2.58	AVG
4	2489.930	53.46	-1.86	51.60	54.00	-2.40	AVG

Standard:	FCC Part 15.247	Test Distance:	3m
Test item:	Band edge		
Frequency:	2462 MHz		
Mode:	Mode 8		
Ant.Polar.:	Horizontal		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2483.500	50.84	-1.89	48.95	54.00	-5.05	AVG
2	2483.880	50.86	-1.89	48.97	54.00	-5.03	AVG

Standard:	FCC Part 15.247	Test Distance:	3m
Test item:	Band edge		
Frequency:	2462 MHz		
Mode:	Mode 8		
Ant.Polar.:	Vertical		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2483.500	53.62	-1.89	51.73	54.00	-2.27	AVG
2	2483.840	53.67	-1.89	51.78	54.00	-2.22	AVG

Standard:	FCC Part 15.247	Test Distance:	3m
Test item:	Band edge		
Frequency:	2422 MHz		
Mode:	Mode 9		
Ant.Polar.:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2388.960	51.01	-2.28	48.73	54.00	-5.27	AVG
2	2390.000	51.06	-2.27	48.79	54.00	-5.21	AVG


Standard:	FCC Part 15.247	Test Distance:	3m
Test item:	Band edge		
Frequency:	2422 MHz		
Mode:	Mode 9		
Ant.Polar.:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2389.800	53.90	-2.27	51.63	54.00	-2.37	AVG
2	2390.000	54.15	-2.27	51.88	54.00	-2.12	AVG




Standard:	FCC Part 15.247	Test Distance:	3m
Test item:	Band edge		
Frequency:	2437 MHz		
Mode:	Mode 9		
Ant.Polar.:	Horizontal		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2388.850	51.16	-2.28	48.88	54.00	-5.12	AVG
2	2390.000	51.35	-2.27	49.08	54.00	-4.92	AVG
3	2483.500	51.31	-1.89	49.42	54.00	-4.58	AVG
4	2483.660	51.31	-1.89	49.42	54.00	-4.58	AVG

Standard:	FCC Part 15.247	Test Distance:	3m
Test item:	Band edge		
Frequency:	2437 MHz		
Mode:	Mode 9		
Ant.Polar.:	Vertical		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2389.420	52.40	-2.27	50.13	54.00	-3.87	AVG
2	2390.000	52.70	-2.27	50.43	54.00	-3.57	AVG
3	2483.500	53.37	-1.89	51.48	54.00	-2.52	AVG
4	2483.850	53.44	-1.89	51.55	54.00	-2.45	AVG

Standard:	FCC Part 15.247	Test Distance:	3m
Test item:	Band edge		
Frequency:	2452 MHz		
Mode:	Mode 9		
Ant.Polar.:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2483.500	51.37	-1.89	49.48	54.00	-4.52	AVG
2	2484.500	51.57	-1.88	49.69	54.00	-4.31	AVG

Standard:	FCC Part 15.247	Test Distance:	3m
Test item:	Band edge		
Frequency:	2452 MHz		
Mode:	Mode 9		
Ant.Polar.:	Vertical		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2483.500	53.44	-1.89	51.55	54.00	-2.45	AVG
2	2484.350	53.64	-1.88	51.76	54.00	-2.24	AVG

Beamforming on

**Harmonic**


Above 1 GHz

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Harmonic		
Frequency:	2412 MHz		
Mode:	Mode 8		
Ant.Polar.:	Horizontal		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4824.000	40.97	5.09	46.06	74.00	-27.94	peak
2	7236.000	33.47	12.30	45.77	74.00	-28.23	peak
3	9648.000	37.54	15.45	52.99	74.00	-21.01	peak

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Harmonic		
Frequency:	2412 MHz		
Mode:	Mode 8		
Ant.Polar.:	Vertical		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4824.000	36.28	5.09	41.37	74.00	-32.63	peak
2	7236.000	36.85	12.30	49.15	74.00	-24.85	peak
3	9648.000	37.69	15.45	53.14	74.00	-20.86	peak

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Harmonic		
Frequency:	2437 MHz		
Mode:	Mode 8		
Ant.Polar.:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4874.000	36.52	5.22	41.74	74.00	-32.26	peak
2	7311.000	34.97	12.48	47.45	74.00	-26.55	peak
3	9748.000	33.07	15.70	48.77	74.00	-25.23	peak


Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Harmonic		
Frequency:	2437 MHz		
Mode:	Mode 8		
Ant.Polar.:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4874.000	41.70	5.22	46.92	74.00	-27.08	peak
2	7311.000	42.59	12.48	55.07	74.00	-18.93	peak
3	7311.000	30.50	12.48	42.98	54.00	-11.02	AVG
4	9748.000	34.84	15.70	50.54	74.00	-23.46	peak




Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Harmonic		
Frequency:	2462 MHz		
Mode:	Mode 8		
Ant.Polar.:	Horizontal		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4924.000	38.32	5.36	43.68	74.00	-30.32	peak
2	7386.000	32.59	12.67	45.26	74.00	-28.74	peak
3	9848.000	37.14	15.96	53.10	74.00	-20.90	peak

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Harmonic		
Frequency:	2462 MHz		
Mode:	Mode 8		
Ant.Polar.:	Vertical		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4924.000	36.24	5.36	41.60	74.00	-32.40	peak
2	7386.000	33.29	12.67	45.96	74.00	-28.04	peak
3	9848.000	35.63	15.96	51.59	74.00	-22.41	peak

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Harmonic		
Frequency:	2422 MHz		
Mode:	Mode 9		
Ant.Polar.:	Horizontal		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4844.000	41.49	5.14	46.63	74.00	-27.37	peak
2	7266.000	33.97	12.38	46.35	74.00	-27.65	peak
3	9688.000	35.89	15.54	51.43	74.00	-22.57	peak

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Harmonic		
Frequency:	2422 MHz		
Mode:	Mode 9		
Ant.Polar.:	Vertical		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4844.000	34.94	5.14	40.08	74.00	-33.92	peak
2	7266.000	33.09	12.38	45.47	74.00	-28.53	peak
3	9688.000	36.61	15.54	52.15	74.00	-21.85	peak

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Harmonic		
Frequency:	2437 MHz		
Mode:	Mode 9		
Ant.Polar.:	Horizontal		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4874.000	36.26	5.22	41.48	74.00	-32.52	peak
2	7311.000	32.71	12.48	45.19	74.00	-28.81	peak
3	9748.000	36.55	15.70	52.25	74.00	-21.75	peak

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Harmonic		
Frequency:	2437 MHz		
Mode:	Mode 9		
Ant.Polar.:	Vertical		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4874.000	34.66	5.22	39.88	74.00	-34.12	peak
2	7311.000	34.40	12.48	46.88	74.00	-27.12	peak
3	9748.000	35.80	15.70	51.50	74.00	-22.50	peak

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Harmonic		
Frequency:	2452 MHz		
Mode:	Mode 9		
Ant.Polar.:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4904.000	36.09	5.31	41.40	74.00	-32.60	peak
2	7356.000	33.31	12.59	45.90	74.00	-28.10	peak
3	9808.000	36.39	15.84	52.23	74.00	-21.77	peak

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Harmonic		
Frequency:	2452 MHz		
Mode:	Mode 9		
Ant.Polar.:	Vertical		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4904.000	34.46	5.31	39.77	74.00	-34.23	peak
2	7356.000	33.47	12.59	46.06	74.00	-27.94	peak
3	9808.000	32.17	15.84	48.01	74.00	-25.99	peak



### Band Edge


Peak

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Band edge		
Frequency:	2412 MHz		
Mode:	Mode 8		
Ant.Polar.:	Horizontal		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2390.000	64.82	-2.27	62.55	74.00	-11.45	peak
2	2388.100	66.88	-2.28	64.60	74.00	-9.40	peak
3	2403.060	116.86	-2.22	114.64	74.00	40.64	peak

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Band edge		
Frequency:	2412 MHz		
Mode:	Mode 8		
Ant.Polar.:	Vertical		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2388.540	69.09	-2.28	66.81	74.00	-7.19	peak
2	2390.000	69.40	-2.27	67.13	74.00	-6.87	peak
3	2408.450	117.76	-2.20	115.56	74.00	41.56	peak

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Band edge		
Frequency:	2437 MHz		
Mode:	Mode 8		
Ant.Polar.:	Horizontal		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2328.240	67.50	-2.53	64.97	74.00	-9.03	peak
2	2390.000	66.15	-2.27	63.88	74.00	-10.12	peak
3	2445.090	120.93	-2.05	118.88	74.00	44.88	peak
4	2483.500	65.43	-1.89	63.54	74.00	-10.46	peak
5	2490.310	67.20	-1.86	65.34	74.00	-8.66	peak

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Band edge		
Frequency:	2437 MHz		
Mode:	Mode 8		
Ant.Polar.:	Vertical		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2370.040	67.94	-2.35	65.59	74.00	-8.41	peak
2	2390.000	66.10	-2.27	63.83	74.00	-10.17	peak
3	2444.710	123.26	-2.05	121.21	74.00	47.21	peak
4	2483.500	66.92	-1.89	65.03	74.00	-8.97	peak
5	2490.120	68.30	-1.86	66.44	74.00	-7.56	peak

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Band edge		
Frequency:	2462 MHz		
Mode:	Mode 8		
Ant.Polar.:	Horizontal		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2467.640	115.90	-1.96	113.94	74.00	39.94	peak
2	2483.500	62.43	-1.89	60.54	74.00	-13.46	peak
3	2486.200	67.53	-1.88	65.65	74.00	-8.35	peak

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Band edge		
Frequency:	2462 MHz		
Mode:	Mode 8		
Ant.Polar.:	Vertical		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2468.240	117.38	-1.95	115.43	74.00	41.43	peak
2	2483.500	64.94	-1.89	63.05	74.00	-10.95	peak
3	2483.600	70.88	-1.89	68.99	74.00	-5.01	peak

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Band edge		
Frequency:	2422 MHz		
Mode:	Mode 9		
Ant.Polar.:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2428.560	113.42	-2.11	111.31	74.00	37.31	peak
2	2390.000	62.55	-2.27	60.28	74.00	-13.72	peak
3	2387.880	63.87	-2.28	61.59	74.00	-12.41	peak


Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Band edge		
Frequency:	2422 MHz		
Mode:	Mode 9		
Ant.Polar.:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2387.760	66.88	-2.28	64.60	74.00	-9.40	peak
2	2390.000	65.68	-2.27	63.41	74.00	-10.59	peak
3	2424.720	114.99	-2.13	112.86	74.00	38.86	peak




Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Band edge		
Frequency:	2437 MHz		
Mode:	Mode 9		
Ant.Polar.:	Horizontal		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2389.230	64.56	-2.28	62.28	74.00	-11.72	peak
2	2390.000	61.61	-2.27	59.34	74.00	-14.66	peak
3	2427.990	115.60	-2.11	113.49	74.00	39.49	peak
4	2483.500	63.26	-1.89	61.37	74.00	-12.63	peak
5	2486.700	64.73	-1.88	62.85	74.00	-11.15	peak

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Band edge		
Frequency:	2437 MHz		
Mode:	Mode 9		
Ant.Polar.:	Vertical		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2386.570	68.54	-2.29	66.25	74.00	-7.75	peak
2	2390.000	65.80	-2.27	63.53	74.00	-10.47	peak
3	2430.080	116.62	-2.11	114.51	74.00	40.51	peak
4	2483.500	65.07	-1.89	63.18	74.00	-10.82	peak
5	2484.420	66.89	-1.88	65.01	74.00	-8.99	peak

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Band edge		
Frequency:	2452 MHz		
Mode:	Mode 9		
Ant.Polar.:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2451.150	112.98	-2.03	110.95	74.00	36.95	peak
2	2483.500	62.68	-1.89	60.79	74.00	-13.21	peak
3	2487.650	64.98	-1.87	63.11	74.00	-10.89	peak


Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Band edge		
Frequency:	2452 MHz		
Mode:	Mode 9		
Ant.Polar.:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2450.950	114.17	-2.03	112.14	74.00	38.14	peak
2	2483.500	65.35	-1.89	63.46	74.00	-10.54	peak
3	2488.500	67.94	-1.87	66.07	74.00	-7.93	peak


Average

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Band edge		
Frequency:	2412 MHz		
Mode:	Mode 8		
Ant.Polar.:	Horizontal		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2389.200	52.85	-2.28	50.57	54.00	-3.43	AVG
2	2390.000	52.94	-2.27	50.67	54.00	-3.33	AVG

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Band edge		
Frequency:	2412 MHz		
Mode:	Mode 8		
Ant.Polar.:	Vertical		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2389.420	53.00	-2.27	50.73	54.00	-3.27	AVG
2	2390.000	53.27	-2.27	51.00	54.00	-3.00	AVG

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Band edge		
Frequency:	2437 MHz		
Mode:	Mode 8		
Ant.Polar.:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2378.590	50.14	-2.32	47.82	54.00	-6.18	AVG
2	2390.000	50.08	-2.27	47.81	54.00	-6.19	AVG
3	2483.500	49.19	-1.89	47.30	54.00	-6.70	AVG
4	2492.210	49.61	-1.85	47.76	54.00	-6.24	AVG


Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Band edge		
Frequency:	2437 MHz		
Mode:	Mode 8		
Ant.Polar.:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2370.420	51.61	-2.35	49.26	54.00	-4.74	AVG
2	2390.000	51.10	-2.27	48.83	54.00	-5.17	AVG
3	2483.500	53.29	-1.89	51.40	54.00	-2.60	AVG
4	2488.600	53.39	-1.87	51.52	54.00	-2.48	AVG




Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Band edge		
Frequency:	2462 MHz		
Mode:	Mode 8		
Ant.Polar.:	Horizontal		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2483.500	50.49	-1.89	48.60	54.00	-5.40	AVG
2	2483.760	50.52	-1.89	48.63	54.00	-5.37	AVG

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Band edge		
Frequency:	2462 MHz		
Mode:	Mode 8		
Ant.Polar.:	Vertical		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2483.500	53.42	-1.89	51.53	54.00	-2.47	AVG
2	2483.880	53.38	-1.89	51.49	54.00	-2.51	AVG

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Band edge		
Frequency:	2422 MHz		
Mode:	Mode 9		
Ant.Polar.:	Horizontal		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2389.200	50.91	-2.28	48.63	54.00	-5.37	AVG
2	2390.000	50.95	-2.27	48.68	54.00	-5.32	AVG

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Band edge		
Frequency:	2422 MHz		
Mode:	Mode 9		
Ant.Polar.:	Vertical		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2389.560	53.32	-2.27	51.05	54.00	-2.95	AVG
2	2390.000	53.57	-2.27	51.30	54.00	-2.70	AVG

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Band edge		
Frequency:	2437 MHz		
Mode:	Mode 9		
Ant.Polar.:	Horizontal		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2389.230	51.08	-2.28	48.80	54.00	-5.20	AVG
2	2390.000	51.18	-2.27	48.91	54.00	-5.09	AVG
3	2483.500	50.85	-1.89	48.96	54.00	-5.04	AVG
4	2484.420	50.83	-1.88	48.95	54.00	-5.05	AVG

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Band edge		
Frequency:	2437 MHz		
Mode:	Mode 9		
Ant.Polar.:	Vertical		




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2389.610	52.04	-2.27	49.77	54.00	-4.23	AVG
2	2390.000	52.15	-2.27	49.88	54.00	-4.12	AVG
3	2483.500	53.26	-1.89	51.37	54.00	-2.63	AVG
4	2484.040	53.31	-1.88	51.43	54.00	-2.57	AVG

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Band edge		
Frequency:	2452 MHz		
Mode:	Mode 9		
Ant.Polar.:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2483.500	51.14	-1.89	49.25	54.00	-4.75	AVG
2	2484.750	51.11	-1.88	49.23	54.00	-4.77	AVG

Standard:	FCC Part 15.247	Test Distance:	3 m
Test item:	Band edge		
Frequency:	2452 MHz		
Mode:	Mode 9		
Ant.Polar.:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2483.500	53.42	-1.89	51.53	54.00	-2.47	AVG
2	2483.700	53.48	-1.89	51.59	54.00	-2.41	AVG

---END---