








5.3.4. In-Band Emission (Mask) Measurement




Test Graphs






Mode 2: IEEE 802.11ax 20 MHz Continuous TX mode_ANT-0																																																																														
6435 MHz	 <p>Center 6.435 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>Bandwidth</th> <th>Peak Power</th> <th>PerChB</th> <th>PerChan</th> <th>Δ Limit</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[kHz]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dB]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr> <td>-90.000 M</td> <td>-30.000 M</td> <td>300.00 k</td> <td>6.404712 G</td> <td>-56.19</td> <td>-72.07</td> <td>-15.87</td> </tr> <tr> <td>-30.000 M</td> <td>-20.000 M</td> <td>300.00 k</td> <td>6.411346 G</td> <td>-47.72</td> <td>-63.60</td> <td>-15.01</td> </tr> <tr> <td>-20.000 M</td> <td>-11.000 M</td> <td>300.00 k</td> <td>6.423750 G</td> <td>-28.62</td> <td>-44.50</td> <td>-8.08</td> </tr> <tr> <td>-11.000 M</td> <td>-10.000 M</td> <td>300.00 k</td> <td>6.424038 G</td> <td>-27.26</td> <td>-43.14</td> <td>-6.94</td> </tr> <tr> <td>10.000 M</td> <td>11.000 M</td> <td>300.00 k</td> <td>6.445673 G</td> <td>-26.41</td> <td>-42.29</td> <td>-12.63</td> </tr> <tr> <td>11.000 M</td> <td>20.000 M</td> <td>300.00 k</td> <td>6.446000 G</td> <td>-27.65</td> <td>-43.53</td> <td>-7.33</td> </tr> <tr> <td>20.000 M</td> <td>30.000 M</td> <td>300.00 k</td> <td>6.455769 G</td> <td>-43.77</td> <td>-59.65</td> <td>-14.52</td> </tr> <tr> <td>30.000 M</td> <td>90.000 M</td> <td>300.00 k</td> <td>6.465000 G</td> <td>-56.12</td> <td>-72.00</td> <td>-15.80</td> </tr> </tbody> </table> <p>Date: 4.MAY.2022 15:28:31</p>	Tx Channel							Start	Stop	Bandwidth	Peak Power	PerChB	PerChan	Δ Limit	[Hz]	[Hz]	[kHz]	[dBm]	[dBm]	[dB]	[dB]	-90.000 M	-30.000 M	300.00 k	6.404712 G	-56.19	-72.07	-15.87	-30.000 M	-20.000 M	300.00 k	6.411346 G	-47.72	-63.60	-15.01	-20.000 M	-11.000 M	300.00 k	6.423750 G	-28.62	-44.50	-8.08	-11.000 M	-10.000 M	300.00 k	6.424038 G	-27.26	-43.14	-6.94	10.000 M	11.000 M	300.00 k	6.445673 G	-26.41	-42.29	-12.63	11.000 M	20.000 M	300.00 k	6.446000 G	-27.65	-43.53	-7.33	20.000 M	30.000 M	300.00 k	6.455769 G	-43.77	-59.65	-14.52	30.000 M	90.000 M	300.00 k	6.465000 G	-56.12	-72.00	-15.80
Tx Channel																																																																														
Start	Stop	Bandwidth	Peak Power	PerChB	PerChan	Δ Limit																																																																								
[Hz]	[Hz]	[kHz]	[dBm]	[dBm]	[dB]	[dB]																																																																								
-90.000 M	-30.000 M	300.00 k	6.404712 G	-56.19	-72.07	-15.87																																																																								
-30.000 M	-20.000 M	300.00 k	6.411346 G	-47.72	-63.60	-15.01																																																																								
-20.000 M	-11.000 M	300.00 k	6.423750 G	-28.62	-44.50	-8.08																																																																								
-11.000 M	-10.000 M	300.00 k	6.424038 G	-27.26	-43.14	-6.94																																																																								
10.000 M	11.000 M	300.00 k	6.445673 G	-26.41	-42.29	-12.63																																																																								
11.000 M	20.000 M	300.00 k	6.446000 G	-27.65	-43.53	-7.33																																																																								
20.000 M	30.000 M	300.00 k	6.455769 G	-43.77	-59.65	-14.52																																																																								
30.000 M	90.000 M	300.00 k	6.465000 G	-56.12	-72.00	-15.80																																																																								
6475 MHz	 <p>Center 6.475 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>Bandwidth</th> <th>Peak Power</th> <th>PerChB</th> <th>PerChan</th> <th>Δ Limit</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[kHz]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dB]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr> <td>-90.000 M</td> <td>-30.000 M</td> <td>300.00 k</td> <td>6.444423 G</td> <td>-52.57</td> <td>-68.66</td> <td>-12.43</td> </tr> <tr> <td>-30.000 M</td> <td>-20.000 M</td> <td>300.00 k</td> <td>6.445000 G</td> <td>-52.55</td> <td>-68.65</td> <td>-12.41</td> </tr> <tr> <td>-20.000 M</td> <td>-11.000 M</td> <td>300.00 k</td> <td>6.463750 G</td> <td>-27.91</td> <td>-44.01</td> <td>-7.56</td> </tr> <tr> <td>-11.000 M</td> <td>-10.000 M</td> <td>300.00 k</td> <td>6.464038 G</td> <td>-26.71</td> <td>-42.81</td> <td>-6.57</td> </tr> <tr> <td>10.000 M</td> <td>11.000 M</td> <td>300.00 k</td> <td>6.485673 G</td> <td>-25.92</td> <td>-42.01</td> <td>-12.32</td> </tr> <tr> <td>11.000 M</td> <td>20.000 M</td> <td>300.00 k</td> <td>6.486000 G</td> <td>-27.25</td> <td>-43.34</td> <td>-7.11</td> </tr> <tr> <td>20.000 M</td> <td>30.000 M</td> <td>300.00 k</td> <td>6.504712 G</td> <td>-52.40</td> <td>-68.50</td> <td>-12.61</td> </tr> <tr> <td>30.000 M</td> <td>90.000 M</td> <td>300.00 k</td> <td>6.505000 G</td> <td>-52.56</td> <td>-68.66</td> <td>-12.43</td> </tr> </tbody> </table> <p>Date: 4.MAY.2022 15:34:42</p>	Tx Channel							Start	Stop	Bandwidth	Peak Power	PerChB	PerChan	Δ Limit	[Hz]	[Hz]	[kHz]	[dBm]	[dBm]	[dB]	[dB]	-90.000 M	-30.000 M	300.00 k	6.444423 G	-52.57	-68.66	-12.43	-30.000 M	-20.000 M	300.00 k	6.445000 G	-52.55	-68.65	-12.41	-20.000 M	-11.000 M	300.00 k	6.463750 G	-27.91	-44.01	-7.56	-11.000 M	-10.000 M	300.00 k	6.464038 G	-26.71	-42.81	-6.57	10.000 M	11.000 M	300.00 k	6.485673 G	-25.92	-42.01	-12.32	11.000 M	20.000 M	300.00 k	6.486000 G	-27.25	-43.34	-7.11	20.000 M	30.000 M	300.00 k	6.504712 G	-52.40	-68.50	-12.61	30.000 M	90.000 M	300.00 k	6.505000 G	-52.56	-68.66	-12.43
Tx Channel																																																																														
Start	Stop	Bandwidth	Peak Power	PerChB	PerChan	Δ Limit																																																																								
[Hz]	[Hz]	[kHz]	[dBm]	[dBm]	[dB]	[dB]																																																																								
-90.000 M	-30.000 M	300.00 k	6.444423 G	-52.57	-68.66	-12.43																																																																								
-30.000 M	-20.000 M	300.00 k	6.445000 G	-52.55	-68.65	-12.41																																																																								
-20.000 M	-11.000 M	300.00 k	6.463750 G	-27.91	-44.01	-7.56																																																																								
-11.000 M	-10.000 M	300.00 k	6.464038 G	-26.71	-42.81	-6.57																																																																								
10.000 M	11.000 M	300.00 k	6.485673 G	-25.92	-42.01	-12.32																																																																								
11.000 M	20.000 M	300.00 k	6.486000 G	-27.25	-43.34	-7.11																																																																								
20.000 M	30.000 M	300.00 k	6.504712 G	-52.40	-68.50	-12.61																																																																								
30.000 M	90.000 M	300.00 k	6.505000 G	-52.56	-68.66	-12.43																																																																								
6515 MHz	 <p>Center 6.515 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>Bandwidth</th> <th>Peak Power</th> <th>PerChB</th> <th>PerChan</th> <th>Δ Limit</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[kHz]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dB]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr> <td>-90.000 M</td> <td>-30.000 M</td> <td>300.00 k</td> <td>6.484712 G</td> <td>-51.90</td> <td>-69.04</td> <td>-12.87</td> </tr> <tr> <td>-30.000 M</td> <td>-20.000 M</td> <td>300.00 k</td> <td>6.485000 G</td> <td>-51.76</td> <td>-68.91</td> <td>-12.73</td> </tr> <tr> <td>-20.000 M</td> <td>-11.000 M</td> <td>300.00 k</td> <td>6.503750 G</td> <td>-26.58</td> <td>-43.72</td> <td>-7.33</td> </tr> <tr> <td>-11.000 M</td> <td>-10.000 M</td> <td>300.00 k</td> <td>6.504038 G</td> <td>-25.36</td> <td>-42.51</td> <td>-6.33</td> </tr> <tr> <td>10.000 M</td> <td>11.000 M</td> <td>300.00 k</td> <td>6.525673 G</td> <td>-24.88</td> <td>-42.02</td> <td>-12.39</td> </tr> <tr> <td>11.000 M</td> <td>20.000 M</td> <td>300.00 k</td> <td>6.526000 G</td> <td>-26.12</td> <td>-43.27</td> <td>-7.09</td> </tr> <tr> <td>20.000 M</td> <td>30.000 M</td> <td>300.00 k</td> <td>6.535769 G</td> <td>-40.96</td> <td>-58.11</td> <td>-13.01</td> </tr> <tr> <td>30.000 M</td> <td>90.000 M</td> <td>300.00 k</td> <td>6.545000 G</td> <td>-52.13</td> <td>-69.28</td> <td>-13.10</td> </tr> </tbody> </table> <p>Date: 4.MAY.2022 15:36:11</p>	Tx Channel							Start	Stop	Bandwidth	Peak Power	PerChB	PerChan	Δ Limit	[Hz]	[Hz]	[kHz]	[dBm]	[dBm]	[dB]	[dB]	-90.000 M	-30.000 M	300.00 k	6.484712 G	-51.90	-69.04	-12.87	-30.000 M	-20.000 M	300.00 k	6.485000 G	-51.76	-68.91	-12.73	-20.000 M	-11.000 M	300.00 k	6.503750 G	-26.58	-43.72	-7.33	-11.000 M	-10.000 M	300.00 k	6.504038 G	-25.36	-42.51	-6.33	10.000 M	11.000 M	300.00 k	6.525673 G	-24.88	-42.02	-12.39	11.000 M	20.000 M	300.00 k	6.526000 G	-26.12	-43.27	-7.09	20.000 M	30.000 M	300.00 k	6.535769 G	-40.96	-58.11	-13.01	30.000 M	90.000 M	300.00 k	6.545000 G	-52.13	-69.28	-13.10
Tx Channel																																																																														
Start	Stop	Bandwidth	Peak Power	PerChB	PerChan	Δ Limit																																																																								
[Hz]	[Hz]	[kHz]	[dBm]	[dBm]	[dB]	[dB]																																																																								
-90.000 M	-30.000 M	300.00 k	6.484712 G	-51.90	-69.04	-12.87																																																																								
-30.000 M	-20.000 M	300.00 k	6.485000 G	-51.76	-68.91	-12.73																																																																								
-20.000 M	-11.000 M	300.00 k	6.503750 G	-26.58	-43.72	-7.33																																																																								
-11.000 M	-10.000 M	300.00 k	6.504038 G	-25.36	-42.51	-6.33																																																																								
10.000 M	11.000 M	300.00 k	6.525673 G	-24.88	-42.02	-12.39																																																																								
11.000 M	20.000 M	300.00 k	6.526000 G	-26.12	-43.27	-7.09																																																																								
20.000 M	30.000 M	300.00 k	6.535769 G	-40.96	-58.11	-13.01																																																																								
30.000 M	90.000 M	300.00 k	6.545000 G	-52.13	-69.28	-13.10																																																																								

Mode 2: IEEE 802.11ax 20 MHz Continuous TX mode_ANT-0																																																																														
6535 MHz	 <p>Center 6.535 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>Bandwidth</th> <th>Power</th> <th>Power</th> <th>Power</th> <th>Power</th> </tr> <tr> <th>[MHz]</th> <th>[MHz]</th> <th>[kHz]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dBc]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr> <td>-90.000 M</td> <td>-30.000 M</td> <td>300.00 k</td> <td>6.504712 G</td> <td>-52.13</td> <td>-69.08</td> <td>-12.95</td> </tr> <tr> <td>-30.000 M</td> <td>-20.000 M</td> <td>300.00 k</td> <td>6.511346 G</td> <td>-44.51</td> <td>-61.46</td> <td>-12.94</td> </tr> <tr> <td>-20.000 M</td> <td>-11.000 M</td> <td>300.00 k</td> <td>6.523750 G</td> <td>-26.84</td> <td>-43.80</td> <td>-7.44</td> </tr> <tr> <td>-11.000 M</td> <td>-10.000 M</td> <td>300.00 k</td> <td>6.524038 G</td> <td>-25.71</td> <td>-42.66</td> <td>-6.53</td> </tr> <tr> <td>10.000 M</td> <td>11.000 M</td> <td>300.00 k</td> <td>6.545673 G</td> <td>-25.34</td> <td>-42.30</td> <td>-12.70</td> </tr> <tr> <td>11.000 M</td> <td>20.000 M</td> <td>300.00 k</td> <td>6.546000 G</td> <td>-26.60</td> <td>-43.56</td> <td>-7.42</td> </tr> <tr> <td>20.000 M</td> <td>30.000 M</td> <td>300.00 k</td> <td>6.558635 G</td> <td>-42.49</td> <td>-59.44</td> <td>-13.35</td> </tr> <tr> <td>30.000 M</td> <td>90.000 M</td> <td>300.00 k</td> <td>6.565000 G</td> <td>-52.56</td> <td>-69.52</td> <td>-13.38</td> </tr> </tbody> </table> <p>Date: 4.MAY.2022 15:40:57</p>	Tx Channel							Start	Stop	Bandwidth	Power	Power	Power	Power	[MHz]	[MHz]	[kHz]	[dBm]	[dBm]	[dBc]	[dB]	-90.000 M	-30.000 M	300.00 k	6.504712 G	-52.13	-69.08	-12.95	-30.000 M	-20.000 M	300.00 k	6.511346 G	-44.51	-61.46	-12.94	-20.000 M	-11.000 M	300.00 k	6.523750 G	-26.84	-43.80	-7.44	-11.000 M	-10.000 M	300.00 k	6.524038 G	-25.71	-42.66	-6.53	10.000 M	11.000 M	300.00 k	6.545673 G	-25.34	-42.30	-12.70	11.000 M	20.000 M	300.00 k	6.546000 G	-26.60	-43.56	-7.42	20.000 M	30.000 M	300.00 k	6.558635 G	-42.49	-59.44	-13.35	30.000 M	90.000 M	300.00 k	6.565000 G	-52.56	-69.52	-13.38
Tx Channel																																																																														
Start	Stop	Bandwidth	Power	Power	Power	Power																																																																								
[MHz]	[MHz]	[kHz]	[dBm]	[dBm]	[dBc]	[dB]																																																																								
-90.000 M	-30.000 M	300.00 k	6.504712 G	-52.13	-69.08	-12.95																																																																								
-30.000 M	-20.000 M	300.00 k	6.511346 G	-44.51	-61.46	-12.94																																																																								
-20.000 M	-11.000 M	300.00 k	6.523750 G	-26.84	-43.80	-7.44																																																																								
-11.000 M	-10.000 M	300.00 k	6.524038 G	-25.71	-42.66	-6.53																																																																								
10.000 M	11.000 M	300.00 k	6.545673 G	-25.34	-42.30	-12.70																																																																								
11.000 M	20.000 M	300.00 k	6.546000 G	-26.60	-43.56	-7.42																																																																								
20.000 M	30.000 M	300.00 k	6.558635 G	-42.49	-59.44	-13.35																																																																								
30.000 M	90.000 M	300.00 k	6.565000 G	-52.56	-69.52	-13.38																																																																								
6695 MHz	 <p>Center 6.695 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>Bandwidth</th> <th>Power</th> <th>Power</th> <th>Power</th> <th>Power</th> </tr> <tr> <th>[MHz]</th> <th>[MHz]</th> <th>[kHz]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dBc]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr> <td>-90.000 M</td> <td>-30.000 M</td> <td>300.00 k</td> <td>6.664712 G</td> <td>-47.27</td> <td>-66.10</td> <td>-9.92</td> </tr> <tr> <td>-30.000 M</td> <td>-20.000 M</td> <td>300.00 k</td> <td>6.672788 G</td> <td>-35.67</td> <td>-54.49</td> <td>-7.66</td> </tr> <tr> <td>-20.000 M</td> <td>-11.000 M</td> <td>300.00 k</td> <td>6.683750 G</td> <td>-23.45</td> <td>-42.28</td> <td>-5.88</td> </tr> <tr> <td>-11.000 M</td> <td>-10.000 M</td> <td>300.00 k</td> <td>6.684038 G</td> <td>-22.33</td> <td>-41.16</td> <td>-4.98</td> </tr> <tr> <td>10.000 M</td> <td>11.000 M</td> <td>300.00 k</td> <td>6.705673 G</td> <td>-21.66</td> <td>-40.48</td> <td>-10.84</td> </tr> <tr> <td>11.000 M</td> <td>20.000 M</td> <td>300.00 k</td> <td>6.706000 G</td> <td>-22.55</td> <td>-41.37</td> <td>-5.20</td> </tr> <tr> <td>20.000 M</td> <td>30.000 M</td> <td>300.00 k</td> <td>6.716058 G</td> <td>-34.74</td> <td>-53.56</td> <td>-8.11</td> </tr> <tr> <td>30.000 M</td> <td>90.000 M</td> <td>300.00 k</td> <td>6.725288 G</td> <td>-46.97</td> <td>-65.80</td> <td>-9.62</td> </tr> </tbody> </table> <p>Date: 4.MAY.2022 15:42:25</p>	Tx Channel							Start	Stop	Bandwidth	Power	Power	Power	Power	[MHz]	[MHz]	[kHz]	[dBm]	[dBm]	[dBc]	[dB]	-90.000 M	-30.000 M	300.00 k	6.664712 G	-47.27	-66.10	-9.92	-30.000 M	-20.000 M	300.00 k	6.672788 G	-35.67	-54.49	-7.66	-20.000 M	-11.000 M	300.00 k	6.683750 G	-23.45	-42.28	-5.88	-11.000 M	-10.000 M	300.00 k	6.684038 G	-22.33	-41.16	-4.98	10.000 M	11.000 M	300.00 k	6.705673 G	-21.66	-40.48	-10.84	11.000 M	20.000 M	300.00 k	6.706000 G	-22.55	-41.37	-5.20	20.000 M	30.000 M	300.00 k	6.716058 G	-34.74	-53.56	-8.11	30.000 M	90.000 M	300.00 k	6.725288 G	-46.97	-65.80	-9.62
Tx Channel																																																																														
Start	Stop	Bandwidth	Power	Power	Power	Power																																																																								
[MHz]	[MHz]	[kHz]	[dBm]	[dBm]	[dBc]	[dB]																																																																								
-90.000 M	-30.000 M	300.00 k	6.664712 G	-47.27	-66.10	-9.92																																																																								
-30.000 M	-20.000 M	300.00 k	6.672788 G	-35.67	-54.49	-7.66																																																																								
-20.000 M	-11.000 M	300.00 k	6.683750 G	-23.45	-42.28	-5.88																																																																								
-11.000 M	-10.000 M	300.00 k	6.684038 G	-22.33	-41.16	-4.98																																																																								
10.000 M	11.000 M	300.00 k	6.705673 G	-21.66	-40.48	-10.84																																																																								
11.000 M	20.000 M	300.00 k	6.706000 G	-22.55	-41.37	-5.20																																																																								
20.000 M	30.000 M	300.00 k	6.716058 G	-34.74	-53.56	-8.11																																																																								
30.000 M	90.000 M	300.00 k	6.725288 G	-46.97	-65.80	-9.62																																																																								
6855 MHz	 <p>Center 6.855 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>Bandwidth</th> <th>Power</th> <th>Power</th> <th>Power</th> <th>Power</th> </tr> <tr> <th>[MHz]</th> <th>[MHz]</th> <th>[kHz]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dBc]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr> <td>-90.000 M</td> <td>-30.000 M</td> <td>300.00 k</td> <td>6.824423 G</td> <td>-48.97</td> <td>-66.98</td> <td>-10.86</td> </tr> <tr> <td>-30.000 M</td> <td>-20.000 M</td> <td>300.00 k</td> <td>6.833942 G</td> <td>-36.79</td> <td>-54.80</td> <td>-9.41</td> </tr> <tr> <td>-20.000 M</td> <td>-11.000 M</td> <td>300.00 k</td> <td>6.843750 G</td> <td>-25.10</td> <td>-43.10</td> <td>-6.76</td> </tr> <tr> <td>-11.000 M</td> <td>-10.000 M</td> <td>300.00 k</td> <td>6.844038 G</td> <td>-24.08</td> <td>-42.09</td> <td>-5.97</td> </tr> <tr> <td>10.000 M</td> <td>11.000 M</td> <td>300.00 k</td> <td>6.865673 G</td> <td>-22.86</td> <td>-40.86</td> <td>-11.28</td> </tr> <tr> <td>11.000 M</td> <td>20.000 M</td> <td>300.00 k</td> <td>6.866000 G</td> <td>-24.13</td> <td>-42.13</td> <td>-6.02</td> </tr> <tr> <td>20.000 M</td> <td>30.000 M</td> <td>300.00 k</td> <td>6.876923 G</td> <td>-37.75</td> <td>-55.76</td> <td>-9.33</td> </tr> <tr> <td>30.000 M</td> <td>90.000 M</td> <td>300.00 k</td> <td>6.885577 G</td> <td>-48.90</td> <td>-66.90</td> <td>-10.79</td> </tr> </tbody> </table> <p>Date: 4.MAY.2022 16:29:36</p>	Tx Channel							Start	Stop	Bandwidth	Power	Power	Power	Power	[MHz]	[MHz]	[kHz]	[dBm]	[dBm]	[dBc]	[dB]	-90.000 M	-30.000 M	300.00 k	6.824423 G	-48.97	-66.98	-10.86	-30.000 M	-20.000 M	300.00 k	6.833942 G	-36.79	-54.80	-9.41	-20.000 M	-11.000 M	300.00 k	6.843750 G	-25.10	-43.10	-6.76	-11.000 M	-10.000 M	300.00 k	6.844038 G	-24.08	-42.09	-5.97	10.000 M	11.000 M	300.00 k	6.865673 G	-22.86	-40.86	-11.28	11.000 M	20.000 M	300.00 k	6.866000 G	-24.13	-42.13	-6.02	20.000 M	30.000 M	300.00 k	6.876923 G	-37.75	-55.76	-9.33	30.000 M	90.000 M	300.00 k	6.885577 G	-48.90	-66.90	-10.79
Tx Channel																																																																														
Start	Stop	Bandwidth	Power	Power	Power	Power																																																																								
[MHz]	[MHz]	[kHz]	[dBm]	[dBm]	[dBc]	[dB]																																																																								
-90.000 M	-30.000 M	300.00 k	6.824423 G	-48.97	-66.98	-10.86																																																																								
-30.000 M	-20.000 M	300.00 k	6.833942 G	-36.79	-54.80	-9.41																																																																								
-20.000 M	-11.000 M	300.00 k	6.843750 G	-25.10	-43.10	-6.76																																																																								
-11.000 M	-10.000 M	300.00 k	6.844038 G	-24.08	-42.09	-5.97																																																																								
10.000 M	11.000 M	300.00 k	6.865673 G	-22.86	-40.86	-11.28																																																																								
11.000 M	20.000 M	300.00 k	6.866000 G	-24.13	-42.13	-6.02																																																																								
20.000 M	30.000 M	300.00 k	6.876923 G	-37.75	-55.76	-9.33																																																																								
30.000 M	90.000 M	300.00 k	6.885577 G	-48.90	-66.90	-10.79																																																																								


Mode 2: IEEE 802.11ax 20 MHz Continuous TX mode_ANT-0																																																																														
6875 MHz	<p>Center 6.875 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>RFW</th> <th>Peak Power</th> <th>PerChB</th> <th>PerChA</th> <th>Δ Limit</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr><td>-90.000 M</td><td>-30.000 M</td><td>300.00 k</td><td>6.844712 G</td><td>-50.74</td><td>-67.72</td><td>-11.54</td></tr> <tr><td>-30.000 M</td><td>-20.000 M</td><td>300.00 k</td><td>6.845000 G</td><td>-50.71</td><td>-67.70</td><td>-11.51</td></tr> <tr><td>-20.000 M</td><td>-11.000 M</td><td>300.00 k</td><td>6.863750 G</td><td>-26.91</td><td>-43.90</td><td>-7.49</td></tr> <tr><td>-11.000 M</td><td>-10.000 M</td><td>300.00 k</td><td>6.864038 G</td><td>-25.65</td><td>-42.64</td><td>-6.45</td></tr> <tr><td>10.000 M</td><td>11.000 M</td><td>300.00 k</td><td>6.885673 G</td><td>-24.76</td><td>-41.74</td><td>-12.10</td></tr> <tr><td>11.000 M</td><td>20.000 M</td><td>300.00 k</td><td>6.886000 G</td><td>-25.82</td><td>-42.80</td><td>-6.62</td></tr> <tr><td>20.000 M</td><td>30.000 M</td><td>300.00 k</td><td>6.895481 G</td><td>-39.81</td><td>-56.80</td><td>-12.04</td></tr> <tr><td>30.000 M</td><td>90.000 M</td><td>300.00 k</td><td>6.905000 G</td><td>-51.18</td><td>-68.16</td><td>-11.98</td></tr> </tbody> </table> <p>Date: 4.MAY.2022 16:03:32</p>	Tx Channel							Start	Stop	RFW	Peak Power	PerChB	PerChA	Δ Limit	[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dBm]	[dB]	-90.000 M	-30.000 M	300.00 k	6.844712 G	-50.74	-67.72	-11.54	-30.000 M	-20.000 M	300.00 k	6.845000 G	-50.71	-67.70	-11.51	-20.000 M	-11.000 M	300.00 k	6.863750 G	-26.91	-43.90	-7.49	-11.000 M	-10.000 M	300.00 k	6.864038 G	-25.65	-42.64	-6.45	10.000 M	11.000 M	300.00 k	6.885673 G	-24.76	-41.74	-12.10	11.000 M	20.000 M	300.00 k	6.886000 G	-25.82	-42.80	-6.62	20.000 M	30.000 M	300.00 k	6.895481 G	-39.81	-56.80	-12.04	30.000 M	90.000 M	300.00 k	6.905000 G	-51.18	-68.16	-11.98
Tx Channel																																																																														
Start	Stop	RFW	Peak Power	PerChB	PerChA	Δ Limit																																																																								
[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dBm]	[dB]																																																																								
-90.000 M	-30.000 M	300.00 k	6.844712 G	-50.74	-67.72	-11.54																																																																								
-30.000 M	-20.000 M	300.00 k	6.845000 G	-50.71	-67.70	-11.51																																																																								
-20.000 M	-11.000 M	300.00 k	6.863750 G	-26.91	-43.90	-7.49																																																																								
-11.000 M	-10.000 M	300.00 k	6.864038 G	-25.65	-42.64	-6.45																																																																								
10.000 M	11.000 M	300.00 k	6.885673 G	-24.76	-41.74	-12.10																																																																								
11.000 M	20.000 M	300.00 k	6.886000 G	-25.82	-42.80	-6.62																																																																								
20.000 M	30.000 M	300.00 k	6.895481 G	-39.81	-56.80	-12.04																																																																								
30.000 M	90.000 M	300.00 k	6.905000 G	-51.18	-68.16	-11.98																																																																								
6995 MHz	<p>Center 6.995 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>RFW</th> <th>Peak Power</th> <th>PerChB</th> <th>PerChA</th> <th>Δ Limit</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr><td>-90.000 M</td><td>-30.000 M</td><td>300.00 k</td><td>6.964423 G</td><td>-54.56</td><td>-69.14</td><td>-13.00</td></tr> <tr><td>-30.000 M</td><td>-20.000 M</td><td>300.00 k</td><td>6.965000 G</td><td>-54.42</td><td>-69.00</td><td>-12.87</td></tr> <tr><td>-20.000 M</td><td>-11.000 M</td><td>300.00 k</td><td>6.983750 G</td><td>-29.60</td><td>-44.18</td><td>-7.82</td></tr> <tr><td>-11.000 M</td><td>-10.000 M</td><td>300.00 k</td><td>6.984038 G</td><td>-28.40</td><td>-42.97</td><td>-6.84</td></tr> <tr><td>10.000 M</td><td>11.000 M</td><td>300.00 k</td><td>7.005673 G</td><td>-27.84</td><td>-42.42</td><td>-12.82</td></tr> <tr><td>11.000 M</td><td>20.000 M</td><td>300.00 k</td><td>7.006000 G</td><td>-29.28</td><td>-43.86</td><td>-7.73</td></tr> <tr><td>20.000 M</td><td>30.000 M</td><td>300.00 k</td><td>7.024712 G</td><td>-54.95</td><td>-69.53</td><td>-13.74</td></tr> <tr><td>30.000 M</td><td>90.000 M</td><td>300.00 k</td><td>7.025000 G</td><td>-54.91</td><td>-69.49</td><td>-13.36</td></tr> </tbody> </table> <p>Date: 4.MAY.2022 16:09:51</p>	Tx Channel							Start	Stop	RFW	Peak Power	PerChB	PerChA	Δ Limit	[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dBm]	[dB]	-90.000 M	-30.000 M	300.00 k	6.964423 G	-54.56	-69.14	-13.00	-30.000 M	-20.000 M	300.00 k	6.965000 G	-54.42	-69.00	-12.87	-20.000 M	-11.000 M	300.00 k	6.983750 G	-29.60	-44.18	-7.82	-11.000 M	-10.000 M	300.00 k	6.984038 G	-28.40	-42.97	-6.84	10.000 M	11.000 M	300.00 k	7.005673 G	-27.84	-42.42	-12.82	11.000 M	20.000 M	300.00 k	7.006000 G	-29.28	-43.86	-7.73	20.000 M	30.000 M	300.00 k	7.024712 G	-54.95	-69.53	-13.74	30.000 M	90.000 M	300.00 k	7.025000 G	-54.91	-69.49	-13.36
Tx Channel																																																																														
Start	Stop	RFW	Peak Power	PerChB	PerChA	Δ Limit																																																																								
[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dBm]	[dB]																																																																								
-90.000 M	-30.000 M	300.00 k	6.964423 G	-54.56	-69.14	-13.00																																																																								
-30.000 M	-20.000 M	300.00 k	6.965000 G	-54.42	-69.00	-12.87																																																																								
-20.000 M	-11.000 M	300.00 k	6.983750 G	-29.60	-44.18	-7.82																																																																								
-11.000 M	-10.000 M	300.00 k	6.984038 G	-28.40	-42.97	-6.84																																																																								
10.000 M	11.000 M	300.00 k	7.005673 G	-27.84	-42.42	-12.82																																																																								
11.000 M	20.000 M	300.00 k	7.006000 G	-29.28	-43.86	-7.73																																																																								
20.000 M	30.000 M	300.00 k	7.024712 G	-54.95	-69.53	-13.74																																																																								
30.000 M	90.000 M	300.00 k	7.025000 G	-54.91	-69.49	-13.36																																																																								
7115 MHz	<p>Center 7.115 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>RFW</th> <th>Peak Power</th> <th>PerChB</th> <th>PerChA</th> <th>Δ Limit</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr><td>-90.000 M</td><td>-30.000 M</td><td>300.00 k</td><td>7.084423 G</td><td>-56.16</td><td>-68.81</td><td>-12.64</td></tr> <tr><td>-30.000 M</td><td>-20.000 M</td><td>300.00 k</td><td>7.085000 G</td><td>-55.96</td><td>-68.62</td><td>-12.44</td></tr> <tr><td>-20.000 M</td><td>-11.000 M</td><td>300.00 k</td><td>7.103750 G</td><td>-31.97</td><td>-44.62</td><td>-8.23</td></tr> <tr><td>-11.000 M</td><td>-10.000 M</td><td>300.00 k</td><td>7.104038 G</td><td>-30.68</td><td>-43.33</td><td>-7.16</td></tr> <tr><td>10.000 M</td><td>11.000 M</td><td>300.00 k</td><td>7.125673 G</td><td>-29.36</td><td>-42.01</td><td>-12.38</td></tr> <tr><td>11.000 M</td><td>20.000 M</td><td>300.00 k</td><td>7.126000 G</td><td>-30.81</td><td>-43.46</td><td>-7.29</td></tr> <tr><td>20.000 M</td><td>30.000 M</td><td>300.00 k</td><td>7.144712 G</td><td>-56.16</td><td>-68.81</td><td>-12.99</td></tr> <tr><td>30.000 M</td><td>90.000 M</td><td>300.00 k</td><td>7.145000 G</td><td>-56.47</td><td>-69.12</td><td>-12.95</td></tr> </tbody> </table> <p>Date: 4.MAY.2022 16:15:02</p>	Tx Channel							Start	Stop	RFW	Peak Power	PerChB	PerChA	Δ Limit	[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dBm]	[dB]	-90.000 M	-30.000 M	300.00 k	7.084423 G	-56.16	-68.81	-12.64	-30.000 M	-20.000 M	300.00 k	7.085000 G	-55.96	-68.62	-12.44	-20.000 M	-11.000 M	300.00 k	7.103750 G	-31.97	-44.62	-8.23	-11.000 M	-10.000 M	300.00 k	7.104038 G	-30.68	-43.33	-7.16	10.000 M	11.000 M	300.00 k	7.125673 G	-29.36	-42.01	-12.38	11.000 M	20.000 M	300.00 k	7.126000 G	-30.81	-43.46	-7.29	20.000 M	30.000 M	300.00 k	7.144712 G	-56.16	-68.81	-12.99	30.000 M	90.000 M	300.00 k	7.145000 G	-56.47	-69.12	-12.95
Tx Channel																																																																														
Start	Stop	RFW	Peak Power	PerChB	PerChA	Δ Limit																																																																								
[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dBm]	[dB]																																																																								
-90.000 M	-30.000 M	300.00 k	7.084423 G	-56.16	-68.81	-12.64																																																																								
-30.000 M	-20.000 M	300.00 k	7.085000 G	-55.96	-68.62	-12.44																																																																								
-20.000 M	-11.000 M	300.00 k	7.103750 G	-31.97	-44.62	-8.23																																																																								
-11.000 M	-10.000 M	300.00 k	7.104038 G	-30.68	-43.33	-7.16																																																																								
10.000 M	11.000 M	300.00 k	7.125673 G	-29.36	-42.01	-12.38																																																																								
11.000 M	20.000 M	300.00 k	7.126000 G	-30.81	-43.46	-7.29																																																																								
20.000 M	30.000 M	300.00 k	7.144712 G	-56.16	-68.81	-12.99																																																																								
30.000 M	90.000 M	300.00 k	7.145000 G	-56.47	-69.12	-12.95																																																																								

Mode 3: IEEE 802.11ax 40 MHz Continuous TX mode_ANT-0																																																																														
5965 MHz	 <p>Center 5.965 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>RBW</th> <th>Peak Power</th> <th>PerChA</th> <th>PerChB</th> <th>Δ Limit</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[dBm]</th> <th>[dBc]</th> <th>[dBc]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr><td>-90.000 M</td><td>-60.000 M</td><td>500.00 k</td><td>5.904712 G</td><td>-54.75</td><td>-66.61</td><td>-13.17</td></tr> <tr><td>-60.000 M</td><td>-40.000 M</td><td>500.00 k</td><td>5.905000 G</td><td>-54.66</td><td>-66.52</td><td>-13.08</td></tr> <tr><td>-40.000 M</td><td>-21.000 M</td><td>500.00 k</td><td>5.943654 G</td><td>-35.34</td><td>-47.20</td><td>-13.41</td></tr> <tr><td>-21.000 M</td><td>-20.000 M</td><td>500.00 k</td><td>5.944000 G</td><td>-33.64</td><td>-45.50</td><td>-12.06</td></tr> <tr><td>20.000 M</td><td>21.000 M</td><td>500.00 k</td><td>5.985769 G</td><td>-31.56</td><td>-43.42</td><td>-14.59</td></tr> <tr><td>21.000 M</td><td>40.000 M</td><td>500.00 k</td><td>5.986058 G</td><td>-33.01</td><td>-44.87</td><td>-11.42</td></tr> <tr><td>40.000 M</td><td>60.000 M</td><td>500.00 k</td><td>6.024712 G</td><td>-31.62</td><td>-43.49</td><td>-10.21</td></tr> <tr><td>60.000 M</td><td>90.000 M</td><td>500.00 k</td><td>6.025000 G</td><td>-31.65</td><td>-43.51</td><td>-10.07</td></tr> </tbody> </table> <p>Date: 4.MAY.2022 14:02:03</p>	Tx Channel							Start	Stop	RBW	Peak Power	PerChA	PerChB	Δ Limit	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dBc]	[dB]	-90.000 M	-60.000 M	500.00 k	5.904712 G	-54.75	-66.61	-13.17	-60.000 M	-40.000 M	500.00 k	5.905000 G	-54.66	-66.52	-13.08	-40.000 M	-21.000 M	500.00 k	5.943654 G	-35.34	-47.20	-13.41	-21.000 M	-20.000 M	500.00 k	5.944000 G	-33.64	-45.50	-12.06	20.000 M	21.000 M	500.00 k	5.985769 G	-31.56	-43.42	-14.59	21.000 M	40.000 M	500.00 k	5.986058 G	-33.01	-44.87	-11.42	40.000 M	60.000 M	500.00 k	6.024712 G	-31.62	-43.49	-10.21	60.000 M	90.000 M	500.00 k	6.025000 G	-31.65	-43.51	-10.07
Tx Channel																																																																														
Start	Stop	RBW	Peak Power	PerChA	PerChB	Δ Limit																																																																								
[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dBc]	[dB]																																																																								
-90.000 M	-60.000 M	500.00 k	5.904712 G	-54.75	-66.61	-13.17																																																																								
-60.000 M	-40.000 M	500.00 k	5.905000 G	-54.66	-66.52	-13.08																																																																								
-40.000 M	-21.000 M	500.00 k	5.943654 G	-35.34	-47.20	-13.41																																																																								
-21.000 M	-20.000 M	500.00 k	5.944000 G	-33.64	-45.50	-12.06																																																																								
20.000 M	21.000 M	500.00 k	5.985769 G	-31.56	-43.42	-14.59																																																																								
21.000 M	40.000 M	500.00 k	5.986058 G	-33.01	-44.87	-11.42																																																																								
40.000 M	60.000 M	500.00 k	6.024712 G	-31.62	-43.49	-10.21																																																																								
60.000 M	90.000 M	500.00 k	6.025000 G	-31.65	-43.51	-10.07																																																																								
6165 MHz	 <p>Center 6.165 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>RBW</th> <th>Peak Power</th> <th>PerChA</th> <th>PerChB</th> <th>Δ Limit</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[dBm]</th> <th>[dBc]</th> <th>[dBc]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr><td>-90.000 M</td><td>-60.000 M</td><td>500.00 k</td><td>6.104712 G</td><td>-51.03</td><td>-64.64</td><td>-11.06</td></tr> <tr><td>-60.000 M</td><td>-40.000 M</td><td>500.00 k</td><td>6.105000 G</td><td>-51.02</td><td>-64.62</td><td>-11.04</td></tr> <tr><td>-40.000 M</td><td>-21.000 M</td><td>500.00 k</td><td>6.143654 G</td><td>-31.94</td><td>-45.55</td><td>-11.83</td></tr> <tr><td>-21.000 M</td><td>-20.000 M</td><td>500.00 k</td><td>6.144000 G</td><td>-30.57</td><td>-44.17</td><td>-10.60</td></tr> <tr><td>20.000 M</td><td>21.000 M</td><td>500.00 k</td><td>6.185769 G</td><td>-30.34</td><td>-43.94</td><td>-14.98</td></tr> <tr><td>21.000 M</td><td>40.000 M</td><td>500.00 k</td><td>6.186058 G</td><td>-31.58</td><td>-45.18</td><td>-11.60</td></tr> <tr><td>40.000 M</td><td>60.000 M</td><td>500.00 k</td><td>6.224712 G</td><td>-50.22</td><td>-63.82</td><td>-10.42</td></tr> <tr><td>60.000 M</td><td>90.000 M</td><td>500.00 k</td><td>6.225000 G</td><td>-50.34</td><td>-63.94</td><td>-10.37</td></tr> </tbody> </table> <p>Date: 4.MAY.2022 14:03:51</p>	Tx Channel							Start	Stop	RBW	Peak Power	PerChA	PerChB	Δ Limit	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dBc]	[dB]	-90.000 M	-60.000 M	500.00 k	6.104712 G	-51.03	-64.64	-11.06	-60.000 M	-40.000 M	500.00 k	6.105000 G	-51.02	-64.62	-11.04	-40.000 M	-21.000 M	500.00 k	6.143654 G	-31.94	-45.55	-11.83	-21.000 M	-20.000 M	500.00 k	6.144000 G	-30.57	-44.17	-10.60	20.000 M	21.000 M	500.00 k	6.185769 G	-30.34	-43.94	-14.98	21.000 M	40.000 M	500.00 k	6.186058 G	-31.58	-45.18	-11.60	40.000 M	60.000 M	500.00 k	6.224712 G	-50.22	-63.82	-10.42	60.000 M	90.000 M	500.00 k	6.225000 G	-50.34	-63.94	-10.37
Tx Channel																																																																														
Start	Stop	RBW	Peak Power	PerChA	PerChB	Δ Limit																																																																								
[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dBc]	[dB]																																																																								
-90.000 M	-60.000 M	500.00 k	6.104712 G	-51.03	-64.64	-11.06																																																																								
-60.000 M	-40.000 M	500.00 k	6.105000 G	-51.02	-64.62	-11.04																																																																								
-40.000 M	-21.000 M	500.00 k	6.143654 G	-31.94	-45.55	-11.83																																																																								
-21.000 M	-20.000 M	500.00 k	6.144000 G	-30.57	-44.17	-10.60																																																																								
20.000 M	21.000 M	500.00 k	6.185769 G	-30.34	-43.94	-14.98																																																																								
21.000 M	40.000 M	500.00 k	6.186058 G	-31.58	-45.18	-11.60																																																																								
40.000 M	60.000 M	500.00 k	6.224712 G	-50.22	-63.82	-10.42																																																																								
60.000 M	90.000 M	500.00 k	6.225000 G	-50.34	-63.94	-10.37																																																																								
6405 MHz	 <p>Center 6.405 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>RBW</th> <th>Peak Power</th> <th>PerChA</th> <th>PerChB</th> <th>Δ Limit</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[dBm]</th> <th>[dBc]</th> <th>[dBc]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr><td>-90.000 M</td><td>-60.000 M</td><td>500.00 k</td><td>6.344135 G</td><td>-44.87</td><td>-60.59</td><td>-7.13</td></tr> <tr><td>-60.000 M</td><td>-40.000 M</td><td>500.00 k</td><td>6.345000 G</td><td>-44.72</td><td>-60.45</td><td>-6.98</td></tr> <tr><td>-40.000 M</td><td>-21.000 M</td><td>500.00 k</td><td>6.383654 G</td><td>-26.72</td><td>-42.44</td><td>-8.93</td></tr> <tr><td>-21.000 M</td><td>-20.000 M</td><td>500.00 k</td><td>6.384000 G</td><td>-25.86</td><td>-41.59</td><td>-8.12</td></tr> <tr><td>20.000 M</td><td>21.000 M</td><td>500.00 k</td><td>6.425769 G</td><td>-25.56</td><td>-41.28</td><td>-12.43</td></tr> <tr><td>21.000 M</td><td>40.000 M</td><td>500.00 k</td><td>6.426058 G</td><td>-26.10</td><td>-41.82</td><td>-8.36</td></tr> <tr><td>40.000 M</td><td>60.000 M</td><td>500.00 k</td><td>6.464712 G</td><td>-44.72</td><td>-60.44</td><td>-7.15</td></tr> <tr><td>60.000 M</td><td>90.000 M</td><td>500.00 k</td><td>6.465000 G</td><td>-44.74</td><td>-60.47</td><td>-7.01</td></tr> </tbody> </table> <p>Date: 4.MAY.2022 14:10:20</p>	Tx Channel							Start	Stop	RBW	Peak Power	PerChA	PerChB	Δ Limit	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dBc]	[dB]	-90.000 M	-60.000 M	500.00 k	6.344135 G	-44.87	-60.59	-7.13	-60.000 M	-40.000 M	500.00 k	6.345000 G	-44.72	-60.45	-6.98	-40.000 M	-21.000 M	500.00 k	6.383654 G	-26.72	-42.44	-8.93	-21.000 M	-20.000 M	500.00 k	6.384000 G	-25.86	-41.59	-8.12	20.000 M	21.000 M	500.00 k	6.425769 G	-25.56	-41.28	-12.43	21.000 M	40.000 M	500.00 k	6.426058 G	-26.10	-41.82	-8.36	40.000 M	60.000 M	500.00 k	6.464712 G	-44.72	-60.44	-7.15	60.000 M	90.000 M	500.00 k	6.465000 G	-44.74	-60.47	-7.01
Tx Channel																																																																														
Start	Stop	RBW	Peak Power	PerChA	PerChB	Δ Limit																																																																								
[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dBc]	[dB]																																																																								
-90.000 M	-60.000 M	500.00 k	6.344135 G	-44.87	-60.59	-7.13																																																																								
-60.000 M	-40.000 M	500.00 k	6.345000 G	-44.72	-60.45	-6.98																																																																								
-40.000 M	-21.000 M	500.00 k	6.383654 G	-26.72	-42.44	-8.93																																																																								
-21.000 M	-20.000 M	500.00 k	6.384000 G	-25.86	-41.59	-8.12																																																																								
20.000 M	21.000 M	500.00 k	6.425769 G	-25.56	-41.28	-12.43																																																																								
21.000 M	40.000 M	500.00 k	6.426058 G	-26.10	-41.82	-8.36																																																																								
40.000 M	60.000 M	500.00 k	6.464712 G	-44.72	-60.44	-7.15																																																																								
60.000 M	90.000 M	500.00 k	6.465000 G	-44.74	-60.47	-7.01																																																																								

Mode 3: IEEE 802.11ax 40 MHz Continuous TX mode_ANT-0																																																																														
6445 MHz	<p>Center 6.445 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>BW</th> <th>Peak Power</th> <th>PerChB</th> <th>PerChA</th> <th>Δ Limit</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[dBm]</th> <th>[dBc]</th> <th>[dBc]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr><td>-90.000 M</td><td>-60.000 M</td><td>500.00 k</td><td>6.384712 G</td><td>-48.96</td><td>-63.74</td><td>-10.15</td></tr> <tr><td>-60.000 M</td><td>-40.000 M</td><td>500.00 k</td><td>6.385000 G</td><td>-48.83</td><td>-63.61</td><td>-10.02</td></tr> <tr><td>-40.000 M</td><td>-21.000 M</td><td>500.00 k</td><td>6.423654 G</td><td>-29.84</td><td>-44.62</td><td>-10.89</td></tr> <tr><td>-21.000 M</td><td>-20.000 M</td><td>500.00 k</td><td>6.424000 G</td><td>-28.77</td><td>-43.55</td><td>-9.97</td></tr> <tr><td>20.000 M</td><td>21.000 M</td><td>500.00 k</td><td>6.465769 G</td><td>-27.74</td><td>-42.52</td><td>-13.55</td></tr> <tr><td>21.000 M</td><td>40.000 M</td><td>500.00 k</td><td>6.466058 G</td><td>-28.76</td><td>-43.54</td><td>-9.96</td></tr> <tr><td>40.000 M</td><td>60.000 M</td><td>500.00 k</td><td>6.504712 G</td><td>-48.84</td><td>-63.32</td><td>-9.91</td></tr> <tr><td>60.000 M</td><td>90.000 M</td><td>500.00 k</td><td>6.505000 G</td><td>-48.85</td><td>-63.43</td><td>-9.84</td></tr> </tbody> </table> <p>Date: 4.MAY.2022 14:13:59</p>	Tx Channel							Start	Stop	BW	Peak Power	PerChB	PerChA	Δ Limit	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dBc]	[dB]	-90.000 M	-60.000 M	500.00 k	6.384712 G	-48.96	-63.74	-10.15	-60.000 M	-40.000 M	500.00 k	6.385000 G	-48.83	-63.61	-10.02	-40.000 M	-21.000 M	500.00 k	6.423654 G	-29.84	-44.62	-10.89	-21.000 M	-20.000 M	500.00 k	6.424000 G	-28.77	-43.55	-9.97	20.000 M	21.000 M	500.00 k	6.465769 G	-27.74	-42.52	-13.55	21.000 M	40.000 M	500.00 k	6.466058 G	-28.76	-43.54	-9.96	40.000 M	60.000 M	500.00 k	6.504712 G	-48.84	-63.32	-9.91	60.000 M	90.000 M	500.00 k	6.505000 G	-48.85	-63.43	-9.84
Tx Channel																																																																														
Start	Stop	BW	Peak Power	PerChB	PerChA	Δ Limit																																																																								
[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dBc]	[dB]																																																																								
-90.000 M	-60.000 M	500.00 k	6.384712 G	-48.96	-63.74	-10.15																																																																								
-60.000 M	-40.000 M	500.00 k	6.385000 G	-48.83	-63.61	-10.02																																																																								
-40.000 M	-21.000 M	500.00 k	6.423654 G	-29.84	-44.62	-10.89																																																																								
-21.000 M	-20.000 M	500.00 k	6.424000 G	-28.77	-43.55	-9.97																																																																								
20.000 M	21.000 M	500.00 k	6.465769 G	-27.74	-42.52	-13.55																																																																								
21.000 M	40.000 M	500.00 k	6.466058 G	-28.76	-43.54	-9.96																																																																								
40.000 M	60.000 M	500.00 k	6.504712 G	-48.84	-63.32	-9.91																																																																								
60.000 M	90.000 M	500.00 k	6.505000 G	-48.85	-63.43	-9.84																																																																								
6485 MHz	<p>Center 6.485 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>BW</th> <th>Peak Power</th> <th>PerChB</th> <th>PerChA</th> <th>Δ Limit</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[dBm]</th> <th>[dBc]</th> <th>[dBc]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr><td>-90.000 M</td><td>-60.000 M</td><td>500.00 k</td><td>6.424712 G</td><td>-49.44</td><td>-64.53</td><td>-10.97</td></tr> <tr><td>-60.000 M</td><td>-40.000 M</td><td>500.00 k</td><td>6.425577 G</td><td>-49.10</td><td>-64.19</td><td>-10.98</td></tr> <tr><td>-40.000 M</td><td>-21.000 M</td><td>500.00 k</td><td>6.463654 G</td><td>-29.54</td><td>-44.63</td><td>-10.92</td></tr> <tr><td>-21.000 M</td><td>-20.000 M</td><td>500.00 k</td><td>6.464000 G</td><td>-28.33</td><td>-43.42</td><td>-9.86</td></tr> <tr><td>20.000 M</td><td>21.000 M</td><td>500.00 k</td><td>6.505769 G</td><td>-27.35</td><td>-42.44</td><td>-13.50</td></tr> <tr><td>21.000 M</td><td>40.000 M</td><td>500.00 k</td><td>6.506058 G</td><td>-28.19</td><td>-43.29</td><td>-9.73</td></tr> <tr><td>40.000 M</td><td>60.000 M</td><td>500.00 k</td><td>6.544712 G</td><td>-49.33</td><td>-64.42</td><td>-11.03</td></tr> <tr><td>60.000 M</td><td>90.000 M</td><td>500.00 k</td><td>6.545288 G</td><td>-49.41</td><td>-64.51</td><td>-10.95</td></tr> </tbody> </table> <p>Date: 4.MAY.2022 14:19:48</p>	Tx Channel							Start	Stop	BW	Peak Power	PerChB	PerChA	Δ Limit	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dBc]	[dB]	-90.000 M	-60.000 M	500.00 k	6.424712 G	-49.44	-64.53	-10.97	-60.000 M	-40.000 M	500.00 k	6.425577 G	-49.10	-64.19	-10.98	-40.000 M	-21.000 M	500.00 k	6.463654 G	-29.54	-44.63	-10.92	-21.000 M	-20.000 M	500.00 k	6.464000 G	-28.33	-43.42	-9.86	20.000 M	21.000 M	500.00 k	6.505769 G	-27.35	-42.44	-13.50	21.000 M	40.000 M	500.00 k	6.506058 G	-28.19	-43.29	-9.73	40.000 M	60.000 M	500.00 k	6.544712 G	-49.33	-64.42	-11.03	60.000 M	90.000 M	500.00 k	6.545288 G	-49.41	-64.51	-10.95
Tx Channel																																																																														
Start	Stop	BW	Peak Power	PerChB	PerChA	Δ Limit																																																																								
[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dBc]	[dB]																																																																								
-90.000 M	-60.000 M	500.00 k	6.424712 G	-49.44	-64.53	-10.97																																																																								
-60.000 M	-40.000 M	500.00 k	6.425577 G	-49.10	-64.19	-10.98																																																																								
-40.000 M	-21.000 M	500.00 k	6.463654 G	-29.54	-44.63	-10.92																																																																								
-21.000 M	-20.000 M	500.00 k	6.464000 G	-28.33	-43.42	-9.86																																																																								
20.000 M	21.000 M	500.00 k	6.505769 G	-27.35	-42.44	-13.50																																																																								
21.000 M	40.000 M	500.00 k	6.506058 G	-28.19	-43.29	-9.73																																																																								
40.000 M	60.000 M	500.00 k	6.544712 G	-49.33	-64.42	-11.03																																																																								
60.000 M	90.000 M	500.00 k	6.545288 G	-49.41	-64.51	-10.95																																																																								
6525 MHz	<p>Center 6.525 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>BW</th> <th>Peak Power</th> <th>PerChB</th> <th>PerChA</th> <th>Δ Limit</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[dBm]</th> <th>[dBc]</th> <th>[dBc]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr><td>-90.000 M</td><td>-60.000 M</td><td>500.00 k</td><td>6.464712 G</td><td>-49.51</td><td>-64.37</td><td>-10.93</td></tr> <tr><td>-60.000 M</td><td>-40.000 M</td><td>500.00 k</td><td>6.465000 G</td><td>-49.55</td><td>-64.41</td><td>-10.96</td></tr> <tr><td>-40.000 M</td><td>-21.000 M</td><td>500.00 k</td><td>6.503654 G</td><td>-29.40</td><td>-44.26</td><td>-10.67</td></tr> <tr><td>-21.000 M</td><td>-20.000 M</td><td>500.00 k</td><td>6.504000 G</td><td>-28.45</td><td>-43.31</td><td>-9.87</td></tr> <tr><td>20.000 M</td><td>21.000 M</td><td>500.00 k</td><td>6.545769 G</td><td>-28.70</td><td>-43.56</td><td>-14.74</td></tr> <tr><td>21.000 M</td><td>40.000 M</td><td>500.00 k</td><td>6.546058 G</td><td>-29.77</td><td>-44.63</td><td>-11.19</td></tr> <tr><td>40.000 M</td><td>60.000 M</td><td>500.00 k</td><td>6.584712 G</td><td>-49.78</td><td>-64.64</td><td>-11.37</td></tr> <tr><td>60.000 M</td><td>90.000 M</td><td>500.00 k</td><td>6.585288 G</td><td>-49.81</td><td>-64.67</td><td>-11.23</td></tr> </tbody> </table> <p>Date: 4.MAY.2022 14:20:57</p>	Tx Channel							Start	Stop	BW	Peak Power	PerChB	PerChA	Δ Limit	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dBc]	[dB]	-90.000 M	-60.000 M	500.00 k	6.464712 G	-49.51	-64.37	-10.93	-60.000 M	-40.000 M	500.00 k	6.465000 G	-49.55	-64.41	-10.96	-40.000 M	-21.000 M	500.00 k	6.503654 G	-29.40	-44.26	-10.67	-21.000 M	-20.000 M	500.00 k	6.504000 G	-28.45	-43.31	-9.87	20.000 M	21.000 M	500.00 k	6.545769 G	-28.70	-43.56	-14.74	21.000 M	40.000 M	500.00 k	6.546058 G	-29.77	-44.63	-11.19	40.000 M	60.000 M	500.00 k	6.584712 G	-49.78	-64.64	-11.37	60.000 M	90.000 M	500.00 k	6.585288 G	-49.81	-64.67	-11.23
Tx Channel																																																																														
Start	Stop	BW	Peak Power	PerChB	PerChA	Δ Limit																																																																								
[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dBc]	[dB]																																																																								
-90.000 M	-60.000 M	500.00 k	6.464712 G	-49.51	-64.37	-10.93																																																																								
-60.000 M	-40.000 M	500.00 k	6.465000 G	-49.55	-64.41	-10.96																																																																								
-40.000 M	-21.000 M	500.00 k	6.503654 G	-29.40	-44.26	-10.67																																																																								
-21.000 M	-20.000 M	500.00 k	6.504000 G	-28.45	-43.31	-9.87																																																																								
20.000 M	21.000 M	500.00 k	6.545769 G	-28.70	-43.56	-14.74																																																																								
21.000 M	40.000 M	500.00 k	6.546058 G	-29.77	-44.63	-11.19																																																																								
40.000 M	60.000 M	500.00 k	6.584712 G	-49.78	-64.64	-11.37																																																																								
60.000 M	90.000 M	500.00 k	6.585288 G	-49.81	-64.67	-11.23																																																																								




Mode 3: IEEE 802.11ax 40 MHz Continuous TX mode_ANT-0																																																																														
6565 MHz	 <p>Center 6.565 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>RFW</th> <th>Peak Power</th> <th>PerCh1</th> <th>Δ Limit</th> <th>None</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[dBm]</th> <th>[dBc]</th> <th>[dB]</th> <th></th> </tr> </thead> <tbody> <tr> <td>-90.000 M</td> <td>-60.000 M</td> <td>500.00 k</td> <td>6.504712 G</td> <td>-45.58</td> <td>-61.18</td> <td>-7.63</td> </tr> <tr> <td>-60.000 M</td> <td>-40.000 M</td> <td>500.00 k</td> <td>6.505000 G</td> <td>-45.58</td> <td>-61.19</td> <td>-7.64</td> </tr> <tr> <td>-40.000 M</td> <td>-21.000 M</td> <td>500.00 k</td> <td>6.543654 G</td> <td>-27.61</td> <td>-43.22</td> <td>-9.53</td> </tr> <tr> <td>-21.000 M</td> <td>-20.000 M</td> <td>500.00 k</td> <td>6.544000 G</td> <td>-26.62</td> <td>-42.23</td> <td>-8.68</td> </tr> <tr> <td>20.000 M</td> <td>21.000 M</td> <td>500.00 k</td> <td>6.585769 G</td> <td>-26.06</td> <td>-41.67</td> <td>-12.74</td> </tr> <tr> <td>21.000 M</td> <td>40.000 M</td> <td>500.00 k</td> <td>6.586058 G</td> <td>-26.72</td> <td>-42.33</td> <td>-8.78</td> </tr> <tr> <td>40.000 M</td> <td>60.000 M</td> <td>500.00 k</td> <td>6.624135 G</td> <td>-45.03</td> <td>-60.64</td> <td>-7.61</td> </tr> <tr> <td>60.000 M</td> <td>90.000 M</td> <td>500.00 k</td> <td>6.625000 G</td> <td>-45.48</td> <td>-61.09</td> <td>-7.54</td> </tr> </tbody> </table> <p>Date: 4.MAY.2022 14:26:48</p>	Tx Channel							Start	Stop	RFW	Peak Power	PerCh1	Δ Limit	None	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]		-90.000 M	-60.000 M	500.00 k	6.504712 G	-45.58	-61.18	-7.63	-60.000 M	-40.000 M	500.00 k	6.505000 G	-45.58	-61.19	-7.64	-40.000 M	-21.000 M	500.00 k	6.543654 G	-27.61	-43.22	-9.53	-21.000 M	-20.000 M	500.00 k	6.544000 G	-26.62	-42.23	-8.68	20.000 M	21.000 M	500.00 k	6.585769 G	-26.06	-41.67	-12.74	21.000 M	40.000 M	500.00 k	6.586058 G	-26.72	-42.33	-8.78	40.000 M	60.000 M	500.00 k	6.624135 G	-45.03	-60.64	-7.61	60.000 M	90.000 M	500.00 k	6.625000 G	-45.48	-61.09	-7.54
Tx Channel																																																																														
Start	Stop	RFW	Peak Power	PerCh1	Δ Limit	None																																																																								
[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]																																																																									
-90.000 M	-60.000 M	500.00 k	6.504712 G	-45.58	-61.18	-7.63																																																																								
-60.000 M	-40.000 M	500.00 k	6.505000 G	-45.58	-61.19	-7.64																																																																								
-40.000 M	-21.000 M	500.00 k	6.543654 G	-27.61	-43.22	-9.53																																																																								
-21.000 M	-20.000 M	500.00 k	6.544000 G	-26.62	-42.23	-8.68																																																																								
20.000 M	21.000 M	500.00 k	6.585769 G	-26.06	-41.67	-12.74																																																																								
21.000 M	40.000 M	500.00 k	6.586058 G	-26.72	-42.33	-8.78																																																																								
40.000 M	60.000 M	500.00 k	6.624135 G	-45.03	-60.64	-7.61																																																																								
60.000 M	90.000 M	500.00 k	6.625000 G	-45.48	-61.09	-7.54																																																																								
6685 MHz	 <p>Center 6.685 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>RFW</th> <th>Peak Power</th> <th>PerCh1</th> <th>Δ Limit</th> <th>None</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[dBm]</th> <th>[dBc]</th> <th>[dB]</th> <th></th> </tr> </thead> <tbody> <tr> <td>-90.000 M</td> <td>-60.000 M</td> <td>500.00 k</td> <td>6.624712 G</td> <td>-45.44</td> <td>-61.28</td> <td>-7.81</td> </tr> <tr> <td>-60.000 M</td> <td>-40.000 M</td> <td>500.00 k</td> <td>6.625000 G</td> <td>-45.38</td> <td>-61.22</td> <td>-7.75</td> </tr> <tr> <td>-40.000 M</td> <td>-21.000 M</td> <td>500.00 k</td> <td>6.663654 G</td> <td>-26.44</td> <td>-42.27</td> <td>-8.66</td> </tr> <tr> <td>-21.000 M</td> <td>-20.000 M</td> <td>500.00 k</td> <td>6.664000 G</td> <td>-25.98</td> <td>-41.81</td> <td>-8.36</td> </tr> <tr> <td>20.000 M</td> <td>21.000 M</td> <td>500.00 k</td> <td>6.705769 G</td> <td>-25.41</td> <td>-41.24</td> <td>-12.39</td> </tr> <tr> <td>21.000 M</td> <td>40.000 M</td> <td>500.00 k</td> <td>6.706058 G</td> <td>-26.14</td> <td>-41.98</td> <td>-8.51</td> </tr> <tr> <td>40.000 M</td> <td>60.000 M</td> <td>500.00 k</td> <td>6.744712 G</td> <td>-45.59</td> <td>-61.43</td> <td>-8.13</td> </tr> <tr> <td>60.000 M</td> <td>90.000 M</td> <td>500.00 k</td> <td>6.745288 G</td> <td>-45.54</td> <td>-61.37</td> <td>-7.90</td> </tr> </tbody> </table> <p>Date: 4.MAY.2022 14:28:11</p>	Tx Channel							Start	Stop	RFW	Peak Power	PerCh1	Δ Limit	None	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]		-90.000 M	-60.000 M	500.00 k	6.624712 G	-45.44	-61.28	-7.81	-60.000 M	-40.000 M	500.00 k	6.625000 G	-45.38	-61.22	-7.75	-40.000 M	-21.000 M	500.00 k	6.663654 G	-26.44	-42.27	-8.66	-21.000 M	-20.000 M	500.00 k	6.664000 G	-25.98	-41.81	-8.36	20.000 M	21.000 M	500.00 k	6.705769 G	-25.41	-41.24	-12.39	21.000 M	40.000 M	500.00 k	6.706058 G	-26.14	-41.98	-8.51	40.000 M	60.000 M	500.00 k	6.744712 G	-45.59	-61.43	-8.13	60.000 M	90.000 M	500.00 k	6.745288 G	-45.54	-61.37	-7.90
Tx Channel																																																																														
Start	Stop	RFW	Peak Power	PerCh1	Δ Limit	None																																																																								
[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]																																																																									
-90.000 M	-60.000 M	500.00 k	6.624712 G	-45.44	-61.28	-7.81																																																																								
-60.000 M	-40.000 M	500.00 k	6.625000 G	-45.38	-61.22	-7.75																																																																								
-40.000 M	-21.000 M	500.00 k	6.663654 G	-26.44	-42.27	-8.66																																																																								
-21.000 M	-20.000 M	500.00 k	6.664000 G	-25.98	-41.81	-8.36																																																																								
20.000 M	21.000 M	500.00 k	6.705769 G	-25.41	-41.24	-12.39																																																																								
21.000 M	40.000 M	500.00 k	6.706058 G	-26.14	-41.98	-8.51																																																																								
40.000 M	60.000 M	500.00 k	6.744712 G	-45.59	-61.43	-8.13																																																																								
60.000 M	90.000 M	500.00 k	6.745288 G	-45.54	-61.37	-7.90																																																																								
6845 MHz	 <p>Center 6.845 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>RFW</th> <th>Peak Power</th> <th>PerCh1</th> <th>Δ Limit</th> <th>None</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[dBm]</th> <th>[dBc]</th> <th>[dB]</th> <th></th> </tr> </thead> <tbody> <tr> <td>-90.000 M</td> <td>-60.000 M</td> <td>500.00 k</td> <td>6.784712 G</td> <td>-47.18</td> <td>-62.27</td> <td>-8.88</td> </tr> <tr> <td>-60.000 M</td> <td>-40.000 M</td> <td>500.00 k</td> <td>6.785288 G</td> <td>-46.99</td> <td>-62.07</td> <td>-8.86</td> </tr> <tr> <td>-40.000 M</td> <td>-21.000 M</td> <td>500.00 k</td> <td>6.823654 G</td> <td>-28.73</td> <td>-43.92</td> <td>-10.29</td> </tr> <tr> <td>-21.000 M</td> <td>-20.000 M</td> <td>500.00 k</td> <td>6.824000 G</td> <td>-27.72</td> <td>-42.80</td> <td>-9.42</td> </tr> <tr> <td>20.000 M</td> <td>21.000 M</td> <td>500.00 k</td> <td>6.865769 G</td> <td>-27.41</td> <td>-42.50</td> <td>-13.73</td> </tr> <tr> <td>21.000 M</td> <td>40.000 M</td> <td>500.00 k</td> <td>6.866058 G</td> <td>-28.15</td> <td>-43.23</td> <td>-9.85</td> </tr> <tr> <td>40.000 M</td> <td>60.000 M</td> <td>500.00 k</td> <td>6.904712 G</td> <td>-47.27</td> <td>-62.35</td> <td>-9.14</td> </tr> <tr> <td>60.000 M</td> <td>90.000 M</td> <td>500.00 k</td> <td>6.905000 G</td> <td>-47.49</td> <td>-62.58</td> <td>-9.19</td> </tr> </tbody> </table> <p>Date: 4.MAY.2022 14:35:12</p>	Tx Channel							Start	Stop	RFW	Peak Power	PerCh1	Δ Limit	None	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]		-90.000 M	-60.000 M	500.00 k	6.784712 G	-47.18	-62.27	-8.88	-60.000 M	-40.000 M	500.00 k	6.785288 G	-46.99	-62.07	-8.86	-40.000 M	-21.000 M	500.00 k	6.823654 G	-28.73	-43.92	-10.29	-21.000 M	-20.000 M	500.00 k	6.824000 G	-27.72	-42.80	-9.42	20.000 M	21.000 M	500.00 k	6.865769 G	-27.41	-42.50	-13.73	21.000 M	40.000 M	500.00 k	6.866058 G	-28.15	-43.23	-9.85	40.000 M	60.000 M	500.00 k	6.904712 G	-47.27	-62.35	-9.14	60.000 M	90.000 M	500.00 k	6.905000 G	-47.49	-62.58	-9.19
Tx Channel																																																																														
Start	Stop	RFW	Peak Power	PerCh1	Δ Limit	None																																																																								
[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]																																																																									
-90.000 M	-60.000 M	500.00 k	6.784712 G	-47.18	-62.27	-8.88																																																																								
-60.000 M	-40.000 M	500.00 k	6.785288 G	-46.99	-62.07	-8.86																																																																								
-40.000 M	-21.000 M	500.00 k	6.823654 G	-28.73	-43.92	-10.29																																																																								
-21.000 M	-20.000 M	500.00 k	6.824000 G	-27.72	-42.80	-9.42																																																																								
20.000 M	21.000 M	500.00 k	6.865769 G	-27.41	-42.50	-13.73																																																																								
21.000 M	40.000 M	500.00 k	6.866058 G	-28.15	-43.23	-9.85																																																																								
40.000 M	60.000 M	500.00 k	6.904712 G	-47.27	-62.35	-9.14																																																																								
60.000 M	90.000 M	500.00 k	6.905000 G	-47.49	-62.58	-9.19																																																																								


Mode 3: IEEE 802.11ax 40 MHz Continuous TX mode_ANT-0																																																																														
6885 MHz	<p>Center 6.885 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>Bandwidth</th> <th>Peak Power</th> <th>PerChB</th> <th>PerChA</th> <th>Limit</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[kHz]</th> <th>[dBm]</th> <th>[dBc]</th> <th>[dB]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr> <td>-90.000 M</td> <td>-60.000 M</td> <td>500.00 k</td> <td>6.824712 G</td> <td>-47.68</td> <td>-62.63</td> <td>-9.22</td> </tr> <tr> <td>-60.000 M</td> <td>-40.000 M</td> <td>500.00 k</td> <td>6.825000 G</td> <td>-47.73</td> <td>-62.67</td> <td>-9.26</td> </tr> <tr> <td>-40.000 M</td> <td>-21.000 M</td> <td>500.00 k</td> <td>6.863654 G</td> <td>-29.97</td> <td>-43.91</td> <td>-10.36</td> </tr> <tr> <td>-21.000 M</td> <td>-20.000 M</td> <td>500.00 k</td> <td>6.864000 G</td> <td>-27.77</td> <td>-42.71</td> <td>-9.31</td> </tr> <tr> <td>20.000 M</td> <td>21.000 M</td> <td>500.00 k</td> <td>6.905769 G</td> <td>-27.42</td> <td>-42.36</td> <td>-13.57</td> </tr> <tr> <td>21.000 M</td> <td>40.000 M</td> <td>500.00 k</td> <td>6.906058 G</td> <td>-28.19</td> <td>-43.13</td> <td>-9.73</td> </tr> <tr> <td>40.000 M</td> <td>60.000 M</td> <td>500.00 k</td> <td>6.944712 G</td> <td>-48.15</td> <td>-63.09</td> <td>-9.86</td> </tr> <tr> <td>60.000 M</td> <td>90.000 M</td> <td>500.00 k</td> <td>6.945288 G</td> <td>-48.29</td> <td>-63.23</td> <td>-9.83</td> </tr> </tbody> </table> <p>Date: 4.MAY.2022 14:36:45</p>	Tx Channel							Start	Stop	Bandwidth	Peak Power	PerChB	PerChA	Limit	[Hz]	[Hz]	[kHz]	[dBm]	[dBc]	[dB]	[dB]	-90.000 M	-60.000 M	500.00 k	6.824712 G	-47.68	-62.63	-9.22	-60.000 M	-40.000 M	500.00 k	6.825000 G	-47.73	-62.67	-9.26	-40.000 M	-21.000 M	500.00 k	6.863654 G	-29.97	-43.91	-10.36	-21.000 M	-20.000 M	500.00 k	6.864000 G	-27.77	-42.71	-9.31	20.000 M	21.000 M	500.00 k	6.905769 G	-27.42	-42.36	-13.57	21.000 M	40.000 M	500.00 k	6.906058 G	-28.19	-43.13	-9.73	40.000 M	60.000 M	500.00 k	6.944712 G	-48.15	-63.09	-9.86	60.000 M	90.000 M	500.00 k	6.945288 G	-48.29	-63.23	-9.83
Tx Channel																																																																														
Start	Stop	Bandwidth	Peak Power	PerChB	PerChA	Limit																																																																								
[Hz]	[Hz]	[kHz]	[dBm]	[dBc]	[dB]	[dB]																																																																								
-90.000 M	-60.000 M	500.00 k	6.824712 G	-47.68	-62.63	-9.22																																																																								
-60.000 M	-40.000 M	500.00 k	6.825000 G	-47.73	-62.67	-9.26																																																																								
-40.000 M	-21.000 M	500.00 k	6.863654 G	-29.97	-43.91	-10.36																																																																								
-21.000 M	-20.000 M	500.00 k	6.864000 G	-27.77	-42.71	-9.31																																																																								
20.000 M	21.000 M	500.00 k	6.905769 G	-27.42	-42.36	-13.57																																																																								
21.000 M	40.000 M	500.00 k	6.906058 G	-28.19	-43.13	-9.73																																																																								
40.000 M	60.000 M	500.00 k	6.944712 G	-48.15	-63.09	-9.86																																																																								
60.000 M	90.000 M	500.00 k	6.945288 G	-48.29	-63.23	-9.83																																																																								
6925 MHz	<p>Center 6.925 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>Bandwidth</th> <th>Peak Power</th> <th>PerChB</th> <th>PerChA</th> <th>Limit</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[kHz]</th> <th>[dBm]</th> <th>[dBc]</th> <th>[dB]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr> <td>-90.000 M</td> <td>-60.000 M</td> <td>500.00 k</td> <td>6.864423 G</td> <td>-46.21</td> <td>-62.03</td> <td>-8.56</td> </tr> <tr> <td>-60.000 M</td> <td>-40.000 M</td> <td>500.00 k</td> <td>6.865000 G</td> <td>-46.18</td> <td>-62.00</td> <td>-8.53</td> </tr> <tr> <td>-40.000 M</td> <td>-21.000 M</td> <td>500.00 k</td> <td>6.903654 G</td> <td>-26.50</td> <td>-42.31</td> <td>-8.70</td> </tr> <tr> <td>-21.000 M</td> <td>-20.000 M</td> <td>500.00 k</td> <td>6.904000 G</td> <td>-25.67</td> <td>-41.49</td> <td>-8.02</td> </tr> <tr> <td>20.000 M</td> <td>21.000 M</td> <td>500.00 k</td> <td>6.945769 G</td> <td>-25.85</td> <td>-41.67</td> <td>-12.82</td> </tr> <tr> <td>21.000 M</td> <td>40.000 M</td> <td>500.00 k</td> <td>6.946058 G</td> <td>-26.34</td> <td>-42.16</td> <td>-8.69</td> </tr> <tr> <td>40.000 M</td> <td>60.000 M</td> <td>500.00 k</td> <td>6.984712 G</td> <td>-46.46</td> <td>-62.28</td> <td>-8.98</td> </tr> <tr> <td>60.000 M</td> <td>90.000 M</td> <td>500.00 k</td> <td>6.985000 G</td> <td>-46.52</td> <td>-62.34</td> <td>-8.88</td> </tr> </tbody> </table> <p>Date: 4.MAY.2022 15:05:48</p>	Tx Channel							Start	Stop	Bandwidth	Peak Power	PerChB	PerChA	Limit	[Hz]	[Hz]	[kHz]	[dBm]	[dBc]	[dB]	[dB]	-90.000 M	-60.000 M	500.00 k	6.864423 G	-46.21	-62.03	-8.56	-60.000 M	-40.000 M	500.00 k	6.865000 G	-46.18	-62.00	-8.53	-40.000 M	-21.000 M	500.00 k	6.903654 G	-26.50	-42.31	-8.70	-21.000 M	-20.000 M	500.00 k	6.904000 G	-25.67	-41.49	-8.02	20.000 M	21.000 M	500.00 k	6.945769 G	-25.85	-41.67	-12.82	21.000 M	40.000 M	500.00 k	6.946058 G	-26.34	-42.16	-8.69	40.000 M	60.000 M	500.00 k	6.984712 G	-46.46	-62.28	-8.98	60.000 M	90.000 M	500.00 k	6.985000 G	-46.52	-62.34	-8.88
Tx Channel																																																																														
Start	Stop	Bandwidth	Peak Power	PerChB	PerChA	Limit																																																																								
[Hz]	[Hz]	[kHz]	[dBm]	[dBc]	[dB]	[dB]																																																																								
-90.000 M	-60.000 M	500.00 k	6.864423 G	-46.21	-62.03	-8.56																																																																								
-60.000 M	-40.000 M	500.00 k	6.865000 G	-46.18	-62.00	-8.53																																																																								
-40.000 M	-21.000 M	500.00 k	6.903654 G	-26.50	-42.31	-8.70																																																																								
-21.000 M	-20.000 M	500.00 k	6.904000 G	-25.67	-41.49	-8.02																																																																								
20.000 M	21.000 M	500.00 k	6.945769 G	-25.85	-41.67	-12.82																																																																								
21.000 M	40.000 M	500.00 k	6.946058 G	-26.34	-42.16	-8.69																																																																								
40.000 M	60.000 M	500.00 k	6.984712 G	-46.46	-62.28	-8.98																																																																								
60.000 M	90.000 M	500.00 k	6.985000 G	-46.52	-62.34	-8.88																																																																								
7005 MHz	<p>Center 7.005 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>Bandwidth</th> <th>Peak Power</th> <th>PerChB</th> <th>PerChA</th> <th>Limit</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[kHz]</th> <th>[dBm]</th> <th>[dBc]</th> <th>[dB]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr> <td>-90.000 M</td> <td>-60.000 M</td> <td>500.00 k</td> <td>6.944712 G</td> <td>-49.52</td> <td>-63.89</td> <td>-10.43</td> </tr> <tr> <td>-60.000 M</td> <td>-40.000 M</td> <td>500.00 k</td> <td>6.945000 G</td> <td>-49.56</td> <td>-63.93</td> <td>-10.47</td> </tr> <tr> <td>-40.000 M</td> <td>-21.000 M</td> <td>500.00 k</td> <td>6.983654 G</td> <td>-29.74</td> <td>-44.11</td> <td>-10.51</td> </tr> <tr> <td>-21.000 M</td> <td>-20.000 M</td> <td>500.00 k</td> <td>6.984000 G</td> <td>-28.85</td> <td>-43.22</td> <td>-9.76</td> </tr> <tr> <td>20.000 M</td> <td>21.000 M</td> <td>500.00 k</td> <td>7.025769 G</td> <td>-27.89</td> <td>-42.25</td> <td>-13.41</td> </tr> <tr> <td>21.000 M</td> <td>40.000 M</td> <td>500.00 k</td> <td>7.026058 G</td> <td>-29.06</td> <td>-43.43</td> <td>-9.97</td> </tr> <tr> <td>40.000 M</td> <td>60.000 M</td> <td>500.00 k</td> <td>7.064712 G</td> <td>-50.40</td> <td>-64.76</td> <td>-11.48</td> </tr> <tr> <td>60.000 M</td> <td>90.000 M</td> <td>500.00 k</td> <td>7.065288 G</td> <td>-50.39</td> <td>-64.76</td> <td>-11.30</td> </tr> </tbody> </table> <p>Date: 4.MAY.2022 14:46:33</p>	Tx Channel							Start	Stop	Bandwidth	Peak Power	PerChB	PerChA	Limit	[Hz]	[Hz]	[kHz]	[dBm]	[dBc]	[dB]	[dB]	-90.000 M	-60.000 M	500.00 k	6.944712 G	-49.52	-63.89	-10.43	-60.000 M	-40.000 M	500.00 k	6.945000 G	-49.56	-63.93	-10.47	-40.000 M	-21.000 M	500.00 k	6.983654 G	-29.74	-44.11	-10.51	-21.000 M	-20.000 M	500.00 k	6.984000 G	-28.85	-43.22	-9.76	20.000 M	21.000 M	500.00 k	7.025769 G	-27.89	-42.25	-13.41	21.000 M	40.000 M	500.00 k	7.026058 G	-29.06	-43.43	-9.97	40.000 M	60.000 M	500.00 k	7.064712 G	-50.40	-64.76	-11.48	60.000 M	90.000 M	500.00 k	7.065288 G	-50.39	-64.76	-11.30
Tx Channel																																																																														
Start	Stop	Bandwidth	Peak Power	PerChB	PerChA	Limit																																																																								
[Hz]	[Hz]	[kHz]	[dBm]	[dBc]	[dB]	[dB]																																																																								
-90.000 M	-60.000 M	500.00 k	6.944712 G	-49.52	-63.89	-10.43																																																																								
-60.000 M	-40.000 M	500.00 k	6.945000 G	-49.56	-63.93	-10.47																																																																								
-40.000 M	-21.000 M	500.00 k	6.983654 G	-29.74	-44.11	-10.51																																																																								
-21.000 M	-20.000 M	500.00 k	6.984000 G	-28.85	-43.22	-9.76																																																																								
20.000 M	21.000 M	500.00 k	7.025769 G	-27.89	-42.25	-13.41																																																																								
21.000 M	40.000 M	500.00 k	7.026058 G	-29.06	-43.43	-9.97																																																																								
40.000 M	60.000 M	500.00 k	7.064712 G	-50.40	-64.76	-11.48																																																																								
60.000 M	90.000 M	500.00 k	7.065288 G	-50.39	-64.76	-11.30																																																																								



Mode 4: IEEE 802.11ax 80 MHz Continuous TX mode_ANT-0																																																																
5985 MHz	<p>Center 5.985 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>RMW</th> <th>Freq</th> <th>Peak Power</th> <th>PerChA</th> <th>Δ Limit</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[dBm]</th> <th>[dBc]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr> <td>-90.000 M</td> <td>-80.000 M</td> <td>1.00 M</td> <td>5.896442 G</td> <td>-53.24</td> <td>-63.90</td> <td>-22.56</td> </tr> <tr> <td>-80.000 M</td> <td>-41.000 M</td> <td>1.00 M</td> <td>5.943750 G</td> <td>-29.90</td> <td>-40.56</td> <td>-9.73</td> </tr> <tr> <td>-41.000 M</td> <td>-40.000 M</td> <td>1.00 M</td> <td>5.944038 G</td> <td>-27.49</td> <td>-39.15</td> <td>-7.38</td> </tr> <tr> <td>40.000 M</td> <td>41.000 M</td> <td>1.00 M</td> <td>6.025673 G</td> <td>-24.90</td> <td>-35.56</td> <td>-11.32</td> </tr> <tr> <td>41.000 M</td> <td>80.000 M</td> <td>1.00 M</td> <td>6.026000 G</td> <td>-27.74</td> <td>-38.39</td> <td>-7.62</td> </tr> <tr> <td>80.000 M</td> <td>90.000 M</td> <td>1.00 M</td> <td>6.075000 G</td> <td>-48.17</td> <td>-58.82</td> <td>-17.05</td> </tr> </tbody> </table> <p>Date: 4.MAY.2022 13:01:46</p>	Tx Channel							Start	Stop	RMW	Freq	Peak Power	PerChA	Δ Limit	[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	-90.000 M	-80.000 M	1.00 M	5.896442 G	-53.24	-63.90	-22.56	-80.000 M	-41.000 M	1.00 M	5.943750 G	-29.90	-40.56	-9.73	-41.000 M	-40.000 M	1.00 M	5.944038 G	-27.49	-39.15	-7.38	40.000 M	41.000 M	1.00 M	6.025673 G	-24.90	-35.56	-11.32	41.000 M	80.000 M	1.00 M	6.026000 G	-27.74	-38.39	-7.62	80.000 M	90.000 M	1.00 M	6.075000 G	-48.17	-58.82	-17.05
Tx Channel																																																																
Start	Stop	RMW	Freq	Peak Power	PerChA	Δ Limit																																																										
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]																																																										
-90.000 M	-80.000 M	1.00 M	5.896442 G	-53.24	-63.90	-22.56																																																										
-80.000 M	-41.000 M	1.00 M	5.943750 G	-29.90	-40.56	-9.73																																																										
-41.000 M	-40.000 M	1.00 M	5.944038 G	-27.49	-39.15	-7.38																																																										
40.000 M	41.000 M	1.00 M	6.025673 G	-24.90	-35.56	-11.32																																																										
41.000 M	80.000 M	1.00 M	6.026000 G	-27.74	-38.39	-7.62																																																										
80.000 M	90.000 M	1.00 M	6.075000 G	-48.17	-58.82	-17.05																																																										
6145 MHz	<p>Center 6.145 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>RMW</th> <th>Freq</th> <th>Peak Power</th> <th>PerChA</th> <th>Δ Limit</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[dBm]</th> <th>[dBc]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr> <td>-90.000 M</td> <td>-80.000 M</td> <td>1.00 M</td> <td>6.055000 G</td> <td>-47.72</td> <td>-58.50</td> <td>-17.04</td> </tr> <tr> <td>-80.000 M</td> <td>-41.000 M</td> <td>1.00 M</td> <td>6.103750 G</td> <td>-28.46</td> <td>-39.25</td> <td>-8.73</td> </tr> <tr> <td>-41.000 M</td> <td>-40.000 M</td> <td>1.00 M</td> <td>6.104038 G</td> <td>-26.29</td> <td>-37.07</td> <td>-6.61</td> </tr> <tr> <td>40.000 M</td> <td>41.000 M</td> <td>1.00 M</td> <td>6.185673 G</td> <td>-24.09</td> <td>-34.87</td> <td>-10.95</td> </tr> <tr> <td>41.000 M</td> <td>80.000 M</td> <td>1.00 M</td> <td>6.186000 G</td> <td>-26.79</td> <td>-37.58</td> <td>-7.12</td> </tr> <tr> <td>80.000 M</td> <td>90.000 M</td> <td>1.00 M</td> <td>6.233269 G</td> <td>-44.94</td> <td>-55.73</td> <td>-14.78</td> </tr> </tbody> </table> <p>Date: 4.MAY.2022 13:06:23</p>	Tx Channel							Start	Stop	RMW	Freq	Peak Power	PerChA	Δ Limit	[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	-90.000 M	-80.000 M	1.00 M	6.055000 G	-47.72	-58.50	-17.04	-80.000 M	-41.000 M	1.00 M	6.103750 G	-28.46	-39.25	-8.73	-41.000 M	-40.000 M	1.00 M	6.104038 G	-26.29	-37.07	-6.61	40.000 M	41.000 M	1.00 M	6.185673 G	-24.09	-34.87	-10.95	41.000 M	80.000 M	1.00 M	6.186000 G	-26.79	-37.58	-7.12	80.000 M	90.000 M	1.00 M	6.233269 G	-44.94	-55.73	-14.78
Tx Channel																																																																
Start	Stop	RMW	Freq	Peak Power	PerChA	Δ Limit																																																										
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]																																																										
-90.000 M	-80.000 M	1.00 M	6.055000 G	-47.72	-58.50	-17.04																																																										
-80.000 M	-41.000 M	1.00 M	6.103750 G	-28.46	-39.25	-8.73																																																										
-41.000 M	-40.000 M	1.00 M	6.104038 G	-26.29	-37.07	-6.61																																																										
40.000 M	41.000 M	1.00 M	6.185673 G	-24.09	-34.87	-10.95																																																										
41.000 M	80.000 M	1.00 M	6.186000 G	-26.79	-37.58	-7.12																																																										
80.000 M	90.000 M	1.00 M	6.233269 G	-44.94	-55.73	-14.78																																																										
6385 MHz	<p>Center 6.385 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>RMW</th> <th>Freq</th> <th>Peak Power</th> <th>PerChA</th> <th>Δ Limit</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[dBm]</th> <th>[dBc]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr> <td>-90.000 M</td> <td>-80.000 M</td> <td>1.00 M</td> <td>6.299038 G</td> <td>-31.04</td> <td>-44.88</td> <td>-4.53</td> </tr> <tr> <td>-80.000 M</td> <td>-41.000 M</td> <td>1.00 M</td> <td>6.343750 G</td> <td>-21.73</td> <td>-35.56</td> <td>-4.96</td> </tr> <tr> <td>-41.000 M</td> <td>-40.000 M</td> <td>1.00 M</td> <td>6.344038 G</td> <td>-20.68</td> <td>-34.51</td> <td>-3.95</td> </tr> <tr> <td>40.000 M</td> <td>41.000 M</td> <td>1.00 M</td> <td>6.425673 G</td> <td>-19.79</td> <td>-33.62</td> <td>-9.61</td> </tr> <tr> <td>41.000 M</td> <td>80.000 M</td> <td>1.00 M</td> <td>6.426000 G</td> <td>-21.25</td> <td>-35.08</td> <td>-4.52</td> </tr> <tr> <td>80.000 M</td> <td>90.000 M</td> <td>1.00 M</td> <td>6.475000 G</td> <td>-31.10</td> <td>-44.93</td> <td>-3.38</td> </tr> </tbody> </table> <p>Date: 4.MAY.2022 13:07:28</p>	Tx Channel							Start	Stop	RMW	Freq	Peak Power	PerChA	Δ Limit	[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	-90.000 M	-80.000 M	1.00 M	6.299038 G	-31.04	-44.88	-4.53	-80.000 M	-41.000 M	1.00 M	6.343750 G	-21.73	-35.56	-4.96	-41.000 M	-40.000 M	1.00 M	6.344038 G	-20.68	-34.51	-3.95	40.000 M	41.000 M	1.00 M	6.425673 G	-19.79	-33.62	-9.61	41.000 M	80.000 M	1.00 M	6.426000 G	-21.25	-35.08	-4.52	80.000 M	90.000 M	1.00 M	6.475000 G	-31.10	-44.93	-3.38
Tx Channel																																																																
Start	Stop	RMW	Freq	Peak Power	PerChA	Δ Limit																																																										
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]																																																										
-90.000 M	-80.000 M	1.00 M	6.299038 G	-31.04	-44.88	-4.53																																																										
-80.000 M	-41.000 M	1.00 M	6.343750 G	-21.73	-35.56	-4.96																																																										
-41.000 M	-40.000 M	1.00 M	6.344038 G	-20.68	-34.51	-3.95																																																										
40.000 M	41.000 M	1.00 M	6.425673 G	-19.79	-33.62	-9.61																																																										
41.000 M	80.000 M	1.00 M	6.426000 G	-21.25	-35.08	-4.52																																																										
80.000 M	90.000 M	1.00 M	6.475000 G	-31.10	-44.93	-3.38																																																										




Mode 4: IEEE 802.11ax 80 MHz Continuous TX mode_ANT-0																																																																									
6465 MHz	<p>Center 6.465 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="8">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>RMW</th> <th>Peak Power</th> <th>PerChB</th> <th>PerChA</th> <th>Δ Limit</th> <th>None</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dB]</th> <th>[dBm]</th> </tr> </thead> <tbody> <tr> <td>-90.000 M</td> <td>-80.000 M</td> <td>1.00 M</td> <td>6.375577 G</td> <td>-38.21</td> <td>-51.17</td> <td>-9.51</td> <td></td> </tr> <tr> <td>-80.000 M</td> <td>-41.000 M</td> <td>1.00 M</td> <td>6.423750 G</td> <td>-25.85</td> <td>-38.81</td> <td>-7.93</td> <td></td> </tr> <tr> <td>-41.000 M</td> <td>-40.000 M</td> <td>1.00 M</td> <td>6.424038 G</td> <td>-24.25</td> <td>-37.21</td> <td>-6.38</td> <td></td> </tr> <tr> <td>40.000 M</td> <td>41.000 M</td> <td>1.00 M</td> <td>6.505673 G</td> <td>-21.47</td> <td>-34.44</td> <td>-10.15</td> <td></td> </tr> <tr> <td>41.000 M</td> <td>80.000 M</td> <td>1.00 M</td> <td>6.506000 G</td> <td>-23.86</td> <td>-36.82</td> <td>-5.99</td> <td></td> </tr> <tr> <td>80.000 M</td> <td>90.000 M</td> <td>1.00 M</td> <td>6.553846 G</td> <td>-36.35</td> <td>-49.32</td> <td>-7.83</td> <td></td> </tr> </tbody> </table> <p>Date: 4.MAY.2022 13:15:11</p>	Tx Channel								Start	Stop	RMW	Peak Power	PerChB	PerChA	Δ Limit	None	[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dBm]	[dB]	[dBm]	-90.000 M	-80.000 M	1.00 M	6.375577 G	-38.21	-51.17	-9.51		-80.000 M	-41.000 M	1.00 M	6.423750 G	-25.85	-38.81	-7.93		-41.000 M	-40.000 M	1.00 M	6.424038 G	-24.25	-37.21	-6.38		40.000 M	41.000 M	1.00 M	6.505673 G	-21.47	-34.44	-10.15		41.000 M	80.000 M	1.00 M	6.506000 G	-23.86	-36.82	-5.99		80.000 M	90.000 M	1.00 M	6.553846 G	-36.35	-49.32	-7.83	
Tx Channel																																																																									
Start	Stop	RMW	Peak Power	PerChB	PerChA	Δ Limit	None																																																																		
[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dBm]	[dB]	[dBm]																																																																		
-90.000 M	-80.000 M	1.00 M	6.375577 G	-38.21	-51.17	-9.51																																																																			
-80.000 M	-41.000 M	1.00 M	6.423750 G	-25.85	-38.81	-7.93																																																																			
-41.000 M	-40.000 M	1.00 M	6.424038 G	-24.25	-37.21	-6.38																																																																			
40.000 M	41.000 M	1.00 M	6.505673 G	-21.47	-34.44	-10.15																																																																			
41.000 M	80.000 M	1.00 M	6.506000 G	-23.86	-36.82	-5.99																																																																			
80.000 M	90.000 M	1.00 M	6.553846 G	-36.35	-49.32	-7.83																																																																			
6545 MHz	<p>Center 6.545 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="8">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>RMW</th> <th>Peak Power</th> <th>PerChB</th> <th>PerChA</th> <th>Δ Limit</th> <th>None</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dB]</th> <th>[dBm]</th> </tr> </thead> <tbody> <tr> <td>-90.000 M</td> <td>-80.000 M</td> <td>1.00 M</td> <td>6.455577 G</td> <td>-35.83</td> <td>-49.27</td> <td>-8.02</td> <td></td> </tr> <tr> <td>-80.000 M</td> <td>-41.000 M</td> <td>1.00 M</td> <td>6.503750 G</td> <td>-24.26</td> <td>-37.69</td> <td>-7.23</td> <td></td> </tr> <tr> <td>-41.000 M</td> <td>-40.000 M</td> <td>1.00 M</td> <td>6.504038 G</td> <td>-22.78</td> <td>-36.22</td> <td>-5.80</td> <td></td> </tr> <tr> <td>40.000 M</td> <td>41.000 M</td> <td>1.00 M</td> <td>6.585673 G</td> <td>-20.58</td> <td>-34.02</td> <td>-10.14</td> <td></td> </tr> <tr> <td>41.000 M</td> <td>80.000 M</td> <td>1.00 M</td> <td>6.586000 G</td> <td>-22.55</td> <td>-35.98</td> <td>-5.56</td> <td></td> </tr> <tr> <td>80.000 M</td> <td>90.000 M</td> <td>1.00 M</td> <td>6.635000 G</td> <td>-34.10</td> <td>-47.54</td> <td>-6.12</td> <td></td> </tr> </tbody> </table> <p>Date: 4.MAY.2022 13:19:51</p>	Tx Channel								Start	Stop	RMW	Peak Power	PerChB	PerChA	Δ Limit	None	[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dBm]	[dB]	[dBm]	-90.000 M	-80.000 M	1.00 M	6.455577 G	-35.83	-49.27	-8.02		-80.000 M	-41.000 M	1.00 M	6.503750 G	-24.26	-37.69	-7.23		-41.000 M	-40.000 M	1.00 M	6.504038 G	-22.78	-36.22	-5.80		40.000 M	41.000 M	1.00 M	6.585673 G	-20.58	-34.02	-10.14		41.000 M	80.000 M	1.00 M	6.586000 G	-22.55	-35.98	-5.56		80.000 M	90.000 M	1.00 M	6.635000 G	-34.10	-47.54	-6.12	
Tx Channel																																																																									
Start	Stop	RMW	Peak Power	PerChB	PerChA	Δ Limit	None																																																																		
[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dBm]	[dB]	[dBm]																																																																		
-90.000 M	-80.000 M	1.00 M	6.455577 G	-35.83	-49.27	-8.02																																																																			
-80.000 M	-41.000 M	1.00 M	6.503750 G	-24.26	-37.69	-7.23																																																																			
-41.000 M	-40.000 M	1.00 M	6.504038 G	-22.78	-36.22	-5.80																																																																			
40.000 M	41.000 M	1.00 M	6.585673 G	-20.58	-34.02	-10.14																																																																			
41.000 M	80.000 M	1.00 M	6.586000 G	-22.55	-35.98	-5.56																																																																			
80.000 M	90.000 M	1.00 M	6.635000 G	-34.10	-47.54	-6.12																																																																			
6625 MHz	<p>Center 6.625 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="8">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>RMW</th> <th>Peak Power</th> <th>PerChB</th> <th>PerChA</th> <th>Δ Limit</th> <th>None</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dB]</th> <th>[dBm]</th> </tr> </thead> <tbody> <tr> <td>-90.000 M</td> <td>-80.000 M</td> <td>1.00 M</td> <td>6.535288 G</td> <td>-38.35</td> <td>-51.79</td> <td>-9.89</td> <td></td> </tr> <tr> <td>-80.000 M</td> <td>-41.000 M</td> <td>1.00 M</td> <td>6.583750 G</td> <td>-25.51</td> <td>-38.94</td> <td>-7.91</td> <td></td> </tr> <tr> <td>-41.000 M</td> <td>-40.000 M</td> <td>1.00 M</td> <td>6.584038 G</td> <td>-23.98</td> <td>-37.42</td> <td>-6.44</td> <td></td> </tr> <tr> <td>40.000 M</td> <td>41.000 M</td> <td>1.00 M</td> <td>6.665673 G</td> <td>-21.99</td> <td>-35.43</td> <td>-10.98</td> <td></td> </tr> <tr> <td>41.000 M</td> <td>80.000 M</td> <td>1.00 M</td> <td>6.666000 G</td> <td>-24.28</td> <td>-37.71</td> <td>-6.73</td> <td></td> </tr> <tr> <td>80.000 M</td> <td>90.000 M</td> <td>1.00 M</td> <td>6.713558 G</td> <td>-36.66</td> <td>-50.09</td> <td>-8.54</td> <td></td> </tr> </tbody> </table> <p>Date: 4.MAY.2022 13:24:08</p>	Tx Channel								Start	Stop	RMW	Peak Power	PerChB	PerChA	Δ Limit	None	[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dBm]	[dB]	[dBm]	-90.000 M	-80.000 M	1.00 M	6.535288 G	-38.35	-51.79	-9.89		-80.000 M	-41.000 M	1.00 M	6.583750 G	-25.51	-38.94	-7.91		-41.000 M	-40.000 M	1.00 M	6.584038 G	-23.98	-37.42	-6.44		40.000 M	41.000 M	1.00 M	6.665673 G	-21.99	-35.43	-10.98		41.000 M	80.000 M	1.00 M	6.666000 G	-24.28	-37.71	-6.73		80.000 M	90.000 M	1.00 M	6.713558 G	-36.66	-50.09	-8.54	
Tx Channel																																																																									
Start	Stop	RMW	Peak Power	PerChB	PerChA	Δ Limit	None																																																																		
[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dBm]	[dB]	[dBm]																																																																		
-90.000 M	-80.000 M	1.00 M	6.535288 G	-38.35	-51.79	-9.89																																																																			
-80.000 M	-41.000 M	1.00 M	6.583750 G	-25.51	-38.94	-7.91																																																																			
-41.000 M	-40.000 M	1.00 M	6.584038 G	-23.98	-37.42	-6.44																																																																			
40.000 M	41.000 M	1.00 M	6.665673 G	-21.99	-35.43	-10.98																																																																			
41.000 M	80.000 M	1.00 M	6.666000 G	-24.28	-37.71	-6.73																																																																			
80.000 M	90.000 M	1.00 M	6.713558 G	-36.66	-50.09	-8.54																																																																			

Mode 4: IEEE 802.11ax 80 MHz Continuous TX mode_ANT-0																																																																
6705 MHz	 <p>Center 6.705 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>RBW</th> <th>Freq</th> <th>Peak Power</th> <th>PerChnl</th> <th>None</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[dBm]</th> <th>[dBc]</th> <th>Δ Limit [dB]</th> </tr> </thead> <tbody> <tr> <td>-90.000 M</td> <td>-80.000 M</td> <td>1.00 M</td> <td>6.616154 G</td> <td>-38.28</td> <td>-51.09</td> <td>-9.90</td> </tr> <tr> <td>-80.000 M</td> <td>-41.000 M</td> <td>1.00 M</td> <td>6.663750 G</td> <td>-25.45</td> <td>-38.25</td> <td>-7.66</td> </tr> <tr> <td>-41.000 M</td> <td>-40.000 M</td> <td>1.00 M</td> <td>6.664038 G</td> <td>-23.98</td> <td>-36.68</td> <td>-6.14</td> </tr> <tr> <td>40.000 M</td> <td>41.000 M</td> <td>1.00 M</td> <td>6.745673 G</td> <td>-21.98</td> <td>-34.79</td> <td>-10.79</td> </tr> <tr> <td>41.000 M</td> <td>80.000 M</td> <td>1.00 M</td> <td>6.746000 G</td> <td>-24.28</td> <td>-37.09</td> <td>-6.55</td> </tr> <tr> <td>80.000 M</td> <td>90.000 M</td> <td>1.00 M</td> <td>6.793846 G</td> <td>-35.36</td> <td>-48.17</td> <td>-6.98</td> </tr> </tbody> </table> <p>Date: 4.MAY.2022 13:29:29</p>	Tx Channel							Start	Stop	RBW	Freq	Peak Power	PerChnl	None	[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	Δ Limit [dB]	-90.000 M	-80.000 M	1.00 M	6.616154 G	-38.28	-51.09	-9.90	-80.000 M	-41.000 M	1.00 M	6.663750 G	-25.45	-38.25	-7.66	-41.000 M	-40.000 M	1.00 M	6.664038 G	-23.98	-36.68	-6.14	40.000 M	41.000 M	1.00 M	6.745673 G	-21.98	-34.79	-10.79	41.000 M	80.000 M	1.00 M	6.746000 G	-24.28	-37.09	-6.55	80.000 M	90.000 M	1.00 M	6.793846 G	-35.36	-48.17	-6.98
Tx Channel																																																																
Start	Stop	RBW	Freq	Peak Power	PerChnl	None																																																										
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	Δ Limit [dB]																																																										
-90.000 M	-80.000 M	1.00 M	6.616154 G	-38.28	-51.09	-9.90																																																										
-80.000 M	-41.000 M	1.00 M	6.663750 G	-25.45	-38.25	-7.66																																																										
-41.000 M	-40.000 M	1.00 M	6.664038 G	-23.98	-36.68	-6.14																																																										
40.000 M	41.000 M	1.00 M	6.745673 G	-21.98	-34.79	-10.79																																																										
41.000 M	80.000 M	1.00 M	6.746000 G	-24.28	-37.09	-6.55																																																										
80.000 M	90.000 M	1.00 M	6.793846 G	-35.36	-48.17	-6.98																																																										
6785 MHz	 <p>Center 6.785 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>RBW</th> <th>Freq</th> <th>Peak Power</th> <th>PerChnl</th> <th>3.31</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[dBm]</th> <th>[dBc]</th> <th>Δ Limit [dB]</th> </tr> </thead> <tbody> <tr> <td>-90.000 M</td> <td>-80.000 M</td> <td>1.00 M</td> <td>6.697019 G</td> <td>-33.38</td> <td>-47.60</td> <td>-6.29</td> </tr> <tr> <td>-80.000 M</td> <td>-41.000 M</td> <td>1.00 M</td> <td>6.743750 G</td> <td>-22.30</td> <td>-36.52</td> <td>-5.55</td> </tr> <tr> <td>-41.000 M</td> <td>-40.000 M</td> <td>1.00 M</td> <td>6.744038 G</td> <td>-21.15</td> <td>-35.27</td> <td>-4.45</td> </tr> <tr> <td>40.000 M</td> <td>41.000 M</td> <td>1.00 M</td> <td>6.825673 G</td> <td>-19.42</td> <td>-33.64</td> <td>-9.26</td> </tr> <tr> <td>41.000 M</td> <td>80.000 M</td> <td>1.00 M</td> <td>6.826000 G</td> <td>-20.96</td> <td>-35.19</td> <td>-4.27</td> </tr> <tr> <td>80.000 M</td> <td>90.000 M</td> <td>1.00 M</td> <td>6.873269 G</td> <td>-30.85</td> <td>-45.08</td> <td>-3.68</td> </tr> </tbody> </table> <p>Date: 4.MAY.2022 13:34:19</p>	Tx Channel							Start	Stop	RBW	Freq	Peak Power	PerChnl	3.31	[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	Δ Limit [dB]	-90.000 M	-80.000 M	1.00 M	6.697019 G	-33.38	-47.60	-6.29	-80.000 M	-41.000 M	1.00 M	6.743750 G	-22.30	-36.52	-5.55	-41.000 M	-40.000 M	1.00 M	6.744038 G	-21.15	-35.27	-4.45	40.000 M	41.000 M	1.00 M	6.825673 G	-19.42	-33.64	-9.26	41.000 M	80.000 M	1.00 M	6.826000 G	-20.96	-35.19	-4.27	80.000 M	90.000 M	1.00 M	6.873269 G	-30.85	-45.08	-3.68
Tx Channel																																																																
Start	Stop	RBW	Freq	Peak Power	PerChnl	3.31																																																										
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	Δ Limit [dB]																																																										
-90.000 M	-80.000 M	1.00 M	6.697019 G	-33.38	-47.60	-6.29																																																										
-80.000 M	-41.000 M	1.00 M	6.743750 G	-22.30	-36.52	-5.55																																																										
-41.000 M	-40.000 M	1.00 M	6.744038 G	-21.15	-35.27	-4.45																																																										
40.000 M	41.000 M	1.00 M	6.825673 G	-19.42	-33.64	-9.26																																																										
41.000 M	80.000 M	1.00 M	6.826000 G	-20.96	-35.19	-4.27																																																										
80.000 M	90.000 M	1.00 M	6.873269 G	-30.85	-45.08	-3.68																																																										
6865 MHz	 <p>Center 6.865 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>RBW</th> <th>Freq</th> <th>Peak Power</th> <th>PerChnl</th> <th>3.52</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[dBm]</th> <th>[dBc]</th> <th>Δ Limit [dB]</th> </tr> </thead> <tbody> <tr> <td>-90.000 M</td> <td>-80.000 M</td> <td>1.00 M</td> <td>6.775865 G</td> <td>-32.12</td> <td>-45.88</td> <td>-4.90</td> </tr> <tr> <td>-80.000 M</td> <td>-41.000 M</td> <td>1.00 M</td> <td>6.823750 G</td> <td>-21.73</td> <td>-35.48</td> <td>-5.20</td> </tr> <tr> <td>-41.000 M</td> <td>-40.000 M</td> <td>1.00 M</td> <td>6.824038 G</td> <td>-20.75</td> <td>-34.50</td> <td>-4.27</td> </tr> <tr> <td>40.000 M</td> <td>41.000 M</td> <td>1.00 M</td> <td>6.905673 G</td> <td>-19.68</td> <td>-33.43</td> <td>-9.73</td> </tr> <tr> <td>41.000 M</td> <td>80.000 M</td> <td>1.00 M</td> <td>6.906000 G</td> <td>-21.25</td> <td>-35.00</td> <td>-4.77</td> </tr> <tr> <td>80.000 M</td> <td>90.000 M</td> <td>1.00 M</td> <td>6.952692 G</td> <td>-31.07</td> <td>-44.82</td> <td>-4.27</td> </tr> </tbody> </table> <p>Date: 4.MAY.2022 13:35:30</p>	Tx Channel							Start	Stop	RBW	Freq	Peak Power	PerChnl	3.52	[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	Δ Limit [dB]	-90.000 M	-80.000 M	1.00 M	6.775865 G	-32.12	-45.88	-4.90	-80.000 M	-41.000 M	1.00 M	6.823750 G	-21.73	-35.48	-5.20	-41.000 M	-40.000 M	1.00 M	6.824038 G	-20.75	-34.50	-4.27	40.000 M	41.000 M	1.00 M	6.905673 G	-19.68	-33.43	-9.73	41.000 M	80.000 M	1.00 M	6.906000 G	-21.25	-35.00	-4.77	80.000 M	90.000 M	1.00 M	6.952692 G	-31.07	-44.82	-4.27
Tx Channel																																																																
Start	Stop	RBW	Freq	Peak Power	PerChnl	3.52																																																										
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	Δ Limit [dB]																																																										
-90.000 M	-80.000 M	1.00 M	6.775865 G	-32.12	-45.88	-4.90																																																										
-80.000 M	-41.000 M	1.00 M	6.823750 G	-21.73	-35.48	-5.20																																																										
-41.000 M	-40.000 M	1.00 M	6.824038 G	-20.75	-34.50	-4.27																																																										
40.000 M	41.000 M	1.00 M	6.905673 G	-19.68	-33.43	-9.73																																																										
41.000 M	80.000 M	1.00 M	6.906000 G	-21.25	-35.00	-4.77																																																										
80.000 M	90.000 M	1.00 M	6.952692 G	-31.07	-44.82	-4.27																																																										






Mode 2: IEEE 802.11ax 20 MHz Continuous TX mode_ANT-1																																																							
5955 MHz	<p>Center 5.955 GHz 18 MHz/ Span 180 MHz</p> <p>Ref 20 dBm Offset 17.6 dB</p> <p>Bandwidth 300 kHz Peak Power -4.45 dBm</p> <table border="1"> <thead> <tr> <th>Start [Hz]</th> <th>Stop [Hz]</th> <th>Power [dBm]</th> <th>Peak Power [dBm]</th> <th>PerChan [dBc]</th> <th>Limit [dB]</th> </tr> </thead> <tbody> <tr><td>-90.000 M</td><td>-30.000 M</td><td>300.00 k</td><td>5.924712 G</td><td>-61.77</td><td>-73.41</td></tr> <tr><td>-30.000 M</td><td>-20.000 M</td><td>300.00 k</td><td>5.925000 G</td><td>-61.75</td><td>-73.38</td></tr> <tr><td>-20.000 M</td><td>-11.000 M</td><td>300.00 k</td><td>5.943750 G</td><td>-33.78</td><td>-45.41</td></tr> <tr><td>-11.000 M</td><td>-10.000 M</td><td>300.00 k</td><td>5.944038 G</td><td>-32.27</td><td>-43.91</td></tr> <tr><td>10.000 M</td><td>11.000 M</td><td>300.00 k</td><td>5.965673 G</td><td>-30.48</td><td>-42.12</td></tr> <tr><td>11.000 M</td><td>20.000 M</td><td>300.00 k</td><td>5.966000 G</td><td>-31.96</td><td>-43.60</td></tr> <tr><td>20.000 M</td><td>30.000 M</td><td>300.00 k</td><td>5.984712 G</td><td>-39.91</td><td>-71.55</td></tr> <tr><td>30.000 M</td><td>90.000 M</td><td>300.00 k</td><td>5.985000 G</td><td>-60.02</td><td>-71.66</td></tr> </tbody> </table> <p>Date: 4.MAY.2022 15:11:45</p>	Start [Hz]	Stop [Hz]	Power [dBm]	Peak Power [dBm]	PerChan [dBc]	Limit [dB]	-90.000 M	-30.000 M	300.00 k	5.924712 G	-61.77	-73.41	-30.000 M	-20.000 M	300.00 k	5.925000 G	-61.75	-73.38	-20.000 M	-11.000 M	300.00 k	5.943750 G	-33.78	-45.41	-11.000 M	-10.000 M	300.00 k	5.944038 G	-32.27	-43.91	10.000 M	11.000 M	300.00 k	5.965673 G	-30.48	-42.12	11.000 M	20.000 M	300.00 k	5.966000 G	-31.96	-43.60	20.000 M	30.000 M	300.00 k	5.984712 G	-39.91	-71.55	30.000 M	90.000 M	300.00 k	5.985000 G	-60.02	-71.66
Start [Hz]	Stop [Hz]	Power [dBm]	Peak Power [dBm]	PerChan [dBc]	Limit [dB]																																																		
-90.000 M	-30.000 M	300.00 k	5.924712 G	-61.77	-73.41																																																		
-30.000 M	-20.000 M	300.00 k	5.925000 G	-61.75	-73.38																																																		
-20.000 M	-11.000 M	300.00 k	5.943750 G	-33.78	-45.41																																																		
-11.000 M	-10.000 M	300.00 k	5.944038 G	-32.27	-43.91																																																		
10.000 M	11.000 M	300.00 k	5.965673 G	-30.48	-42.12																																																		
11.000 M	20.000 M	300.00 k	5.966000 G	-31.96	-43.60																																																		
20.000 M	30.000 M	300.00 k	5.984712 G	-39.91	-71.55																																																		
30.000 M	90.000 M	300.00 k	5.985000 G	-60.02	-71.66																																																		
6175 MHz	<p>Center 6.175 GHz 18 MHz/ Span 180 MHz</p> <p>Ref 20 dBm Offset 17.6 dB</p> <p>Bandwidth 300 kHz Peak Power -2.63 dBm</p> <table border="1"> <thead> <tr> <th>Start [Hz]</th> <th>Stop [Hz]</th> <th>Power [dBm]</th> <th>Peak Power [dBm]</th> <th>PerChan [dBc]</th> <th>Limit [dB]</th> </tr> </thead> <tbody> <tr><td>-90.000 M</td><td>-30.000 M</td><td>300.00 k</td><td>6.144135 G</td><td>-56.74</td><td>-70.32</td></tr> <tr><td>-30.000 M</td><td>-20.000 M</td><td>300.00 k</td><td>6.145000 G</td><td>-56.77</td><td>-70.35</td></tr> <tr><td>-20.000 M</td><td>-11.000 M</td><td>300.00 k</td><td>6.163750 G</td><td>-30.94</td><td>-44.52</td></tr> <tr><td>-11.000 M</td><td>-10.000 M</td><td>300.00 k</td><td>6.164038 G</td><td>-29.47</td><td>-43.05</td></tr> <tr><td>10.000 M</td><td>11.000 M</td><td>300.00 k</td><td>6.185673 G</td><td>-28.94</td><td>-42.52</td></tr> <tr><td>11.000 M</td><td>20.000 M</td><td>300.00 k</td><td>6.186000 G</td><td>-30.42</td><td>-44.00</td></tr> <tr><td>20.000 M</td><td>30.000 M</td><td>300.00 k</td><td>6.204712 G</td><td>-56.24</td><td>-69.82</td></tr> <tr><td>30.000 M</td><td>90.000 M</td><td>300.00 k</td><td>6.205000 G</td><td>-56.42</td><td>-70.00</td></tr> </tbody> </table> <p>Date: 4.MAY.2022 15:22:07</p>	Start [Hz]	Stop [Hz]	Power [dBm]	Peak Power [dBm]	PerChan [dBc]	Limit [dB]	-90.000 M	-30.000 M	300.00 k	6.144135 G	-56.74	-70.32	-30.000 M	-20.000 M	300.00 k	6.145000 G	-56.77	-70.35	-20.000 M	-11.000 M	300.00 k	6.163750 G	-30.94	-44.52	-11.000 M	-10.000 M	300.00 k	6.164038 G	-29.47	-43.05	10.000 M	11.000 M	300.00 k	6.185673 G	-28.94	-42.52	11.000 M	20.000 M	300.00 k	6.186000 G	-30.42	-44.00	20.000 M	30.000 M	300.00 k	6.204712 G	-56.24	-69.82	30.000 M	90.000 M	300.00 k	6.205000 G	-56.42	-70.00
Start [Hz]	Stop [Hz]	Power [dBm]	Peak Power [dBm]	PerChan [dBc]	Limit [dB]																																																		
-90.000 M	-30.000 M	300.00 k	6.144135 G	-56.74	-70.32																																																		
-30.000 M	-20.000 M	300.00 k	6.145000 G	-56.77	-70.35																																																		
-20.000 M	-11.000 M	300.00 k	6.163750 G	-30.94	-44.52																																																		
-11.000 M	-10.000 M	300.00 k	6.164038 G	-29.47	-43.05																																																		
10.000 M	11.000 M	300.00 k	6.185673 G	-28.94	-42.52																																																		
11.000 M	20.000 M	300.00 k	6.186000 G	-30.42	-44.00																																																		
20.000 M	30.000 M	300.00 k	6.204712 G	-56.24	-69.82																																																		
30.000 M	90.000 M	300.00 k	6.205000 G	-56.42	-70.00																																																		
6415 MHz	<p>Center 6.415 GHz 18 MHz/ Span 180 MHz</p> <p>Ref 20 dBm Offset 17.6 dB</p> <p>Bandwidth 300 kHz Peak Power 0.15 dBm</p> <table border="1"> <thead> <tr> <th>Start [Hz]</th> <th>Stop [Hz]</th> <th>Power [dBm]</th> <th>Peak Power [dBm]</th> <th>PerChan [dBc]</th> <th>Limit [dB]</th> </tr> </thead> <tbody> <tr><td>-90.000 M</td><td>-30.000 M</td><td>300.00 k</td><td>6.384712 G</td><td>-51.81</td><td>-68.14</td></tr> <tr><td>-30.000 M</td><td>-20.000 M</td><td>300.00 k</td><td>6.385000 G</td><td>-51.75</td><td>-68.08</td></tr> <tr><td>-20.000 M</td><td>-11.000 M</td><td>300.00 k</td><td>6.403750 G</td><td>-27.28</td><td>-43.61</td></tr> <tr><td>-11.000 M</td><td>-10.000 M</td><td>300.00 k</td><td>6.404038 G</td><td>-25.98</td><td>-42.31</td></tr> <tr><td>10.000 M</td><td>11.000 M</td><td>300.00 k</td><td>6.425673 G</td><td>-25.51</td><td>-41.84</td></tr> <tr><td>11.000 M</td><td>20.000 M</td><td>300.00 k</td><td>6.426000 G</td><td>-26.82</td><td>-43.15</td></tr> <tr><td>20.000 M</td><td>30.000 M</td><td>300.00 k</td><td>6.444712 G</td><td>-51.95</td><td>-69.29</td></tr> <tr><td>30.000 M</td><td>90.000 M</td><td>300.00 k</td><td>6.445000 G</td><td>-52.14</td><td>-68.47</td></tr> </tbody> </table> <p>Date: 4.MAY.2022 15:26:39</p>	Start [Hz]	Stop [Hz]	Power [dBm]	Peak Power [dBm]	PerChan [dBc]	Limit [dB]	-90.000 M	-30.000 M	300.00 k	6.384712 G	-51.81	-68.14	-30.000 M	-20.000 M	300.00 k	6.385000 G	-51.75	-68.08	-20.000 M	-11.000 M	300.00 k	6.403750 G	-27.28	-43.61	-11.000 M	-10.000 M	300.00 k	6.404038 G	-25.98	-42.31	10.000 M	11.000 M	300.00 k	6.425673 G	-25.51	-41.84	11.000 M	20.000 M	300.00 k	6.426000 G	-26.82	-43.15	20.000 M	30.000 M	300.00 k	6.444712 G	-51.95	-69.29	30.000 M	90.000 M	300.00 k	6.445000 G	-52.14	-68.47
Start [Hz]	Stop [Hz]	Power [dBm]	Peak Power [dBm]	PerChan [dBc]	Limit [dB]																																																		
-90.000 M	-30.000 M	300.00 k	6.384712 G	-51.81	-68.14																																																		
-30.000 M	-20.000 M	300.00 k	6.385000 G	-51.75	-68.08																																																		
-20.000 M	-11.000 M	300.00 k	6.403750 G	-27.28	-43.61																																																		
-11.000 M	-10.000 M	300.00 k	6.404038 G	-25.98	-42.31																																																		
10.000 M	11.000 M	300.00 k	6.425673 G	-25.51	-41.84																																																		
11.000 M	20.000 M	300.00 k	6.426000 G	-26.82	-43.15																																																		
20.000 M	30.000 M	300.00 k	6.444712 G	-51.95	-69.29																																																		
30.000 M	90.000 M	300.00 k	6.445000 G	-52.14	-68.47																																																		




Mode 2: IEEE 802.11ax 20 MHz Continuous TX mode_ANT-1																																																																
6435 MHz	<p>Center 6.435 GHz 18 MHz/ Span 180 MHz</p> <p>Tx Channel Bandwidth 300 kHz Peak Power -0.97 dBm</p> <table border="1"> <thead> <tr> <th>Start [Hz]</th> <th>Stop [Hz]</th> <th>Band [Hz]</th> <th>Freq [MHz]</th> <th>Power [dBm]</th> <th>PerchA [dBc]</th> <th>Δ Limit [dB]</th> </tr> </thead> <tbody> <tr><td>-90.000 M</td><td>-30.000 M</td><td>300.00 k</td><td>6.404423 G</td><td>-56.60</td><td>-71.83</td><td>-15.63</td></tr> <tr><td>-30.000 M</td><td>-20.000 M</td><td>300.00 k</td><td>6.405000 G</td><td>-56.60</td><td>-71.84</td><td>-15.63</td></tr> <tr><td>-20.000 M</td><td>-11.000 M</td><td>300.00 k</td><td>6.423750 G</td><td>-29.39</td><td>-44.63</td><td>-8.20</td></tr> <tr><td>-11.000 M</td><td>-10.000 M</td><td>300.00 k</td><td>6.424038 G</td><td>-27.99</td><td>-43.22</td><td>-7.01</td></tr> <tr><td>10.000 M</td><td>11.000 M</td><td>300.00 k</td><td>6.445673 G</td><td>-27.11</td><td>-42.35</td><td>-12.68</td></tr> <tr><td>11.000 M</td><td>20.000 M</td><td>300.00 k</td><td>6.446000 G</td><td>-28.52</td><td>-43.76</td><td>-7.55</td></tr> <tr><td>20.000 M</td><td>30.000 M</td><td>300.00 k</td><td>6.444712 G</td><td>-56.70</td><td>-71.94</td><td>-16.08</td></tr> <tr><td>30.000 M</td><td>90.000 M</td><td>300.00 k</td><td>6.465000 G</td><td>-56.83</td><td>-72.06</td><td>-15.86</td></tr> </tbody> </table> <p>Date: 4.MAY.2022 15:29:17</p>	Start [Hz]	Stop [Hz]	Band [Hz]	Freq [MHz]	Power [dBm]	PerchA [dBc]	Δ Limit [dB]	-90.000 M	-30.000 M	300.00 k	6.404423 G	-56.60	-71.83	-15.63	-30.000 M	-20.000 M	300.00 k	6.405000 G	-56.60	-71.84	-15.63	-20.000 M	-11.000 M	300.00 k	6.423750 G	-29.39	-44.63	-8.20	-11.000 M	-10.000 M	300.00 k	6.424038 G	-27.99	-43.22	-7.01	10.000 M	11.000 M	300.00 k	6.445673 G	-27.11	-42.35	-12.68	11.000 M	20.000 M	300.00 k	6.446000 G	-28.52	-43.76	-7.55	20.000 M	30.000 M	300.00 k	6.444712 G	-56.70	-71.94	-16.08	30.000 M	90.000 M	300.00 k	6.465000 G	-56.83	-72.06	-15.86
Start [Hz]	Stop [Hz]	Band [Hz]	Freq [MHz]	Power [dBm]	PerchA [dBc]	Δ Limit [dB]																																																										
-90.000 M	-30.000 M	300.00 k	6.404423 G	-56.60	-71.83	-15.63																																																										
-30.000 M	-20.000 M	300.00 k	6.405000 G	-56.60	-71.84	-15.63																																																										
-20.000 M	-11.000 M	300.00 k	6.423750 G	-29.39	-44.63	-8.20																																																										
-11.000 M	-10.000 M	300.00 k	6.424038 G	-27.99	-43.22	-7.01																																																										
10.000 M	11.000 M	300.00 k	6.445673 G	-27.11	-42.35	-12.68																																																										
11.000 M	20.000 M	300.00 k	6.446000 G	-28.52	-43.76	-7.55																																																										
20.000 M	30.000 M	300.00 k	6.444712 G	-56.70	-71.94	-16.08																																																										
30.000 M	90.000 M	300.00 k	6.465000 G	-56.83	-72.06	-15.86																																																										
6475 MHz	<p>Center 6.475 GHz 18 MHz/ Span 180 MHz</p> <p>Tx Channel Bandwidth 300 kHz Peak Power -0.42 dBm</p> <table border="1"> <thead> <tr> <th>Start [Hz]</th> <th>Stop [Hz]</th> <th>Band [Hz]</th> <th>Freq [MHz]</th> <th>Power [dBm]</th> <th>PerchA [dBc]</th> <th>Δ Limit [dB]</th> </tr> </thead> <tbody> <tr><td>-90.000 M</td><td>-30.000 M</td><td>300.00 k</td><td>6.444712 G</td><td>-56.28</td><td>-72.09</td><td>-15.86</td></tr> <tr><td>-30.000 M</td><td>-20.000 M</td><td>300.00 k</td><td>6.445000 G</td><td>-56.29</td><td>-72.10</td><td>-15.87</td></tr> <tr><td>-20.000 M</td><td>-11.000 M</td><td>300.00 k</td><td>6.463750 G</td><td>-28.32</td><td>-44.13</td><td>-7.68</td></tr> <tr><td>-11.000 M</td><td>-10.000 M</td><td>300.00 k</td><td>6.464038 G</td><td>-26.98</td><td>-42.78</td><td>-6.56</td></tr> <tr><td>10.000 M</td><td>11.000 M</td><td>300.00 k</td><td>6.485673 G</td><td>-26.22</td><td>-42.04</td><td>-12.35</td></tr> <tr><td>11.000 M</td><td>20.000 M</td><td>300.00 k</td><td>6.486000 G</td><td>-27.66</td><td>-43.47</td><td>-7.24</td></tr> <tr><td>20.000 M</td><td>30.000 M</td><td>300.00 k</td><td>6.495000 G</td><td>-43.84</td><td>-59.65</td><td>-15.42</td></tr> <tr><td>30.000 M</td><td>90.000 M</td><td>300.00 k</td><td>6.505288 G</td><td>-56.57</td><td>-72.38</td><td>-16.15</td></tr> </tbody> </table> <p>Date: 4.MAY.2022 15:33:49</p>	Start [Hz]	Stop [Hz]	Band [Hz]	Freq [MHz]	Power [dBm]	PerchA [dBc]	Δ Limit [dB]	-90.000 M	-30.000 M	300.00 k	6.444712 G	-56.28	-72.09	-15.86	-30.000 M	-20.000 M	300.00 k	6.445000 G	-56.29	-72.10	-15.87	-20.000 M	-11.000 M	300.00 k	6.463750 G	-28.32	-44.13	-7.68	-11.000 M	-10.000 M	300.00 k	6.464038 G	-26.98	-42.78	-6.56	10.000 M	11.000 M	300.00 k	6.485673 G	-26.22	-42.04	-12.35	11.000 M	20.000 M	300.00 k	6.486000 G	-27.66	-43.47	-7.24	20.000 M	30.000 M	300.00 k	6.495000 G	-43.84	-59.65	-15.42	30.000 M	90.000 M	300.00 k	6.505288 G	-56.57	-72.38	-16.15
Start [Hz]	Stop [Hz]	Band [Hz]	Freq [MHz]	Power [dBm]	PerchA [dBc]	Δ Limit [dB]																																																										
-90.000 M	-30.000 M	300.00 k	6.444712 G	-56.28	-72.09	-15.86																																																										
-30.000 M	-20.000 M	300.00 k	6.445000 G	-56.29	-72.10	-15.87																																																										
-20.000 M	-11.000 M	300.00 k	6.463750 G	-28.32	-44.13	-7.68																																																										
-11.000 M	-10.000 M	300.00 k	6.464038 G	-26.98	-42.78	-6.56																																																										
10.000 M	11.000 M	300.00 k	6.485673 G	-26.22	-42.04	-12.35																																																										
11.000 M	20.000 M	300.00 k	6.486000 G	-27.66	-43.47	-7.24																																																										
20.000 M	30.000 M	300.00 k	6.495000 G	-43.84	-59.65	-15.42																																																										
30.000 M	90.000 M	300.00 k	6.505288 G	-56.57	-72.38	-16.15																																																										
6515 MHz	<p>Center 6.515 GHz 18 MHz/ Span 180 MHz</p> <p>Tx Channel Bandwidth 300 kHz Peak Power 0.74 dBm</p> <table border="1"> <thead> <tr> <th>Start [Hz]</th> <th>Stop [Hz]</th> <th>Band [Hz]</th> <th>Freq [MHz]</th> <th>Power [dBm]</th> <th>PerchA [dBc]</th> <th>Δ Limit [dB]</th> </tr> </thead> <tbody> <tr><td>-90.000 M</td><td>-30.000 M</td><td>300.00 k</td><td>6.484135 G</td><td>-51.76</td><td>-68.68</td><td>-12.51</td></tr> <tr><td>-30.000 M</td><td>-20.000 M</td><td>300.00 k</td><td>6.485000 G</td><td>-51.66</td><td>-68.57</td><td>-12.40</td></tr> <tr><td>-20.000 M</td><td>-11.000 M</td><td>300.00 k</td><td>6.503750 G</td><td>-26.90</td><td>-43.81</td><td>-7.42</td></tr> <tr><td>-11.000 M</td><td>-10.000 M</td><td>300.00 k</td><td>6.504038 G</td><td>-25.85</td><td>-42.57</td><td>-6.40</td></tr> <tr><td>10.000 M</td><td>11.000 M</td><td>300.00 k</td><td>6.525673 G</td><td>-25.11</td><td>-42.02</td><td>-12.39</td></tr> <tr><td>11.000 M</td><td>20.000 M</td><td>300.00 k</td><td>6.526000 G</td><td>-26.37</td><td>-43.29</td><td>-7.12</td></tr> <tr><td>20.000 M</td><td>30.000 M</td><td>300.00 k</td><td>6.544712 G</td><td>-51.97</td><td>-68.89</td><td>-13.06</td></tr> <tr><td>30.000 M</td><td>90.000 M</td><td>300.00 k</td><td>6.545000 G</td><td>-52.13</td><td>-69.04</td><td>-12.87</td></tr> </tbody> </table> <p>Date: 4.MAY.2022 15:36:52</p>	Start [Hz]	Stop [Hz]	Band [Hz]	Freq [MHz]	Power [dBm]	PerchA [dBc]	Δ Limit [dB]	-90.000 M	-30.000 M	300.00 k	6.484135 G	-51.76	-68.68	-12.51	-30.000 M	-20.000 M	300.00 k	6.485000 G	-51.66	-68.57	-12.40	-20.000 M	-11.000 M	300.00 k	6.503750 G	-26.90	-43.81	-7.42	-11.000 M	-10.000 M	300.00 k	6.504038 G	-25.85	-42.57	-6.40	10.000 M	11.000 M	300.00 k	6.525673 G	-25.11	-42.02	-12.39	11.000 M	20.000 M	300.00 k	6.526000 G	-26.37	-43.29	-7.12	20.000 M	30.000 M	300.00 k	6.544712 G	-51.97	-68.89	-13.06	30.000 M	90.000 M	300.00 k	6.545000 G	-52.13	-69.04	-12.87
Start [Hz]	Stop [Hz]	Band [Hz]	Freq [MHz]	Power [dBm]	PerchA [dBc]	Δ Limit [dB]																																																										
-90.000 M	-30.000 M	300.00 k	6.484135 G	-51.76	-68.68	-12.51																																																										
-30.000 M	-20.000 M	300.00 k	6.485000 G	-51.66	-68.57	-12.40																																																										
-20.000 M	-11.000 M	300.00 k	6.503750 G	-26.90	-43.81	-7.42																																																										
-11.000 M	-10.000 M	300.00 k	6.504038 G	-25.85	-42.57	-6.40																																																										
10.000 M	11.000 M	300.00 k	6.525673 G	-25.11	-42.02	-12.39																																																										
11.000 M	20.000 M	300.00 k	6.526000 G	-26.37	-43.29	-7.12																																																										
20.000 M	30.000 M	300.00 k	6.544712 G	-51.97	-68.89	-13.06																																																										
30.000 M	90.000 M	300.00 k	6.545000 G	-52.13	-69.04	-12.87																																																										

Mode 2: IEEE 802.11ax 20 MHz Continuous TX mode_ANT-1																																																																														
6535 MHz	 <p>Center 6.535 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>Bandwidth</th> <th>Peak Power</th> <th>PerChB</th> <th>PerChan</th> <th>Δ Limit</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[kHz]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dBc]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr><td>-90.000 M</td><td>-30.000 M</td><td>300.00 k</td><td>6.504423 G</td><td>-51.79</td><td>-68.43</td><td>-12.30</td></tr> <tr><td>-30.000 M</td><td>-20.000 M</td><td>300.00 k</td><td>6.505000 G</td><td>-51.88</td><td>-68.53</td><td>-12.40</td></tr> <tr><td>-20.000 M</td><td>-11.000 M</td><td>300.00 k</td><td>6.523750 G</td><td>-27.31</td><td>-43.95</td><td>-7.60</td></tr> <tr><td>-11.000 M</td><td>-10.000 M</td><td>300.00 k</td><td>6.524038 G</td><td>-26.07</td><td>-42.72</td><td>-6.59</td></tr> <tr><td>10.000 M</td><td>11.000 M</td><td>300.00 k</td><td>6.545673 G</td><td>-25.70</td><td>-42.34</td><td>-12.75</td></tr> <tr><td>11.000 M</td><td>20.000 M</td><td>300.00 k</td><td>6.546000 G</td><td>-26.97</td><td>-43.61</td><td>-7.48</td></tr> <tr><td>20.000 M</td><td>30.000 M</td><td>300.00 k</td><td>6.564712 G</td><td>-32.10</td><td>-48.74</td><td>-12.96</td></tr> <tr><td>30.000 M</td><td>90.000 M</td><td>300.00 k</td><td>6.565000 G</td><td>-32.23</td><td>-48.87</td><td>-12.74</td></tr> </tbody> </table> <p>Date: 4.MAY.2022 15:40:17</p>	Tx Channel							Start	Stop	Bandwidth	Peak Power	PerChB	PerChan	Δ Limit	[Hz]	[Hz]	[kHz]	[dBm]	[dBm]	[dBc]	[dB]	-90.000 M	-30.000 M	300.00 k	6.504423 G	-51.79	-68.43	-12.30	-30.000 M	-20.000 M	300.00 k	6.505000 G	-51.88	-68.53	-12.40	-20.000 M	-11.000 M	300.00 k	6.523750 G	-27.31	-43.95	-7.60	-11.000 M	-10.000 M	300.00 k	6.524038 G	-26.07	-42.72	-6.59	10.000 M	11.000 M	300.00 k	6.545673 G	-25.70	-42.34	-12.75	11.000 M	20.000 M	300.00 k	6.546000 G	-26.97	-43.61	-7.48	20.000 M	30.000 M	300.00 k	6.564712 G	-32.10	-48.74	-12.96	30.000 M	90.000 M	300.00 k	6.565000 G	-32.23	-48.87	-12.74
Tx Channel																																																																														
Start	Stop	Bandwidth	Peak Power	PerChB	PerChan	Δ Limit																																																																								
[Hz]	[Hz]	[kHz]	[dBm]	[dBm]	[dBc]	[dB]																																																																								
-90.000 M	-30.000 M	300.00 k	6.504423 G	-51.79	-68.43	-12.30																																																																								
-30.000 M	-20.000 M	300.00 k	6.505000 G	-51.88	-68.53	-12.40																																																																								
-20.000 M	-11.000 M	300.00 k	6.523750 G	-27.31	-43.95	-7.60																																																																								
-11.000 M	-10.000 M	300.00 k	6.524038 G	-26.07	-42.72	-6.59																																																																								
10.000 M	11.000 M	300.00 k	6.545673 G	-25.70	-42.34	-12.75																																																																								
11.000 M	20.000 M	300.00 k	6.546000 G	-26.97	-43.61	-7.48																																																																								
20.000 M	30.000 M	300.00 k	6.564712 G	-32.10	-48.74	-12.96																																																																								
30.000 M	90.000 M	300.00 k	6.565000 G	-32.23	-48.87	-12.74																																																																								
6695 MHz	 <p>Center 6.695 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>Bandwidth</th> <th>Peak Power</th> <th>PerChB</th> <th>PerChan</th> <th>Δ Limit</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[kHz]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dBc]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr><td>-90.000 M</td><td>-30.000 M</td><td>300.00 k</td><td>6.664712 G</td><td>-47.53</td><td>-66.34</td><td>-10.16</td></tr> <tr><td>-30.000 M</td><td>-20.000 M</td><td>300.00 k</td><td>6.673077 G</td><td>-35.35</td><td>-54.16</td><td>-7.67</td></tr> <tr><td>-20.000 M</td><td>-11.000 M</td><td>300.00 k</td><td>6.683750 G</td><td>-23.12</td><td>-41.93</td><td>-5.53</td></tr> <tr><td>-11.000 M</td><td>-10.000 M</td><td>300.00 k</td><td>6.684038 G</td><td>-22.19</td><td>-41.00</td><td>-4.82</td></tr> <tr><td>10.000 M</td><td>11.000 M</td><td>300.00 k</td><td>6.705673 G</td><td>-21.35</td><td>-40.16</td><td>-10.52</td></tr> <tr><td>11.000 M</td><td>20.000 M</td><td>300.00 k</td><td>6.706000 G</td><td>-22.20</td><td>-41.01</td><td>-4.83</td></tr> <tr><td>20.000 M</td><td>30.000 M</td><td>300.00 k</td><td>6.715769 G</td><td>-34.33</td><td>-53.14</td><td>-8.04</td></tr> <tr><td>30.000 M</td><td>90.000 M</td><td>300.00 k</td><td>6.725288 G</td><td>-47.21</td><td>-66.01</td><td>-9.84</td></tr> </tbody> </table> <p>Date: 4.MAY.2022 16:01:53</p>	Tx Channel							Start	Stop	Bandwidth	Peak Power	PerChB	PerChan	Δ Limit	[Hz]	[Hz]	[kHz]	[dBm]	[dBm]	[dBc]	[dB]	-90.000 M	-30.000 M	300.00 k	6.664712 G	-47.53	-66.34	-10.16	-30.000 M	-20.000 M	300.00 k	6.673077 G	-35.35	-54.16	-7.67	-20.000 M	-11.000 M	300.00 k	6.683750 G	-23.12	-41.93	-5.53	-11.000 M	-10.000 M	300.00 k	6.684038 G	-22.19	-41.00	-4.82	10.000 M	11.000 M	300.00 k	6.705673 G	-21.35	-40.16	-10.52	11.000 M	20.000 M	300.00 k	6.706000 G	-22.20	-41.01	-4.83	20.000 M	30.000 M	300.00 k	6.715769 G	-34.33	-53.14	-8.04	30.000 M	90.000 M	300.00 k	6.725288 G	-47.21	-66.01	-9.84
Tx Channel																																																																														
Start	Stop	Bandwidth	Peak Power	PerChB	PerChan	Δ Limit																																																																								
[Hz]	[Hz]	[kHz]	[dBm]	[dBm]	[dBc]	[dB]																																																																								
-90.000 M	-30.000 M	300.00 k	6.664712 G	-47.53	-66.34	-10.16																																																																								
-30.000 M	-20.000 M	300.00 k	6.673077 G	-35.35	-54.16	-7.67																																																																								
-20.000 M	-11.000 M	300.00 k	6.683750 G	-23.12	-41.93	-5.53																																																																								
-11.000 M	-10.000 M	300.00 k	6.684038 G	-22.19	-41.00	-4.82																																																																								
10.000 M	11.000 M	300.00 k	6.705673 G	-21.35	-40.16	-10.52																																																																								
11.000 M	20.000 M	300.00 k	6.706000 G	-22.20	-41.01	-4.83																																																																								
20.000 M	30.000 M	300.00 k	6.715769 G	-34.33	-53.14	-8.04																																																																								
30.000 M	90.000 M	300.00 k	6.725288 G	-47.21	-66.01	-9.84																																																																								
6855 MHz	 <p>Center 6.855 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>Bandwidth</th> <th>Peak Power</th> <th>PerChB</th> <th>PerChan</th> <th>Δ Limit</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[kHz]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dBc]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr><td>-90.000 M</td><td>-30.000 M</td><td>300.00 k</td><td>6.824712 G</td><td>-49.62</td><td>-67.39</td><td>-11.15</td></tr> <tr><td>-30.000 M</td><td>-20.000 M</td><td>300.00 k</td><td>6.832212 G</td><td>-40.66</td><td>-58.43</td><td>-10.84</td></tr> <tr><td>-20.000 M</td><td>-11.000 M</td><td>300.00 k</td><td>6.843750 G</td><td>-25.72</td><td>-43.49</td><td>-7.02</td></tr> <tr><td>-11.000 M</td><td>-10.000 M</td><td>300.00 k</td><td>6.844038 G</td><td>-24.72</td><td>-42.48</td><td>-6.24</td></tr> <tr><td>10.000 M</td><td>11.000 M</td><td>300.00 k</td><td>6.865673 G</td><td>-23.69</td><td>-41.46</td><td>-11.75</td></tr> <tr><td>11.000 M</td><td>20.000 M</td><td>300.00 k</td><td>6.866000 G</td><td>-24.98</td><td>-42.74</td><td>-6.50</td></tr> <tr><td>20.000 M</td><td>30.000 M</td><td>300.00 k</td><td>6.884712 G</td><td>-49.96</td><td>-67.13</td><td>-11.23</td></tr> <tr><td>30.000 M</td><td>90.000 M</td><td>300.00 k</td><td>6.885000 G</td><td>-49.78</td><td>-67.54</td><td>-11.30</td></tr> </tbody> </table> <p>Date: 4.MAY.2022 15:59:24</p>	Tx Channel							Start	Stop	Bandwidth	Peak Power	PerChB	PerChan	Δ Limit	[Hz]	[Hz]	[kHz]	[dBm]	[dBm]	[dBc]	[dB]	-90.000 M	-30.000 M	300.00 k	6.824712 G	-49.62	-67.39	-11.15	-30.000 M	-20.000 M	300.00 k	6.832212 G	-40.66	-58.43	-10.84	-20.000 M	-11.000 M	300.00 k	6.843750 G	-25.72	-43.49	-7.02	-11.000 M	-10.000 M	300.00 k	6.844038 G	-24.72	-42.48	-6.24	10.000 M	11.000 M	300.00 k	6.865673 G	-23.69	-41.46	-11.75	11.000 M	20.000 M	300.00 k	6.866000 G	-24.98	-42.74	-6.50	20.000 M	30.000 M	300.00 k	6.884712 G	-49.96	-67.13	-11.23	30.000 M	90.000 M	300.00 k	6.885000 G	-49.78	-67.54	-11.30
Tx Channel																																																																														
Start	Stop	Bandwidth	Peak Power	PerChB	PerChan	Δ Limit																																																																								
[Hz]	[Hz]	[kHz]	[dBm]	[dBm]	[dBc]	[dB]																																																																								
-90.000 M	-30.000 M	300.00 k	6.824712 G	-49.62	-67.39	-11.15																																																																								
-30.000 M	-20.000 M	300.00 k	6.832212 G	-40.66	-58.43	-10.84																																																																								
-20.000 M	-11.000 M	300.00 k	6.843750 G	-25.72	-43.49	-7.02																																																																								
-11.000 M	-10.000 M	300.00 k	6.844038 G	-24.72	-42.48	-6.24																																																																								
10.000 M	11.000 M	300.00 k	6.865673 G	-23.69	-41.46	-11.75																																																																								
11.000 M	20.000 M	300.00 k	6.866000 G	-24.98	-42.74	-6.50																																																																								
20.000 M	30.000 M	300.00 k	6.884712 G	-49.96	-67.13	-11.23																																																																								
30.000 M	90.000 M	300.00 k	6.885000 G	-49.78	-67.54	-11.30																																																																								


Mode 2: IEEE 802.11ax 20 MHz Continuous TX mode_ANT-1																																																																														
6875 MHz	<p>Center 6.875 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>RFW</th> <th>Peak Power</th> <th>PerChB</th> <th>PerChan</th> <th>Δ Limit</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dB]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr> <td>-90.000 M</td> <td>-30.000 M</td> <td>300.00 k</td> <td>6.844712 G</td> <td>-52.24</td> <td>-69.16</td> <td>-12.94</td> </tr> <tr> <td>-30.000 M</td> <td>-20.000 M</td> <td>300.00 k</td> <td>6.851635 G</td> <td>-44.11</td> <td>-61.03</td> <td>-12.77</td> </tr> <tr> <td>-20.000 M</td> <td>-11.000 M</td> <td>300.00 k</td> <td>6.863750 G</td> <td>-27.14</td> <td>-44.06</td> <td>-7.61</td> </tr> <tr> <td>-11.000 M</td> <td>-10.000 M</td> <td>300.00 k</td> <td>6.864038 G</td> <td>-25.84</td> <td>-42.76</td> <td>-6.54</td> </tr> <tr> <td>10.000 M</td> <td>11.000 M</td> <td>300.00 k</td> <td>6.885673 G</td> <td>-24.80</td> <td>-41.72</td> <td>-12.03</td> </tr> <tr> <td>11.000 M</td> <td>20.000 M</td> <td>300.00 k</td> <td>6.886000 G</td> <td>-26.01</td> <td>-42.93</td> <td>-6.70</td> </tr> <tr> <td>20.000 M</td> <td>30.000 M</td> <td>300.00 k</td> <td>6.896058 G</td> <td>-41.84</td> <td>-58.76</td> <td>-13.26</td> </tr> <tr> <td>30.000 M</td> <td>90.000 M</td> <td>300.00 k</td> <td>6.905000 G</td> <td>-52.53</td> <td>-69.45</td> <td>-13.22</td> </tr> </tbody> </table> <p>Date: 4.MAY.2022 16:04:16</p>	Tx Channel							Start	Stop	RFW	Peak Power	PerChB	PerChan	Δ Limit	[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dB]	[dB]	-90.000 M	-30.000 M	300.00 k	6.844712 G	-52.24	-69.16	-12.94	-30.000 M	-20.000 M	300.00 k	6.851635 G	-44.11	-61.03	-12.77	-20.000 M	-11.000 M	300.00 k	6.863750 G	-27.14	-44.06	-7.61	-11.000 M	-10.000 M	300.00 k	6.864038 G	-25.84	-42.76	-6.54	10.000 M	11.000 M	300.00 k	6.885673 G	-24.80	-41.72	-12.03	11.000 M	20.000 M	300.00 k	6.886000 G	-26.01	-42.93	-6.70	20.000 M	30.000 M	300.00 k	6.896058 G	-41.84	-58.76	-13.26	30.000 M	90.000 M	300.00 k	6.905000 G	-52.53	-69.45	-13.22
Tx Channel																																																																														
Start	Stop	RFW	Peak Power	PerChB	PerChan	Δ Limit																																																																								
[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dB]	[dB]																																																																								
-90.000 M	-30.000 M	300.00 k	6.844712 G	-52.24	-69.16	-12.94																																																																								
-30.000 M	-20.000 M	300.00 k	6.851635 G	-44.11	-61.03	-12.77																																																																								
-20.000 M	-11.000 M	300.00 k	6.863750 G	-27.14	-44.06	-7.61																																																																								
-11.000 M	-10.000 M	300.00 k	6.864038 G	-25.84	-42.76	-6.54																																																																								
10.000 M	11.000 M	300.00 k	6.885673 G	-24.80	-41.72	-12.03																																																																								
11.000 M	20.000 M	300.00 k	6.886000 G	-26.01	-42.93	-6.70																																																																								
20.000 M	30.000 M	300.00 k	6.896058 G	-41.84	-58.76	-13.26																																																																								
30.000 M	90.000 M	300.00 k	6.905000 G	-52.53	-69.45	-13.22																																																																								
6995 MHz	<p>Center 6.995 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>RFW</th> <th>Peak Power</th> <th>PerChB</th> <th>PerChan</th> <th>Δ Limit</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dB]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr> <td>-90.000 M</td> <td>-30.000 M</td> <td>300.00 k</td> <td>6.964423 G</td> <td>-54.24</td> <td>-68.49</td> <td>-12.31</td> </tr> <tr> <td>-30.000 M</td> <td>-20.000 M</td> <td>300.00 k</td> <td>6.965000 G</td> <td>-54.20</td> <td>-68.44</td> <td>-12.27</td> </tr> <tr> <td>-20.000 M</td> <td>-11.000 M</td> <td>300.00 k</td> <td>6.983750 G</td> <td>-30.03</td> <td>-44.28</td> <td>-7.88</td> </tr> <tr> <td>-11.000 M</td> <td>-10.000 M</td> <td>300.00 k</td> <td>6.984038 G</td> <td>-28.80</td> <td>-43.05</td> <td>-6.87</td> </tr> <tr> <td>10.000 M</td> <td>11.000 M</td> <td>300.00 k</td> <td>7.005673 G</td> <td>-28.16</td> <td>-42.41</td> <td>-12.77</td> </tr> <tr> <td>11.000 M</td> <td>20.000 M</td> <td>300.00 k</td> <td>7.006000 G</td> <td>-29.73</td> <td>-43.98</td> <td>-7.80</td> </tr> <tr> <td>20.000 M</td> <td>30.000 M</td> <td>300.00 k</td> <td>7.024712 G</td> <td>-54.63</td> <td>-68.87</td> <td>-13.04</td> </tr> <tr> <td>30.000 M</td> <td>90.000 M</td> <td>300.00 k</td> <td>7.025000 G</td> <td>-54.70</td> <td>-68.95</td> <td>-12.78</td> </tr> </tbody> </table> <p>Date: 4.MAY.2022 16:10:42</p>	Tx Channel							Start	Stop	RFW	Peak Power	PerChB	PerChan	Δ Limit	[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dB]	[dB]	-90.000 M	-30.000 M	300.00 k	6.964423 G	-54.24	-68.49	-12.31	-30.000 M	-20.000 M	300.00 k	6.965000 G	-54.20	-68.44	-12.27	-20.000 M	-11.000 M	300.00 k	6.983750 G	-30.03	-44.28	-7.88	-11.000 M	-10.000 M	300.00 k	6.984038 G	-28.80	-43.05	-6.87	10.000 M	11.000 M	300.00 k	7.005673 G	-28.16	-42.41	-12.77	11.000 M	20.000 M	300.00 k	7.006000 G	-29.73	-43.98	-7.80	20.000 M	30.000 M	300.00 k	7.024712 G	-54.63	-68.87	-13.04	30.000 M	90.000 M	300.00 k	7.025000 G	-54.70	-68.95	-12.78
Tx Channel																																																																														
Start	Stop	RFW	Peak Power	PerChB	PerChan	Δ Limit																																																																								
[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dB]	[dB]																																																																								
-90.000 M	-30.000 M	300.00 k	6.964423 G	-54.24	-68.49	-12.31																																																																								
-30.000 M	-20.000 M	300.00 k	6.965000 G	-54.20	-68.44	-12.27																																																																								
-20.000 M	-11.000 M	300.00 k	6.983750 G	-30.03	-44.28	-7.88																																																																								
-11.000 M	-10.000 M	300.00 k	6.984038 G	-28.80	-43.05	-6.87																																																																								
10.000 M	11.000 M	300.00 k	7.005673 G	-28.16	-42.41	-12.77																																																																								
11.000 M	20.000 M	300.00 k	7.006000 G	-29.73	-43.98	-7.80																																																																								
20.000 M	30.000 M	300.00 k	7.024712 G	-54.63	-68.87	-13.04																																																																								
30.000 M	90.000 M	300.00 k	7.025000 G	-54.70	-68.95	-12.78																																																																								
7115 MHz	<p>Center 7.115 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>RFW</th> <th>Peak Power</th> <th>PerChB</th> <th>PerChan</th> <th>Δ Limit</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dB]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr> <td>-90.000 M</td> <td>-30.000 M</td> <td>300.00 k</td> <td>7.084712 G</td> <td>-55.96</td> <td>-68.31</td> <td>-12.20</td> </tr> <tr> <td>-30.000 M</td> <td>-20.000 M</td> <td>300.00 k</td> <td>7.085000 G</td> <td>-55.78</td> <td>-68.14</td> <td>-12.02</td> </tr> <tr> <td>-20.000 M</td> <td>-11.000 M</td> <td>300.00 k</td> <td>7.103750 G</td> <td>-32.96</td> <td>-44.91</td> <td>-8.58</td> </tr> <tr> <td>-11.000 M</td> <td>-10.000 M</td> <td>300.00 k</td> <td>7.104038 G</td> <td>-31.26</td> <td>-43.61</td> <td>-7.50</td> </tr> <tr> <td>10.000 M</td> <td>11.000 M</td> <td>300.00 k</td> <td>7.125673 G</td> <td>-29.83</td> <td>-42.18</td> <td>-12.61</td> </tr> <tr> <td>11.000 M</td> <td>20.000 M</td> <td>300.00 k</td> <td>7.126000 G</td> <td>-31.38</td> <td>-43.74</td> <td>-7.62</td> </tr> <tr> <td>20.000 M</td> <td>30.000 M</td> <td>300.00 k</td> <td>7.144712 G</td> <td>-56.29</td> <td>-69.65</td> <td>-12.88</td> </tr> <tr> <td>30.000 M</td> <td>90.000 M</td> <td>300.00 k</td> <td>7.145000 G</td> <td>-56.52</td> <td>-68.87</td> <td>-12.76</td> </tr> </tbody> </table> <p>Date: 4.MAY.2022 16:13:59</p>	Tx Channel							Start	Stop	RFW	Peak Power	PerChB	PerChan	Δ Limit	[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dB]	[dB]	-90.000 M	-30.000 M	300.00 k	7.084712 G	-55.96	-68.31	-12.20	-30.000 M	-20.000 M	300.00 k	7.085000 G	-55.78	-68.14	-12.02	-20.000 M	-11.000 M	300.00 k	7.103750 G	-32.96	-44.91	-8.58	-11.000 M	-10.000 M	300.00 k	7.104038 G	-31.26	-43.61	-7.50	10.000 M	11.000 M	300.00 k	7.125673 G	-29.83	-42.18	-12.61	11.000 M	20.000 M	300.00 k	7.126000 G	-31.38	-43.74	-7.62	20.000 M	30.000 M	300.00 k	7.144712 G	-56.29	-69.65	-12.88	30.000 M	90.000 M	300.00 k	7.145000 G	-56.52	-68.87	-12.76
Tx Channel																																																																														
Start	Stop	RFW	Peak Power	PerChB	PerChan	Δ Limit																																																																								
[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dB]	[dB]																																																																								
-90.000 M	-30.000 M	300.00 k	7.084712 G	-55.96	-68.31	-12.20																																																																								
-30.000 M	-20.000 M	300.00 k	7.085000 G	-55.78	-68.14	-12.02																																																																								
-20.000 M	-11.000 M	300.00 k	7.103750 G	-32.96	-44.91	-8.58																																																																								
-11.000 M	-10.000 M	300.00 k	7.104038 G	-31.26	-43.61	-7.50																																																																								
10.000 M	11.000 M	300.00 k	7.125673 G	-29.83	-42.18	-12.61																																																																								
11.000 M	20.000 M	300.00 k	7.126000 G	-31.38	-43.74	-7.62																																																																								
20.000 M	30.000 M	300.00 k	7.144712 G	-56.29	-69.65	-12.88																																																																								
30.000 M	90.000 M	300.00 k	7.145000 G	-56.52	-68.87	-12.76																																																																								

Mode 3: IEEE 802.11ax 40 MHz Continuous TX mode_ANT-1																																																																														
5965 MHz	<p>Center 5.965 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th colspan="7">Bandwidth 500 kHz Peak Power -1.73 dBm</th> </tr> <tr> <th>Start [Hz]</th> <th>Stop [Hz]</th> <th>RFW [Hz]</th> <th>Freq [Hz]</th> <th>Power [dBm]</th> <th>PerchA [dBc]</th> <th>Δ Limit [dB]</th> </tr> </thead> <tbody> <tr><td>-90.000 M</td><td>-60.000 M</td><td>500.00 k</td><td>5.904423 G</td><td>-56.79</td><td>-68.46</td><td>-15.05</td></tr> <tr><td>-60.000 M</td><td>-40.000 M</td><td>500.00 k</td><td>5.905000 G</td><td>-56.75</td><td>-68.43</td><td>-15.02</td></tr> <tr><td>-40.000 M</td><td>-21.000 M</td><td>500.00 k</td><td>5.943654 G</td><td>-35.82</td><td>-47.49</td><td>-13.94</td></tr> <tr><td>-21.000 M</td><td>-20.000 M</td><td>500.00 k</td><td>5.944000 G</td><td>-34.13</td><td>-45.80</td><td>-12.39</td></tr> <tr><td>20.000 M</td><td>21.000 M</td><td>500.00 k</td><td>5.985769 G</td><td>-31.72</td><td>-43.39</td><td>-14.60</td></tr> <tr><td>21.000 M</td><td>40.000 M</td><td>500.00 k</td><td>5.986058 G</td><td>-33.01</td><td>-44.68</td><td>-11.28</td></tr> <tr><td>40.000 M</td><td>60.000 M</td><td>500.00 k</td><td>6.024712 G</td><td>-33.16</td><td>-64.83</td><td>-11.60</td></tr> <tr><td>60.000 M</td><td>90.000 M</td><td>500.00 k</td><td>6.025577 G</td><td>-33.16</td><td>-64.83</td><td>-11.43</td></tr> </tbody> </table> <p>Date: 4.MAY.2022 14:01:16</p>	Tx Channel							Bandwidth 500 kHz Peak Power -1.73 dBm							Start [Hz]	Stop [Hz]	RFW [Hz]	Freq [Hz]	Power [dBm]	PerchA [dBc]	Δ Limit [dB]	-90.000 M	-60.000 M	500.00 k	5.904423 G	-56.79	-68.46	-15.05	-60.000 M	-40.000 M	500.00 k	5.905000 G	-56.75	-68.43	-15.02	-40.000 M	-21.000 M	500.00 k	5.943654 G	-35.82	-47.49	-13.94	-21.000 M	-20.000 M	500.00 k	5.944000 G	-34.13	-45.80	-12.39	20.000 M	21.000 M	500.00 k	5.985769 G	-31.72	-43.39	-14.60	21.000 M	40.000 M	500.00 k	5.986058 G	-33.01	-44.68	-11.28	40.000 M	60.000 M	500.00 k	6.024712 G	-33.16	-64.83	-11.60	60.000 M	90.000 M	500.00 k	6.025577 G	-33.16	-64.83	-11.43
Tx Channel																																																																														
Bandwidth 500 kHz Peak Power -1.73 dBm																																																																														
Start [Hz]	Stop [Hz]	RFW [Hz]	Freq [Hz]	Power [dBm]	PerchA [dBc]	Δ Limit [dB]																																																																								
-90.000 M	-60.000 M	500.00 k	5.904423 G	-56.79	-68.46	-15.05																																																																								
-60.000 M	-40.000 M	500.00 k	5.905000 G	-56.75	-68.43	-15.02																																																																								
-40.000 M	-21.000 M	500.00 k	5.943654 G	-35.82	-47.49	-13.94																																																																								
-21.000 M	-20.000 M	500.00 k	5.944000 G	-34.13	-45.80	-12.39																																																																								
20.000 M	21.000 M	500.00 k	5.985769 G	-31.72	-43.39	-14.60																																																																								
21.000 M	40.000 M	500.00 k	5.986058 G	-33.01	-44.68	-11.28																																																																								
40.000 M	60.000 M	500.00 k	6.024712 G	-33.16	-64.83	-11.60																																																																								
60.000 M	90.000 M	500.00 k	6.025577 G	-33.16	-64.83	-11.43																																																																								
6165 MHz	<p>Center 6.165 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th colspan="7">Bandwidth 500 kHz Peak Power -0.01 dBm</th> </tr> <tr> <th>Start [Hz]</th> <th>Stop [Hz]</th> <th>RFW [Hz]</th> <th>Freq [Hz]</th> <th>Power [dBm]</th> <th>PerchA [dBc]</th> <th>Δ Limit [dB]</th> </tr> </thead> <tbody> <tr><td>-90.000 M</td><td>-60.000 M</td><td>500.00 k</td><td>6.104712 G</td><td>-50.73</td><td>-64.21</td><td>-10.73</td></tr> <tr><td>-60.000 M</td><td>-40.000 M</td><td>500.00 k</td><td>6.105000 G</td><td>-50.72</td><td>-64.19</td><td>-10.72</td></tr> <tr><td>-40.000 M</td><td>-21.000 M</td><td>500.00 k</td><td>6.143654 G</td><td>-32.31</td><td>-45.78</td><td>-12.16</td></tr> <tr><td>-21.000 M</td><td>-20.000 M</td><td>500.00 k</td><td>6.144000 G</td><td>-30.91</td><td>-44.39</td><td>-10.91</td></tr> <tr><td>20.000 M</td><td>21.000 M</td><td>500.00 k</td><td>6.185769 G</td><td>-30.43</td><td>-43.91</td><td>-15.05</td></tr> <tr><td>21.000 M</td><td>40.000 M</td><td>500.00 k</td><td>6.186058 G</td><td>-31.57</td><td>-45.05</td><td>-11.57</td></tr> <tr><td>40.000 M</td><td>60.000 M</td><td>500.00 k</td><td>6.224712 G</td><td>-49.70</td><td>-63.17</td><td>-9.87</td></tr> <tr><td>60.000 M</td><td>90.000 M</td><td>500.00 k</td><td>6.225000 G</td><td>-49.72</td><td>-63.20</td><td>-9.72</td></tr> </tbody> </table> <p>Date: 4.MAY.2022 14:04:39</p>	Tx Channel							Bandwidth 500 kHz Peak Power -0.01 dBm							Start [Hz]	Stop [Hz]	RFW [Hz]	Freq [Hz]	Power [dBm]	PerchA [dBc]	Δ Limit [dB]	-90.000 M	-60.000 M	500.00 k	6.104712 G	-50.73	-64.21	-10.73	-60.000 M	-40.000 M	500.00 k	6.105000 G	-50.72	-64.19	-10.72	-40.000 M	-21.000 M	500.00 k	6.143654 G	-32.31	-45.78	-12.16	-21.000 M	-20.000 M	500.00 k	6.144000 G	-30.91	-44.39	-10.91	20.000 M	21.000 M	500.00 k	6.185769 G	-30.43	-43.91	-15.05	21.000 M	40.000 M	500.00 k	6.186058 G	-31.57	-45.05	-11.57	40.000 M	60.000 M	500.00 k	6.224712 G	-49.70	-63.17	-9.87	60.000 M	90.000 M	500.00 k	6.225000 G	-49.72	-63.20	-9.72
Tx Channel																																																																														
Bandwidth 500 kHz Peak Power -0.01 dBm																																																																														
Start [Hz]	Stop [Hz]	RFW [Hz]	Freq [Hz]	Power [dBm]	PerchA [dBc]	Δ Limit [dB]																																																																								
-90.000 M	-60.000 M	500.00 k	6.104712 G	-50.73	-64.21	-10.73																																																																								
-60.000 M	-40.000 M	500.00 k	6.105000 G	-50.72	-64.19	-10.72																																																																								
-40.000 M	-21.000 M	500.00 k	6.143654 G	-32.31	-45.78	-12.16																																																																								
-21.000 M	-20.000 M	500.00 k	6.144000 G	-30.91	-44.39	-10.91																																																																								
20.000 M	21.000 M	500.00 k	6.185769 G	-30.43	-43.91	-15.05																																																																								
21.000 M	40.000 M	500.00 k	6.186058 G	-31.57	-45.05	-11.57																																																																								
40.000 M	60.000 M	500.00 k	6.224712 G	-49.70	-63.17	-9.87																																																																								
60.000 M	90.000 M	500.00 k	6.225000 G	-49.72	-63.20	-9.72																																																																								
6405 MHz	<p>Center 6.405 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th colspan="7">Bandwidth 500 kHz Peak Power 1.80 dBm</th> </tr> <tr> <th>Start [Hz]</th> <th>Stop [Hz]</th> <th>RFW [Hz]</th> <th>Freq [Hz]</th> <th>Power [dBm]</th> <th>PerchA [dBc]</th> <th>Δ Limit [dB]</th> </tr> </thead> <tbody> <tr><td>-90.000 M</td><td>-60.000 M</td><td>500.00 k</td><td>6.344712 G</td><td>-47.69</td><td>-62.81</td><td>-9.50</td></tr> <tr><td>-60.000 M</td><td>-40.000 M</td><td>500.00 k</td><td>6.345000 G</td><td>-47.58</td><td>-62.71</td><td>-9.39</td></tr> <tr><td>-40.000 M</td><td>-21.000 M</td><td>500.00 k</td><td>6.383654 G</td><td>-29.11</td><td>-44.23</td><td>-10.77</td></tr> <tr><td>-21.000 M</td><td>-20.000 M</td><td>500.00 k</td><td>6.384000 G</td><td>-28.01</td><td>-43.13</td><td>-9.81</td></tr> <tr><td>20.000 M</td><td>21.000 M</td><td>500.00 k</td><td>6.425769 G</td><td>-27.75</td><td>-42.88</td><td>-14.17</td></tr> <tr><td>21.000 M</td><td>40.000 M</td><td>500.00 k</td><td>6.426058 G</td><td>-28.54</td><td>-43.67</td><td>-10.35</td></tr> <tr><td>40.000 M</td><td>60.000 M</td><td>500.00 k</td><td>6.464712 G</td><td>-47.94</td><td>-63.06</td><td>-9.91</td></tr> <tr><td>60.000 M</td><td>90.000 M</td><td>500.00 k</td><td>6.465000 G</td><td>-48.02</td><td>-63.15</td><td>-9.83</td></tr> </tbody> </table> <p>Date: 4.MAY.2022 14:11:11</p>	Tx Channel							Bandwidth 500 kHz Peak Power 1.80 dBm							Start [Hz]	Stop [Hz]	RFW [Hz]	Freq [Hz]	Power [dBm]	PerchA [dBc]	Δ Limit [dB]	-90.000 M	-60.000 M	500.00 k	6.344712 G	-47.69	-62.81	-9.50	-60.000 M	-40.000 M	500.00 k	6.345000 G	-47.58	-62.71	-9.39	-40.000 M	-21.000 M	500.00 k	6.383654 G	-29.11	-44.23	-10.77	-21.000 M	-20.000 M	500.00 k	6.384000 G	-28.01	-43.13	-9.81	20.000 M	21.000 M	500.00 k	6.425769 G	-27.75	-42.88	-14.17	21.000 M	40.000 M	500.00 k	6.426058 G	-28.54	-43.67	-10.35	40.000 M	60.000 M	500.00 k	6.464712 G	-47.94	-63.06	-9.91	60.000 M	90.000 M	500.00 k	6.465000 G	-48.02	-63.15	-9.83
Tx Channel																																																																														
Bandwidth 500 kHz Peak Power 1.80 dBm																																																																														
Start [Hz]	Stop [Hz]	RFW [Hz]	Freq [Hz]	Power [dBm]	PerchA [dBc]	Δ Limit [dB]																																																																								
-90.000 M	-60.000 M	500.00 k	6.344712 G	-47.69	-62.81	-9.50																																																																								
-60.000 M	-40.000 M	500.00 k	6.345000 G	-47.58	-62.71	-9.39																																																																								
-40.000 M	-21.000 M	500.00 k	6.383654 G	-29.11	-44.23	-10.77																																																																								
-21.000 M	-20.000 M	500.00 k	6.384000 G	-28.01	-43.13	-9.81																																																																								
20.000 M	21.000 M	500.00 k	6.425769 G	-27.75	-42.88	-14.17																																																																								
21.000 M	40.000 M	500.00 k	6.426058 G	-28.54	-43.67	-10.35																																																																								
40.000 M	60.000 M	500.00 k	6.464712 G	-47.94	-63.06	-9.91																																																																								
60.000 M	90.000 M	500.00 k	6.465000 G	-48.02	-63.15	-9.83																																																																								




Mode 3: IEEE 802.11ax 40 MHz Continuous TX mode_ANT-1																																																																																																		
6445 MHz	 <p>Center 6.445 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="8">Tx Channel</th> </tr> <tr> <th colspan="3">Bandwidth</th> <th colspan="2">500 kHz</th> <th colspan="3">Peak Power</th> <th>None</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>RBW</th> <th>Freq</th> <th>Power</th> <th>PerchA</th> <th>PerchB</th> <th>Δ Limit</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[dBm]</th> <th>[dBc]</th> <th>[dB]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr><td>-90.000 M</td><td>-60.000 M</td><td>500.00 k</td><td>6.384712 G</td><td>-49.61</td><td>-63.86</td><td>-10.32</td><td></td></tr> <tr><td>-60.000 M</td><td>-40.000 M</td><td>500.00 k</td><td>6.385000 G</td><td>-49.61</td><td>-63.86</td><td>-10.32</td><td></td></tr> <tr><td>-40.000 M</td><td>-21.000 M</td><td>500.00 k</td><td>6.423654 G</td><td>-31.33</td><td>-45.59</td><td>-11.89</td><td></td></tr> <tr><td>-21.000 M</td><td>-20.000 M</td><td>500.00 k</td><td>6.424000 G</td><td>-30.01</td><td>-44.26</td><td>-10.72</td><td></td></tr> <tr><td>20.000 M</td><td>21.000 M</td><td>500.00 k</td><td>6.465769 G</td><td>-29.02</td><td>-43.27</td><td>-14.34</td><td></td></tr> <tr><td>21.000 M</td><td>40.000 M</td><td>500.00 k</td><td>6.466058 G</td><td>-30.24</td><td>-44.49</td><td>-10.94</td><td></td></tr> <tr><td>40.000 M</td><td>60.000 M</td><td>500.00 k</td><td>6.504712 G</td><td>-49.89</td><td>-63.94</td><td>-10.57</td><td></td></tr> <tr><td>60.000 M</td><td>90.000 M</td><td>500.00 k</td><td>6.505288 G</td><td>-49.82</td><td>-64.07</td><td>-10.52</td><td></td></tr> </tbody> </table> <p>Date: 4.MAY.2022 14:13:13</p>	Tx Channel								Bandwidth			500 kHz		Peak Power			None	Start	Stop	RBW	Freq	Power	PerchA	PerchB	Δ Limit	[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	[dB]	-90.000 M	-60.000 M	500.00 k	6.384712 G	-49.61	-63.86	-10.32		-60.000 M	-40.000 M	500.00 k	6.385000 G	-49.61	-63.86	-10.32		-40.000 M	-21.000 M	500.00 k	6.423654 G	-31.33	-45.59	-11.89		-21.000 M	-20.000 M	500.00 k	6.424000 G	-30.01	-44.26	-10.72		20.000 M	21.000 M	500.00 k	6.465769 G	-29.02	-43.27	-14.34		21.000 M	40.000 M	500.00 k	6.466058 G	-30.24	-44.49	-10.94		40.000 M	60.000 M	500.00 k	6.504712 G	-49.89	-63.94	-10.57		60.000 M	90.000 M	500.00 k	6.505288 G	-49.82	-64.07	-10.52	
Tx Channel																																																																																																		
Bandwidth			500 kHz		Peak Power			None																																																																																										
Start	Stop	RBW	Freq	Power	PerchA	PerchB	Δ Limit																																																																																											
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	[dB]																																																																																											
-90.000 M	-60.000 M	500.00 k	6.384712 G	-49.61	-63.86	-10.32																																																																																												
-60.000 M	-40.000 M	500.00 k	6.385000 G	-49.61	-63.86	-10.32																																																																																												
-40.000 M	-21.000 M	500.00 k	6.423654 G	-31.33	-45.59	-11.89																																																																																												
-21.000 M	-20.000 M	500.00 k	6.424000 G	-30.01	-44.26	-10.72																																																																																												
20.000 M	21.000 M	500.00 k	6.465769 G	-29.02	-43.27	-14.34																																																																																												
21.000 M	40.000 M	500.00 k	6.466058 G	-30.24	-44.49	-10.94																																																																																												
40.000 M	60.000 M	500.00 k	6.504712 G	-49.89	-63.94	-10.57																																																																																												
60.000 M	90.000 M	500.00 k	6.505288 G	-49.82	-64.07	-10.52																																																																																												
6485 MHz	 <p>Center 6.485 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="8">Tx Channel</th> </tr> <tr> <th colspan="3">Bandwidth</th> <th colspan="2">500 kHz</th> <th colspan="3">Peak Power</th> <th>None</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>RBW</th> <th>Freq</th> <th>Power</th> <th>PerchA</th> <th>PerchB</th> <th>Δ Limit</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[dBm]</th> <th>[dBc]</th> <th>[dB]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr><td>-90.000 M</td><td>-60.000 M</td><td>500.00 k</td><td>6.423846 G</td><td>-49.69</td><td>-64.59</td><td>-10.98</td><td></td></tr> <tr><td>-60.000 M</td><td>-40.000 M</td><td>500.00 k</td><td>6.425000 G</td><td>-49.65</td><td>-64.56</td><td>-10.95</td><td></td></tr> <tr><td>-40.000 M</td><td>-21.000 M</td><td>500.00 k</td><td>6.463654 G</td><td>-30.21</td><td>-45.11</td><td>-11.36</td><td></td></tr> <tr><td>-21.000 M</td><td>-20.000 M</td><td>500.00 k</td><td>6.464000 G</td><td>-28.91</td><td>-43.82</td><td>-10.21</td><td></td></tr> <tr><td>20.000 M</td><td>21.000 M</td><td>500.00 k</td><td>6.505769 G</td><td>-27.83</td><td>-42.74</td><td>-13.74</td><td></td></tr> <tr><td>21.000 M</td><td>40.000 M</td><td>500.00 k</td><td>6.506058 G</td><td>-28.86</td><td>-43.76</td><td>-10.15</td><td></td></tr> <tr><td>40.000 M</td><td>60.000 M</td><td>500.00 k</td><td>6.544712 G</td><td>-49.80</td><td>-64.70</td><td>-11.27</td><td></td></tr> <tr><td>60.000 M</td><td>90.000 M</td><td>500.00 k</td><td>6.545000 G</td><td>-49.81</td><td>-64.71</td><td>-11.10</td><td></td></tr> </tbody> </table> <p>Date: 4.MAY.2022 14:18:57</p>	Tx Channel								Bandwidth			500 kHz		Peak Power			None	Start	Stop	RBW	Freq	Power	PerchA	PerchB	Δ Limit	[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	[dB]	-90.000 M	-60.000 M	500.00 k	6.423846 G	-49.69	-64.59	-10.98		-60.000 M	-40.000 M	500.00 k	6.425000 G	-49.65	-64.56	-10.95		-40.000 M	-21.000 M	500.00 k	6.463654 G	-30.21	-45.11	-11.36		-21.000 M	-20.000 M	500.00 k	6.464000 G	-28.91	-43.82	-10.21		20.000 M	21.000 M	500.00 k	6.505769 G	-27.83	-42.74	-13.74		21.000 M	40.000 M	500.00 k	6.506058 G	-28.86	-43.76	-10.15		40.000 M	60.000 M	500.00 k	6.544712 G	-49.80	-64.70	-11.27		60.000 M	90.000 M	500.00 k	6.545000 G	-49.81	-64.71	-11.10	
Tx Channel																																																																																																		
Bandwidth			500 kHz		Peak Power			None																																																																																										
Start	Stop	RBW	Freq	Power	PerchA	PerchB	Δ Limit																																																																																											
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	[dB]																																																																																											
-90.000 M	-60.000 M	500.00 k	6.423846 G	-49.69	-64.59	-10.98																																																																																												
-60.000 M	-40.000 M	500.00 k	6.425000 G	-49.65	-64.56	-10.95																																																																																												
-40.000 M	-21.000 M	500.00 k	6.463654 G	-30.21	-45.11	-11.36																																																																																												
-21.000 M	-20.000 M	500.00 k	6.464000 G	-28.91	-43.82	-10.21																																																																																												
20.000 M	21.000 M	500.00 k	6.505769 G	-27.83	-42.74	-13.74																																																																																												
21.000 M	40.000 M	500.00 k	6.506058 G	-28.86	-43.76	-10.15																																																																																												
40.000 M	60.000 M	500.00 k	6.544712 G	-49.80	-64.70	-11.27																																																																																												
60.000 M	90.000 M	500.00 k	6.545000 G	-49.81	-64.71	-11.10																																																																																												
6525 MHz	 <p>Center 6.525 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="8">Tx Channel</th> </tr> <tr> <th colspan="3">Bandwidth</th> <th colspan="2">500 kHz</th> <th colspan="3">Peak Power</th> <th>None</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>RBW</th> <th>Freq</th> <th>Power</th> <th>PerchA</th> <th>PerchB</th> <th>Δ Limit</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[dBm]</th> <th>[dBc]</th> <th>[dB]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr><td>-90.000 M</td><td>-60.000 M</td><td>500.00 k</td><td>6.464712 G</td><td>-49.70</td><td>-64.45</td><td>-11.06</td><td></td></tr> <tr><td>-60.000 M</td><td>-40.000 M</td><td>500.00 k</td><td>6.465000 G</td><td>-49.69</td><td>-64.43</td><td>-11.04</td><td></td></tr> <tr><td>-40.000 M</td><td>-21.000 M</td><td>500.00 k</td><td>6.503654 G</td><td>-29.84</td><td>-44.58</td><td>-11.04</td><td></td></tr> <tr><td>-21.000 M</td><td>-20.000 M</td><td>500.00 k</td><td>6.504000 G</td><td>-28.76</td><td>-43.50</td><td>-10.11</td><td></td></tr> <tr><td>20.000 M</td><td>21.000 M</td><td>500.00 k</td><td>6.545769 G</td><td>-28.92</td><td>-43.66</td><td>-14.88</td><td></td></tr> <tr><td>21.000 M</td><td>40.000 M</td><td>500.00 k</td><td>6.546058 G</td><td>-30.01</td><td>-44.76</td><td>-11.36</td><td></td></tr> <tr><td>40.000 M</td><td>60.000 M</td><td>500.00 k</td><td>6.584712 G</td><td>-49.99</td><td>-64.74</td><td>-11.52</td><td></td></tr> <tr><td>60.000 M</td><td>90.000 M</td><td>500.00 k</td><td>6.585000 G</td><td>-50.11</td><td>-64.86</td><td>-11.46</td><td></td></tr> </tbody> </table> <p>Date: 4.MAY.2022 14:21:39</p>	Tx Channel								Bandwidth			500 kHz		Peak Power			None	Start	Stop	RBW	Freq	Power	PerchA	PerchB	Δ Limit	[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	[dB]	-90.000 M	-60.000 M	500.00 k	6.464712 G	-49.70	-64.45	-11.06		-60.000 M	-40.000 M	500.00 k	6.465000 G	-49.69	-64.43	-11.04		-40.000 M	-21.000 M	500.00 k	6.503654 G	-29.84	-44.58	-11.04		-21.000 M	-20.000 M	500.00 k	6.504000 G	-28.76	-43.50	-10.11		20.000 M	21.000 M	500.00 k	6.545769 G	-28.92	-43.66	-14.88		21.000 M	40.000 M	500.00 k	6.546058 G	-30.01	-44.76	-11.36		40.000 M	60.000 M	500.00 k	6.584712 G	-49.99	-64.74	-11.52		60.000 M	90.000 M	500.00 k	6.585000 G	-50.11	-64.86	-11.46	
Tx Channel																																																																																																		
Bandwidth			500 kHz		Peak Power			None																																																																																										
Start	Stop	RBW	Freq	Power	PerchA	PerchB	Δ Limit																																																																																											
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	[dB]																																																																																											
-90.000 M	-60.000 M	500.00 k	6.464712 G	-49.70	-64.45	-11.06																																																																																												
-60.000 M	-40.000 M	500.00 k	6.465000 G	-49.69	-64.43	-11.04																																																																																												
-40.000 M	-21.000 M	500.00 k	6.503654 G	-29.84	-44.58	-11.04																																																																																												
-21.000 M	-20.000 M	500.00 k	6.504000 G	-28.76	-43.50	-10.11																																																																																												
20.000 M	21.000 M	500.00 k	6.545769 G	-28.92	-43.66	-14.88																																																																																												
21.000 M	40.000 M	500.00 k	6.546058 G	-30.01	-44.76	-11.36																																																																																												
40.000 M	60.000 M	500.00 k	6.584712 G	-49.99	-64.74	-11.52																																																																																												
60.000 M	90.000 M	500.00 k	6.585000 G	-50.11	-64.86	-11.46																																																																																												




Mode 3: IEEE 802.11ax 40 MHz Continuous TX mode_ANT-1																																																																														
6565 MHz	 <p>Center 6.565 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>Bandwidth</th> <th>Power</th> <th>Power</th> <th>Power</th> <th>None</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[kHz]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dBc]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr> <td>-90.000 M</td> <td>-60.000 M</td> <td>500.00 k</td> <td>6.504423 G</td> <td>-46.21</td> <td>-61.71</td> <td>-8.19</td> </tr> <tr> <td>-60.000 M</td> <td>-40.000 M</td> <td>500.00 k</td> <td>6.505000 G</td> <td>-46.12</td> <td>-61.63</td> <td>-8.11</td> </tr> <tr> <td>-40.000 M</td> <td>-21.000 M</td> <td>500.00 k</td> <td>6.543654 G</td> <td>-29.38</td> <td>-43.89</td> <td>-10.22</td> </tr> <tr> <td>-21.000 M</td> <td>-20.000 M</td> <td>500.00 k</td> <td>6.544000 G</td> <td>-27.20</td> <td>-42.70</td> <td>-9.18</td> </tr> <tr> <td>20.000 M</td> <td>21.000 M</td> <td>500.00 k</td> <td>6.585769 G</td> <td>-26.66</td> <td>-42.16</td> <td>-13.26</td> </tr> <tr> <td>21.000 M</td> <td>40.000 M</td> <td>500.00 k</td> <td>6.586058 G</td> <td>-27.46</td> <td>-42.97</td> <td>-9.45</td> </tr> <tr> <td>40.000 M</td> <td>60.000 M</td> <td>500.00 k</td> <td>6.624423 G</td> <td>-45.79</td> <td>-61.29</td> <td>-8.12</td> </tr> <tr> <td>60.000 M</td> <td>90.000 M</td> <td>500.00 k</td> <td>6.625288 G</td> <td>-46.19</td> <td>-61.70</td> <td>-8.18</td> </tr> </tbody> </table> <p>Date: 4.MAY.2022 14:25:57</p>	Tx Channel							Start	Stop	Bandwidth	Power	Power	Power	None	[Hz]	[Hz]	[kHz]	[dBm]	[dBm]	[dBc]	[dB]	-90.000 M	-60.000 M	500.00 k	6.504423 G	-46.21	-61.71	-8.19	-60.000 M	-40.000 M	500.00 k	6.505000 G	-46.12	-61.63	-8.11	-40.000 M	-21.000 M	500.00 k	6.543654 G	-29.38	-43.89	-10.22	-21.000 M	-20.000 M	500.00 k	6.544000 G	-27.20	-42.70	-9.18	20.000 M	21.000 M	500.00 k	6.585769 G	-26.66	-42.16	-13.26	21.000 M	40.000 M	500.00 k	6.586058 G	-27.46	-42.97	-9.45	40.000 M	60.000 M	500.00 k	6.624423 G	-45.79	-61.29	-8.12	60.000 M	90.000 M	500.00 k	6.625288 G	-46.19	-61.70	-8.18
Tx Channel																																																																														
Start	Stop	Bandwidth	Power	Power	Power	None																																																																								
[Hz]	[Hz]	[kHz]	[dBm]	[dBm]	[dBc]	[dB]																																																																								
-90.000 M	-60.000 M	500.00 k	6.504423 G	-46.21	-61.71	-8.19																																																																								
-60.000 M	-40.000 M	500.00 k	6.505000 G	-46.12	-61.63	-8.11																																																																								
-40.000 M	-21.000 M	500.00 k	6.543654 G	-29.38	-43.89	-10.22																																																																								
-21.000 M	-20.000 M	500.00 k	6.544000 G	-27.20	-42.70	-9.18																																																																								
20.000 M	21.000 M	500.00 k	6.585769 G	-26.66	-42.16	-13.26																																																																								
21.000 M	40.000 M	500.00 k	6.586058 G	-27.46	-42.97	-9.45																																																																								
40.000 M	60.000 M	500.00 k	6.624423 G	-45.79	-61.29	-8.12																																																																								
60.000 M	90.000 M	500.00 k	6.625288 G	-46.19	-61.70	-8.18																																																																								
6685 MHz	 <p>Center 6.685 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>Bandwidth</th> <th>Power</th> <th>Power</th> <th>Power</th> <th>None</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[kHz]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dBc]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr> <td>-90.000 M</td> <td>-60.000 M</td> <td>500.00 k</td> <td>6.624712 G</td> <td>-46.30</td> <td>-62.18</td> <td>-8.66</td> </tr> <tr> <td>-60.000 M</td> <td>-40.000 M</td> <td>500.00 k</td> <td>6.625000 G</td> <td>-46.21</td> <td>-62.09</td> <td>-8.59</td> </tr> <tr> <td>-40.000 M</td> <td>-21.000 M</td> <td>500.00 k</td> <td>6.663654 G</td> <td>-26.74</td> <td>-42.62</td> <td>-8.98</td> </tr> <tr> <td>-21.000 M</td> <td>-20.000 M</td> <td>500.00 k</td> <td>6.664000 G</td> <td>-26.22</td> <td>-42.10</td> <td>-8.61</td> </tr> <tr> <td>20.000 M</td> <td>21.000 M</td> <td>500.00 k</td> <td>6.705769 G</td> <td>-25.63</td> <td>-41.51</td> <td>-12.63</td> </tr> <tr> <td>21.000 M</td> <td>40.000 M</td> <td>500.00 k</td> <td>6.706058 G</td> <td>-26.28</td> <td>-42.16</td> <td>-8.67</td> </tr> <tr> <td>40.000 M</td> <td>60.000 M</td> <td>500.00 k</td> <td>6.744712 G</td> <td>-46.04</td> <td>-61.92</td> <td>-8.60</td> </tr> <tr> <td>60.000 M</td> <td>90.000 M</td> <td>500.00 k</td> <td>6.745288 G</td> <td>-46.18</td> <td>-62.07</td> <td>-8.57</td> </tr> </tbody> </table> <p>Date: 4.MAY.2022 14:29:02</p>	Tx Channel							Start	Stop	Bandwidth	Power	Power	Power	None	[Hz]	[Hz]	[kHz]	[dBm]	[dBm]	[dBc]	[dB]	-90.000 M	-60.000 M	500.00 k	6.624712 G	-46.30	-62.18	-8.66	-60.000 M	-40.000 M	500.00 k	6.625000 G	-46.21	-62.09	-8.59	-40.000 M	-21.000 M	500.00 k	6.663654 G	-26.74	-42.62	-8.98	-21.000 M	-20.000 M	500.00 k	6.664000 G	-26.22	-42.10	-8.61	20.000 M	21.000 M	500.00 k	6.705769 G	-25.63	-41.51	-12.63	21.000 M	40.000 M	500.00 k	6.706058 G	-26.28	-42.16	-8.67	40.000 M	60.000 M	500.00 k	6.744712 G	-46.04	-61.92	-8.60	60.000 M	90.000 M	500.00 k	6.745288 G	-46.18	-62.07	-8.57
Tx Channel																																																																														
Start	Stop	Bandwidth	Power	Power	Power	None																																																																								
[Hz]	[Hz]	[kHz]	[dBm]	[dBm]	[dBc]	[dB]																																																																								
-90.000 M	-60.000 M	500.00 k	6.624712 G	-46.30	-62.18	-8.66																																																																								
-60.000 M	-40.000 M	500.00 k	6.625000 G	-46.21	-62.09	-8.59																																																																								
-40.000 M	-21.000 M	500.00 k	6.663654 G	-26.74	-42.62	-8.98																																																																								
-21.000 M	-20.000 M	500.00 k	6.664000 G	-26.22	-42.10	-8.61																																																																								
20.000 M	21.000 M	500.00 k	6.705769 G	-25.63	-41.51	-12.63																																																																								
21.000 M	40.000 M	500.00 k	6.706058 G	-26.28	-42.16	-8.67																																																																								
40.000 M	60.000 M	500.00 k	6.744712 G	-46.04	-61.92	-8.60																																																																								
60.000 M	90.000 M	500.00 k	6.745288 G	-46.18	-62.07	-8.57																																																																								
6845 MHz	 <p>Center 6.845 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>Bandwidth</th> <th>Power</th> <th>Power</th> <th>Power</th> <th>None</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[kHz]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dBc]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr> <td>-90.000 M</td> <td>-60.000 M</td> <td>500.00 k</td> <td>6.784712 G</td> <td>-47.77</td> <td>-62.75</td> <td>-9.31</td> </tr> <tr> <td>-60.000 M</td> <td>-40.000 M</td> <td>500.00 k</td> <td>6.785000 G</td> <td>-47.75</td> <td>-62.73</td> <td>-9.30</td> </tr> <tr> <td>-40.000 M</td> <td>-21.000 M</td> <td>500.00 k</td> <td>6.823654 G</td> <td>-29.58</td> <td>-44.56</td> <td>-10.98</td> </tr> <tr> <td>-21.000 M</td> <td>-20.000 M</td> <td>500.00 k</td> <td>6.824000 G</td> <td>-28.41</td> <td>-43.39</td> <td>-9.96</td> </tr> <tr> <td>20.000 M</td> <td>21.000 M</td> <td>500.00 k</td> <td>6.865769 G</td> <td>-28.08</td> <td>-43.06</td> <td>-14.24</td> </tr> <tr> <td>21.000 M</td> <td>40.000 M</td> <td>500.00 k</td> <td>6.866058 G</td> <td>-29.11</td> <td>-44.09</td> <td>-10.65</td> </tr> <tr> <td>40.000 M</td> <td>60.000 M</td> <td>500.00 k</td> <td>6.904712 G</td> <td>-47.94</td> <td>-62.92</td> <td>-9.66</td> </tr> <tr> <td>60.000 M</td> <td>90.000 M</td> <td>500.00 k</td> <td>6.905000 G</td> <td>-48.07</td> <td>-63.05</td> <td>-9.62</td> </tr> </tbody> </table> <p>Date: 4.MAY.2022 14:34:20</p>	Tx Channel							Start	Stop	Bandwidth	Power	Power	Power	None	[Hz]	[Hz]	[kHz]	[dBm]	[dBm]	[dBc]	[dB]	-90.000 M	-60.000 M	500.00 k	6.784712 G	-47.77	-62.75	-9.31	-60.000 M	-40.000 M	500.00 k	6.785000 G	-47.75	-62.73	-9.30	-40.000 M	-21.000 M	500.00 k	6.823654 G	-29.58	-44.56	-10.98	-21.000 M	-20.000 M	500.00 k	6.824000 G	-28.41	-43.39	-9.96	20.000 M	21.000 M	500.00 k	6.865769 G	-28.08	-43.06	-14.24	21.000 M	40.000 M	500.00 k	6.866058 G	-29.11	-44.09	-10.65	40.000 M	60.000 M	500.00 k	6.904712 G	-47.94	-62.92	-9.66	60.000 M	90.000 M	500.00 k	6.905000 G	-48.07	-63.05	-9.62
Tx Channel																																																																														
Start	Stop	Bandwidth	Power	Power	Power	None																																																																								
[Hz]	[Hz]	[kHz]	[dBm]	[dBm]	[dBc]	[dB]																																																																								
-90.000 M	-60.000 M	500.00 k	6.784712 G	-47.77	-62.75	-9.31																																																																								
-60.000 M	-40.000 M	500.00 k	6.785000 G	-47.75	-62.73	-9.30																																																																								
-40.000 M	-21.000 M	500.00 k	6.823654 G	-29.58	-44.56	-10.98																																																																								
-21.000 M	-20.000 M	500.00 k	6.824000 G	-28.41	-43.39	-9.96																																																																								
20.000 M	21.000 M	500.00 k	6.865769 G	-28.08	-43.06	-14.24																																																																								
21.000 M	40.000 M	500.00 k	6.866058 G	-29.11	-44.09	-10.65																																																																								
40.000 M	60.000 M	500.00 k	6.904712 G	-47.94	-62.92	-9.66																																																																								
60.000 M	90.000 M	500.00 k	6.905000 G	-48.07	-63.05	-9.62																																																																								


Mode 3: IEEE 802.11ax 40 MHz Continuous TX mode_ANT-1																																																																																																		
6885 MHz	<p>Center 6.885 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="8">Tx Channel</th> </tr> <tr> <th colspan="3">Bandwidth</th> <th colspan="2">500 kHz</th> <th colspan="3">Peak Power</th> <th>1.35 dBm</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>Power</th> <th>Freq</th> <th>Power</th> <th>Power</th> <th>Power</th> <th>Limit</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[dBm]</th> <th>[MHz]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr><td>-90.000 M</td><td>-60.000 M</td><td>500.00 k</td><td>6.824712 G</td><td>-48.40</td><td>-63.22</td><td>-9.75</td><td></td></tr> <tr><td>-60.000 M</td><td>-40.000 M</td><td>500.00 k</td><td>6.825000 G</td><td>-48.39</td><td>-63.21</td><td>-9.73</td><td></td></tr> <tr><td>-40.000 M</td><td>-21.000 M</td><td>500.00 k</td><td>6.863654 G</td><td>-29.61</td><td>-44.43</td><td>-10.81</td><td></td></tr> <tr><td>-21.000 M</td><td>-20.000 M</td><td>500.00 k</td><td>6.864000 G</td><td>-28.42</td><td>-43.24</td><td>-9.76</td><td></td></tr> <tr><td>20.000 M</td><td>21.000 M</td><td>500.00 k</td><td>6.905769 G</td><td>-27.97</td><td>-42.79</td><td>-13.93</td><td></td></tr> <tr><td>21.000 M</td><td>40.000 M</td><td>500.00 k</td><td>6.906058 G</td><td>-28.82</td><td>-43.64</td><td>-10.17</td><td></td></tr> <tr><td>40.000 M</td><td>60.000 M</td><td>500.00 k</td><td>6.944423 G</td><td>-48.95</td><td>-63.77</td><td>-10.64</td><td></td></tr> <tr><td>60.000 M</td><td>90.000 M</td><td>500.00 k</td><td>6.945288 G</td><td>-49.22</td><td>-64.04</td><td>-10.57</td><td></td></tr> </tbody> </table> <p>Date: 4.MAY.2022 14:39:12</p>	Tx Channel								Bandwidth			500 kHz		Peak Power			1.35 dBm	Start	Stop	Power	Freq	Power	Power	Power	Limit	[Hz]	[Hz]	[dBm]	[MHz]	[dBm]	[dBm]	[dBm]	[dB]	-90.000 M	-60.000 M	500.00 k	6.824712 G	-48.40	-63.22	-9.75		-60.000 M	-40.000 M	500.00 k	6.825000 G	-48.39	-63.21	-9.73		-40.000 M	-21.000 M	500.00 k	6.863654 G	-29.61	-44.43	-10.81		-21.000 M	-20.000 M	500.00 k	6.864000 G	-28.42	-43.24	-9.76		20.000 M	21.000 M	500.00 k	6.905769 G	-27.97	-42.79	-13.93		21.000 M	40.000 M	500.00 k	6.906058 G	-28.82	-43.64	-10.17		40.000 M	60.000 M	500.00 k	6.944423 G	-48.95	-63.77	-10.64		60.000 M	90.000 M	500.00 k	6.945288 G	-49.22	-64.04	-10.57	
Tx Channel																																																																																																		
Bandwidth			500 kHz		Peak Power			1.35 dBm																																																																																										
Start	Stop	Power	Freq	Power	Power	Power	Limit																																																																																											
[Hz]	[Hz]	[dBm]	[MHz]	[dBm]	[dBm]	[dBm]	[dB]																																																																																											
-90.000 M	-60.000 M	500.00 k	6.824712 G	-48.40	-63.22	-9.75																																																																																												
-60.000 M	-40.000 M	500.00 k	6.825000 G	-48.39	-63.21	-9.73																																																																																												
-40.000 M	-21.000 M	500.00 k	6.863654 G	-29.61	-44.43	-10.81																																																																																												
-21.000 M	-20.000 M	500.00 k	6.864000 G	-28.42	-43.24	-9.76																																																																																												
20.000 M	21.000 M	500.00 k	6.905769 G	-27.97	-42.79	-13.93																																																																																												
21.000 M	40.000 M	500.00 k	6.906058 G	-28.82	-43.64	-10.17																																																																																												
40.000 M	60.000 M	500.00 k	6.944423 G	-48.95	-63.77	-10.64																																																																																												
60.000 M	90.000 M	500.00 k	6.945288 G	-49.22	-64.04	-10.57																																																																																												
6925 MHz	<p>Center 6.925 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="8">Tx Channel</th> </tr> <tr> <th colspan="3">Bandwidth</th> <th colspan="2">500 kHz</th> <th colspan="3">Peak Power</th> <th>2.11 dBm</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>Power</th> <th>Freq</th> <th>Power</th> <th>Power</th> <th>Power</th> <th>Limit</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[dBm]</th> <th>[MHz]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr><td>-90.000 M</td><td>-60.000 M</td><td>500.00 k</td><td>6.864423 G</td><td>-47.11</td><td>-62.59</td><td>-9.22</td><td></td></tr> <tr><td>-60.000 M</td><td>-40.000 M</td><td>500.00 k</td><td>6.865000 G</td><td>-47.07</td><td>-62.55</td><td>-9.18</td><td></td></tr> <tr><td>-40.000 M</td><td>-21.000 M</td><td>500.00 k</td><td>6.903654 G</td><td>-28.18</td><td>-43.66</td><td>-10.14</td><td></td></tr> <tr><td>-21.000 M</td><td>-20.000 M</td><td>500.00 k</td><td>6.904000 G</td><td>-27.21</td><td>-42.69</td><td>-9.32</td><td></td></tr> <tr><td>20.000 M</td><td>21.000 M</td><td>500.00 k</td><td>6.945769 G</td><td>-26.80</td><td>-42.28</td><td>-13.53</td><td></td></tr> <tr><td>21.000 M</td><td>40.000 M</td><td>500.00 k</td><td>6.946058 G</td><td>-27.71</td><td>-43.19</td><td>-9.82</td><td></td></tr> <tr><td>40.000 M</td><td>60.000 M</td><td>500.00 k</td><td>6.984423 G</td><td>-47.26</td><td>-62.74</td><td>-9.71</td><td></td></tr> <tr><td>60.000 M</td><td>90.000 M</td><td>500.00 k</td><td>6.985288 G</td><td>-47.45</td><td>-62.93</td><td>-9.56</td><td></td></tr> </tbody> </table> <p>Date: 4.MAY.2022 14:43:18</p>	Tx Channel								Bandwidth			500 kHz		Peak Power			2.11 dBm	Start	Stop	Power	Freq	Power	Power	Power	Limit	[Hz]	[Hz]	[dBm]	[MHz]	[dBm]	[dBm]	[dBm]	[dB]	-90.000 M	-60.000 M	500.00 k	6.864423 G	-47.11	-62.59	-9.22		-60.000 M	-40.000 M	500.00 k	6.865000 G	-47.07	-62.55	-9.18		-40.000 M	-21.000 M	500.00 k	6.903654 G	-28.18	-43.66	-10.14		-21.000 M	-20.000 M	500.00 k	6.904000 G	-27.21	-42.69	-9.32		20.000 M	21.000 M	500.00 k	6.945769 G	-26.80	-42.28	-13.53		21.000 M	40.000 M	500.00 k	6.946058 G	-27.71	-43.19	-9.82		40.000 M	60.000 M	500.00 k	6.984423 G	-47.26	-62.74	-9.71		60.000 M	90.000 M	500.00 k	6.985288 G	-47.45	-62.93	-9.56	
Tx Channel																																																																																																		
Bandwidth			500 kHz		Peak Power			2.11 dBm																																																																																										
Start	Stop	Power	Freq	Power	Power	Power	Limit																																																																																											
[Hz]	[Hz]	[dBm]	[MHz]	[dBm]	[dBm]	[dBm]	[dB]																																																																																											
-90.000 M	-60.000 M	500.00 k	6.864423 G	-47.11	-62.59	-9.22																																																																																												
-60.000 M	-40.000 M	500.00 k	6.865000 G	-47.07	-62.55	-9.18																																																																																												
-40.000 M	-21.000 M	500.00 k	6.903654 G	-28.18	-43.66	-10.14																																																																																												
-21.000 M	-20.000 M	500.00 k	6.904000 G	-27.21	-42.69	-9.32																																																																																												
20.000 M	21.000 M	500.00 k	6.945769 G	-26.80	-42.28	-13.53																																																																																												
21.000 M	40.000 M	500.00 k	6.946058 G	-27.71	-43.19	-9.82																																																																																												
40.000 M	60.000 M	500.00 k	6.984423 G	-47.26	-62.74	-9.71																																																																																												
60.000 M	90.000 M	500.00 k	6.985288 G	-47.45	-62.93	-9.56																																																																																												
7005 MHz	<p>Center 7.005 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="8">Tx Channel</th> </tr> <tr> <th colspan="3">Bandwidth</th> <th colspan="2">500 kHz</th> <th colspan="3">Peak Power</th> <th>0.61 dBm</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>Power</th> <th>Freq</th> <th>Power</th> <th>Power</th> <th>Power</th> <th>Limit</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[dBm]</th> <th>[MHz]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr><td>-90.000 M</td><td>-60.000 M</td><td>500.00 k</td><td>6.944712 G</td><td>-49.87</td><td>-63.98</td><td>-10.48</td><td></td></tr> <tr><td>-60.000 M</td><td>-40.000 M</td><td>500.00 k</td><td>6.945000 G</td><td>-49.86</td><td>-63.97</td><td>-10.47</td><td></td></tr> <tr><td>-40.000 M</td><td>-21.000 M</td><td>500.00 k</td><td>6.983654 G</td><td>-31.22</td><td>-45.33</td><td>-11.68</td><td></td></tr> <tr><td>-21.000 M</td><td>-20.000 M</td><td>500.00 k</td><td>6.984000 G</td><td>-30.14</td><td>-44.25</td><td>-10.75</td><td></td></tr> <tr><td>20.000 M</td><td>21.000 M</td><td>500.00 k</td><td>7.025769 G</td><td>-29.01</td><td>-43.12</td><td>-14.23</td><td></td></tr> <tr><td>21.000 M</td><td>40.000 M</td><td>500.00 k</td><td>7.026058 G</td><td>-30.25</td><td>-44.36</td><td>-10.86</td><td></td></tr> <tr><td>40.000 M</td><td>60.000 M</td><td>500.00 k</td><td>7.064712 G</td><td>-51.08</td><td>-65.19</td><td>-11.86</td><td></td></tr> <tr><td>60.000 M</td><td>90.000 M</td><td>500.00 k</td><td>7.065000 G</td><td>-51.10</td><td>-65.21</td><td>-11.71</td><td></td></tr> </tbody> </table> <p>Date: 4.MAY.2022 14:47:12</p>	Tx Channel								Bandwidth			500 kHz		Peak Power			0.61 dBm	Start	Stop	Power	Freq	Power	Power	Power	Limit	[Hz]	[Hz]	[dBm]	[MHz]	[dBm]	[dBm]	[dBm]	[dB]	-90.000 M	-60.000 M	500.00 k	6.944712 G	-49.87	-63.98	-10.48		-60.000 M	-40.000 M	500.00 k	6.945000 G	-49.86	-63.97	-10.47		-40.000 M	-21.000 M	500.00 k	6.983654 G	-31.22	-45.33	-11.68		-21.000 M	-20.000 M	500.00 k	6.984000 G	-30.14	-44.25	-10.75		20.000 M	21.000 M	500.00 k	7.025769 G	-29.01	-43.12	-14.23		21.000 M	40.000 M	500.00 k	7.026058 G	-30.25	-44.36	-10.86		40.000 M	60.000 M	500.00 k	7.064712 G	-51.08	-65.19	-11.86		60.000 M	90.000 M	500.00 k	7.065000 G	-51.10	-65.21	-11.71	
Tx Channel																																																																																																		
Bandwidth			500 kHz		Peak Power			0.61 dBm																																																																																										
Start	Stop	Power	Freq	Power	Power	Power	Limit																																																																																											
[Hz]	[Hz]	[dBm]	[MHz]	[dBm]	[dBm]	[dBm]	[dB]																																																																																											
-90.000 M	-60.000 M	500.00 k	6.944712 G	-49.87	-63.98	-10.48																																																																																												
-60.000 M	-40.000 M	500.00 k	6.945000 G	-49.86	-63.97	-10.47																																																																																												
-40.000 M	-21.000 M	500.00 k	6.983654 G	-31.22	-45.33	-11.68																																																																																												
-21.000 M	-20.000 M	500.00 k	6.984000 G	-30.14	-44.25	-10.75																																																																																												
20.000 M	21.000 M	500.00 k	7.025769 G	-29.01	-43.12	-14.23																																																																																												
21.000 M	40.000 M	500.00 k	7.026058 G	-30.25	-44.36	-10.86																																																																																												
40.000 M	60.000 M	500.00 k	7.064712 G	-51.08	-65.19	-11.86																																																																																												
60.000 M	90.000 M	500.00 k	7.065000 G	-51.10	-65.21	-11.71																																																																																												






Mode 4: IEEE 802.11ax 80 MHz Continuous TX mode_ANT-1																																																																									
5985 MHz	<p>Center 5.985 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> <th>None</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>RMW</th> <th>Peak Power</th> <th>PerChB</th> <th>PerChA</th> <th>Δ Limit</th> <th></th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dB]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr> <td>-90.000 M</td> <td>-80.000 M</td> <td>1.00 M</td> <td>5.897019 G</td> <td>-52.62</td> <td>-63.04</td> <td>-21.79</td> <td></td> </tr> <tr> <td>-80.000 M</td> <td>-41.000 M</td> <td>1.00 M</td> <td>5.943750 G</td> <td>-30.14</td> <td>-40.56</td> <td>-9.65</td> <td></td> </tr> <tr> <td>-41.000 M</td> <td>-40.000 M</td> <td>1.00 M</td> <td>5.944038 G</td> <td>-27.87</td> <td>-38.28</td> <td>-7.43</td> <td></td> </tr> <tr> <td>40.000 M</td> <td>41.000 M</td> <td>1.00 M</td> <td>6.025673 G</td> <td>-25.13</td> <td>-35.61</td> <td>-11.29</td> <td></td> </tr> <tr> <td>41.000 M</td> <td>80.000 M</td> <td>1.00 M</td> <td>6.026000 G</td> <td>-27.88</td> <td>-38.30</td> <td>-7.44</td> <td></td> </tr> <tr> <td>80.000 M</td> <td>90.000 M</td> <td>1.00 M</td> <td>6.073269 G</td> <td>-48.02</td> <td>-58.44</td> <td>-17.10</td> <td></td> </tr> </tbody> </table> <p>Date: 4.MAY.2022 13:01:07</p>	Tx Channel							None	Start	Stop	RMW	Peak Power	PerChB	PerChA	Δ Limit		[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dBm]	[dB]	[dB]	-90.000 M	-80.000 M	1.00 M	5.897019 G	-52.62	-63.04	-21.79		-80.000 M	-41.000 M	1.00 M	5.943750 G	-30.14	-40.56	-9.65		-41.000 M	-40.000 M	1.00 M	5.944038 G	-27.87	-38.28	-7.43		40.000 M	41.000 M	1.00 M	6.025673 G	-25.13	-35.61	-11.29		41.000 M	80.000 M	1.00 M	6.026000 G	-27.88	-38.30	-7.44		80.000 M	90.000 M	1.00 M	6.073269 G	-48.02	-58.44	-17.10	
Tx Channel							None																																																																		
Start	Stop	RMW	Peak Power	PerChB	PerChA	Δ Limit																																																																			
[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dBm]	[dB]	[dB]																																																																		
-90.000 M	-80.000 M	1.00 M	5.897019 G	-52.62	-63.04	-21.79																																																																			
-80.000 M	-41.000 M	1.00 M	5.943750 G	-30.14	-40.56	-9.65																																																																			
-41.000 M	-40.000 M	1.00 M	5.944038 G	-27.87	-38.28	-7.43																																																																			
40.000 M	41.000 M	1.00 M	6.025673 G	-25.13	-35.61	-11.29																																																																			
41.000 M	80.000 M	1.00 M	6.026000 G	-27.88	-38.30	-7.44																																																																			
80.000 M	90.000 M	1.00 M	6.073269 G	-48.02	-58.44	-17.10																																																																			
6145 MHz	<p>Center 6.145 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> <th>None</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>RMW</th> <th>Peak Power</th> <th>PerChB</th> <th>PerChA</th> <th>Δ Limit</th> <th></th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dB]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr> <td>-90.000 M</td> <td>-80.000 M</td> <td>1.00 M</td> <td>6.055288 G</td> <td>-46.80</td> <td>-57.37</td> <td>-16.06</td> <td></td> </tr> <tr> <td>-80.000 M</td> <td>-41.000 M</td> <td>1.00 M</td> <td>6.103750 G</td> <td>-28.53</td> <td>-39.11</td> <td>-8.65</td> <td></td> </tr> <tr> <td>-41.000 M</td> <td>-40.000 M</td> <td>1.00 M</td> <td>6.104038 G</td> <td>-26.65</td> <td>-37.23</td> <td>-6.83</td> <td></td> </tr> <tr> <td>40.000 M</td> <td>41.000 M</td> <td>1.00 M</td> <td>6.185673 G</td> <td>-24.28</td> <td>-34.86</td> <td>-10.99</td> <td></td> </tr> <tr> <td>41.000 M</td> <td>80.000 M</td> <td>1.00 M</td> <td>6.186000 G</td> <td>-27.02</td> <td>-37.60</td> <td>-7.20</td> <td></td> </tr> <tr> <td>80.000 M</td> <td>90.000 M</td> <td>1.00 M</td> <td>6.235000 G</td> <td>-45.65</td> <td>-56.23</td> <td>-14.83</td> <td></td> </tr> </tbody> </table> <p>Date: 4.MAY.2022 13:05:39</p>	Tx Channel							None	Start	Stop	RMW	Peak Power	PerChB	PerChA	Δ Limit		[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dBm]	[dB]	[dB]	-90.000 M	-80.000 M	1.00 M	6.055288 G	-46.80	-57.37	-16.06		-80.000 M	-41.000 M	1.00 M	6.103750 G	-28.53	-39.11	-8.65		-41.000 M	-40.000 M	1.00 M	6.104038 G	-26.65	-37.23	-6.83		40.000 M	41.000 M	1.00 M	6.185673 G	-24.28	-34.86	-10.99		41.000 M	80.000 M	1.00 M	6.186000 G	-27.02	-37.60	-7.20		80.000 M	90.000 M	1.00 M	6.235000 G	-45.65	-56.23	-14.83	
Tx Channel							None																																																																		
Start	Stop	RMW	Peak Power	PerChB	PerChA	Δ Limit																																																																			
[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dBm]	[dB]	[dB]																																																																		
-90.000 M	-80.000 M	1.00 M	6.055288 G	-46.80	-57.37	-16.06																																																																			
-80.000 M	-41.000 M	1.00 M	6.103750 G	-28.53	-39.11	-8.65																																																																			
-41.000 M	-40.000 M	1.00 M	6.104038 G	-26.65	-37.23	-6.83																																																																			
40.000 M	41.000 M	1.00 M	6.185673 G	-24.28	-34.86	-10.99																																																																			
41.000 M	80.000 M	1.00 M	6.186000 G	-27.02	-37.60	-7.20																																																																			
80.000 M	90.000 M	1.00 M	6.235000 G	-45.65	-56.23	-14.83																																																																			
6385 MHz	<p>Center 6.385 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> <th>None</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>RMW</th> <th>Peak Power</th> <th>PerChB</th> <th>PerChA</th> <th>Δ Limit</th> <th></th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dB]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr> <td>-90.000 M</td> <td>-80.000 M</td> <td>1.00 M</td> <td>6.295000 G</td> <td>-36.18</td> <td>-49.66</td> <td>-8.26</td> <td></td> </tr> <tr> <td>-80.000 M</td> <td>-41.000 M</td> <td>1.00 M</td> <td>6.343750 G</td> <td>-23.66</td> <td>-37.15</td> <td>-6.69</td> <td></td> </tr> <tr> <td>-41.000 M</td> <td>-40.000 M</td> <td>1.00 M</td> <td>6.344038 G</td> <td>-22.05</td> <td>-35.53</td> <td>-5.13</td> <td></td> </tr> <tr> <td>40.000 M</td> <td>41.000 M</td> <td>1.00 M</td> <td>6.425673 G</td> <td>-21.26</td> <td>-34.75</td> <td>-10.88</td> <td></td> </tr> <tr> <td>41.000 M</td> <td>80.000 M</td> <td>1.00 M</td> <td>6.426000 G</td> <td>-23.34</td> <td>-36.82</td> <td>-6.42</td> <td></td> </tr> <tr> <td>80.000 M</td> <td>90.000 M</td> <td>1.00 M</td> <td>6.475000 G</td> <td>-34.94</td> <td>-48.42</td> <td>-7.02</td> <td></td> </tr> </tbody> </table> <p>Date: 4.MAY.2022 13:08:08</p>	Tx Channel							None	Start	Stop	RMW	Peak Power	PerChB	PerChA	Δ Limit		[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dBm]	[dB]	[dB]	-90.000 M	-80.000 M	1.00 M	6.295000 G	-36.18	-49.66	-8.26		-80.000 M	-41.000 M	1.00 M	6.343750 G	-23.66	-37.15	-6.69		-41.000 M	-40.000 M	1.00 M	6.344038 G	-22.05	-35.53	-5.13		40.000 M	41.000 M	1.00 M	6.425673 G	-21.26	-34.75	-10.88		41.000 M	80.000 M	1.00 M	6.426000 G	-23.34	-36.82	-6.42		80.000 M	90.000 M	1.00 M	6.475000 G	-34.94	-48.42	-7.02	
Tx Channel							None																																																																		
Start	Stop	RMW	Peak Power	PerChB	PerChA	Δ Limit																																																																			
[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dBm]	[dB]	[dB]																																																																		
-90.000 M	-80.000 M	1.00 M	6.295000 G	-36.18	-49.66	-8.26																																																																			
-80.000 M	-41.000 M	1.00 M	6.343750 G	-23.66	-37.15	-6.69																																																																			
-41.000 M	-40.000 M	1.00 M	6.344038 G	-22.05	-35.53	-5.13																																																																			
40.000 M	41.000 M	1.00 M	6.425673 G	-21.26	-34.75	-10.88																																																																			
41.000 M	80.000 M	1.00 M	6.426000 G	-23.34	-36.82	-6.42																																																																			
80.000 M	90.000 M	1.00 M	6.475000 G	-34.94	-48.42	-7.02																																																																			

Mode 4: IEEE 802.11ax 80 MHz Continuous TX mode_ANT-1																																																																
6465 MHz	 <p>Center 6.465 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>RMW</th> <th>Peak Power</th> <th>PerChA</th> <th>PerChB</th> <th>Δ Limit</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr> <td>-90.000 M</td> <td>-80.000 M</td> <td>1.00 M</td> <td>6.376731 G</td> <td>-40.36</td> <td>-53.10</td> <td>-11.90</td> </tr> <tr> <td>-80.000 M</td> <td>-41.000 M</td> <td>1.00 M</td> <td>6.423750 G</td> <td>-26.49</td> <td>-39.23</td> <td>-8.46</td> </tr> <tr> <td>-41.000 M</td> <td>-40.000 M</td> <td>1.00 M</td> <td>6.424038 G</td> <td>-24.73</td> <td>-37.47</td> <td>-6.75</td> </tr> <tr> <td>40.000 M</td> <td>41.000 M</td> <td>1.00 M</td> <td>6.505673 G</td> <td>-22.01</td> <td>-34.74</td> <td>-10.57</td> </tr> <tr> <td>41.000 M</td> <td>80.000 M</td> <td>1.00 M</td> <td>6.506000 G</td> <td>-24.53</td> <td>-37.26</td> <td>-6.55</td> </tr> <tr> <td>80.000 M</td> <td>90.000 M</td> <td>1.00 M</td> <td>6.553269 G</td> <td>-38.48</td> <td>-51.22</td> <td>-10.02</td> </tr> </tbody> </table> <p>Date: 4.MAY.2022 13:14:06</p>	Tx Channel							Start	Stop	RMW	Peak Power	PerChA	PerChB	Δ Limit	[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dBm]	[dB]	-90.000 M	-80.000 M	1.00 M	6.376731 G	-40.36	-53.10	-11.90	-80.000 M	-41.000 M	1.00 M	6.423750 G	-26.49	-39.23	-8.46	-41.000 M	-40.000 M	1.00 M	6.424038 G	-24.73	-37.47	-6.75	40.000 M	41.000 M	1.00 M	6.505673 G	-22.01	-34.74	-10.57	41.000 M	80.000 M	1.00 M	6.506000 G	-24.53	-37.26	-6.55	80.000 M	90.000 M	1.00 M	6.553269 G	-38.48	-51.22	-10.02
Tx Channel																																																																
Start	Stop	RMW	Peak Power	PerChA	PerChB	Δ Limit																																																										
[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dBm]	[dB]																																																										
-90.000 M	-80.000 M	1.00 M	6.376731 G	-40.36	-53.10	-11.90																																																										
-80.000 M	-41.000 M	1.00 M	6.423750 G	-26.49	-39.23	-8.46																																																										
-41.000 M	-40.000 M	1.00 M	6.424038 G	-24.73	-37.47	-6.75																																																										
40.000 M	41.000 M	1.00 M	6.505673 G	-22.01	-34.74	-10.57																																																										
41.000 M	80.000 M	1.00 M	6.506000 G	-24.53	-37.26	-6.55																																																										
80.000 M	90.000 M	1.00 M	6.553269 G	-38.48	-51.22	-10.02																																																										
6545 MHz	 <p>Center 6.545 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>RMW</th> <th>Peak Power</th> <th>PerChA</th> <th>PerChB</th> <th>Δ Limit</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr> <td>-90.000 M</td> <td>-80.000 M</td> <td>1.00 M</td> <td>6.456442 G</td> <td>-38.42</td> <td>-51.70</td> <td>-10.81</td> </tr> <tr> <td>-80.000 M</td> <td>-41.000 M</td> <td>1.00 M</td> <td>6.503750 G</td> <td>-25.14</td> <td>-38.41</td> <td>-8.05</td> </tr> <tr> <td>-41.000 M</td> <td>-40.000 M</td> <td>1.00 M</td> <td>6.504038 G</td> <td>-23.43</td> <td>-36.70</td> <td>-6.38</td> </tr> <tr> <td>40.000 M</td> <td>41.000 M</td> <td>1.00 M</td> <td>6.585673 G</td> <td>-21.07</td> <td>-34.34</td> <td>-10.56</td> </tr> <tr> <td>41.000 M</td> <td>80.000 M</td> <td>1.00 M</td> <td>6.586000 G</td> <td>-23.48</td> <td>-36.75</td> <td>-6.44</td> </tr> <tr> <td>80.000 M</td> <td>90.000 M</td> <td>1.00 M</td> <td>6.633558 G</td> <td>-35.85</td> <td>-49.12</td> <td>-8.24</td> </tr> </tbody> </table> <p>Date: 4.MAY.2022 13:19:12</p>	Tx Channel							Start	Stop	RMW	Peak Power	PerChA	PerChB	Δ Limit	[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dBm]	[dB]	-90.000 M	-80.000 M	1.00 M	6.456442 G	-38.42	-51.70	-10.81	-80.000 M	-41.000 M	1.00 M	6.503750 G	-25.14	-38.41	-8.05	-41.000 M	-40.000 M	1.00 M	6.504038 G	-23.43	-36.70	-6.38	40.000 M	41.000 M	1.00 M	6.585673 G	-21.07	-34.34	-10.56	41.000 M	80.000 M	1.00 M	6.586000 G	-23.48	-36.75	-6.44	80.000 M	90.000 M	1.00 M	6.633558 G	-35.85	-49.12	-8.24
Tx Channel																																																																
Start	Stop	RMW	Peak Power	PerChA	PerChB	Δ Limit																																																										
[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dBm]	[dB]																																																										
-90.000 M	-80.000 M	1.00 M	6.456442 G	-38.42	-51.70	-10.81																																																										
-80.000 M	-41.000 M	1.00 M	6.503750 G	-25.14	-38.41	-8.05																																																										
-41.000 M	-40.000 M	1.00 M	6.504038 G	-23.43	-36.70	-6.38																																																										
40.000 M	41.000 M	1.00 M	6.585673 G	-21.07	-34.34	-10.56																																																										
41.000 M	80.000 M	1.00 M	6.586000 G	-23.48	-36.75	-6.44																																																										
80.000 M	90.000 M	1.00 M	6.633558 G	-35.85	-49.12	-8.24																																																										
6625 MHz	 <p>Center 6.625 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>RMW</th> <th>Peak Power</th> <th>PerChA</th> <th>PerChB</th> <th>Δ Limit</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr> <td>-90.000 M</td> <td>-80.000 M</td> <td>1.00 M</td> <td>6.535577 G</td> <td>-40.22</td> <td>-53.54</td> <td>-11.77</td> </tr> <tr> <td>-80.000 M</td> <td>-41.000 M</td> <td>1.00 M</td> <td>6.583750 G</td> <td>-26.21</td> <td>-39.53</td> <td>-8.54</td> </tr> <tr> <td>-41.000 M</td> <td>-40.000 M</td> <td>1.00 M</td> <td>6.584038 G</td> <td>-24.27</td> <td>-37.59</td> <td>-6.65</td> </tr> <tr> <td>40.000 M</td> <td>41.000 M</td> <td>1.00 M</td> <td>6.665673 G</td> <td>-22.14</td> <td>-35.46</td> <td>-11.06</td> </tr> <tr> <td>41.000 M</td> <td>80.000 M</td> <td>1.00 M</td> <td>6.666000 G</td> <td>-24.61</td> <td>-37.93</td> <td>-6.99</td> </tr> <tr> <td>80.000 M</td> <td>90.000 M</td> <td>1.00 M</td> <td>6.713269 G</td> <td>-38.28</td> <td>-51.60</td> <td>-10.18</td> </tr> </tbody> </table> <p>Date: 4.MAY.2022 13:23:32</p>	Tx Channel							Start	Stop	RMW	Peak Power	PerChA	PerChB	Δ Limit	[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dBm]	[dB]	-90.000 M	-80.000 M	1.00 M	6.535577 G	-40.22	-53.54	-11.77	-80.000 M	-41.000 M	1.00 M	6.583750 G	-26.21	-39.53	-8.54	-41.000 M	-40.000 M	1.00 M	6.584038 G	-24.27	-37.59	-6.65	40.000 M	41.000 M	1.00 M	6.665673 G	-22.14	-35.46	-11.06	41.000 M	80.000 M	1.00 M	6.666000 G	-24.61	-37.93	-6.99	80.000 M	90.000 M	1.00 M	6.713269 G	-38.28	-51.60	-10.18
Tx Channel																																																																
Start	Stop	RMW	Peak Power	PerChA	PerChB	Δ Limit																																																										
[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dBm]	[dB]																																																										
-90.000 M	-80.000 M	1.00 M	6.535577 G	-40.22	-53.54	-11.77																																																										
-80.000 M	-41.000 M	1.00 M	6.583750 G	-26.21	-39.53	-8.54																																																										
-41.000 M	-40.000 M	1.00 M	6.584038 G	-24.27	-37.59	-6.65																																																										
40.000 M	41.000 M	1.00 M	6.665673 G	-22.14	-35.46	-11.06																																																										
41.000 M	80.000 M	1.00 M	6.666000 G	-24.61	-37.93	-6.99																																																										
80.000 M	90.000 M	1.00 M	6.713269 G	-38.28	-51.60	-10.18																																																										

Mode 4: IEEE 802.11ax 80 MHz Continuous TX mode_ANT-1																																																																
6705 MHz	 <p>Center 6.705 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>RBW</th> <th>Freq</th> <th>Peak Power</th> <th>Power</th> <th>Limit</th> </tr> <tr> <th>[MHz]</th> <th>[MHz]</th> <th>[MHz]</th> <th>[MHz]</th> <th>[dBm]</th> <th>[dBc]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr> <td>-90.000 M</td> <td>-80.000 M</td> <td>1.00 M</td> <td>6.615865 G</td> <td>-39.64</td> <td>-52.66</td> <td>-11.39</td> </tr> <tr> <td>-80.000 M</td> <td>-41.000 M</td> <td>1.00 M</td> <td>6.663750 G</td> <td>-25.39</td> <td>-38.42</td> <td>-7.83</td> </tr> <tr> <td>-41.000 M</td> <td>-40.000 M</td> <td>1.00 M</td> <td>6.664038 G</td> <td>-23.71</td> <td>-36.74</td> <td>-6.21</td> </tr> <tr> <td>40.000 M</td> <td>41.000 M</td> <td>1.00 M</td> <td>6.745673 G</td> <td>-21.78</td> <td>-34.81</td> <td>-10.81</td> </tr> <tr> <td>41.000 M</td> <td>80.000 M</td> <td>1.00 M</td> <td>6.746000 G</td> <td>-24.11</td> <td>-37.13</td> <td>-6.60</td> </tr> <tr> <td>80.000 M</td> <td>90.000 M</td> <td>1.00 M</td> <td>6.793846 G</td> <td>-36.13</td> <td>-49.16</td> <td>-7.97</td> </tr> </tbody> </table> <p>Date: 4.MAY.2022 13:28:35</p>	Tx Channel							Start	Stop	RBW	Freq	Peak Power	Power	Limit	[MHz]	[MHz]	[MHz]	[MHz]	[dBm]	[dBc]	[dB]	-90.000 M	-80.000 M	1.00 M	6.615865 G	-39.64	-52.66	-11.39	-80.000 M	-41.000 M	1.00 M	6.663750 G	-25.39	-38.42	-7.83	-41.000 M	-40.000 M	1.00 M	6.664038 G	-23.71	-36.74	-6.21	40.000 M	41.000 M	1.00 M	6.745673 G	-21.78	-34.81	-10.81	41.000 M	80.000 M	1.00 M	6.746000 G	-24.11	-37.13	-6.60	80.000 M	90.000 M	1.00 M	6.793846 G	-36.13	-49.16	-7.97
Tx Channel																																																																
Start	Stop	RBW	Freq	Peak Power	Power	Limit																																																										
[MHz]	[MHz]	[MHz]	[MHz]	[dBm]	[dBc]	[dB]																																																										
-90.000 M	-80.000 M	1.00 M	6.615865 G	-39.64	-52.66	-11.39																																																										
-80.000 M	-41.000 M	1.00 M	6.663750 G	-25.39	-38.42	-7.83																																																										
-41.000 M	-40.000 M	1.00 M	6.664038 G	-23.71	-36.74	-6.21																																																										
40.000 M	41.000 M	1.00 M	6.745673 G	-21.78	-34.81	-10.81																																																										
41.000 M	80.000 M	1.00 M	6.746000 G	-24.11	-37.13	-6.60																																																										
80.000 M	90.000 M	1.00 M	6.793846 G	-36.13	-49.16	-7.97																																																										
6785 MHz	 <p>Center 6.785 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>RBW</th> <th>Freq</th> <th>Peak Power</th> <th>Power</th> <th>Limit</th> </tr> <tr> <th>[MHz]</th> <th>[MHz]</th> <th>[MHz]</th> <th>[MHz]</th> <th>[dBm]</th> <th>[dBc]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr> <td>-90.000 M</td> <td>-80.000 M</td> <td>1.00 M</td> <td>6.695865 G</td> <td>-36.59</td> <td>-50.84</td> <td>-9.15</td> </tr> <tr> <td>-80.000 M</td> <td>-41.000 M</td> <td>1.00 M</td> <td>6.743750 G</td> <td>-23.27</td> <td>-37.52</td> <td>-6.52</td> </tr> <tr> <td>-41.000 M</td> <td>-40.000 M</td> <td>1.00 M</td> <td>6.744038 G</td> <td>-21.91</td> <td>-36.15</td> <td>-5.21</td> </tr> <tr> <td>40.000 M</td> <td>41.000 M</td> <td>1.00 M</td> <td>6.825673 G</td> <td>-19.88</td> <td>-34.12</td> <td>-9.72</td> </tr> <tr> <td>41.000 M</td> <td>80.000 M</td> <td>1.00 M</td> <td>6.826000 G</td> <td>-21.82</td> <td>-36.07</td> <td>-5.13</td> </tr> <tr> <td>80.000 M</td> <td>90.000 M</td> <td>1.00 M</td> <td>6.872981 G</td> <td>-32.44</td> <td>-46.69</td> <td>-5.35</td> </tr> </tbody> </table> <p>Date: 4.MAY.2022 13:33:35</p>	Tx Channel							Start	Stop	RBW	Freq	Peak Power	Power	Limit	[MHz]	[MHz]	[MHz]	[MHz]	[dBm]	[dBc]	[dB]	-90.000 M	-80.000 M	1.00 M	6.695865 G	-36.59	-50.84	-9.15	-80.000 M	-41.000 M	1.00 M	6.743750 G	-23.27	-37.52	-6.52	-41.000 M	-40.000 M	1.00 M	6.744038 G	-21.91	-36.15	-5.21	40.000 M	41.000 M	1.00 M	6.825673 G	-19.88	-34.12	-9.72	41.000 M	80.000 M	1.00 M	6.826000 G	-21.82	-36.07	-5.13	80.000 M	90.000 M	1.00 M	6.872981 G	-32.44	-46.69	-5.35
Tx Channel																																																																
Start	Stop	RBW	Freq	Peak Power	Power	Limit																																																										
[MHz]	[MHz]	[MHz]	[MHz]	[dBm]	[dBc]	[dB]																																																										
-90.000 M	-80.000 M	1.00 M	6.695865 G	-36.59	-50.84	-9.15																																																										
-80.000 M	-41.000 M	1.00 M	6.743750 G	-23.27	-37.52	-6.52																																																										
-41.000 M	-40.000 M	1.00 M	6.744038 G	-21.91	-36.15	-5.21																																																										
40.000 M	41.000 M	1.00 M	6.825673 G	-19.88	-34.12	-9.72																																																										
41.000 M	80.000 M	1.00 M	6.826000 G	-21.82	-36.07	-5.13																																																										
80.000 M	90.000 M	1.00 M	6.872981 G	-32.44	-46.69	-5.35																																																										
6865 MHz	 <p>Center 6.865 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>RBW</th> <th>Freq</th> <th>Peak Power</th> <th>Power</th> <th>Limit</th> </tr> <tr> <th>[MHz]</th> <th>[MHz]</th> <th>[MHz]</th> <th>[MHz]</th> <th>[dBm]</th> <th>[dBc]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr> <td>-90.000 M</td> <td>-80.000 M</td> <td>1.00 M</td> <td>6.775865 G</td> <td>-34.94</td> <td>-48.71</td> <td>-7.48</td> </tr> <tr> <td>-80.000 M</td> <td>-41.000 M</td> <td>1.00 M</td> <td>6.823750 G</td> <td>-23.02</td> <td>-36.79</td> <td>-6.26</td> </tr> <tr> <td>-41.000 M</td> <td>-40.000 M</td> <td>1.00 M</td> <td>6.824038 G</td> <td>-21.81</td> <td>-35.58</td> <td>-5.09</td> </tr> <tr> <td>40.000 M</td> <td>41.000 M</td> <td>1.00 M</td> <td>6.905673 G</td> <td>-20.30</td> <td>-34.08</td> <td>-10.13</td> </tr> <tr> <td>41.000 M</td> <td>80.000 M</td> <td>1.00 M</td> <td>6.906000 G</td> <td>-22.46</td> <td>-36.24</td> <td>-5.75</td> </tr> <tr> <td>80.000 M</td> <td>90.000 M</td> <td>1.00 M</td> <td>6.953269 G</td> <td>-33.38</td> <td>-47.16</td> <td>-6.19</td> </tr> </tbody> </table> <p>Date: 4.MAY.2022 13:36:09</p>	Tx Channel							Start	Stop	RBW	Freq	Peak Power	Power	Limit	[MHz]	[MHz]	[MHz]	[MHz]	[dBm]	[dBc]	[dB]	-90.000 M	-80.000 M	1.00 M	6.775865 G	-34.94	-48.71	-7.48	-80.000 M	-41.000 M	1.00 M	6.823750 G	-23.02	-36.79	-6.26	-41.000 M	-40.000 M	1.00 M	6.824038 G	-21.81	-35.58	-5.09	40.000 M	41.000 M	1.00 M	6.905673 G	-20.30	-34.08	-10.13	41.000 M	80.000 M	1.00 M	6.906000 G	-22.46	-36.24	-5.75	80.000 M	90.000 M	1.00 M	6.953269 G	-33.38	-47.16	-6.19
Tx Channel																																																																
Start	Stop	RBW	Freq	Peak Power	Power	Limit																																																										
[MHz]	[MHz]	[MHz]	[MHz]	[dBm]	[dBc]	[dB]																																																										
-90.000 M	-80.000 M	1.00 M	6.775865 G	-34.94	-48.71	-7.48																																																										
-80.000 M	-41.000 M	1.00 M	6.823750 G	-23.02	-36.79	-6.26																																																										
-41.000 M	-40.000 M	1.00 M	6.824038 G	-21.81	-35.58	-5.09																																																										
40.000 M	41.000 M	1.00 M	6.905673 G	-20.30	-34.08	-10.13																																																										
41.000 M	80.000 M	1.00 M	6.906000 G	-22.46	-36.24	-5.75																																																										
80.000 M	90.000 M	1.00 M	6.953269 G	-33.38	-47.16	-6.19																																																										



Mode 2: IEEE 802.11ax 20 MHz Continuous TX mode_ANT-2																																																																														
5955 MHz	 <p>Center 5.955 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>RFW</th> <th>Peak Power</th> <th>PerChA</th> <th>PerChB</th> <th>Δ Limit</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr> <td>-90.000 M</td> <td>-30.000 M</td> <td>300.00 k</td> <td>5.924135 G</td> <td>-61.39</td> <td>-73.00</td> <td>-17.48</td> </tr> <tr> <td>-30.000 M</td> <td>-20.000 M</td> <td>300.00 k</td> <td>5.925000 G</td> <td>-61.29</td> <td>-72.89</td> <td>-17.37</td> </tr> <tr> <td>-20.000 M</td> <td>-11.000 M</td> <td>300.00 k</td> <td>5.943750 G</td> <td>-32.25</td> <td>-43.96</td> <td>-8.12</td> </tr> <tr> <td>-11.000 M</td> <td>-10.000 M</td> <td>300.00 k</td> <td>5.944038 G</td> <td>-30.85</td> <td>-42.45</td> <td>-6.93</td> </tr> <tr> <td>10.000 M</td> <td>11.000 M</td> <td>300.00 k</td> <td>5.965673 G</td> <td>-30.51</td> <td>-42.11</td> <td>-13.14</td> </tr> <tr> <td>11.000 M</td> <td>20.000 M</td> <td>300.00 k</td> <td>5.966000 G</td> <td>-31.93</td> <td>-43.53</td> <td>-8.01</td> </tr> <tr> <td>20.000 M</td> <td>30.000 M</td> <td>300.00 k</td> <td>5.984712 G</td> <td>-59.43</td> <td>-71.03</td> <td>-15.86</td> </tr> <tr> <td>30.000 M</td> <td>90.000 M</td> <td>300.00 k</td> <td>5.985288 G</td> <td>-53.67</td> <td>-71.27</td> <td>-15.75</td> </tr> </tbody> </table> <p>Date: 3.MAY.2022 10:45:12</p>	Tx Channel							Start	Stop	RFW	Peak Power	PerChA	PerChB	Δ Limit	[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dBm]	[dB]	-90.000 M	-30.000 M	300.00 k	5.924135 G	-61.39	-73.00	-17.48	-30.000 M	-20.000 M	300.00 k	5.925000 G	-61.29	-72.89	-17.37	-20.000 M	-11.000 M	300.00 k	5.943750 G	-32.25	-43.96	-8.12	-11.000 M	-10.000 M	300.00 k	5.944038 G	-30.85	-42.45	-6.93	10.000 M	11.000 M	300.00 k	5.965673 G	-30.51	-42.11	-13.14	11.000 M	20.000 M	300.00 k	5.966000 G	-31.93	-43.53	-8.01	20.000 M	30.000 M	300.00 k	5.984712 G	-59.43	-71.03	-15.86	30.000 M	90.000 M	300.00 k	5.985288 G	-53.67	-71.27	-15.75
Tx Channel																																																																														
Start	Stop	RFW	Peak Power	PerChA	PerChB	Δ Limit																																																																								
[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dBm]	[dB]																																																																								
-90.000 M	-30.000 M	300.00 k	5.924135 G	-61.39	-73.00	-17.48																																																																								
-30.000 M	-20.000 M	300.00 k	5.925000 G	-61.29	-72.89	-17.37																																																																								
-20.000 M	-11.000 M	300.00 k	5.943750 G	-32.25	-43.96	-8.12																																																																								
-11.000 M	-10.000 M	300.00 k	5.944038 G	-30.85	-42.45	-6.93																																																																								
10.000 M	11.000 M	300.00 k	5.965673 G	-30.51	-42.11	-13.14																																																																								
11.000 M	20.000 M	300.00 k	5.966000 G	-31.93	-43.53	-8.01																																																																								
20.000 M	30.000 M	300.00 k	5.984712 G	-59.43	-71.03	-15.86																																																																								
30.000 M	90.000 M	300.00 k	5.985288 G	-53.67	-71.27	-15.75																																																																								
6175 MHz	 <p>Center 6.175 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>RFW</th> <th>Peak Power</th> <th>PerChA</th> <th>PerChB</th> <th>Δ Limit</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr> <td>-90.000 M</td> <td>-30.000 M</td> <td>300.00 k</td> <td>6.144423 G</td> <td>-56.98</td> <td>-70.55</td> <td>-14.58</td> </tr> <tr> <td>-30.000 M</td> <td>-20.000 M</td> <td>300.00 k</td> <td>6.145000 G</td> <td>-56.77</td> <td>-70.35</td> <td>-14.38</td> </tr> <tr> <td>-20.000 M</td> <td>-11.000 M</td> <td>300.00 k</td> <td>6.163750 G</td> <td>-31.84</td> <td>-45.41</td> <td>-9.22</td> </tr> <tr> <td>-11.000 M</td> <td>-10.000 M</td> <td>300.00 k</td> <td>6.164038 G</td> <td>-30.39</td> <td>-43.96</td> <td>-7.89</td> </tr> <tr> <td>10.000 M</td> <td>11.000 M</td> <td>300.00 k</td> <td>6.185673 G</td> <td>-28.82</td> <td>-42.40</td> <td>-12.96</td> </tr> <tr> <td>11.000 M</td> <td>20.000 M</td> <td>300.00 k</td> <td>6.186000 G</td> <td>-30.17</td> <td>-43.75</td> <td>-7.78</td> </tr> <tr> <td>20.000 M</td> <td>30.000 M</td> <td>300.00 k</td> <td>6.204712 G</td> <td>-56.33</td> <td>-69.91</td> <td>-14.28</td> </tr> <tr> <td>30.000 M</td> <td>90.000 M</td> <td>300.00 k</td> <td>6.205577 G</td> <td>-56.64</td> <td>-70.21</td> <td>-14.24</td> </tr> </tbody> </table> <p>Date: 3.MAY.2022 10:47:03</p>	Tx Channel							Start	Stop	RFW	Peak Power	PerChA	PerChB	Δ Limit	[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dBm]	[dB]	-90.000 M	-30.000 M	300.00 k	6.144423 G	-56.98	-70.55	-14.58	-30.000 M	-20.000 M	300.00 k	6.145000 G	-56.77	-70.35	-14.38	-20.000 M	-11.000 M	300.00 k	6.163750 G	-31.84	-45.41	-9.22	-11.000 M	-10.000 M	300.00 k	6.164038 G	-30.39	-43.96	-7.89	10.000 M	11.000 M	300.00 k	6.185673 G	-28.82	-42.40	-12.96	11.000 M	20.000 M	300.00 k	6.186000 G	-30.17	-43.75	-7.78	20.000 M	30.000 M	300.00 k	6.204712 G	-56.33	-69.91	-14.28	30.000 M	90.000 M	300.00 k	6.205577 G	-56.64	-70.21	-14.24
Tx Channel																																																																														
Start	Stop	RFW	Peak Power	PerChA	PerChB	Δ Limit																																																																								
[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dBm]	[dB]																																																																								
-90.000 M	-30.000 M	300.00 k	6.144423 G	-56.98	-70.55	-14.58																																																																								
-30.000 M	-20.000 M	300.00 k	6.145000 G	-56.77	-70.35	-14.38																																																																								
-20.000 M	-11.000 M	300.00 k	6.163750 G	-31.84	-45.41	-9.22																																																																								
-11.000 M	-10.000 M	300.00 k	6.164038 G	-30.39	-43.96	-7.89																																																																								
10.000 M	11.000 M	300.00 k	6.185673 G	-28.82	-42.40	-12.96																																																																								
11.000 M	20.000 M	300.00 k	6.186000 G	-30.17	-43.75	-7.78																																																																								
20.000 M	30.000 M	300.00 k	6.204712 G	-56.33	-69.91	-14.28																																																																								
30.000 M	90.000 M	300.00 k	6.205577 G	-56.64	-70.21	-14.24																																																																								
6415 MHz	 <p>Center 6.415 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>RFW</th> <th>Peak Power</th> <th>PerChA</th> <th>PerChB</th> <th>Δ Limit</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr> <td>-90.000 M</td> <td>-30.000 M</td> <td>300.00 k</td> <td>6.384712 G</td> <td>-52.29</td> <td>-68.58</td> <td>-12.49</td> </tr> <tr> <td>-30.000 M</td> <td>-20.000 M</td> <td>300.00 k</td> <td>6.385000 G</td> <td>-52.35</td> <td>-68.64</td> <td>-12.54</td> </tr> <tr> <td>-20.000 M</td> <td>-11.000 M</td> <td>300.00 k</td> <td>6.403750 G</td> <td>-29.74</td> <td>-45.03</td> <td>-8.71</td> </tr> <tr> <td>-11.000 M</td> <td>-10.000 M</td> <td>300.00 k</td> <td>6.404038 G</td> <td>-27.70</td> <td>-43.99</td> <td>-7.89</td> </tr> <tr> <td>10.000 M</td> <td>11.000 M</td> <td>300.00 k</td> <td>6.425673 G</td> <td>-25.59</td> <td>-41.88</td> <td>-12.32</td> </tr> <tr> <td>11.000 M</td> <td>20.000 M</td> <td>300.00 k</td> <td>6.426000 G</td> <td>-26.73</td> <td>-43.02</td> <td>-6.93</td> </tr> <tr> <td>20.000 M</td> <td>30.000 M</td> <td>300.00 k</td> <td>6.445000 G</td> <td>-40.71</td> <td>-57.00</td> <td>-12.90</td> </tr> <tr> <td>30.000 M</td> <td>90.000 M</td> <td>300.00 k</td> <td>6.445288 G</td> <td>-52.79</td> <td>-69.08</td> <td>-12.98</td> </tr> </tbody> </table> <p>Date: 3.MAY.2022 10:48:31</p>	Tx Channel							Start	Stop	RFW	Peak Power	PerChA	PerChB	Δ Limit	[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dBm]	[dB]	-90.000 M	-30.000 M	300.00 k	6.384712 G	-52.29	-68.58	-12.49	-30.000 M	-20.000 M	300.00 k	6.385000 G	-52.35	-68.64	-12.54	-20.000 M	-11.000 M	300.00 k	6.403750 G	-29.74	-45.03	-8.71	-11.000 M	-10.000 M	300.00 k	6.404038 G	-27.70	-43.99	-7.89	10.000 M	11.000 M	300.00 k	6.425673 G	-25.59	-41.88	-12.32	11.000 M	20.000 M	300.00 k	6.426000 G	-26.73	-43.02	-6.93	20.000 M	30.000 M	300.00 k	6.445000 G	-40.71	-57.00	-12.90	30.000 M	90.000 M	300.00 k	6.445288 G	-52.79	-69.08	-12.98
Tx Channel																																																																														
Start	Stop	RFW	Peak Power	PerChA	PerChB	Δ Limit																																																																								
[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dBm]	[dB]																																																																								
-90.000 M	-30.000 M	300.00 k	6.384712 G	-52.29	-68.58	-12.49																																																																								
-30.000 M	-20.000 M	300.00 k	6.385000 G	-52.35	-68.64	-12.54																																																																								
-20.000 M	-11.000 M	300.00 k	6.403750 G	-29.74	-45.03	-8.71																																																																								
-11.000 M	-10.000 M	300.00 k	6.404038 G	-27.70	-43.99	-7.89																																																																								
10.000 M	11.000 M	300.00 k	6.425673 G	-25.59	-41.88	-12.32																																																																								
11.000 M	20.000 M	300.00 k	6.426000 G	-26.73	-43.02	-6.93																																																																								
20.000 M	30.000 M	300.00 k	6.445000 G	-40.71	-57.00	-12.90																																																																								
30.000 M	90.000 M	300.00 k	6.445288 G	-52.79	-69.08	-12.98																																																																								

Mode 2: IEEE 802.11ax 20 MHz Continuous TX mode_ANT-2																																																																
6435 MHz	<p>Center 6.435 GHz 18 MHz/ Span 180 MHz</p> <p>Tx Channel Bandwidth 300 kHz Peak Power -0.35 dBm</p> <table border="1"> <thead> <tr> <th>Start [Hz]</th> <th>Stop [Hz]</th> <th>RBW [Hz]</th> <th>Freq [Hz]</th> <th>Power [dBm]</th> <th>PerCh [dBc]</th> <th>Δ Limit [dB]</th> </tr> </thead> <tbody> <tr><td>-90.000 M</td><td>-30.000 M</td><td>300.00 k</td><td>6.404712 G</td><td>-56.32</td><td>-71.68</td><td>-15.97</td></tr> <tr><td>-30.000 M</td><td>-20.000 M</td><td>300.00 k</td><td>6.405000 G</td><td>-56.04</td><td>-71.41</td><td>-15.70</td></tr> <tr><td>-20.000 M</td><td>-11.000 M</td><td>300.00 k</td><td>6.423750 G</td><td>-29.36</td><td>-44.73</td><td>-8.80</td></tr> <tr><td>-11.000 M</td><td>-10.000 M</td><td>300.00 k</td><td>6.424038 G</td><td>-27.98</td><td>-43.35</td><td>-7.64</td></tr> <tr><td>10.000 M</td><td>11.000 M</td><td>300.00 k</td><td>6.445673 G</td><td>-26.62</td><td>-41.98</td><td>-12.81</td></tr> <tr><td>11.000 M</td><td>20.000 M</td><td>300.00 k</td><td>6.446000 G</td><td>-27.81</td><td>-43.17</td><td>-7.46</td></tr> <tr><td>20.000 M</td><td>30.000 M</td><td>300.00 k</td><td>6.456000 G</td><td>-44.52</td><td>-59.90</td><td>-14.92</td></tr> <tr><td>30.000 M</td><td>90.000 M</td><td>300.00 k</td><td>6.465000 G</td><td>-56.26</td><td>-71.62</td><td>-15.91</td></tr> </tbody> </table> <p>Date: 3.MAY.2022 10:50:37</p>	Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	Power [dBm]	PerCh [dBc]	Δ Limit [dB]	-90.000 M	-30.000 M	300.00 k	6.404712 G	-56.32	-71.68	-15.97	-30.000 M	-20.000 M	300.00 k	6.405000 G	-56.04	-71.41	-15.70	-20.000 M	-11.000 M	300.00 k	6.423750 G	-29.36	-44.73	-8.80	-11.000 M	-10.000 M	300.00 k	6.424038 G	-27.98	-43.35	-7.64	10.000 M	11.000 M	300.00 k	6.445673 G	-26.62	-41.98	-12.81	11.000 M	20.000 M	300.00 k	6.446000 G	-27.81	-43.17	-7.46	20.000 M	30.000 M	300.00 k	6.456000 G	-44.52	-59.90	-14.92	30.000 M	90.000 M	300.00 k	6.465000 G	-56.26	-71.62	-15.91
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	Power [dBm]	PerCh [dBc]	Δ Limit [dB]																																																										
-90.000 M	-30.000 M	300.00 k	6.404712 G	-56.32	-71.68	-15.97																																																										
-30.000 M	-20.000 M	300.00 k	6.405000 G	-56.04	-71.41	-15.70																																																										
-20.000 M	-11.000 M	300.00 k	6.423750 G	-29.36	-44.73	-8.80																																																										
-11.000 M	-10.000 M	300.00 k	6.424038 G	-27.98	-43.35	-7.64																																																										
10.000 M	11.000 M	300.00 k	6.445673 G	-26.62	-41.98	-12.81																																																										
11.000 M	20.000 M	300.00 k	6.446000 G	-27.81	-43.17	-7.46																																																										
20.000 M	30.000 M	300.00 k	6.456000 G	-44.52	-59.90	-14.92																																																										
30.000 M	90.000 M	300.00 k	6.465000 G	-56.26	-71.62	-15.91																																																										
6475 MHz	<p>Center 6.475 GHz 18 MHz/ Span 180 MHz</p> <p>Tx Channel Bandwidth 300 kHz Peak Power -0.22 dBm</p> <table border="1"> <thead> <tr> <th>Start [Hz]</th> <th>Stop [Hz]</th> <th>RBW [Hz]</th> <th>Freq [Hz]</th> <th>Power [dBm]</th> <th>PerCh [dBc]</th> <th>Δ Limit [dB]</th> </tr> </thead> <tbody> <tr><td>-90.000 M</td><td>-30.000 M</td><td>300.00 k</td><td>6.444712 G</td><td>-56.39</td><td>-72.15</td><td>-16.18</td></tr> <tr><td>-30.000 M</td><td>-20.000 M</td><td>300.00 k</td><td>6.452788 G</td><td>-46.21</td><td>-61.98</td><td>-15.34</td></tr> <tr><td>-20.000 M</td><td>-11.000 M</td><td>300.00 k</td><td>6.463750 G</td><td>-27.61</td><td>-43.37</td><td>-7.17</td></tr> <tr><td>-11.000 M</td><td>-10.000 M</td><td>300.00 k</td><td>6.464038 G</td><td>-25.98</td><td>-41.74</td><td>-5.76</td></tr> <tr><td>10.000 M</td><td>11.000 M</td><td>300.00 k</td><td>6.485673 G</td><td>-26.27</td><td>-42.03</td><td>-12.59</td></tr> <tr><td>11.000 M</td><td>20.000 M</td><td>300.00 k</td><td>6.486000 G</td><td>-27.68</td><td>-43.44</td><td>-7.46</td></tr> <tr><td>20.000 M</td><td>30.000 M</td><td>300.00 k</td><td>6.495481 G</td><td>-42.71</td><td>-58.47</td><td>-13.91</td></tr> <tr><td>30.000 M</td><td>90.000 M</td><td>300.00 k</td><td>6.505288 G</td><td>-56.59</td><td>-72.35</td><td>-16.38</td></tr> </tbody> </table> <p>Date: 3.MAY.2022 10:52:36</p>	Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	Power [dBm]	PerCh [dBc]	Δ Limit [dB]	-90.000 M	-30.000 M	300.00 k	6.444712 G	-56.39	-72.15	-16.18	-30.000 M	-20.000 M	300.00 k	6.452788 G	-46.21	-61.98	-15.34	-20.000 M	-11.000 M	300.00 k	6.463750 G	-27.61	-43.37	-7.17	-11.000 M	-10.000 M	300.00 k	6.464038 G	-25.98	-41.74	-5.76	10.000 M	11.000 M	300.00 k	6.485673 G	-26.27	-42.03	-12.59	11.000 M	20.000 M	300.00 k	6.486000 G	-27.68	-43.44	-7.46	20.000 M	30.000 M	300.00 k	6.495481 G	-42.71	-58.47	-13.91	30.000 M	90.000 M	300.00 k	6.505288 G	-56.59	-72.35	-16.38
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	Power [dBm]	PerCh [dBc]	Δ Limit [dB]																																																										
-90.000 M	-30.000 M	300.00 k	6.444712 G	-56.39	-72.15	-16.18																																																										
-30.000 M	-20.000 M	300.00 k	6.452788 G	-46.21	-61.98	-15.34																																																										
-20.000 M	-11.000 M	300.00 k	6.463750 G	-27.61	-43.37	-7.17																																																										
-11.000 M	-10.000 M	300.00 k	6.464038 G	-25.98	-41.74	-5.76																																																										
10.000 M	11.000 M	300.00 k	6.485673 G	-26.27	-42.03	-12.59																																																										
11.000 M	20.000 M	300.00 k	6.486000 G	-27.68	-43.44	-7.46																																																										
20.000 M	30.000 M	300.00 k	6.495481 G	-42.71	-58.47	-13.91																																																										
30.000 M	90.000 M	300.00 k	6.505288 G	-56.59	-72.35	-16.38																																																										
6515 MHz	<p>Center 6.515 GHz 18 MHz/ Span 180 MHz</p> <p>Tx Channel Bandwidth 300 kHz Peak Power 0.86 dBm</p> <table border="1"> <thead> <tr> <th>Start [Hz]</th> <th>Stop [Hz]</th> <th>RBW [Hz]</th> <th>Freq [Hz]</th> <th>Power [dBm]</th> <th>PerCh [dBc]</th> <th>Δ Limit [dB]</th> </tr> </thead> <tbody> <tr><td>-90.000 M</td><td>-30.000 M</td><td>300.00 k</td><td>6.483846 G</td><td>-51.62</td><td>-68.35</td><td>-12.49</td></tr> <tr><td>-30.000 M</td><td>-20.000 M</td><td>300.00 k</td><td>6.485000 G</td><td>-51.53</td><td>-68.27</td><td>-12.40</td></tr> <tr><td>-20.000 M</td><td>-11.000 M</td><td>300.00 k</td><td>6.503750 G</td><td>-27.42</td><td>-44.16</td><td>-8.06</td></tr> <tr><td>-11.000 M</td><td>-10.000 M</td><td>300.00 k</td><td>6.504038 G</td><td>-26.20</td><td>-42.93</td><td>-7.06</td></tr> <tr><td>10.000 M</td><td>11.000 M</td><td>300.00 k</td><td>6.525673 G</td><td>-23.22</td><td>-39.96</td><td>-10.62</td></tr> <tr><td>11.000 M</td><td>20.000 M</td><td>300.00 k</td><td>6.526000 G</td><td>-24.49</td><td>-41.22</td><td>-5.35</td></tr> <tr><td>20.000 M</td><td>30.000 M</td><td>300.00 k</td><td>6.544712 G</td><td>-51.86</td><td>-69.60</td><td>-13.07</td></tr> <tr><td>30.000 M</td><td>90.000 M</td><td>300.00 k</td><td>6.545000 G</td><td>-52.04</td><td>-68.77</td><td>-12.90</td></tr> </tbody> </table> <p>Date: 3.MAY.2022 10:55:02</p>	Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	Power [dBm]	PerCh [dBc]	Δ Limit [dB]	-90.000 M	-30.000 M	300.00 k	6.483846 G	-51.62	-68.35	-12.49	-30.000 M	-20.000 M	300.00 k	6.485000 G	-51.53	-68.27	-12.40	-20.000 M	-11.000 M	300.00 k	6.503750 G	-27.42	-44.16	-8.06	-11.000 M	-10.000 M	300.00 k	6.504038 G	-26.20	-42.93	-7.06	10.000 M	11.000 M	300.00 k	6.525673 G	-23.22	-39.96	-10.62	11.000 M	20.000 M	300.00 k	6.526000 G	-24.49	-41.22	-5.35	20.000 M	30.000 M	300.00 k	6.544712 G	-51.86	-69.60	-13.07	30.000 M	90.000 M	300.00 k	6.545000 G	-52.04	-68.77	-12.90
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	Power [dBm]	PerCh [dBc]	Δ Limit [dB]																																																										
-90.000 M	-30.000 M	300.00 k	6.483846 G	-51.62	-68.35	-12.49																																																										
-30.000 M	-20.000 M	300.00 k	6.485000 G	-51.53	-68.27	-12.40																																																										
-20.000 M	-11.000 M	300.00 k	6.503750 G	-27.42	-44.16	-8.06																																																										
-11.000 M	-10.000 M	300.00 k	6.504038 G	-26.20	-42.93	-7.06																																																										
10.000 M	11.000 M	300.00 k	6.525673 G	-23.22	-39.96	-10.62																																																										
11.000 M	20.000 M	300.00 k	6.526000 G	-24.49	-41.22	-5.35																																																										
20.000 M	30.000 M	300.00 k	6.544712 G	-51.86	-69.60	-13.07																																																										
30.000 M	90.000 M	300.00 k	6.545000 G	-52.04	-68.77	-12.90																																																										




Mode 2: IEEE 802.11ax 20 MHz Continuous TX mode_ANT-2																																																																														
6535 MHz	<p>Center 6.535 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>BW</th> <th>Peak Power</th> <th>None</th> <th colspan="2"></th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[dBm]</th> <th>[dBc]</th> <th>Δ Limit</th> <th>[dB]</th> </tr> </thead> <tbody> <tr> <td>-90.000 M</td> <td>-30.000 M</td> <td>300.00 k</td> <td>6.504712 G</td> <td>-51.33</td> <td>-67.79</td> <td>-12.00</td> </tr> <tr> <td>-30.000 M</td> <td>-20.000 M</td> <td>300.00 k</td> <td>6.505000 G</td> <td>-51.22</td> <td>-67.68</td> <td>-11.89</td> </tr> <tr> <td>-20.000 M</td> <td>-11.000 M</td> <td>300.00 k</td> <td>6.523750 G</td> <td>-27.42</td> <td>-43.88</td> <td>-7.86</td> </tr> <tr> <td>-11.000 M</td> <td>-10.000 M</td> <td>300.00 k</td> <td>6.524038 G</td> <td>-26.27</td> <td>-42.73</td> <td>-6.94</td> </tr> <tr> <td>10.000 M</td> <td>11.000 M</td> <td>300.00 k</td> <td>6.545673 G</td> <td>-25.53</td> <td>-41.99</td> <td>-12.74</td> </tr> <tr> <td>11.000 M</td> <td>20.000 M</td> <td>300.00 k</td> <td>6.546000 G</td> <td>-26.53</td> <td>-42.99</td> <td>-7.20</td> </tr> <tr> <td>20.000 M</td> <td>30.000 M</td> <td>300.00 k</td> <td>6.564712 G</td> <td>-51.39</td> <td>-67.85</td> <td>-12.41</td> </tr> <tr> <td>30.000 M</td> <td>90.000 M</td> <td>300.00 k</td> <td>6.565000 G</td> <td>-51.85</td> <td>-68.31</td> <td>-12.52</td> </tr> </tbody> </table> <p>Date: 3.MAY.2022 10:56:40</p>	Tx Channel							Start	Stop	BW	Peak Power	None			[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	Δ Limit	[dB]	-90.000 M	-30.000 M	300.00 k	6.504712 G	-51.33	-67.79	-12.00	-30.000 M	-20.000 M	300.00 k	6.505000 G	-51.22	-67.68	-11.89	-20.000 M	-11.000 M	300.00 k	6.523750 G	-27.42	-43.88	-7.86	-11.000 M	-10.000 M	300.00 k	6.524038 G	-26.27	-42.73	-6.94	10.000 M	11.000 M	300.00 k	6.545673 G	-25.53	-41.99	-12.74	11.000 M	20.000 M	300.00 k	6.546000 G	-26.53	-42.99	-7.20	20.000 M	30.000 M	300.00 k	6.564712 G	-51.39	-67.85	-12.41	30.000 M	90.000 M	300.00 k	6.565000 G	-51.85	-68.31	-12.52
Tx Channel																																																																														
Start	Stop	BW	Peak Power	None																																																																										
[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	Δ Limit	[dB]																																																																								
-90.000 M	-30.000 M	300.00 k	6.504712 G	-51.33	-67.79	-12.00																																																																								
-30.000 M	-20.000 M	300.00 k	6.505000 G	-51.22	-67.68	-11.89																																																																								
-20.000 M	-11.000 M	300.00 k	6.523750 G	-27.42	-43.88	-7.86																																																																								
-11.000 M	-10.000 M	300.00 k	6.524038 G	-26.27	-42.73	-6.94																																																																								
10.000 M	11.000 M	300.00 k	6.545673 G	-25.53	-41.99	-12.74																																																																								
11.000 M	20.000 M	300.00 k	6.546000 G	-26.53	-42.99	-7.20																																																																								
20.000 M	30.000 M	300.00 k	6.564712 G	-51.39	-67.85	-12.41																																																																								
30.000 M	90.000 M	300.00 k	6.565000 G	-51.85	-68.31	-12.52																																																																								
6695 MHz	<p>Center 6.695 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>BW</th> <th>Peak Power</th> <th>None</th> <th colspan="2"></th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[dBm]</th> <th>[dBc]</th> <th>Δ Limit</th> <th>[dB]</th> </tr> </thead> <tbody> <tr> <td>-90.000 M</td> <td>-30.000 M</td> <td>300.00 k</td> <td>6.664712 G</td> <td>-48.16</td> <td>-66.39</td> <td>-10.70</td> </tr> <tr> <td>-30.000 M</td> <td>-20.000 M</td> <td>300.00 k</td> <td>6.672788 G</td> <td>-36.56</td> <td>-54.79</td> <td>-8.45</td> </tr> <tr> <td>-20.000 M</td> <td>-11.000 M</td> <td>300.00 k</td> <td>6.683750 G</td> <td>-24.95</td> <td>-43.18</td> <td>-7.27</td> </tr> <tr> <td>-11.000 M</td> <td>-10.000 M</td> <td>300.00 k</td> <td>6.684038 G</td> <td>-23.26</td> <td>-41.49</td> <td>-5.80</td> </tr> <tr> <td>10.000 M</td> <td>11.000 M</td> <td>300.00 k</td> <td>6.705673 G</td> <td>-21.78</td> <td>-40.01</td> <td>-10.86</td> </tr> <tr> <td>11.000 M</td> <td>20.000 M</td> <td>300.00 k</td> <td>6.706000 G</td> <td>-22.87</td> <td>-41.10</td> <td>-5.42</td> </tr> <tr> <td>20.000 M</td> <td>30.000 M</td> <td>300.00 k</td> <td>6.716923 G</td> <td>-36.93</td> <td>-55.16</td> <td>-9.17</td> </tr> <tr> <td>30.000 M</td> <td>90.000 M</td> <td>300.00 k</td> <td>6.725288 G</td> <td>-47.92</td> <td>-66.15</td> <td>-10.46</td> </tr> </tbody> </table> <p>Date: 3.MAY.2022 10:59:09</p>	Tx Channel							Start	Stop	BW	Peak Power	None			[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	Δ Limit	[dB]	-90.000 M	-30.000 M	300.00 k	6.664712 G	-48.16	-66.39	-10.70	-30.000 M	-20.000 M	300.00 k	6.672788 G	-36.56	-54.79	-8.45	-20.000 M	-11.000 M	300.00 k	6.683750 G	-24.95	-43.18	-7.27	-11.000 M	-10.000 M	300.00 k	6.684038 G	-23.26	-41.49	-5.80	10.000 M	11.000 M	300.00 k	6.705673 G	-21.78	-40.01	-10.86	11.000 M	20.000 M	300.00 k	6.706000 G	-22.87	-41.10	-5.42	20.000 M	30.000 M	300.00 k	6.716923 G	-36.93	-55.16	-9.17	30.000 M	90.000 M	300.00 k	6.725288 G	-47.92	-66.15	-10.46
Tx Channel																																																																														
Start	Stop	BW	Peak Power	None																																																																										
[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	Δ Limit	[dB]																																																																								
-90.000 M	-30.000 M	300.00 k	6.664712 G	-48.16	-66.39	-10.70																																																																								
-30.000 M	-20.000 M	300.00 k	6.672788 G	-36.56	-54.79	-8.45																																																																								
-20.000 M	-11.000 M	300.00 k	6.683750 G	-24.95	-43.18	-7.27																																																																								
-11.000 M	-10.000 M	300.00 k	6.684038 G	-23.26	-41.49	-5.80																																																																								
10.000 M	11.000 M	300.00 k	6.705673 G	-21.78	-40.01	-10.86																																																																								
11.000 M	20.000 M	300.00 k	6.706000 G	-22.87	-41.10	-5.42																																																																								
20.000 M	30.000 M	300.00 k	6.716923 G	-36.93	-55.16	-9.17																																																																								
30.000 M	90.000 M	300.00 k	6.725288 G	-47.92	-66.15	-10.46																																																																								
6855 MHz	<p>Center 6.855 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>BW</th> <th>Peak Power</th> <th>None</th> <th colspan="2"></th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[dBm]</th> <th>[dBc]</th> <th>Δ Limit</th> <th>[dB]</th> </tr> </thead> <tbody> <tr> <td>-90.000 M</td> <td>-30.000 M</td> <td>300.00 k</td> <td>6.824712 G</td> <td>-49.62</td> <td>-67.07</td> <td>-11.08</td> </tr> <tr> <td>-30.000 M</td> <td>-20.000 M</td> <td>300.00 k</td> <td>6.831058 G</td> <td>-41.26</td> <td>-58.71</td> <td>-9.99</td> </tr> <tr> <td>-20.000 M</td> <td>-11.000 M</td> <td>300.00 k</td> <td>6.843750 G</td> <td>-26.28</td> <td>-43.74</td> <td>-7.52</td> </tr> <tr> <td>-11.000 M</td> <td>-10.000 M</td> <td>300.00 k</td> <td>6.844038 G</td> <td>-24.84</td> <td>-42.29</td> <td>-6.29</td> </tr> <tr> <td>10.000 M</td> <td>11.000 M</td> <td>300.00 k</td> <td>6.865673 G</td> <td>-23.36</td> <td>-40.82</td> <td>-11.36</td> </tr> <tr> <td>11.000 M</td> <td>20.000 M</td> <td>300.00 k</td> <td>6.866000 G</td> <td>-24.83</td> <td>-42.28</td> <td>-6.29</td> </tr> <tr> <td>20.000 M</td> <td>30.000 M</td> <td>300.00 k</td> <td>6.875769 G</td> <td>-38.30</td> <td>-55.75</td> <td>-10.84</td> </tr> <tr> <td>30.000 M</td> <td>90.000 M</td> <td>300.00 k</td> <td>6.885688 G</td> <td>-49.77</td> <td>-67.22</td> <td>-11.23</td> </tr> </tbody> </table> <p>Date: 3.MAY.2022 10:29:18</p>	Tx Channel							Start	Stop	BW	Peak Power	None			[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	Δ Limit	[dB]	-90.000 M	-30.000 M	300.00 k	6.824712 G	-49.62	-67.07	-11.08	-30.000 M	-20.000 M	300.00 k	6.831058 G	-41.26	-58.71	-9.99	-20.000 M	-11.000 M	300.00 k	6.843750 G	-26.28	-43.74	-7.52	-11.000 M	-10.000 M	300.00 k	6.844038 G	-24.84	-42.29	-6.29	10.000 M	11.000 M	300.00 k	6.865673 G	-23.36	-40.82	-11.36	11.000 M	20.000 M	300.00 k	6.866000 G	-24.83	-42.28	-6.29	20.000 M	30.000 M	300.00 k	6.875769 G	-38.30	-55.75	-10.84	30.000 M	90.000 M	300.00 k	6.885688 G	-49.77	-67.22	-11.23
Tx Channel																																																																														
Start	Stop	BW	Peak Power	None																																																																										
[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	Δ Limit	[dB]																																																																								
-90.000 M	-30.000 M	300.00 k	6.824712 G	-49.62	-67.07	-11.08																																																																								
-30.000 M	-20.000 M	300.00 k	6.831058 G	-41.26	-58.71	-9.99																																																																								
-20.000 M	-11.000 M	300.00 k	6.843750 G	-26.28	-43.74	-7.52																																																																								
-11.000 M	-10.000 M	300.00 k	6.844038 G	-24.84	-42.29	-6.29																																																																								
10.000 M	11.000 M	300.00 k	6.865673 G	-23.36	-40.82	-11.36																																																																								
11.000 M	20.000 M	300.00 k	6.866000 G	-24.83	-42.28	-6.29																																																																								
20.000 M	30.000 M	300.00 k	6.875769 G	-38.30	-55.75	-10.84																																																																								
30.000 M	90.000 M	300.00 k	6.885688 G	-49.77	-67.22	-11.23																																																																								


Mode 2: IEEE 802.11ax 20 MHz Continuous TX mode_ANT-2																																																																														
6875 MHz	<p>Center 6.875 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>RFW</th> <th>Peak Power</th> <th>PerChal</th> <th>PerChan</th> <th>Δ Limit</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr><td>-90.000 M</td><td>-30.000 M</td><td>300.00 k</td><td>6.844712 G</td><td>-52.45</td><td>-68.91</td><td>-13.16</td></tr> <tr><td>-30.000 M</td><td>-20.000 M</td><td>300.00 k</td><td>6.850481 G</td><td>-45.48</td><td>-61.94</td><td>-12.79</td></tr> <tr><td>-20.000 M</td><td>-11.000 M</td><td>300.00 k</td><td>6.863750 G</td><td>-27.33</td><td>-43.76</td><td>-7.94</td></tr> <tr><td>-11.000 M</td><td>-10.000 M</td><td>300.00 k</td><td>6.864038 G</td><td>-25.88</td><td>-42.33</td><td>-6.61</td></tr> <tr><td>10.000 M</td><td>11.000 M</td><td>300.00 k</td><td>6.885673 G</td><td>-25.14</td><td>-41.60</td><td>-12.41</td></tr> <tr><td>11.000 M</td><td>20.000 M</td><td>300.00 k</td><td>6.886000 G</td><td>-26.67</td><td>-43.12</td><td>-7.40</td></tr> <tr><td>20.000 M</td><td>30.000 M</td><td>300.00 k</td><td>6.895192 G</td><td>-40.52</td><td>-56.99</td><td>-13.02</td></tr> <tr><td>30.000 M</td><td>90.000 M</td><td>300.00 k</td><td>6.905000 G</td><td>-52.68</td><td>-69.13</td><td>-13.41</td></tr> </tbody> </table> <p>Date: 3.MAY.2022 10:30:56</p>	Tx Channel							Start	Stop	RFW	Peak Power	PerChal	PerChan	Δ Limit	[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dBm]	[dB]	-90.000 M	-30.000 M	300.00 k	6.844712 G	-52.45	-68.91	-13.16	-30.000 M	-20.000 M	300.00 k	6.850481 G	-45.48	-61.94	-12.79	-20.000 M	-11.000 M	300.00 k	6.863750 G	-27.33	-43.76	-7.94	-11.000 M	-10.000 M	300.00 k	6.864038 G	-25.88	-42.33	-6.61	10.000 M	11.000 M	300.00 k	6.885673 G	-25.14	-41.60	-12.41	11.000 M	20.000 M	300.00 k	6.886000 G	-26.67	-43.12	-7.40	20.000 M	30.000 M	300.00 k	6.895192 G	-40.52	-56.99	-13.02	30.000 M	90.000 M	300.00 k	6.905000 G	-52.68	-69.13	-13.41
Tx Channel																																																																														
Start	Stop	RFW	Peak Power	PerChal	PerChan	Δ Limit																																																																								
[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dBm]	[dB]																																																																								
-90.000 M	-30.000 M	300.00 k	6.844712 G	-52.45	-68.91	-13.16																																																																								
-30.000 M	-20.000 M	300.00 k	6.850481 G	-45.48	-61.94	-12.79																																																																								
-20.000 M	-11.000 M	300.00 k	6.863750 G	-27.33	-43.76	-7.94																																																																								
-11.000 M	-10.000 M	300.00 k	6.864038 G	-25.88	-42.33	-6.61																																																																								
10.000 M	11.000 M	300.00 k	6.885673 G	-25.14	-41.60	-12.41																																																																								
11.000 M	20.000 M	300.00 k	6.886000 G	-26.67	-43.12	-7.40																																																																								
20.000 M	30.000 M	300.00 k	6.895192 G	-40.52	-56.99	-13.02																																																																								
30.000 M	90.000 M	300.00 k	6.905000 G	-52.68	-69.13	-13.41																																																																								
6995 MHz	<p>Center 6.995 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>RFW</th> <th>Peak Power</th> <th>PerChal</th> <th>PerChan</th> <th>Δ Limit</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr><td>-90.000 M</td><td>-30.000 M</td><td>300.00 k</td><td>6.964423 G</td><td>-55.40</td><td>-69.38</td><td>-13.43</td></tr> <tr><td>-30.000 M</td><td>-20.000 M</td><td>300.00 k</td><td>6.965000 G</td><td>-54.95</td><td>-68.93</td><td>-12.98</td></tr> <tr><td>-20.000 M</td><td>-11.000 M</td><td>300.00 k</td><td>6.983750 G</td><td>-31.17</td><td>-45.15</td><td>-8.98</td></tr> <tr><td>-11.000 M</td><td>-10.000 M</td><td>300.00 k</td><td>6.984038 G</td><td>-30.37</td><td>-44.35</td><td>-8.40</td></tr> <tr><td>10.000 M</td><td>11.000 M</td><td>300.00 k</td><td>7.005673 G</td><td>-26.40</td><td>-40.38</td><td>-10.97</td></tr> <tr><td>11.000 M</td><td>20.000 M</td><td>300.00 k</td><td>7.006000 G</td><td>-27.90</td><td>-41.88</td><td>-5.93</td></tr> <tr><td>20.000 M</td><td>30.000 M</td><td>300.00 k</td><td>7.024712 G</td><td>-55.29</td><td>-69.27</td><td>-13.67</td></tr> <tr><td>30.000 M</td><td>90.000 M</td><td>300.00 k</td><td>7.025577 G</td><td>-55.44</td><td>-69.42</td><td>-13.47</td></tr> </tbody> </table> <p>Date: 3.MAY.2022 10:36:41</p>	Tx Channel							Start	Stop	RFW	Peak Power	PerChal	PerChan	Δ Limit	[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dBm]	[dB]	-90.000 M	-30.000 M	300.00 k	6.964423 G	-55.40	-69.38	-13.43	-30.000 M	-20.000 M	300.00 k	6.965000 G	-54.95	-68.93	-12.98	-20.000 M	-11.000 M	300.00 k	6.983750 G	-31.17	-45.15	-8.98	-11.000 M	-10.000 M	300.00 k	6.984038 G	-30.37	-44.35	-8.40	10.000 M	11.000 M	300.00 k	7.005673 G	-26.40	-40.38	-10.97	11.000 M	20.000 M	300.00 k	7.006000 G	-27.90	-41.88	-5.93	20.000 M	30.000 M	300.00 k	7.024712 G	-55.29	-69.27	-13.67	30.000 M	90.000 M	300.00 k	7.025577 G	-55.44	-69.42	-13.47
Tx Channel																																																																														
Start	Stop	RFW	Peak Power	PerChal	PerChan	Δ Limit																																																																								
[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dBm]	[dB]																																																																								
-90.000 M	-30.000 M	300.00 k	6.964423 G	-55.40	-69.38	-13.43																																																																								
-30.000 M	-20.000 M	300.00 k	6.965000 G	-54.95	-68.93	-12.98																																																																								
-20.000 M	-11.000 M	300.00 k	6.983750 G	-31.17	-45.15	-8.98																																																																								
-11.000 M	-10.000 M	300.00 k	6.984038 G	-30.37	-44.35	-8.40																																																																								
10.000 M	11.000 M	300.00 k	7.005673 G	-26.40	-40.38	-10.97																																																																								
11.000 M	20.000 M	300.00 k	7.006000 G	-27.90	-41.88	-5.93																																																																								
20.000 M	30.000 M	300.00 k	7.024712 G	-55.29	-69.27	-13.67																																																																								
30.000 M	90.000 M	300.00 k	7.025577 G	-55.44	-69.42	-13.47																																																																								
7115 MHz	<p>Center 7.115 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>RFW</th> <th>Peak Power</th> <th>PerChal</th> <th>PerChan</th> <th>Δ Limit</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr><td>-90.000 M</td><td>-30.000 M</td><td>300.00 k</td><td>7.084423 G</td><td>-56.66</td><td>-68.79</td><td>-12.77</td></tr> <tr><td>-30.000 M</td><td>-20.000 M</td><td>300.00 k</td><td>7.085000 G</td><td>-56.60</td><td>-68.72</td><td>-12.70</td></tr> <tr><td>-20.000 M</td><td>-11.000 M</td><td>300.00 k</td><td>7.103750 G</td><td>-33.77</td><td>-45.90</td><td>-9.66</td></tr> <tr><td>-11.000 M</td><td>-10.000 M</td><td>300.00 k</td><td>7.104038 G</td><td>-32.59</td><td>-44.71</td><td>-8.69</td></tr> <tr><td>10.000 M</td><td>11.000 M</td><td>300.00 k</td><td>7.125673 G</td><td>-31.30</td><td>-43.42</td><td>-13.94</td></tr> <tr><td>11.000 M</td><td>20.000 M</td><td>300.00 k</td><td>7.126000 G</td><td>-32.32</td><td>-44.44</td><td>-8.42</td></tr> <tr><td>20.000 M</td><td>30.000 M</td><td>300.00 k</td><td>7.144712 G</td><td>-56.89</td><td>-69.01</td><td>-13.34</td></tr> <tr><td>30.000 M</td><td>90.000 M</td><td>300.00 k</td><td>7.145000 G</td><td>-57.19</td><td>-69.31</td><td>-13.30</td></tr> </tbody> </table> <p>Date: 3.MAY.2022 10:39:34</p>	Tx Channel							Start	Stop	RFW	Peak Power	PerChal	PerChan	Δ Limit	[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dBm]	[dB]	-90.000 M	-30.000 M	300.00 k	7.084423 G	-56.66	-68.79	-12.77	-30.000 M	-20.000 M	300.00 k	7.085000 G	-56.60	-68.72	-12.70	-20.000 M	-11.000 M	300.00 k	7.103750 G	-33.77	-45.90	-9.66	-11.000 M	-10.000 M	300.00 k	7.104038 G	-32.59	-44.71	-8.69	10.000 M	11.000 M	300.00 k	7.125673 G	-31.30	-43.42	-13.94	11.000 M	20.000 M	300.00 k	7.126000 G	-32.32	-44.44	-8.42	20.000 M	30.000 M	300.00 k	7.144712 G	-56.89	-69.01	-13.34	30.000 M	90.000 M	300.00 k	7.145000 G	-57.19	-69.31	-13.30
Tx Channel																																																																														
Start	Stop	RFW	Peak Power	PerChal	PerChan	Δ Limit																																																																								
[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dBm]	[dB]																																																																								
-90.000 M	-30.000 M	300.00 k	7.084423 G	-56.66	-68.79	-12.77																																																																								
-30.000 M	-20.000 M	300.00 k	7.085000 G	-56.60	-68.72	-12.70																																																																								
-20.000 M	-11.000 M	300.00 k	7.103750 G	-33.77	-45.90	-9.66																																																																								
-11.000 M	-10.000 M	300.00 k	7.104038 G	-32.59	-44.71	-8.69																																																																								
10.000 M	11.000 M	300.00 k	7.125673 G	-31.30	-43.42	-13.94																																																																								
11.000 M	20.000 M	300.00 k	7.126000 G	-32.32	-44.44	-8.42																																																																								
20.000 M	30.000 M	300.00 k	7.144712 G	-56.89	-69.01	-13.34																																																																								
30.000 M	90.000 M	300.00 k	7.145000 G	-57.19	-69.31	-13.30																																																																								




Mode 3: IEEE 802.11ax 40 MHz Continuous TX mode_ANT-2																																																																														
5965 MHz	<p>Center 5.965 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>BW</th> <th>Peak Power</th> <th>None</th> <th colspan="2"></th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[kHz]</th> <th>[dBm]</th> <th>[dBc]</th> <th>[dBc]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr> <td>-90.000 M</td> <td>-60.000 M</td> <td>500.00 k</td> <td>5.904712 G</td> <td>-55.45</td> <td>-68.06</td> <td>-14.51</td> </tr> <tr> <td>-60.000 M</td> <td>-40.000 M</td> <td>500.00 k</td> <td>5.905000 G</td> <td>-55.35</td> <td>-67.96</td> <td>-14.42</td> </tr> <tr> <td>-40.000 M</td> <td>-21.000 M</td> <td>500.00 k</td> <td>5.943654 G</td> <td>-34.36</td> <td>-46.97</td> <td>-13.28</td> </tr> <tr> <td>-21.000 M</td> <td>-20.000 M</td> <td>500.00 k</td> <td>5.944000 G</td> <td>-32.65</td> <td>-45.27</td> <td>-11.72</td> </tr> <tr> <td>20.000 M</td> <td>21.000 M</td> <td>500.00 k</td> <td>5.985769 G</td> <td>-30.95</td> <td>-43.56</td> <td>-14.63</td> </tr> <tr> <td>21.000 M</td> <td>40.000 M</td> <td>500.00 k</td> <td>5.986058 G</td> <td>-32.25</td> <td>-44.86</td> <td>-11.31</td> </tr> <tr> <td>40.000 M</td> <td>60.000 M</td> <td>500.00 k</td> <td>6.024712 G</td> <td>-32.24</td> <td>-64.85</td> <td>-11.48</td> </tr> <tr> <td>60.000 M</td> <td>90.000 M</td> <td>500.00 k</td> <td>6.025288 G</td> <td>-32.25</td> <td>-64.86</td> <td>-11.31</td> </tr> </tbody> </table> <p>Date: 4.MAY.2022 13:59:28</p>	Tx Channel							Start	Stop	BW	Peak Power	None			[Hz]	[Hz]	[kHz]	[dBm]	[dBc]	[dBc]	[dB]	-90.000 M	-60.000 M	500.00 k	5.904712 G	-55.45	-68.06	-14.51	-60.000 M	-40.000 M	500.00 k	5.905000 G	-55.35	-67.96	-14.42	-40.000 M	-21.000 M	500.00 k	5.943654 G	-34.36	-46.97	-13.28	-21.000 M	-20.000 M	500.00 k	5.944000 G	-32.65	-45.27	-11.72	20.000 M	21.000 M	500.00 k	5.985769 G	-30.95	-43.56	-14.63	21.000 M	40.000 M	500.00 k	5.986058 G	-32.25	-44.86	-11.31	40.000 M	60.000 M	500.00 k	6.024712 G	-32.24	-64.85	-11.48	60.000 M	90.000 M	500.00 k	6.025288 G	-32.25	-64.86	-11.31
Tx Channel																																																																														
Start	Stop	BW	Peak Power	None																																																																										
[Hz]	[Hz]	[kHz]	[dBm]	[dBc]	[dBc]	[dB]																																																																								
-90.000 M	-60.000 M	500.00 k	5.904712 G	-55.45	-68.06	-14.51																																																																								
-60.000 M	-40.000 M	500.00 k	5.905000 G	-55.35	-67.96	-14.42																																																																								
-40.000 M	-21.000 M	500.00 k	5.943654 G	-34.36	-46.97	-13.28																																																																								
-21.000 M	-20.000 M	500.00 k	5.944000 G	-32.65	-45.27	-11.72																																																																								
20.000 M	21.000 M	500.00 k	5.985769 G	-30.95	-43.56	-14.63																																																																								
21.000 M	40.000 M	500.00 k	5.986058 G	-32.25	-44.86	-11.31																																																																								
40.000 M	60.000 M	500.00 k	6.024712 G	-32.24	-64.85	-11.48																																																																								
60.000 M	90.000 M	500.00 k	6.025288 G	-32.25	-64.86	-11.31																																																																								
6165 MHz	<p>Center 6.165 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>BW</th> <th>Peak Power</th> <th>None</th> <th colspan="2"></th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[kHz]</th> <th>[dBm]</th> <th>[dBc]</th> <th>[dBc]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr> <td>-90.000 M</td> <td>-60.000 M</td> <td>500.00 k</td> <td>6.104712 G</td> <td>-54.08</td> <td>-68.04</td> <td>-14.59</td> </tr> <tr> <td>-60.000 M</td> <td>-40.000 M</td> <td>500.00 k</td> <td>6.105000 G</td> <td>-54.05</td> <td>-68.01</td> <td>-14.55</td> </tr> <tr> <td>-40.000 M</td> <td>-21.000 M</td> <td>500.00 k</td> <td>6.143654 G</td> <td>-31.59</td> <td>-45.55</td> <td>-11.95</td> </tr> <tr> <td>-21.000 M</td> <td>-20.000 M</td> <td>500.00 k</td> <td>6.144000 G</td> <td>-30.13</td> <td>-44.10</td> <td>-10.64</td> </tr> <tr> <td>20.000 M</td> <td>21.000 M</td> <td>500.00 k</td> <td>6.185769 G</td> <td>-29.86</td> <td>-43.82</td> <td>-14.98</td> </tr> <tr> <td>21.000 M</td> <td>40.000 M</td> <td>500.00 k</td> <td>6.186058 G</td> <td>-31.02</td> <td>-44.99</td> <td>-11.53</td> </tr> <tr> <td>40.000 M</td> <td>60.000 M</td> <td>500.00 k</td> <td>6.224712 G</td> <td>-53.13</td> <td>-67.10</td> <td>-13.81</td> </tr> <tr> <td>60.000 M</td> <td>90.000 M</td> <td>500.00 k</td> <td>6.226154 G</td> <td>-53.26</td> <td>-67.22</td> <td>-13.77</td> </tr> </tbody> </table> <p>Date: 4.MAY.2022 14:05:23</p>	Tx Channel							Start	Stop	BW	Peak Power	None			[Hz]	[Hz]	[kHz]	[dBm]	[dBc]	[dBc]	[dB]	-90.000 M	-60.000 M	500.00 k	6.104712 G	-54.08	-68.04	-14.59	-60.000 M	-40.000 M	500.00 k	6.105000 G	-54.05	-68.01	-14.55	-40.000 M	-21.000 M	500.00 k	6.143654 G	-31.59	-45.55	-11.95	-21.000 M	-20.000 M	500.00 k	6.144000 G	-30.13	-44.10	-10.64	20.000 M	21.000 M	500.00 k	6.185769 G	-29.86	-43.82	-14.98	21.000 M	40.000 M	500.00 k	6.186058 G	-31.02	-44.99	-11.53	40.000 M	60.000 M	500.00 k	6.224712 G	-53.13	-67.10	-13.81	60.000 M	90.000 M	500.00 k	6.226154 G	-53.26	-67.22	-13.77
Tx Channel																																																																														
Start	Stop	BW	Peak Power	None																																																																										
[Hz]	[Hz]	[kHz]	[dBm]	[dBc]	[dBc]	[dB]																																																																								
-90.000 M	-60.000 M	500.00 k	6.104712 G	-54.08	-68.04	-14.59																																																																								
-60.000 M	-40.000 M	500.00 k	6.105000 G	-54.05	-68.01	-14.55																																																																								
-40.000 M	-21.000 M	500.00 k	6.143654 G	-31.59	-45.55	-11.95																																																																								
-21.000 M	-20.000 M	500.00 k	6.144000 G	-30.13	-44.10	-10.64																																																																								
20.000 M	21.000 M	500.00 k	6.185769 G	-29.86	-43.82	-14.98																																																																								
21.000 M	40.000 M	500.00 k	6.186058 G	-31.02	-44.99	-11.53																																																																								
40.000 M	60.000 M	500.00 k	6.224712 G	-53.13	-67.10	-13.81																																																																								
60.000 M	90.000 M	500.00 k	6.226154 G	-53.26	-67.22	-13.77																																																																								
6405 MHz	<p>Center 6.405 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>BW</th> <th>Peak Power</th> <th>None</th> <th colspan="2"></th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[kHz]</th> <th>[dBm]</th> <th>[dBc]</th> <th>[dBc]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr> <td>-90.000 M</td> <td>-60.000 M</td> <td>500.00 k</td> <td>6.343558 G</td> <td>-45.70</td> <td>-61.41</td> <td>-8.09</td> </tr> <tr> <td>-60.000 M</td> <td>-40.000 M</td> <td>500.00 k</td> <td>6.345000 G</td> <td>-45.65</td> <td>-61.36</td> <td>-8.04</td> </tr> <tr> <td>-40.000 M</td> <td>-21.000 M</td> <td>500.00 k</td> <td>6.383654 G</td> <td>-26.93</td> <td>-42.54</td> <td>-9.07</td> </tr> <tr> <td>-21.000 M</td> <td>-20.000 M</td> <td>500.00 k</td> <td>6.384000 G</td> <td>-25.97</td> <td>-41.68</td> <td>-8.36</td> </tr> <tr> <td>20.000 M</td> <td>21.000 M</td> <td>500.00 k</td> <td>6.425769 G</td> <td>-26.00</td> <td>-41.71</td> <td>-13.01</td> </tr> <tr> <td>21.000 M</td> <td>40.000 M</td> <td>500.00 k</td> <td>6.426058 G</td> <td>-26.52</td> <td>-42.23</td> <td>-8.91</td> </tr> <tr> <td>40.000 M</td> <td>60.000 M</td> <td>500.00 k</td> <td>6.464712 G</td> <td>-45.74</td> <td>-61.46</td> <td>-8.31</td> </tr> <tr> <td>60.000 M</td> <td>90.000 M</td> <td>500.00 k</td> <td>6.465000 G</td> <td>-45.75</td> <td>-61.46</td> <td>-8.14</td> </tr> </tbody> </table> <p>Date: 4.MAY.2022 14:08:37</p>	Tx Channel							Start	Stop	BW	Peak Power	None			[Hz]	[Hz]	[kHz]	[dBm]	[dBc]	[dBc]	[dB]	-90.000 M	-60.000 M	500.00 k	6.343558 G	-45.70	-61.41	-8.09	-60.000 M	-40.000 M	500.00 k	6.345000 G	-45.65	-61.36	-8.04	-40.000 M	-21.000 M	500.00 k	6.383654 G	-26.93	-42.54	-9.07	-21.000 M	-20.000 M	500.00 k	6.384000 G	-25.97	-41.68	-8.36	20.000 M	21.000 M	500.00 k	6.425769 G	-26.00	-41.71	-13.01	21.000 M	40.000 M	500.00 k	6.426058 G	-26.52	-42.23	-8.91	40.000 M	60.000 M	500.00 k	6.464712 G	-45.74	-61.46	-8.31	60.000 M	90.000 M	500.00 k	6.465000 G	-45.75	-61.46	-8.14
Tx Channel																																																																														
Start	Stop	BW	Peak Power	None																																																																										
[Hz]	[Hz]	[kHz]	[dBm]	[dBc]	[dBc]	[dB]																																																																								
-90.000 M	-60.000 M	500.00 k	6.343558 G	-45.70	-61.41	-8.09																																																																								
-60.000 M	-40.000 M	500.00 k	6.345000 G	-45.65	-61.36	-8.04																																																																								
-40.000 M	-21.000 M	500.00 k	6.383654 G	-26.93	-42.54	-9.07																																																																								
-21.000 M	-20.000 M	500.00 k	6.384000 G	-25.97	-41.68	-8.36																																																																								
20.000 M	21.000 M	500.00 k	6.425769 G	-26.00	-41.71	-13.01																																																																								
21.000 M	40.000 M	500.00 k	6.426058 G	-26.52	-42.23	-8.91																																																																								
40.000 M	60.000 M	500.00 k	6.464712 G	-45.74	-61.46	-8.31																																																																								
60.000 M	90.000 M	500.00 k	6.465000 G	-45.75	-61.46	-8.14																																																																								

Mode 3: IEEE 802.11ax 40 MHz Continuous TX mode_ANT-2																																																																
6445 MHz	<p>Center 6.445 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th>Start [Hz]</th> <th>Stop [Hz]</th> <th>Bandwidth [Hz]</th> <th>Power [dBm]</th> <th>PerChA [dBm]</th> <th>PerChB [dBm]</th> <th>Δ Limit [dB]</th> </tr> </thead> <tbody> <tr><td>-90.000 M</td><td>-60.000 M</td><td>500.00 k</td><td>6.384712 G</td><td>-48.29</td><td>-63.13</td><td>-9.59</td></tr> <tr><td>-60.000 M</td><td>-40.000 M</td><td>500.00 k</td><td>6.385000 G</td><td>-48.14</td><td>-62.99</td><td>-9.44</td></tr> <tr><td>-40.000 M</td><td>-21.000 M</td><td>500.00 k</td><td>6.423654 G</td><td>-29.80</td><td>-44.64</td><td>-10.95</td></tr> <tr><td>-21.000 M</td><td>-20.000 M</td><td>500.00 k</td><td>6.424000 G</td><td>-28.65</td><td>-43.49</td><td>-9.94</td></tr> <tr><td>20.000 M</td><td>21.000 M</td><td>500.00 k</td><td>6.465769 G</td><td>-27.75</td><td>-42.60</td><td>-13.67</td></tr> <tr><td>21.000 M</td><td>40.000 M</td><td>500.00 k</td><td>6.466058 G</td><td>-28.80</td><td>-43.64</td><td>-10.09</td></tr> <tr><td>40.000 M</td><td>60.000 M</td><td>500.00 k</td><td>6.504712 G</td><td>-48.22</td><td>-63.06</td><td>-9.69</td></tr> <tr><td>60.000 M</td><td>90.000 M</td><td>500.00 k</td><td>6.505000 G</td><td>-48.36</td><td>-63.20</td><td>-9.65</td></tr> </tbody> </table> <p>Date: 4.MAY.2022 14:14:42</p>	Start [Hz]	Stop [Hz]	Bandwidth [Hz]	Power [dBm]	PerChA [dBm]	PerChB [dBm]	Δ Limit [dB]	-90.000 M	-60.000 M	500.00 k	6.384712 G	-48.29	-63.13	-9.59	-60.000 M	-40.000 M	500.00 k	6.385000 G	-48.14	-62.99	-9.44	-40.000 M	-21.000 M	500.00 k	6.423654 G	-29.80	-44.64	-10.95	-21.000 M	-20.000 M	500.00 k	6.424000 G	-28.65	-43.49	-9.94	20.000 M	21.000 M	500.00 k	6.465769 G	-27.75	-42.60	-13.67	21.000 M	40.000 M	500.00 k	6.466058 G	-28.80	-43.64	-10.09	40.000 M	60.000 M	500.00 k	6.504712 G	-48.22	-63.06	-9.69	60.000 M	90.000 M	500.00 k	6.505000 G	-48.36	-63.20	-9.65
Start [Hz]	Stop [Hz]	Bandwidth [Hz]	Power [dBm]	PerChA [dBm]	PerChB [dBm]	Δ Limit [dB]																																																										
-90.000 M	-60.000 M	500.00 k	6.384712 G	-48.29	-63.13	-9.59																																																										
-60.000 M	-40.000 M	500.00 k	6.385000 G	-48.14	-62.99	-9.44																																																										
-40.000 M	-21.000 M	500.00 k	6.423654 G	-29.80	-44.64	-10.95																																																										
-21.000 M	-20.000 M	500.00 k	6.424000 G	-28.65	-43.49	-9.94																																																										
20.000 M	21.000 M	500.00 k	6.465769 G	-27.75	-42.60	-13.67																																																										
21.000 M	40.000 M	500.00 k	6.466058 G	-28.80	-43.64	-10.09																																																										
40.000 M	60.000 M	500.00 k	6.504712 G	-48.22	-63.06	-9.69																																																										
60.000 M	90.000 M	500.00 k	6.505000 G	-48.36	-63.20	-9.65																																																										
6485 MHz	<p>Center 6.485 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th>Start [Hz]</th> <th>Stop [Hz]</th> <th>Bandwidth [Hz]</th> <th>Power [dBm]</th> <th>PerChA [dBm]</th> <th>PerChB [dBm]</th> <th>Δ Limit [dB]</th> </tr> </thead> <tbody> <tr><td>-90.000 M</td><td>-60.000 M</td><td>500.00 k</td><td>6.424135 G</td><td>-48.76</td><td>-63.94</td><td>-10.31</td></tr> <tr><td>-60.000 M</td><td>-40.000 M</td><td>500.00 k</td><td>6.425000 G</td><td>-48.84</td><td>-64.02</td><td>-10.38</td></tr> <tr><td>-40.000 M</td><td>-21.000 M</td><td>500.00 k</td><td>6.463654 G</td><td>-29.30</td><td>-44.48</td><td>-10.70</td></tr> <tr><td>-21.000 M</td><td>-20.000 M</td><td>500.00 k</td><td>6.464000 G</td><td>-28.08</td><td>-43.26</td><td>-9.63</td></tr> <tr><td>20.000 M</td><td>21.000 M</td><td>500.00 k</td><td>6.505769 G</td><td>-27.34</td><td>-42.51</td><td>-13.50</td></tr> <tr><td>21.000 M</td><td>40.000 M</td><td>500.00 k</td><td>6.506058 G</td><td>-28.41</td><td>-43.58</td><td>-9.95</td></tr> <tr><td>40.000 M</td><td>60.000 M</td><td>500.00 k</td><td>6.544712 G</td><td>-48.89</td><td>-64.06</td><td>-10.61</td></tr> <tr><td>60.000 M</td><td>90.000 M</td><td>500.00 k</td><td>6.545000 G</td><td>-48.91</td><td>-64.08</td><td>-10.45</td></tr> </tbody> </table> <p>Date: 4.MAY.2022 14:18:07</p>	Start [Hz]	Stop [Hz]	Bandwidth [Hz]	Power [dBm]	PerChA [dBm]	PerChB [dBm]	Δ Limit [dB]	-90.000 M	-60.000 M	500.00 k	6.424135 G	-48.76	-63.94	-10.31	-60.000 M	-40.000 M	500.00 k	6.425000 G	-48.84	-64.02	-10.38	-40.000 M	-21.000 M	500.00 k	6.463654 G	-29.30	-44.48	-10.70	-21.000 M	-20.000 M	500.00 k	6.464000 G	-28.08	-43.26	-9.63	20.000 M	21.000 M	500.00 k	6.505769 G	-27.34	-42.51	-13.50	21.000 M	40.000 M	500.00 k	6.506058 G	-28.41	-43.58	-9.95	40.000 M	60.000 M	500.00 k	6.544712 G	-48.89	-64.06	-10.61	60.000 M	90.000 M	500.00 k	6.545000 G	-48.91	-64.08	-10.45
Start [Hz]	Stop [Hz]	Bandwidth [Hz]	Power [dBm]	PerChA [dBm]	PerChB [dBm]	Δ Limit [dB]																																																										
-90.000 M	-60.000 M	500.00 k	6.424135 G	-48.76	-63.94	-10.31																																																										
-60.000 M	-40.000 M	500.00 k	6.425000 G	-48.84	-64.02	-10.38																																																										
-40.000 M	-21.000 M	500.00 k	6.463654 G	-29.30	-44.48	-10.70																																																										
-21.000 M	-20.000 M	500.00 k	6.464000 G	-28.08	-43.26	-9.63																																																										
20.000 M	21.000 M	500.00 k	6.505769 G	-27.34	-42.51	-13.50																																																										
21.000 M	40.000 M	500.00 k	6.506058 G	-28.41	-43.58	-9.95																																																										
40.000 M	60.000 M	500.00 k	6.544712 G	-48.89	-64.06	-10.61																																																										
60.000 M	90.000 M	500.00 k	6.545000 G	-48.91	-64.08	-10.45																																																										
6525 MHz	<p>Center 6.525 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th>Start [Hz]</th> <th>Stop [Hz]</th> <th>Bandwidth [Hz]</th> <th>Power [dBm]</th> <th>PerChA [dBm]</th> <th>PerChB [dBm]</th> <th>Δ Limit [dB]</th> </tr> </thead> <tbody> <tr><td>-90.000 M</td><td>-60.000 M</td><td>500.00 k</td><td>6.464712 G</td><td>-48.66</td><td>-63.74</td><td>-10.31</td></tr> <tr><td>-60.000 M</td><td>-40.000 M</td><td>500.00 k</td><td>6.465000 G</td><td>-48.72</td><td>-63.81</td><td>-10.38</td></tr> <tr><td>-40.000 M</td><td>-21.000 M</td><td>500.00 k</td><td>6.503654 G</td><td>-29.96</td><td>-44.05</td><td>-10.47</td></tr> <tr><td>-21.000 M</td><td>-20.000 M</td><td>500.00 k</td><td>6.504000 G</td><td>-27.99</td><td>-43.08</td><td>-9.65</td></tr> <tr><td>20.000 M</td><td>21.000 M</td><td>500.00 k</td><td>6.545769 G</td><td>-28.29</td><td>-43.37</td><td>-14.56</td></tr> <tr><td>21.000 M</td><td>40.000 M</td><td>500.00 k</td><td>6.546058 G</td><td>-29.20</td><td>-44.28</td><td>-10.85</td></tr> <tr><td>40.000 M</td><td>60.000 M</td><td>500.00 k</td><td>6.584712 G</td><td>-49.05</td><td>-64.14</td><td>-10.88</td></tr> <tr><td>60.000 M</td><td>90.000 M</td><td>500.00 k</td><td>6.585000 G</td><td>-49.03</td><td>-64.12</td><td>-10.69</td></tr> </tbody> </table> <p>Date: 4.MAY.2022 14:22:20</p>	Start [Hz]	Stop [Hz]	Bandwidth [Hz]	Power [dBm]	PerChA [dBm]	PerChB [dBm]	Δ Limit [dB]	-90.000 M	-60.000 M	500.00 k	6.464712 G	-48.66	-63.74	-10.31	-60.000 M	-40.000 M	500.00 k	6.465000 G	-48.72	-63.81	-10.38	-40.000 M	-21.000 M	500.00 k	6.503654 G	-29.96	-44.05	-10.47	-21.000 M	-20.000 M	500.00 k	6.504000 G	-27.99	-43.08	-9.65	20.000 M	21.000 M	500.00 k	6.545769 G	-28.29	-43.37	-14.56	21.000 M	40.000 M	500.00 k	6.546058 G	-29.20	-44.28	-10.85	40.000 M	60.000 M	500.00 k	6.584712 G	-49.05	-64.14	-10.88	60.000 M	90.000 M	500.00 k	6.585000 G	-49.03	-64.12	-10.69
Start [Hz]	Stop [Hz]	Bandwidth [Hz]	Power [dBm]	PerChA [dBm]	PerChB [dBm]	Δ Limit [dB]																																																										
-90.000 M	-60.000 M	500.00 k	6.464712 G	-48.66	-63.74	-10.31																																																										
-60.000 M	-40.000 M	500.00 k	6.465000 G	-48.72	-63.81	-10.38																																																										
-40.000 M	-21.000 M	500.00 k	6.503654 G	-29.96	-44.05	-10.47																																																										
-21.000 M	-20.000 M	500.00 k	6.504000 G	-27.99	-43.08	-9.65																																																										
20.000 M	21.000 M	500.00 k	6.545769 G	-28.29	-43.37	-14.56																																																										
21.000 M	40.000 M	500.00 k	6.546058 G	-29.20	-44.28	-10.85																																																										
40.000 M	60.000 M	500.00 k	6.584712 G	-49.05	-64.14	-10.88																																																										
60.000 M	90.000 M	500.00 k	6.585000 G	-49.03	-64.12	-10.69																																																										




Mode 3: IEEE 802.11ax 40 MHz Continuous TX mode_ANT-2																																																																														
6565 MHz	<p>Center 6.565 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>RBW</th> <th>Peak Power</th> <th>PerChan</th> <th colspan="2">None</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[dBm]</th> <th>[dBc]</th> <th>[dB]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr> <td>-90.000 M</td> <td>-60.000 M</td> <td>500.00 k</td> <td>6.504712 G</td> <td>-45.18</td> <td>-60.98</td> <td>-7.45</td> </tr> <tr> <td>-60.000 M</td> <td>-40.000 M</td> <td>500.00 k</td> <td>6.505000 G</td> <td>-45.12</td> <td>-60.92</td> <td>-7.39</td> </tr> <tr> <td>-40.000 M</td> <td>-21.000 M</td> <td>500.00 k</td> <td>6.543654 G</td> <td>-27.21</td> <td>-43.01</td> <td>-9.33</td> </tr> <tr> <td>-21.000 M</td> <td>-20.000 M</td> <td>500.00 k</td> <td>6.544000 G</td> <td>-26.26</td> <td>-42.06</td> <td>-8.54</td> </tr> <tr> <td>20.000 M</td> <td>21.000 M</td> <td>500.00 k</td> <td>6.585769 G</td> <td>-25.82</td> <td>-41.62</td> <td>-12.71</td> </tr> <tr> <td>21.000 M</td> <td>40.000 M</td> <td>500.00 k</td> <td>6.586058 G</td> <td>-26.59</td> <td>-42.39</td> <td>-8.86</td> </tr> <tr> <td>40.000 M</td> <td>60.000 M</td> <td>500.00 k</td> <td>6.624135 G</td> <td>-44.59</td> <td>-60.40</td> <td>-7.59</td> </tr> <tr> <td>60.000 M</td> <td>90.000 M</td> <td>500.00 k</td> <td>6.625000 G</td> <td>-45.01</td> <td>-60.81</td> <td>-7.28</td> </tr> </tbody> </table> <p>Date: 4.MAY.2022 14:25:11</p>	Tx Channel							Start	Stop	RBW	Peak Power	PerChan	None		[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	[dB]	-90.000 M	-60.000 M	500.00 k	6.504712 G	-45.18	-60.98	-7.45	-60.000 M	-40.000 M	500.00 k	6.505000 G	-45.12	-60.92	-7.39	-40.000 M	-21.000 M	500.00 k	6.543654 G	-27.21	-43.01	-9.33	-21.000 M	-20.000 M	500.00 k	6.544000 G	-26.26	-42.06	-8.54	20.000 M	21.000 M	500.00 k	6.585769 G	-25.82	-41.62	-12.71	21.000 M	40.000 M	500.00 k	6.586058 G	-26.59	-42.39	-8.86	40.000 M	60.000 M	500.00 k	6.624135 G	-44.59	-60.40	-7.59	60.000 M	90.000 M	500.00 k	6.625000 G	-45.01	-60.81	-7.28
Tx Channel																																																																														
Start	Stop	RBW	Peak Power	PerChan	None																																																																									
[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	[dB]																																																																								
-90.000 M	-60.000 M	500.00 k	6.504712 G	-45.18	-60.98	-7.45																																																																								
-60.000 M	-40.000 M	500.00 k	6.505000 G	-45.12	-60.92	-7.39																																																																								
-40.000 M	-21.000 M	500.00 k	6.543654 G	-27.21	-43.01	-9.33																																																																								
-21.000 M	-20.000 M	500.00 k	6.544000 G	-26.26	-42.06	-8.54																																																																								
20.000 M	21.000 M	500.00 k	6.585769 G	-25.82	-41.62	-12.71																																																																								
21.000 M	40.000 M	500.00 k	6.586058 G	-26.59	-42.39	-8.86																																																																								
40.000 M	60.000 M	500.00 k	6.624135 G	-44.59	-60.40	-7.59																																																																								
60.000 M	90.000 M	500.00 k	6.625000 G	-45.01	-60.81	-7.28																																																																								
6685 MHz	<p>Center 6.685 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>RBW</th> <th>Peak Power</th> <th>PerChan</th> <th colspan="2">None</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[dBm]</th> <th>[dBc]</th> <th>[dB]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr> <td>-90.000 M</td> <td>-60.000 M</td> <td>500.00 k</td> <td>6.624712 G</td> <td>-46.04</td> <td>-61.86</td> <td>-8.35</td> </tr> <tr> <td>-60.000 M</td> <td>-40.000 M</td> <td>500.00 k</td> <td>6.625000 G</td> <td>-45.91</td> <td>-61.74</td> <td>-8.23</td> </tr> <tr> <td>-40.000 M</td> <td>-21.000 M</td> <td>500.00 k</td> <td>6.663654 G</td> <td>-26.83</td> <td>-42.46</td> <td>-8.80</td> </tr> <tr> <td>-21.000 M</td> <td>-20.000 M</td> <td>500.00 k</td> <td>6.664000 G</td> <td>-26.13</td> <td>-41.96</td> <td>-8.45</td> </tr> <tr> <td>20.000 M</td> <td>21.000 M</td> <td>500.00 k</td> <td>6.705769 G</td> <td>-25.57</td> <td>-41.40</td> <td>-12.50</td> </tr> <tr> <td>21.000 M</td> <td>40.000 M</td> <td>500.00 k</td> <td>6.706058 G</td> <td>-26.21</td> <td>-42.04</td> <td>-8.53</td> </tr> <tr> <td>40.000 M</td> <td>60.000 M</td> <td>500.00 k</td> <td>6.744712 G</td> <td>-45.97</td> <td>-61.80</td> <td>-8.46</td> </tr> <tr> <td>60.000 M</td> <td>90.000 M</td> <td>500.00 k</td> <td>6.745288 G</td> <td>-46.06</td> <td>-61.89</td> <td>-8.38</td> </tr> </tbody> </table> <p>Date: 4.MAY.2022 14:30:01</p>	Tx Channel							Start	Stop	RBW	Peak Power	PerChan	None		[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	[dB]	-90.000 M	-60.000 M	500.00 k	6.624712 G	-46.04	-61.86	-8.35	-60.000 M	-40.000 M	500.00 k	6.625000 G	-45.91	-61.74	-8.23	-40.000 M	-21.000 M	500.00 k	6.663654 G	-26.83	-42.46	-8.80	-21.000 M	-20.000 M	500.00 k	6.664000 G	-26.13	-41.96	-8.45	20.000 M	21.000 M	500.00 k	6.705769 G	-25.57	-41.40	-12.50	21.000 M	40.000 M	500.00 k	6.706058 G	-26.21	-42.04	-8.53	40.000 M	60.000 M	500.00 k	6.744712 G	-45.97	-61.80	-8.46	60.000 M	90.000 M	500.00 k	6.745288 G	-46.06	-61.89	-8.38
Tx Channel																																																																														
Start	Stop	RBW	Peak Power	PerChan	None																																																																									
[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	[dB]																																																																								
-90.000 M	-60.000 M	500.00 k	6.624712 G	-46.04	-61.86	-8.35																																																																								
-60.000 M	-40.000 M	500.00 k	6.625000 G	-45.91	-61.74	-8.23																																																																								
-40.000 M	-21.000 M	500.00 k	6.663654 G	-26.83	-42.46	-8.80																																																																								
-21.000 M	-20.000 M	500.00 k	6.664000 G	-26.13	-41.96	-8.45																																																																								
20.000 M	21.000 M	500.00 k	6.705769 G	-25.57	-41.40	-12.50																																																																								
21.000 M	40.000 M	500.00 k	6.706058 G	-26.21	-42.04	-8.53																																																																								
40.000 M	60.000 M	500.00 k	6.744712 G	-45.97	-61.80	-8.46																																																																								
60.000 M	90.000 M	500.00 k	6.745288 G	-46.06	-61.89	-8.38																																																																								
6845 MHz	<p>Center 6.845 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>RBW</th> <th>Peak Power</th> <th>PerChan</th> <th colspan="2">None</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[dBm]</th> <th>[dBc]</th> <th>[dB]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr> <td>-90.000 M</td> <td>-60.000 M</td> <td>500.00 k</td> <td>6.784712 G</td> <td>-47.40</td> <td>-62.44</td> <td>-9.04</td> </tr> <tr> <td>-60.000 M</td> <td>-40.000 M</td> <td>500.00 k</td> <td>6.785000 G</td> <td>-47.41</td> <td>-62.44</td> <td>-9.05</td> </tr> <tr> <td>-40.000 M</td> <td>-21.000 M</td> <td>500.00 k</td> <td>6.823654 G</td> <td>-28.82</td> <td>-43.86</td> <td>-10.32</td> </tr> <tr> <td>-21.000 M</td> <td>-20.000 M</td> <td>500.00 k</td> <td>6.824000 G</td> <td>-27.66</td> <td>-42.70</td> <td>-9.30</td> </tr> <tr> <td>20.000 M</td> <td>21.000 M</td> <td>500.00 k</td> <td>6.865769 G</td> <td>-27.81</td> <td>-42.84</td> <td>-14.06</td> </tr> <tr> <td>21.000 M</td> <td>40.000 M</td> <td>500.00 k</td> <td>6.866058 G</td> <td>-28.53</td> <td>-43.56</td> <td>-10.17</td> </tr> <tr> <td>40.000 M</td> <td>60.000 M</td> <td>500.00 k</td> <td>6.904712 G</td> <td>-47.82</td> <td>-62.86</td> <td>-9.64</td> </tr> <tr> <td>60.000 M</td> <td>90.000 M</td> <td>500.00 k</td> <td>6.905288 G</td> <td>-47.90</td> <td>-62.94</td> <td>-9.55</td> </tr> </tbody> </table> <p>Date: 4.MAY.2022 14:33:14</p>	Tx Channel							Start	Stop	RBW	Peak Power	PerChan	None		[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	[dB]	-90.000 M	-60.000 M	500.00 k	6.784712 G	-47.40	-62.44	-9.04	-60.000 M	-40.000 M	500.00 k	6.785000 G	-47.41	-62.44	-9.05	-40.000 M	-21.000 M	500.00 k	6.823654 G	-28.82	-43.86	-10.32	-21.000 M	-20.000 M	500.00 k	6.824000 G	-27.66	-42.70	-9.30	20.000 M	21.000 M	500.00 k	6.865769 G	-27.81	-42.84	-14.06	21.000 M	40.000 M	500.00 k	6.866058 G	-28.53	-43.56	-10.17	40.000 M	60.000 M	500.00 k	6.904712 G	-47.82	-62.86	-9.64	60.000 M	90.000 M	500.00 k	6.905288 G	-47.90	-62.94	-9.55
Tx Channel																																																																														
Start	Stop	RBW	Peak Power	PerChan	None																																																																									
[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	[dB]																																																																								
-90.000 M	-60.000 M	500.00 k	6.784712 G	-47.40	-62.44	-9.04																																																																								
-60.000 M	-40.000 M	500.00 k	6.785000 G	-47.41	-62.44	-9.05																																																																								
-40.000 M	-21.000 M	500.00 k	6.823654 G	-28.82	-43.86	-10.32																																																																								
-21.000 M	-20.000 M	500.00 k	6.824000 G	-27.66	-42.70	-9.30																																																																								
20.000 M	21.000 M	500.00 k	6.865769 G	-27.81	-42.84	-14.06																																																																								
21.000 M	40.000 M	500.00 k	6.866058 G	-28.53	-43.56	-10.17																																																																								
40.000 M	60.000 M	500.00 k	6.904712 G	-47.82	-62.86	-9.64																																																																								
60.000 M	90.000 M	500.00 k	6.905288 G	-47.90	-62.94	-9.55																																																																								

Mode 3: IEEE 802.11ax 40 MHz Continuous TX mode_ANT-2																																																																														
6885 MHz	 <p>Center 6.885 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>RFW</th> <th>Peak Power</th> <th>PerChB</th> <th>PerChA</th> <th>Δ Limit</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr><td>-90.000 M</td><td>-60.000 M</td><td>500.00 k</td><td>6.824135 G</td><td>-48.16</td><td>-62.99</td><td>-9.67</td></tr> <tr><td>-60.000 M</td><td>-40.000 M</td><td>500.00 k</td><td>6.825000 G</td><td>-48.02</td><td>-62.85</td><td>-9.53</td></tr> <tr><td>-40.000 M</td><td>-21.000 M</td><td>500.00 k</td><td>6.863654 G</td><td>-29.21</td><td>-44.03</td><td>-10.57</td></tr> <tr><td>-21.000 M</td><td>-20.000 M</td><td>500.00 k</td><td>6.864000 G</td><td>-28.02</td><td>-42.85</td><td>-9.53</td></tr> <tr><td>20.000 M</td><td>21.000 M</td><td>500.00 k</td><td>6.905769 G</td><td>-27.80</td><td>-42.63</td><td>-13.92</td></tr> <tr><td>21.000 M</td><td>40.000 M</td><td>500.00 k</td><td>6.906058 G</td><td>-28.57</td><td>-43.39</td><td>-10.07</td></tr> <tr><td>40.000 M</td><td>60.000 M</td><td>500.00 k</td><td>6.944712 G</td><td>-48.91</td><td>-63.74</td><td>-10.59</td></tr> <tr><td>60.000 M</td><td>90.000 M</td><td>500.00 k</td><td>6.945000 G</td><td>-48.97</td><td>-63.80</td><td>-10.48</td></tr> </tbody> </table> <p>Date: 4.MAY.2022 14:39:52</p>	Tx Channel							Start	Stop	RFW	Peak Power	PerChB	PerChA	Δ Limit	[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dBm]	[dB]	-90.000 M	-60.000 M	500.00 k	6.824135 G	-48.16	-62.99	-9.67	-60.000 M	-40.000 M	500.00 k	6.825000 G	-48.02	-62.85	-9.53	-40.000 M	-21.000 M	500.00 k	6.863654 G	-29.21	-44.03	-10.57	-21.000 M	-20.000 M	500.00 k	6.864000 G	-28.02	-42.85	-9.53	20.000 M	21.000 M	500.00 k	6.905769 G	-27.80	-42.63	-13.92	21.000 M	40.000 M	500.00 k	6.906058 G	-28.57	-43.39	-10.07	40.000 M	60.000 M	500.00 k	6.944712 G	-48.91	-63.74	-10.59	60.000 M	90.000 M	500.00 k	6.945000 G	-48.97	-63.80	-10.48
Tx Channel																																																																														
Start	Stop	RFW	Peak Power	PerChB	PerChA	Δ Limit																																																																								
[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dBm]	[dB]																																																																								
-90.000 M	-60.000 M	500.00 k	6.824135 G	-48.16	-62.99	-9.67																																																																								
-60.000 M	-40.000 M	500.00 k	6.825000 G	-48.02	-62.85	-9.53																																																																								
-40.000 M	-21.000 M	500.00 k	6.863654 G	-29.21	-44.03	-10.57																																																																								
-21.000 M	-20.000 M	500.00 k	6.864000 G	-28.02	-42.85	-9.53																																																																								
20.000 M	21.000 M	500.00 k	6.905769 G	-27.80	-42.63	-13.92																																																																								
21.000 M	40.000 M	500.00 k	6.906058 G	-28.57	-43.39	-10.07																																																																								
40.000 M	60.000 M	500.00 k	6.944712 G	-48.91	-63.74	-10.59																																																																								
60.000 M	90.000 M	500.00 k	6.945000 G	-48.97	-63.80	-10.48																																																																								
6925 MHz	 <p>Center 6.925 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>RFW</th> <th>Peak Power</th> <th>PerChB</th> <th>PerChA</th> <th>Δ Limit</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr><td>-90.000 M</td><td>-60.000 M</td><td>500.00 k</td><td>6.864423 G</td><td>-46.56</td><td>-62.25</td><td>-8.83</td></tr> <tr><td>-60.000 M</td><td>-40.000 M</td><td>500.00 k</td><td>6.865000 G</td><td>-46.54</td><td>-62.23</td><td>-8.81</td></tr> <tr><td>-40.000 M</td><td>-21.000 M</td><td>500.00 k</td><td>6.903654 G</td><td>-26.91</td><td>-42.60</td><td>-9.04</td></tr> <tr><td>-21.000 M</td><td>-20.000 M</td><td>500.00 k</td><td>6.904000 G</td><td>-26.13</td><td>-41.82</td><td>-8.41</td></tr> <tr><td>20.000 M</td><td>21.000 M</td><td>500.00 k</td><td>6.945769 G</td><td>-25.81</td><td>-41.50</td><td>-12.70</td></tr> <tr><td>21.000 M</td><td>40.000 M</td><td>500.00 k</td><td>6.946058 G</td><td>-26.53</td><td>-42.22</td><td>-8.80</td></tr> <tr><td>40.000 M</td><td>60.000 M</td><td>500.00 k</td><td>6.984712 G</td><td>-46.69</td><td>-62.38</td><td>-9.14</td></tr> <tr><td>60.000 M</td><td>90.000 M</td><td>500.00 k</td><td>6.985288 G</td><td>-46.59</td><td>-62.28</td><td>-8.87</td></tr> </tbody> </table> <p>Date: 4.MAY.2022 14:42:37</p>	Tx Channel							Start	Stop	RFW	Peak Power	PerChB	PerChA	Δ Limit	[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dBm]	[dB]	-90.000 M	-60.000 M	500.00 k	6.864423 G	-46.56	-62.25	-8.83	-60.000 M	-40.000 M	500.00 k	6.865000 G	-46.54	-62.23	-8.81	-40.000 M	-21.000 M	500.00 k	6.903654 G	-26.91	-42.60	-9.04	-21.000 M	-20.000 M	500.00 k	6.904000 G	-26.13	-41.82	-8.41	20.000 M	21.000 M	500.00 k	6.945769 G	-25.81	-41.50	-12.70	21.000 M	40.000 M	500.00 k	6.946058 G	-26.53	-42.22	-8.80	40.000 M	60.000 M	500.00 k	6.984712 G	-46.69	-62.38	-9.14	60.000 M	90.000 M	500.00 k	6.985288 G	-46.59	-62.28	-8.87
Tx Channel																																																																														
Start	Stop	RFW	Peak Power	PerChB	PerChA	Δ Limit																																																																								
[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dBm]	[dB]																																																																								
-90.000 M	-60.000 M	500.00 k	6.864423 G	-46.56	-62.25	-8.83																																																																								
-60.000 M	-40.000 M	500.00 k	6.865000 G	-46.54	-62.23	-8.81																																																																								
-40.000 M	-21.000 M	500.00 k	6.903654 G	-26.91	-42.60	-9.04																																																																								
-21.000 M	-20.000 M	500.00 k	6.904000 G	-26.13	-41.82	-8.41																																																																								
20.000 M	21.000 M	500.00 k	6.945769 G	-25.81	-41.50	-12.70																																																																								
21.000 M	40.000 M	500.00 k	6.946058 G	-26.53	-42.22	-8.80																																																																								
40.000 M	60.000 M	500.00 k	6.984712 G	-46.69	-62.38	-9.14																																																																								
60.000 M	90.000 M	500.00 k	6.985288 G	-46.59	-62.28	-8.87																																																																								
7005 MHz	 <p>Center 7.005 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>RFW</th> <th>Peak Power</th> <th>PerChB</th> <th>PerChA</th> <th>Δ Limit</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr><td>-90.000 M</td><td>-60.000 M</td><td>500.00 k</td><td>6.944712 G</td><td>-49.71</td><td>-63.85</td><td>-10.33</td></tr> <tr><td>-60.000 M</td><td>-40.000 M</td><td>500.00 k</td><td>6.945000 G</td><td>-49.73</td><td>-63.87</td><td>-10.35</td></tr> <tr><td>-40.000 M</td><td>-21.000 M</td><td>500.00 k</td><td>6.983654 G</td><td>-30.33</td><td>-44.46</td><td>-10.80</td></tr> <tr><td>-21.000 M</td><td>-20.000 M</td><td>500.00 k</td><td>6.984000 G</td><td>-29.43</td><td>-43.57</td><td>-10.06</td></tr> <tr><td>20.000 M</td><td>21.000 M</td><td>500.00 k</td><td>7.025769 G</td><td>-28.62</td><td>-42.76</td><td>-13.86</td></tr> <tr><td>21.000 M</td><td>40.000 M</td><td>500.00 k</td><td>7.026058 G</td><td>-29.89</td><td>-44.02</td><td>-10.51</td></tr> <tr><td>40.000 M</td><td>60.000 M</td><td>500.00 k</td><td>7.064712 G</td><td>-51.01</td><td>-65.15</td><td>-11.81</td></tr> <tr><td>60.000 M</td><td>90.000 M</td><td>500.00 k</td><td>7.065288 G</td><td>-51.00</td><td>-65.13</td><td>-11.62</td></tr> </tbody> </table> <p>Date: 4.MAY.2022 14:48:04</p>	Tx Channel							Start	Stop	RFW	Peak Power	PerChB	PerChA	Δ Limit	[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dBm]	[dB]	-90.000 M	-60.000 M	500.00 k	6.944712 G	-49.71	-63.85	-10.33	-60.000 M	-40.000 M	500.00 k	6.945000 G	-49.73	-63.87	-10.35	-40.000 M	-21.000 M	500.00 k	6.983654 G	-30.33	-44.46	-10.80	-21.000 M	-20.000 M	500.00 k	6.984000 G	-29.43	-43.57	-10.06	20.000 M	21.000 M	500.00 k	7.025769 G	-28.62	-42.76	-13.86	21.000 M	40.000 M	500.00 k	7.026058 G	-29.89	-44.02	-10.51	40.000 M	60.000 M	500.00 k	7.064712 G	-51.01	-65.15	-11.81	60.000 M	90.000 M	500.00 k	7.065288 G	-51.00	-65.13	-11.62
Tx Channel																																																																														
Start	Stop	RFW	Peak Power	PerChB	PerChA	Δ Limit																																																																								
[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dBm]	[dB]																																																																								
-90.000 M	-60.000 M	500.00 k	6.944712 G	-49.71	-63.85	-10.33																																																																								
-60.000 M	-40.000 M	500.00 k	6.945000 G	-49.73	-63.87	-10.35																																																																								
-40.000 M	-21.000 M	500.00 k	6.983654 G	-30.33	-44.46	-10.80																																																																								
-21.000 M	-20.000 M	500.00 k	6.984000 G	-29.43	-43.57	-10.06																																																																								
20.000 M	21.000 M	500.00 k	7.025769 G	-28.62	-42.76	-13.86																																																																								
21.000 M	40.000 M	500.00 k	7.026058 G	-29.89	-44.02	-10.51																																																																								
40.000 M	60.000 M	500.00 k	7.064712 G	-51.01	-65.15	-11.81																																																																								
60.000 M	90.000 M	500.00 k	7.065288 G	-51.00	-65.13	-11.62																																																																								



Mode 4: IEEE 802.11ax 80 MHz Continuous TX mode_ANT-2																																																																									
5985 MHz	 <p>Center 5.985 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="8">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>RBW</th> <th>Peak Power</th> <th>PowerA</th> <th>PowerB</th> <th>Limit</th> <th>None</th> </tr> <tr> <th>[MHz]</th> <th>[MHz]</th> <th>[MHz]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dBm]</th> </tr> </thead> <tbody> <tr> <td>-90.000 M</td> <td>-80.000 M</td> <td>1.00 M</td> <td>5.904808 G</td> <td>-49.53</td> <td>-60.51</td> <td>-21.59</td> <td></td> </tr> <tr> <td>-80.000 M</td> <td>-41.000 M</td> <td>1.00 M</td> <td>5.943750 G</td> <td>-29.16</td> <td>-40.14</td> <td>-9.22</td> <td></td> </tr> <tr> <td>-41.000 M</td> <td>-40.000 M</td> <td>1.00 M</td> <td>5.944038 G</td> <td>-26.84</td> <td>-37.82</td> <td>-6.96</td> <td></td> </tr> <tr> <td>40.000 M</td> <td>41.000 M</td> <td>1.00 M</td> <td>6.025673 G</td> <td>-24.74</td> <td>-35.73</td> <td>-11.40</td> <td></td> </tr> <tr> <td>41.000 M</td> <td>80.000 M</td> <td>1.00 M</td> <td>6.026000 G</td> <td>-27.72</td> <td>-38.70</td> <td>-7.84</td> <td></td> </tr> <tr> <td>80.000 M</td> <td>90.000 M</td> <td>1.00 M</td> <td>6.073846 G</td> <td>-47.10</td> <td>-58.08</td> <td>-16.56</td> <td></td> </tr> </tbody> </table> <p>Date: 4.MAY.2022 13:02:21</p>	Tx Channel								Start	Stop	RBW	Peak Power	PowerA	PowerB	Limit	None	[MHz]	[MHz]	[MHz]	[dBm]	[dBm]	[dBm]	[dBm]	[dBm]	-90.000 M	-80.000 M	1.00 M	5.904808 G	-49.53	-60.51	-21.59		-80.000 M	-41.000 M	1.00 M	5.943750 G	-29.16	-40.14	-9.22		-41.000 M	-40.000 M	1.00 M	5.944038 G	-26.84	-37.82	-6.96		40.000 M	41.000 M	1.00 M	6.025673 G	-24.74	-35.73	-11.40		41.000 M	80.000 M	1.00 M	6.026000 G	-27.72	-38.70	-7.84		80.000 M	90.000 M	1.00 M	6.073846 G	-47.10	-58.08	-16.56	
Tx Channel																																																																									
Start	Stop	RBW	Peak Power	PowerA	PowerB	Limit	None																																																																		
[MHz]	[MHz]	[MHz]	[dBm]	[dBm]	[dBm]	[dBm]	[dBm]																																																																		
-90.000 M	-80.000 M	1.00 M	5.904808 G	-49.53	-60.51	-21.59																																																																			
-80.000 M	-41.000 M	1.00 M	5.943750 G	-29.16	-40.14	-9.22																																																																			
-41.000 M	-40.000 M	1.00 M	5.944038 G	-26.84	-37.82	-6.96																																																																			
40.000 M	41.000 M	1.00 M	6.025673 G	-24.74	-35.73	-11.40																																																																			
41.000 M	80.000 M	1.00 M	6.026000 G	-27.72	-38.70	-7.84																																																																			
80.000 M	90.000 M	1.00 M	6.073846 G	-47.10	-58.08	-16.56																																																																			
6145 MHz	 <p>Center 6.145 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="8">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>RBW</th> <th>Peak Power</th> <th>PowerA</th> <th>PowerB</th> <th>Limit</th> <th>None</th> </tr> <tr> <th>[MHz]</th> <th>[MHz]</th> <th>[MHz]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dBm]</th> </tr> </thead> <tbody> <tr> <td>-90.000 M</td> <td>-80.000 M</td> <td>1.00 M</td> <td>6.055000 G</td> <td>-46.64</td> <td>-57.87</td> <td>-16.45</td> <td></td> </tr> <tr> <td>-80.000 M</td> <td>-41.000 M</td> <td>1.00 M</td> <td>6.103750 G</td> <td>-27.77</td> <td>-39.00</td> <td>-8.54</td> <td></td> </tr> <tr> <td>-41.000 M</td> <td>-40.000 M</td> <td>1.00 M</td> <td>6.104038 G</td> <td>-25.84</td> <td>-37.07</td> <td>-6.65</td> <td></td> </tr> <tr> <td>40.000 M</td> <td>41.000 M</td> <td>1.00 M</td> <td>6.185673 G</td> <td>-23.69</td> <td>-34.92</td> <td>-11.04</td> <td></td> </tr> <tr> <td>41.000 M</td> <td>80.000 M</td> <td>1.00 M</td> <td>6.186000 G</td> <td>-26.39</td> <td>-37.62</td> <td>-7.20</td> <td></td> </tr> <tr> <td>80.000 M</td> <td>90.000 M</td> <td>1.00 M</td> <td>6.235000 G</td> <td>-44.50</td> <td>-55.73</td> <td>-14.31</td> <td></td> </tr> </tbody> </table> <p>Date: 4.MAY.2022 13:06:57</p>	Tx Channel								Start	Stop	RBW	Peak Power	PowerA	PowerB	Limit	None	[MHz]	[MHz]	[MHz]	[dBm]	[dBm]	[dBm]	[dBm]	[dBm]	-90.000 M	-80.000 M	1.00 M	6.055000 G	-46.64	-57.87	-16.45		-80.000 M	-41.000 M	1.00 M	6.103750 G	-27.77	-39.00	-8.54		-41.000 M	-40.000 M	1.00 M	6.104038 G	-25.84	-37.07	-6.65		40.000 M	41.000 M	1.00 M	6.185673 G	-23.69	-34.92	-11.04		41.000 M	80.000 M	1.00 M	6.186000 G	-26.39	-37.62	-7.20		80.000 M	90.000 M	1.00 M	6.235000 G	-44.50	-55.73	-14.31	
Tx Channel																																																																									
Start	Stop	RBW	Peak Power	PowerA	PowerB	Limit	None																																																																		
[MHz]	[MHz]	[MHz]	[dBm]	[dBm]	[dBm]	[dBm]	[dBm]																																																																		
-90.000 M	-80.000 M	1.00 M	6.055000 G	-46.64	-57.87	-16.45																																																																			
-80.000 M	-41.000 M	1.00 M	6.103750 G	-27.77	-39.00	-8.54																																																																			
-41.000 M	-40.000 M	1.00 M	6.104038 G	-25.84	-37.07	-6.65																																																																			
40.000 M	41.000 M	1.00 M	6.185673 G	-23.69	-34.92	-11.04																																																																			
41.000 M	80.000 M	1.00 M	6.186000 G	-26.39	-37.62	-7.20																																																																			
80.000 M	90.000 M	1.00 M	6.235000 G	-44.50	-55.73	-14.31																																																																			
6385 MHz	 <p>Center 6.385 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="8">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>RBW</th> <th>Peak Power</th> <th>PowerA</th> <th>PowerB</th> <th>Limit</th> <th>None</th> </tr> <tr> <th>[MHz]</th> <th>[MHz]</th> <th>[MHz]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dBm]</th> </tr> </thead> <tbody> <tr> <td>-90.000 M</td> <td>-80.000 M</td> <td>1.00 M</td> <td>6.299038 G</td> <td>-31.26</td> <td>-45.15</td> <td>-5.07</td> <td></td> </tr> <tr> <td>-80.000 M</td> <td>-41.000 M</td> <td>1.00 M</td> <td>6.343750 G</td> <td>-21.64</td> <td>-35.53</td> <td>-5.19</td> <td></td> </tr> <tr> <td>-41.000 M</td> <td>-40.000 M</td> <td>1.00 M</td> <td>6.344038 G</td> <td>-20.55</td> <td>-34.44</td> <td>-4.15</td> <td></td> </tr> <tr> <td>40.000 M</td> <td>41.000 M</td> <td>1.00 M</td> <td>6.425673 G</td> <td>-19.98</td> <td>-33.87</td> <td>-10.11</td> <td></td> </tr> <tr> <td>41.000 M</td> <td>80.000 M</td> <td>1.00 M</td> <td>6.426000 G</td> <td>-21.52</td> <td>-35.41</td> <td>-5.11</td> <td></td> </tr> <tr> <td>80.000 M</td> <td>90.000 M</td> <td>1.00 M</td> <td>6.474712 G</td> <td>-31.56</td> <td>-45.45</td> <td>-4.24</td> <td></td> </tr> </tbody> </table> <p>Date: 4.MAY.2022 13:08:47</p>	Tx Channel								Start	Stop	RBW	Peak Power	PowerA	PowerB	Limit	None	[MHz]	[MHz]	[MHz]	[dBm]	[dBm]	[dBm]	[dBm]	[dBm]	-90.000 M	-80.000 M	1.00 M	6.299038 G	-31.26	-45.15	-5.07		-80.000 M	-41.000 M	1.00 M	6.343750 G	-21.64	-35.53	-5.19		-41.000 M	-40.000 M	1.00 M	6.344038 G	-20.55	-34.44	-4.15		40.000 M	41.000 M	1.00 M	6.425673 G	-19.98	-33.87	-10.11		41.000 M	80.000 M	1.00 M	6.426000 G	-21.52	-35.41	-5.11		80.000 M	90.000 M	1.00 M	6.474712 G	-31.56	-45.45	-4.24	
Tx Channel																																																																									
Start	Stop	RBW	Peak Power	PowerA	PowerB	Limit	None																																																																		
[MHz]	[MHz]	[MHz]	[dBm]	[dBm]	[dBm]	[dBm]	[dBm]																																																																		
-90.000 M	-80.000 M	1.00 M	6.299038 G	-31.26	-45.15	-5.07																																																																			
-80.000 M	-41.000 M	1.00 M	6.343750 G	-21.64	-35.53	-5.19																																																																			
-41.000 M	-40.000 M	1.00 M	6.344038 G	-20.55	-34.44	-4.15																																																																			
40.000 M	41.000 M	1.00 M	6.425673 G	-19.98	-33.87	-10.11																																																																			
41.000 M	80.000 M	1.00 M	6.426000 G	-21.52	-35.41	-5.11																																																																			
80.000 M	90.000 M	1.00 M	6.474712 G	-31.56	-45.45	-4.24																																																																			

Mode 4: IEEE 802.11ax 80 MHz Continuous TX mode_ANT-2																																																																
6465 MHz	<p>Center 6.465 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>RMW</th> <th>Peak Power</th> <th>PerChA</th> <th>PerChB</th> <th>Δ Limit</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr> <td>-90.000 M</td> <td>-80.000 M</td> <td>1.00 M</td> <td>6.375577 G</td> <td>-37.52</td> <td>-50.64</td> <td>-8.92</td> </tr> <tr> <td>-80.000 M</td> <td>-41.000 M</td> <td>1.00 M</td> <td>6.423750 G</td> <td>-25.30</td> <td>-38.42</td> <td>-7.48</td> </tr> <tr> <td>-41.000 M</td> <td>-40.000 M</td> <td>1.00 M</td> <td>6.424038 G</td> <td>-23.72</td> <td>-36.94</td> <td>-5.95</td> </tr> <tr> <td>40.000 M</td> <td>41.000 M</td> <td>1.00 M</td> <td>6.505673 G</td> <td>-21.39</td> <td>-34.51</td> <td>-10.16</td> </tr> <tr> <td>41.000 M</td> <td>80.000 M</td> <td>1.00 M</td> <td>6.506000 G</td> <td>-23.73</td> <td>-36.85</td> <td>-5.96</td> </tr> <tr> <td>80.000 M</td> <td>90.000 M</td> <td>1.00 M</td> <td>6.553846 G</td> <td>-35.98</td> <td>-49.10</td> <td>-7.55</td> </tr> </tbody> </table> <p>Date: 4.MAY.2022 13:13:06</p>	Tx Channel							Start	Stop	RMW	Peak Power	PerChA	PerChB	Δ Limit	[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dBm]	[dB]	-90.000 M	-80.000 M	1.00 M	6.375577 G	-37.52	-50.64	-8.92	-80.000 M	-41.000 M	1.00 M	6.423750 G	-25.30	-38.42	-7.48	-41.000 M	-40.000 M	1.00 M	6.424038 G	-23.72	-36.94	-5.95	40.000 M	41.000 M	1.00 M	6.505673 G	-21.39	-34.51	-10.16	41.000 M	80.000 M	1.00 M	6.506000 G	-23.73	-36.85	-5.96	80.000 M	90.000 M	1.00 M	6.553846 G	-35.98	-49.10	-7.55
Tx Channel																																																																
Start	Stop	RMW	Peak Power	PerChA	PerChB	Δ Limit																																																										
[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dBm]	[dB]																																																										
-90.000 M	-80.000 M	1.00 M	6.375577 G	-37.52	-50.64	-8.92																																																										
-80.000 M	-41.000 M	1.00 M	6.423750 G	-25.30	-38.42	-7.48																																																										
-41.000 M	-40.000 M	1.00 M	6.424038 G	-23.72	-36.94	-5.95																																																										
40.000 M	41.000 M	1.00 M	6.505673 G	-21.39	-34.51	-10.16																																																										
41.000 M	80.000 M	1.00 M	6.506000 G	-23.73	-36.85	-5.96																																																										
80.000 M	90.000 M	1.00 M	6.553846 G	-35.98	-49.10	-7.55																																																										
6545 MHz	<p>Center 6.545 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>RMW</th> <th>Peak Power</th> <th>PerChA</th> <th>PerChB</th> <th>Δ Limit</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr> <td>-90.000 M</td> <td>-80.000 M</td> <td>1.00 M</td> <td>6.455865 G</td> <td>-34.81</td> <td>-48.52</td> <td>-7.46</td> </tr> <tr> <td>-80.000 M</td> <td>-41.000 M</td> <td>1.00 M</td> <td>6.503750 G</td> <td>-23.49</td> <td>-37.20</td> <td>-6.83</td> </tr> <tr> <td>-41.000 M</td> <td>-40.000 M</td> <td>1.00 M</td> <td>6.504038 G</td> <td>-22.08</td> <td>-35.79</td> <td>-5.47</td> </tr> <tr> <td>40.000 M</td> <td>41.000 M</td> <td>1.00 M</td> <td>6.585673 G</td> <td>-20.18</td> <td>-33.89</td> <td>-10.11</td> </tr> <tr> <td>41.000 M</td> <td>80.000 M</td> <td>1.00 M</td> <td>6.586000 G</td> <td>-22.10</td> <td>-35.81</td> <td>-5.49</td> </tr> <tr> <td>80.000 M</td> <td>90.000 M</td> <td>1.00 M</td> <td>6.635000 G</td> <td>-33.09</td> <td>-46.80</td> <td>-5.48</td> </tr> </tbody> </table> <p>Date: 4.MAY.2022 13:18:35</p>	Tx Channel							Start	Stop	RMW	Peak Power	PerChA	PerChB	Δ Limit	[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dBm]	[dB]	-90.000 M	-80.000 M	1.00 M	6.455865 G	-34.81	-48.52	-7.46	-80.000 M	-41.000 M	1.00 M	6.503750 G	-23.49	-37.20	-6.83	-41.000 M	-40.000 M	1.00 M	6.504038 G	-22.08	-35.79	-5.47	40.000 M	41.000 M	1.00 M	6.585673 G	-20.18	-33.89	-10.11	41.000 M	80.000 M	1.00 M	6.586000 G	-22.10	-35.81	-5.49	80.000 M	90.000 M	1.00 M	6.635000 G	-33.09	-46.80	-5.48
Tx Channel																																																																
Start	Stop	RMW	Peak Power	PerChA	PerChB	Δ Limit																																																										
[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dBm]	[dB]																																																										
-90.000 M	-80.000 M	1.00 M	6.455865 G	-34.81	-48.52	-7.46																																																										
-80.000 M	-41.000 M	1.00 M	6.503750 G	-23.49	-37.20	-6.83																																																										
-41.000 M	-40.000 M	1.00 M	6.504038 G	-22.08	-35.79	-5.47																																																										
40.000 M	41.000 M	1.00 M	6.585673 G	-20.18	-33.89	-10.11																																																										
41.000 M	80.000 M	1.00 M	6.586000 G	-22.10	-35.81	-5.49																																																										
80.000 M	90.000 M	1.00 M	6.635000 G	-33.09	-46.80	-5.48																																																										
6625 MHz	<p>Center 6.625 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="7">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>RMW</th> <th>Peak Power</th> <th>PerChA</th> <th>PerChB</th> <th>Δ Limit</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr> <td>-90.000 M</td> <td>-80.000 M</td> <td>1.00 M</td> <td>6.536154 G</td> <td>-39.19</td> <td>-52.56</td> <td>-11.14</td> </tr> <tr> <td>-80.000 M</td> <td>-41.000 M</td> <td>1.00 M</td> <td>6.583750 G</td> <td>-24.67</td> <td>-38.04</td> <td>-7.22</td> </tr> <tr> <td>-41.000 M</td> <td>-40.000 M</td> <td>1.00 M</td> <td>6.584038 G</td> <td>-22.93</td> <td>-36.30</td> <td>-5.53</td> </tr> <tr> <td>40.000 M</td> <td>41.000 M</td> <td>1.00 M</td> <td>6.665673 G</td> <td>-22.29</td> <td>-35.66</td> <td>-11.43</td> </tr> <tr> <td>41.000 M</td> <td>80.000 M</td> <td>1.00 M</td> <td>6.666000 G</td> <td>-24.56</td> <td>-37.93</td> <td>-7.16</td> </tr> <tr> <td>80.000 M</td> <td>90.000 M</td> <td>1.00 M</td> <td>6.714135 G</td> <td>-38.00</td> <td>-51.37</td> <td>-9.86</td> </tr> </tbody> </table> <p>Date: 4.MAY.2022 13:56:46</p>	Tx Channel							Start	Stop	RMW	Peak Power	PerChA	PerChB	Δ Limit	[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dBm]	[dB]	-90.000 M	-80.000 M	1.00 M	6.536154 G	-39.19	-52.56	-11.14	-80.000 M	-41.000 M	1.00 M	6.583750 G	-24.67	-38.04	-7.22	-41.000 M	-40.000 M	1.00 M	6.584038 G	-22.93	-36.30	-5.53	40.000 M	41.000 M	1.00 M	6.665673 G	-22.29	-35.66	-11.43	41.000 M	80.000 M	1.00 M	6.666000 G	-24.56	-37.93	-7.16	80.000 M	90.000 M	1.00 M	6.714135 G	-38.00	-51.37	-9.86
Tx Channel																																																																
Start	Stop	RMW	Peak Power	PerChA	PerChB	Δ Limit																																																										
[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dBm]	[dB]																																																										
-90.000 M	-80.000 M	1.00 M	6.536154 G	-39.19	-52.56	-11.14																																																										
-80.000 M	-41.000 M	1.00 M	6.583750 G	-24.67	-38.04	-7.22																																																										
-41.000 M	-40.000 M	1.00 M	6.584038 G	-22.93	-36.30	-5.53																																																										
40.000 M	41.000 M	1.00 M	6.665673 G	-22.29	-35.66	-11.43																																																										
41.000 M	80.000 M	1.00 M	6.666000 G	-24.56	-37.93	-7.16																																																										
80.000 M	90.000 M	1.00 M	6.714135 G	-38.00	-51.37	-9.86																																																										

Mode 4: IEEE 802.11ax 80 MHz Continuous TX mode_ANT-2																																																																									
6705 MHz	 <p>Center 6.705 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="8">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>RBW</th> <th>Freq</th> <th>Peak Power</th> <th>Power</th> <th>PerChnl</th> <th>Limit</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dBc]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr> <td>-90.000 M</td> <td>-80.000 M</td> <td>1.00 M</td> <td>6.615865 G</td> <td>-39.98</td> <td>-52.71</td> <td></td> <td>-11.43</td> </tr> <tr> <td>-80.000 M</td> <td>-41.000 M</td> <td>1.00 M</td> <td>6.663750 G</td> <td>-25.52</td> <td>-38.24</td> <td></td> <td>-7.66</td> </tr> <tr> <td>-41.000 M</td> <td>-40.000 M</td> <td>1.00 M</td> <td>6.664038 G</td> <td>-23.93</td> <td>-36.66</td> <td></td> <td>-6.12</td> </tr> <tr> <td>40.000 M</td> <td>41.000 M</td> <td>1.00 M</td> <td>6.745673 G</td> <td>-22.30</td> <td>-35.03</td> <td></td> <td>-11.03</td> </tr> <tr> <td>41.000 M</td> <td>80.000 M</td> <td>1.00 M</td> <td>6.746000 G</td> <td>-24.78</td> <td>-37.50</td> <td></td> <td>-6.97</td> </tr> <tr> <td>80.000 M</td> <td>90.000 M</td> <td>1.00 M</td> <td>6.793846 G</td> <td>-36.73</td> <td>-49.46</td> <td></td> <td>-8.27</td> </tr> </tbody> </table> <p>Date: 4.MAY.2022 13:27:47</p>	Tx Channel								Start	Stop	RBW	Freq	Peak Power	Power	PerChnl	Limit	[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dBc]	[dB]	-90.000 M	-80.000 M	1.00 M	6.615865 G	-39.98	-52.71		-11.43	-80.000 M	-41.000 M	1.00 M	6.663750 G	-25.52	-38.24		-7.66	-41.000 M	-40.000 M	1.00 M	6.664038 G	-23.93	-36.66		-6.12	40.000 M	41.000 M	1.00 M	6.745673 G	-22.30	-35.03		-11.03	41.000 M	80.000 M	1.00 M	6.746000 G	-24.78	-37.50		-6.97	80.000 M	90.000 M	1.00 M	6.793846 G	-36.73	-49.46		-8.27
Tx Channel																																																																									
Start	Stop	RBW	Freq	Peak Power	Power	PerChnl	Limit																																																																		
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dBc]	[dB]																																																																		
-90.000 M	-80.000 M	1.00 M	6.615865 G	-39.98	-52.71		-11.43																																																																		
-80.000 M	-41.000 M	1.00 M	6.663750 G	-25.52	-38.24		-7.66																																																																		
-41.000 M	-40.000 M	1.00 M	6.664038 G	-23.93	-36.66		-6.12																																																																		
40.000 M	41.000 M	1.00 M	6.745673 G	-22.30	-35.03		-11.03																																																																		
41.000 M	80.000 M	1.00 M	6.746000 G	-24.78	-37.50		-6.97																																																																		
80.000 M	90.000 M	1.00 M	6.793846 G	-36.73	-49.46		-8.27																																																																		
6785 MHz	 <p>Center 6.785 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="8">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>RBW</th> <th>Freq</th> <th>Peak Power</th> <th>Power</th> <th>PerChnl</th> <th>Limit</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dBc]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr> <td>-90.000 M</td> <td>-80.000 M</td> <td>1.00 M</td> <td>6.697019 G</td> <td>-34.44</td> <td>-48.69</td> <td></td> <td>-7.35</td> </tr> <tr> <td>-80.000 M</td> <td>-41.000 M</td> <td>1.00 M</td> <td>6.743750 G</td> <td>-22.54</td> <td>-36.78</td> <td></td> <td>-5.79</td> </tr> <tr> <td>-41.000 M</td> <td>-40.000 M</td> <td>1.00 M</td> <td>6.744038 G</td> <td>-21.34</td> <td>-35.59</td> <td></td> <td>-4.64</td> </tr> <tr> <td>40.000 M</td> <td>41.000 M</td> <td>1.00 M</td> <td>6.825673 G</td> <td>-19.67</td> <td>-33.92</td> <td></td> <td>-9.51</td> </tr> <tr> <td>41.000 M</td> <td>80.000 M</td> <td>1.00 M</td> <td>6.826000 G</td> <td>-21.47</td> <td>-35.72</td> <td></td> <td>-4.77</td> </tr> <tr> <td>80.000 M</td> <td>90.000 M</td> <td>1.00 M</td> <td>6.873269 G</td> <td>-31.55</td> <td>-45.80</td> <td></td> <td>-4.38</td> </tr> </tbody> </table> <p>Date: 4.MAY.2022 13:32:58</p>	Tx Channel								Start	Stop	RBW	Freq	Peak Power	Power	PerChnl	Limit	[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dBc]	[dB]	-90.000 M	-80.000 M	1.00 M	6.697019 G	-34.44	-48.69		-7.35	-80.000 M	-41.000 M	1.00 M	6.743750 G	-22.54	-36.78		-5.79	-41.000 M	-40.000 M	1.00 M	6.744038 G	-21.34	-35.59		-4.64	40.000 M	41.000 M	1.00 M	6.825673 G	-19.67	-33.92		-9.51	41.000 M	80.000 M	1.00 M	6.826000 G	-21.47	-35.72		-4.77	80.000 M	90.000 M	1.00 M	6.873269 G	-31.55	-45.80		-4.38
Tx Channel																																																																									
Start	Stop	RBW	Freq	Peak Power	Power	PerChnl	Limit																																																																		
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dBc]	[dB]																																																																		
-90.000 M	-80.000 M	1.00 M	6.697019 G	-34.44	-48.69		-7.35																																																																		
-80.000 M	-41.000 M	1.00 M	6.743750 G	-22.54	-36.78		-5.79																																																																		
-41.000 M	-40.000 M	1.00 M	6.744038 G	-21.34	-35.59		-4.64																																																																		
40.000 M	41.000 M	1.00 M	6.825673 G	-19.67	-33.92		-9.51																																																																		
41.000 M	80.000 M	1.00 M	6.826000 G	-21.47	-35.72		-4.77																																																																		
80.000 M	90.000 M	1.00 M	6.873269 G	-31.55	-45.80		-4.38																																																																		
6865 MHz	 <p>Center 6.865 GHz 18 MHz/ Span 180 MHz</p> <table border="1"> <thead> <tr> <th colspan="8">Tx Channel</th> </tr> <tr> <th>Start</th> <th>Stop</th> <th>RBW</th> <th>Freq</th> <th>Peak Power</th> <th>Power</th> <th>PerChnl</th> <th>Limit</th> </tr> <tr> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[Hz]</th> <th>[dBm]</th> <th>[dBm]</th> <th>[dBc]</th> <th>[dB]</th> </tr> </thead> <tbody> <tr> <td>-90.000 M</td> <td>-80.000 M</td> <td>1.00 M</td> <td>6.775577 G</td> <td>-34.25</td> <td>-47.82</td> <td></td> <td>-6.67</td> </tr> <tr> <td>-80.000 M</td> <td>-41.000 M</td> <td>1.00 M</td> <td>6.823750 G</td> <td>-22.64</td> <td>-36.21</td> <td></td> <td>-5.83</td> </tr> <tr> <td>-41.000 M</td> <td>-40.000 M</td> <td>1.00 M</td> <td>6.824038 G</td> <td>-21.51</td> <td>-35.08</td> <td></td> <td>-4.76</td> </tr> <tr> <td>40.000 M</td> <td>41.000 M</td> <td>1.00 M</td> <td>6.905673 G</td> <td>-20.39</td> <td>-33.97</td> <td></td> <td>-10.18</td> </tr> <tr> <td>41.000 M</td> <td>80.000 M</td> <td>1.00 M</td> <td>6.906000 G</td> <td>-22.34</td> <td>-35.92</td> <td></td> <td>-5.59</td> </tr> <tr> <td>80.000 M</td> <td>90.000 M</td> <td>1.00 M</td> <td>6.953558 G</td> <td>-32.97</td> <td>-46.55</td> <td></td> <td>-5.66</td> </tr> </tbody> </table> <p>Date: 4.MAY.2022 13:36:46</p>	Tx Channel								Start	Stop	RBW	Freq	Peak Power	Power	PerChnl	Limit	[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dBc]	[dB]	-90.000 M	-80.000 M	1.00 M	6.775577 G	-34.25	-47.82		-6.67	-80.000 M	-41.000 M	1.00 M	6.823750 G	-22.64	-36.21		-5.83	-41.000 M	-40.000 M	1.00 M	6.824038 G	-21.51	-35.08		-4.76	40.000 M	41.000 M	1.00 M	6.905673 G	-20.39	-33.97		-10.18	41.000 M	80.000 M	1.00 M	6.906000 G	-22.34	-35.92		-5.59	80.000 M	90.000 M	1.00 M	6.953558 G	-32.97	-46.55		-5.66
Tx Channel																																																																									
Start	Stop	RBW	Freq	Peak Power	Power	PerChnl	Limit																																																																		
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBm]	[dBc]	[dB]																																																																		
-90.000 M	-80.000 M	1.00 M	6.775577 G	-34.25	-47.82		-6.67																																																																		
-80.000 M	-41.000 M	1.00 M	6.823750 G	-22.64	-36.21		-5.83																																																																		
-41.000 M	-40.000 M	1.00 M	6.824038 G	-21.51	-35.08		-4.76																																																																		
40.000 M	41.000 M	1.00 M	6.905673 G	-20.39	-33.97		-10.18																																																																		
41.000 M	80.000 M	1.00 M	6.906000 G	-22.34	-35.92		-5.59																																																																		
80.000 M	90.000 M	1.00 M	6.953558 G	-32.97	-46.55		-5.66																																																																		

