

# User Manual

1. ON/OFF, toggle on/off when click.
2. Dim up
  - Click- Dim up 10%.
  - Press and Hold- Step to 100% (3s from 0% to 100%).
3. Dim Down
  - Click- Dim up 10%.
  - Press and Hold- Step to 100% (3s from 0% to 100%).
4. “..”
  - CCT.( 4 fixed value switch)
  - Custom scene (Switch up to 3 scenes)
5. “...”
  - DIM. (3 fixed value switch)
  - Custom scene (Switch up to 3 scenes)
6. Long press the RESET button on the back for 3S to restore factory Settings and enter the state of distribution network, and the red indicator will blink for 30s.
7. Once the network has been configured, click the RESET button on the back for 1s to wake up 60s for OTA upgrade.



Product Information:

Product name	RAB BLUE REMOTE
Model No.	LCBLUEREMOTE/W
Test Model No.	LCBLUEREMOTE/W
Power Supply	2.3V~3.3V
Software version	V1.0
Hardware version	V1.0
Peak Antenna Gain	-0.63dBi
Bluetooth Version	BL5.0

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This device and its antenna(s) must not be co-located or operation in conjunction with any other antenna or transmitter.

#### Radiation Exposure Statement

The device has been evaluated to meet general RF exposure requirement. in portable exposure condition without restriction.