

RF Test Data for 2.4G WiFi (Conducted Measurements)

General Description of EUT	
Product Name:	Smart PTZ Camera
Test Model:	X11B
Sample ID:	HC-C-202401-0041-01-02#
Environmental Conditions	
Temperature:	25°C
Relative Humidity:	55%
Test Voltage:	DC 5V
Test Engineer:	Liyinjing
Note: For a more detailed features description, please refer to the report TBR-C-202401-0041-11 The report only show the worst case data.	

Contents


1. Duty Cycle.....	3
2. Maximum Conducted Output Power	9
3. -6dB Bandwidth.....	10
4. Occupied Channel Bandwidth.....	16
5. Maximum Power Spectral Density Level.....	22
6. Band Edge.....	28
7. Conducted RF Spurious Emission.....	35
8. Restrict Band.....	45

1. Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	b	2412	Ant1	98.35	0.07	0.12
NVNT	b	2437	Ant1	98.35	0.07	0.12
NVNT	b	2462	Ant1	98.35	0.07	0.12
NVNT	g	2412	Ant1	97.18	0.12	0.72
NVNT	g	2437	Ant1	97.18	0.12	0.72
NVNT	g	2462	Ant1	97.16	0.13	0.73
NVNT	n(HT20)	2412	Ant1	96.99	0.13	0.78
NVNT	n(HT20)	2437	Ant1	97.73	0.1	0.78
NVNT	n(HT20)	2462	Ant1	97.73	0.1	0.78

Test Graphs


Duty Cycle NVNT b 2412MHz Ant1




Duty Cycle NVNT b 2437MHz Ant1




Duty Cycle NVNT b 2462MHz Ant1




Duty Cycle NVNT g 2412MHz Ant1




Duty Cycle NVNT g 2437MHz Ant1




Duty Cycle NVNT g 2462MHz Ant1




Duty Cycle NVNT n(HT20) 2412MHz Ant1



Duty Cycle NVNT n(HT20) 2437MHz Ant1





2. Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	b	2412	Ant1	13.708	30	Pass
NVNT	b	2437	Ant1	14.295	30	Pass
NVNT	b	2462	Ant1	14.155	30	Pass
NVNT	g	2412	Ant1	11.66	30	Pass
NVNT	g	2437	Ant1	12.01	30	Pass
NVNT	g	2462	Ant1	11.514	30	Pass
NVNT	n(HT20)	2412	Ant1	11.542	30	Pass
NVNT	n(HT20)	2437	Ant1	11.994	30	Pass
NVNT	n(HT20)	2462	Ant1	11.522	30	Pass


Note: The duty factor has been compensated into the result.

3.-6dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	b	2412	Ant1	10.08	0.5	Pass
NVNT	b	2437	Ant1	9.58	0.5	Pass
NVNT	b	2462	Ant1	10.02	0.5	Pass
NVNT	g	2412	Ant1	16.34	0.5	Pass
NVNT	g	2437	Ant1	16.36	0.5	Pass
NVNT	g	2462	Ant1	16.33	0.5	Pass
NVNT	n(HT20)	2412	Ant1	17.05	0.5	Pass
NVNT	n(HT20)	2437	Ant1	17.3	0.5	Pass
NVNT	n(HT20)	2462	Ant1	17.06	0.5	Pass

Test Graphs


-6dB Bandwidth NVNT b 2412MHz Ant1




-6dB Bandwidth NVNT b 2437MHz Ant1




-6dB Bandwidth NVNT b 2462MHz Ant1




-6dB Bandwidth NVNT g 2412MHz Ant1




-6dB Bandwidth NVNT g 2437MHz Ant1




-6dB Bandwidth NVNT g 2462MHz Ant1




-6dB Bandwidth NVNT n(HT20) 2412MHz Ant1



-6dB Bandwidth NVNT n(HT20) 2437MHz Ant1






4.Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	b	2412	Ant1	14.901
NVNT	b	2437	Ant1	14.896
NVNT	b	2462	Ant1	14.876
NVNT	g	2412	Ant1	16.531
NVNT	g	2437	Ant1	16.515
NVNT	g	2462	Ant1	16.499
NVNT	n(HT20)	2412	Ant1	17.536
NVNT	n(HT20)	2437	Ant1	17.521
NVNT	n(HT20)	2462	Ant1	17.503

Test Graphs


OBV NVNT b 2412MHz Ant1




OBV NVNT b 2437MHz Ant1




OBW NVNT b 2462MHz Ant1




OBW NVNT g 2412MHz Ant1




OBW NVNT g 2437MHz Ant1




OBW NVNT g 2462MHz Ant1




OBW NVNT n(HT20) 2412MHz Ant1



OBW NVNT n(HT20) 2437MHz Ant1






5. Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	b	2412	Ant1	-19.073	8	Pass
NVNT	b	2437	Ant1	-18.294	8	Pass
NVNT	b	2462	Ant1	-18.86	8	Pass
NVNT	g	2412	Ant1	-23.14	8	Pass
NVNT	g	2437	Ant1	-22.699	8	Pass
NVNT	g	2462	Ant1	-23.422	8	Pass
NVNT	n(HT20)	2412	Ant1	-23.219	8	Pass
NVNT	n(HT20)	2437	Ant1	-23.143	8	Pass
NVNT	n(HT20)	2462	Ant1	-23.437	8	Pass


Note: The duty factor has been compensated into the result.



Test Graphs

PSD NVNT b 2412MHz Ant1




PSD NVNT b 2437MHz Ant1









PSD NVNT g 2437MHz Ant1



PSD NVNT g 2462MHz Ant1








6.Band Edge


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-50.45	-30	Pass
NVNT	b	2462	Ant1	-53.39	-30	Pass
NVNT	g	2412	Ant1	-44.36	-30	Pass
NVNT	g	2462	Ant1	-46.24	-30	Pass
NVNT	n(HT20)	2412	Ant1	-44.34	-30	Pass
NVNT	n(HT20)	2462	Ant1	-45.71	-30	Pass

Test Graphs

Band Edge NVNT b 2412MHz Ant1 Ref




Band Edge NVNT b 2412MHz Ant1 Emission





Band Edge NVNT b 2462MHz Ant1 Ref




Band Edge NVNT b 2462MHz Ant1 Emission







Band Edge NVNT g 2462MHz Ant1 Ref




Band Edge NVNT g 2462MHz Ant1 Emission





Band Edge NVNT n(HT20) 2412MHz Ant1 Ref



Band Edge NVNT n(HT20) 2412MHz Ant1 Emission






7. Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-37.31	-30	Pass
NVNT	b	2437	Ant1	-39.11	-30	Pass
NVNT	b	2462	Ant1	-38.4	-30	Pass
NVNT	g	2412	Ant1	-32.43	-30	Pass
NVNT	g	2437	Ant1	-35.99	-30	Pass
NVNT	g	2462	Ant1	-33.45	-30	Pass
NVNT	n(HT20)	2412	Ant1	-35.88	-30	Pass
NVNT	n(HT20)	2437	Ant1	-34.32	-30	Pass
NVNT	n(HT20)	2462	Ant1	-35.75	-30	Pass

Test Graphs


Tx. Spurious NVNT b 2412MHz Ant1 Ref




Tx. Spurious NVNT b 2412MHz Ant1 Emission




Tx. Spurious NVNT b 2437MHz Ant1 Ref




Tx. Spurious NVNT b 2437MHz Ant1 Emission




Tx. Spurious NVNT b 2462MHz Ant1 Ref




Tx. Spurious NVNT b 2462MHz Ant1 Emission




Tx. Spurious NVNT g 2412MHz Ant1 Ref




Tx. Spurious NVNT g 2412MHz Ant1 Emission




Tx. Spurious NVNT g 2437MHz Ant1 Ref




Tx. Spurious NVNT g 2437MHz Ant1 Emission




Tx. Spurious NVNT g 2462MHz Ant1 Ref




Tx. Spurious NVNT g 2462MHz Ant1 Emission




Tx. Spurious NVNT n(HT20) 2412MHz Ant1 Ref




Tx. Spurious NVNT n(HT20) 2412MHz Ant1 Emission




Tx. Spurious NVNT n(HT20) 2437MHz Ant1 Ref




Tx. Spurious NVNT n(HT20) 2437MHz Ant1 Emission



Tx. Spurious NVNT n(HT20) 2462MHz Ant1 Ref



Tx. Spurious NVNT n(HT20) 2462MHz Ant1 Emission




8.Restrict Band


Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	b	2412	Ant1	2310	-49.36	2	-	47.9	Peak	74	Pass
NVNT	b	2412	Ant1	2310	-58.01	2	0.07	39.32	Average	54	Pass
NVNT	b	2412	Ant1	2389.443	-38.41	2	-	58.85	Peak	74	Pass
NVNT	b	2412	Ant1	2388.273	-46.39	2	0.07	50.94	Average	54	Pass
NVNT	b	2412	Ant1	2390	-40.05	2	-	57.21	Peak	74	Pass
NVNT	b	2412	Ant1	2390	-50.79	2	0.07	46.54	Average	54	Pass
NVNT	b	2462	Ant1	2483.5	-43.14	2	-	54.12	Peak	74	Pass
NVNT	b	2462	Ant1	2483.5	-49.23	2	0.07	48.1	Average	54	Pass
NVNT	b	2462	Ant1	2483.57	-40.41	2	-	56.85	Peak	74	Pass
NVNT	b	2462	Ant1	2483.623	-46.58	2	0.07	50.75	Average	54	Pass
NVNT	b	2462	Ant1	2500	-48.64	2	-	48.62	Peak	74	Pass
NVNT	b	2462	Ant1	2500	-56.45	2	0.07	40.88	Average	54	Pass
NVNT	g	2412	Ant1	2310	-50.79	2	-	46.47	Peak	74	Pass
NVNT	g	2412	Ant1	2310	-58.12	2	0.12	39.26	Average	54	Pass
NVNT	g	2412	Ant1	2389.911	-32.24	2	-	65.02	Peak	74	Pass
NVNT	g	2412	Ant1	2389.911	-43.87	2	0.12	53.51	Average	54	Pass
NVNT	g	2412	Ant1	2390	-34.1	2	-	63.16	Peak	74	Pass
NVNT	g	2412	Ant1	2390	-43.89	2	0.12	53.49	Average	54	Pass
NVNT	g	2462	Ant1	2483.5	-34.7	2	-	62.56	Peak	74	Pass
NVNT	g	2462	Ant1	2483.5	-47.39	2	0.13	50	Average	54	Pass
NVNT	g	2462	Ant1	2483.57	-33.05	2	-	64.21	Peak	74	Pass
NVNT	g	2462	Ant1	2485.531	-46.18	2	0.13	51.21	Average	54	Pass
NVNT	g	2462	Ant1	2500	-47.58	2	-	49.68	Peak	74	Pass
NVNT	g	2462	Ant1	2500	-57.61	2	0.13	39.78	Average	54	Pass
NVNT	n(HT20)	2412	Ant1	2310	-49.98	2	-	47.28	Peak	74	Pass
NVNT	n(HT20)	2412	Ant1	2310	-57.76	2	0.13	39.63	Average	54	Pass
NVNT	n(HT20)	2412	Ant1	2389.56	-34.37	2	-	62.89	Peak	74	Pass
NVNT	n(HT20)	2412	Ant1	2389.677	-44.79	2	0.13	52.6	Average	54	Pass
NVNT	n(HT20)	2412	Ant1	2390	-36.43	2	-	60.83	Peak	74	Pass
NVNT	n(HT20)	2412	Ant1	2390	-46.72	2	0.13	50.67	Average	54	Pass
NVNT	n(HT20)	2462	Ant1	2483.5	-37.75	2	-	59.51	Peak	74	Pass
NVNT	n(HT20)	2462	Ant1	2483.5	-48.16	2	0.1	49.2	Average	54	Pass
NVNT	n(HT20)	2462	Ant1	2483.835	-29.72	2	-	67.54	Peak	74	Pass
NVNT	n(HT20)	2462	Ant1	2484.842	-46.49	2	0.1	50.87	Average	54	Pass
NVNT	n(HT20)	2462	Ant1	2500	-49.3	2	-	47.96	Peak	74	Pass
NVNT	n(HT20)	2462	Ant1	2500	-56.01	2	0.1	41.35	Average	54	Pass

Test Graphs

Restrict Band NVNT b 2412MHz Ant1 Peak



Restrict Band NVNT b 2412MHz Ant1 Average




Restrict Band NVNT b 2462MHz Ant1 Peak




Restrict Band NVNT b 2462MHz Ant1 Average



Restrict Band NVNT g 2412MHz Ant1 Peak



Restrict Band NVNT g 2412MHz Ant1 Average







Restrict Band NVNT g 2462MHz Ant1 Peak



Restrict Band NVNT g 2462MHz Ant1 Average







-----END OF REPORT-----