

1

2

3

4

物料编码

3401020749

REV.	DATE	REVISION ORIGINOR	SIGN	ISSUED
Ⓐ				
Ⓑ				

75X45mm  
强粘合成纸PET过哑膜  
黑底白字

**CREALITY** 深圳市创想三维科技股份有限公司  
Shenzhen Creality 3D Technology Co., Ltd.

产品型号 Model Number	Sermoon V1 Pro	额定功率 Rated Power	150W
产品名称 Product Name	3D打印机 3D Printer	额定电流 Rated Current	2.8/1.6A
设备尺寸 Machine Size	400*380*430mm	额定电压 Rated Voltage	100-120Vac 200-240Vac
设备重量 Equipment Weight	11.5KG	FCC ID: 2AXH6SERMOONV1 IC: 27656-SERMOONV1	50/60Hz

深圳市龙华区民治街道新牛社区梅龙大道锦绣鸿都大厦18F  
Add: 18F JinXiuHongDu Building, Mellong Blvd., Longhua Dist.,  
Shenzhen, China 518131 www.cxsw3d.com www.creality.com



Intertek  
5021078  
CERTIFIED TO CAN. 510-C22-249208-1  
扫码了解更多



技术要求:

1. 材质:
2. 公差范围:  $\pm 0.8\text{mm}$
3. 表面无脏污, 无破损, 无毛边, 字迹清晰
4. 备注: 需符合ROHS最新法规要求

APPROVALS:	DATE:	<b>CREALITY</b> 深圳市创想三维科技股份有限公司 SHENZHEN CREALITY 3D TECHNOLOGY CO., LTD.			
DRAWN:		PART NAME: Sermoon V1参数标签	MATERIAL:		
CHECKED:					
ISSUED:		DRAWING NO: Sermoon V1-TZ-001	SIZE: A4	SCALE: 1:1	REV: A
General Tolerance Reference: (L/W) $\pm 0.8\text{mm}$			UNIT: mm		SHEET 1 OF 1

1

2

3

4

物料编码

3401020749

REV.	DATE	REVISION ORIGINOR	SIGN	ISSUED
Ⓐ				
Ⓑ				

75X45mm  
强粘合成纸PET过哑膜  
黑底白字

**CREALITY** 深圳市创想三维科技股份有限公司  
Shenzhen Creality 3D Technology Co., Ltd.


产品型号 Model Number	Sermoon V1	额定功率 Rated Power	150W
产品名称 Product Name	3D打印机 3D Printer	额定电流 Rated Current	2.8/1.6A
设备尺寸 Machine Size	400*380*430mm	额定电压 Rated Voltage	100-120Vac 200-240Vac
设备重量 Equipment Weight	11.5KG		50/60Hz
		FCC ID: 2AXH6SERMOONV1 IC: 27656-SERMOONV1	

深圳市龙华区民治街道新牛社区梅龙大道锦绣鸿都大厦18F  
Add: 18F JinXiuHongDu Building, Mellong Blvd., Longhua Dist.,  
Shenzhen, China 518131 www.cxsw3d.com www.creality.com










Intertek  
5021078  
CERTIFIED TO CSA 510 CUL 249308-1  
Scan To Learn More  
扫码了解更多

技术要求:

- 1.材质:
- 2.公差范围:  $\pm 0.8\text{mm}$
- 3.表面无脏污,无破损,无毛边,字迹清晰
- 4.备注:需符合ROHS最新法规要求

APPROVALS:	DATE:	<b>CREALITY</b> 深圳市创想三维科技股份有限公司 SHENZHEN CREALITY 3D TECHNOLOGY CO., LTD.			
DRAWN:		PART NAME:		MATERIAL:	
CHECKED:		Sermoon V1参数标签			
ISSUED:		DRAWING NO:		SIZE:	SCALE:
General Tolerance Reference: (L/W) $\pm 0.8\text{mm}$		Sermoon V1-TZ-001		A4	1:1
				REV:	A
				UNIT: mm	SHEET 1 OF 1



Label Location

CREALITY	
Model	CR-10
Power	100W
Voltage	100-240V
Frequency	50/60Hz
Current	0.5A
Weight	10.5kg
Dimensions	420x420x140mm
Material	ABS
Build Volume	120x120x150mm
Layer Thickness	0.1-0.3mm
Print Speed	10-150mm/s
Max. Temp.	250°C
Min. Temp.	10°C
Max. Humidity	80%
Min. Humidity	10%
Max. Filament	1.75mm
Max. Filament	2.85mm
Max. Filament	3.0mm
Max. Filament	4.0mm
Max. Filament	5.0mm
Max. Filament	6.0mm
Max. Filament	7.0mm
Max. Filament	8.0mm
Max. Filament	9.0mm
Max. Filament	10.0mm
Max. Filament	11.0mm
Max. Filament	12.0mm
Max. Filament	13.0mm
Max. Filament	14.0mm
Max. Filament	15.0mm
Max. Filament	16.0mm
Max. Filament	17.0mm
Max. Filament	18.0mm
Max. Filament	19.0mm
Max. Filament	20.0mm
Max. Filament	21.0mm
Max. Filament	22.0mm
Max. Filament	23.0mm
Max. Filament	24.0mm
Max. Filament	25.0mm
Max. Filament	26.0mm
Max. Filament	27.0mm
Max. Filament	28.0mm
Max. Filament	29.0mm
Max. Filament	30.0mm
Max. Filament	31.0mm
Max. Filament	32.0mm
Max. Filament	33.0mm
Max. Filament	34.0mm
Max. Filament	35.0mm
Max. Filament	36.0mm
Max. Filament	37.0mm
Max. Filament	38.0mm
Max. Filament	39.0mm
Max. Filament	40.0mm
Max. Filament	41.0mm
Max. Filament	42.0mm
Max. Filament	43.0mm
Max. Filament	44.0mm
Max. Filament	45.0mm
Max. Filament	46.0mm
Max. Filament	47.0mm
Max. Filament	48.0mm
Max. Filament	49.0mm
Max. Filament	50.0mm
Max. Filament	51.0mm
Max. Filament	52.0mm
Max. Filament	53.0mm
Max. Filament	54.0mm
Max. Filament	55.0mm
Max. Filament	56.0mm
Max. Filament	57.0mm
Max. Filament	58.0mm
Max. Filament	59.0mm
Max. Filament	60.0mm
Max. Filament	61.0mm
Max. Filament	62.0mm
Max. Filament	63.0mm
Max. Filament	64.0mm
Max. Filament	65.0mm
Max. Filament	66.0mm
Max. Filament	67.0mm
Max. Filament	68.0mm
Max. Filament	69.0mm
Max. Filament	70.0mm
Max. Filament	71.0mm
Max. Filament	72.0mm
Max. Filament	73.0mm
Max. Filament	74.0mm
Max. Filament	75.0mm
Max. Filament	76.0mm
Max. Filament	77.0mm
Max. Filament	78.0mm
Max. Filament	79.0mm
Max. Filament	80.0mm
Max. Filament	81.0mm
Max. Filament	82.0mm
Max. Filament	83.0mm
Max. Filament	84.0mm
Max. Filament	85.0mm
Max. Filament	86.0mm
Max. Filament	87.0mm
Max. Filament	88.0mm
Max. Filament	89.0mm
Max. Filament	90.0mm
Max. Filament	91.0mm
Max. Filament	92.0mm
Max. Filament	93.0mm
Max. Filament	94.0mm
Max. Filament	95.0mm
Max. Filament	96.0mm
Max. Filament	97.0mm
Max. Filament	98.0mm
Max. Filament	99.0mm
Max. Filament	100.0mm