









Band Edge



Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	ac20	5260	Ant1	-45.36	-27	Pass
NVNT	ac20	5260	Ant2	-47.62	-27	Pass
NVNT	ac20	5320	Ant1	-37.44	-27	Pass
NVNT	ac20	5320	Ant2	-44.48	-27	Pass
NVNT	ac40	5270	Ant1	-44.48	-27	Pass
NVNT	ac40	5270	Ant2	-47.84	-27	Pass
NVNT	ac40	5310	Ant1	-36.65	-27	Pass
NVNT	ac40	5310	Ant2	-40.83	-27	Pass
NVNT	ac80	5290	Ant1	-44.87	-27	Pass
NVNT	ac80	5290	Ant2	-46.84	-27	Pass
NVNT	n20	5260	Ant1	-44.18	-27	Pass
NVNT	n20	5260	Ant2	-47.82	-27	Pass
NVNT	n20	5320	Ant1	-38.25	-27	Pass
NVNT	n20	5320	Ant2	-45.17	-27	Pass
NVNT	n40	5270	Ant1	-43.79	-27	Pass
NVNT	n40	5270	Ant2	-47.35	-27	Pass
NVNT	n40	5310	Ant1	-33.7	-27	Pass
NVNT	n40	5310	Ant2	-40.42	-27	Pass


































Conducted RF Spurious Emission



Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	ac20	5260	Ant1	-34.8	-27	Pass
NVNT	ac20	5260	Ant2	-40.4	-27	Pass
NVNT	ac20	5280	Ant1	-36.06	-27	Pass
NVNT	ac20	5280	Ant2	-40.36	-27	Pass
NVNT	ac20	5320	Ant1	-35.68	-27	Pass
NVNT	ac20	5320	Ant2	-39.59	-27	Pass
NVNT	ac40	5270	Ant1	-35.78	-27	Pass
NVNT	ac40	5270	Ant2	-40.72	-27	Pass
NVNT	ac40	5310	Ant1	-35.02	-27	Pass
NVNT	ac40	5310	Ant2	-41.26	-27	Pass
NVNT	ac80	5290	Ant1	-35.16	-27	Pass
NVNT	ac80	5290	Ant2	-40.44	-27	Pass
NVNT	n20	5260	Ant1	-35.66	-27	Pass
NVNT	n20	5260	Ant2	-40.71	-27	Pass
NVNT	n20	5280	Ant1	-35.7	-27	Pass
NVNT	n20	5280	Ant2	-41.29	-27	Pass
NVNT	n20	5320	Ant1	-36.09	-27	Pass
NVNT	n20	5320	Ant2	-40.65	-27	Pass
NVNT	n40	5270	Ant1	-35.8	-27	Pass
NVNT	n40	5270	Ant2	-39.87	-27	Pass
NVNT	n40	5310	Ant1	-36.2	-27	Pass
NVNT	n40	5310	Ant2	-40.64	-27	Pass



































5.6G:

Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5500	Ant1	73.95	1.31	0.74
NVNT	a	5600	Ant1	73.63	1.33	0.74
NVNT	a	5700	Ant1	73.58	1.33	0.73
NVNT	a	5500	Ant2	73.89	1.31	0.74
NVNT	a	5600	Ant2	73.72	1.32	0.73
NVNT	a	5700	Ant2	73.49	1.34	0.74
NVNT	n20	5500	Ant1	72.46	1.4	0.79
NVNT	n20	5600	Ant1	72.01	1.43	0.78
NVNT	n20	5700	Ant1	72.47	1.4	0.78
NVNT	n20	5500	Ant2	72.42	1.4	0.78
NVNT	n20	5600	Ant2	72.02	1.43	0.79
NVNT	n20	5700	Ant2	72.08	1.42	0.79
NVNT	n40	5510	Ant1	29.12	5.36	5.26
NVNT	n40	5590	Ant1	56.72	2.46	1.59
NVNT	n40	5670	Ant1	56.6	2.47	1.56
NVNT	n40	5510	Ant1	29.11	5.36	5.26
NVNT	n40	5590	Ant2	56.61	2.47	1.59
NVNT	n40	5670	Ant2	56.78	2.46	1.59
NVNT	ac20	5500	Ant1	72.48	1.4	0.78
NVNT	ac20	5600	Ant1	72.48	1.4	0.78
NVNT	ac20	5700	Ant1	72.48	1.4	0.78
NVNT	ac20	5500	Ant2	72.3	1.41	0.79
NVNT	ac20	5600	Ant2	72.09	1.42	0.78
NVNT	ac20	5700	Ant2	72.51	1.4	0.78
NVNT	ac40	5510	Ant1	16.68	7.78	12.5
NVNT	ac40	5590	Ant1	56.71	2.46	1.59
NVNT	ac40	5670	Ant1	56.67	2.47	1.59
NVNT	ac40	5510	Ant2	56.8	2.46	1.56
NVNT	ac40	5590	Ant2	56.88	2.45	1.56
NVNT	ac40	5670	Ant2	56.79	2.46	1.59
NVNT	ac80	5530	Ant1	13.14	8.81	16.67
NVNT	ac80	5610	Ant1	39.84	4	3.23
NVNT	ac80	5530	Ant1	13.17	8.8	16.67
NVNT	ac80	5610	Ant2	40.07	3.97	3.23

