



Test Mode UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	1.73	0.42	2.15	11.00	Complies



Test Mode UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	2.50	0.42	2.92	11.00	Complies




Test Mode UNII-1+UNII-2A_TX AC(VHT160) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	5.57	11.00	Complies


Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	2.45	0.38	2.83	11.00	Complies



Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	2.21	0.38	2.59	11.00	Complies




Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Total
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	5.72	11.00	Complies


Test Mode UNII-2C_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.33	0.29	7.62	11.00	Complies
116	5580	7.54	0.29	7.83	11.00	Complies
140	5700	7.66	0.29	7.95	11.00	Complies



Test Mode UNII-2C_TX A Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.54	0.29	7.83	11.00	Complies
116	5580	7.23	0.29	7.52	11.00	Complies
140	5700	7.19	0.29	7.48	11.00	Complies




Test Mode UNII-2C_TX A Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	10.73	11.00	Complies
116	5580	10.69	11.00	Complies
140	5700	10.73	11.00	Complies


Test Mode UNII-2C_TX AC(VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.36	0.39	7.75	11.00	Complies
116	5580	7.59	0.39	7.98	11.00	Complies
140	5700	7.54	0.39	7.93	11.00	Complies



Test Mode UNII-2C_TX AC(VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.54	0.39	7.93	11.00	Complies
116	5580	7.28	0.39	7.67	11.00	Complies
140	5700	7.50	0.39	7.89	11.00	Complies




Test Mode UNII-2C_TX AC(VHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	10.85	11.00	Complies
116	5580	10.84	11.00	Complies
140	5700	10.92	11.00	Complies


Test Mode UNII-2C_TX AC(VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	7.30	0.38	7.68	11.00	Complies
110	5550	7.65	0.38	8.03	11.00	Complies
134	5670	7.41	0.38	7.79	11.00	Complies



Test Mode UNII-2C_TX AC(VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	7.32	0.38	7.70	11.00	Complies
110	5550	7.33	0.38	7.71	11.00	Complies
134	5670	7.52	0.38	7.90	11.00	Complies




Test Mode UNII-2C_TX AC(VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	10.70	11.00	Complies
110	5550	10.88	11.00	Complies
134	5670	10.85	11.00	Complies


Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	7.26	0.38	7.64	11.00	Complies
122	5610	6.49	0.38	6.87	11.00	Complies

CH106




CH122




Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	7.17	0.38	7.55	11.00	Complies
122	5610	7.08	0.38	7.46	11.00	Complies

CH106



CH122




Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	10.60	11.00	Complies
122	5610	10.18	11.00	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	1.68	0.42	2.10	11.00	Complies


CH114



Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	1.54	0.42	1.96	11.00	Complies

CH114




Test Mode	UNII-2C_TX AC(VHT160) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	5.04	11.00	Complies


Test Mode UNII-2C_TX AX(HE20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	6.97	0.37	7.34	11.00	Complies
116	5580	7.24	0.37	7.61	11.00	Complies
140	5700	7.23	0.37	7.60	11.00	Complies



Test Mode UNII-2C_TX AX(HE20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.31	0.37	7.68	11.00	Complies
116	5580	7.33	0.37	7.70	11.00	Complies
140	5700	7.68	0.37	8.05	11.00	Complies




Test Mode UNII-2C_TX AX(HE20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	10.52	11.00	Complies
116	5580	10.66	11.00	Complies
140	5700	10.84	11.00	Complies


Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	7.25	0.38	7.63	11.00	Complies
110	5550	7.38	0.38	7.76	11.00	Complies
134	5670	7.76	0.38	8.14	11.00	Complies



Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	7.45	0.38	7.83	11.00	Complies
110	5550	7.67	0.38	8.05	11.00	Complies
134	5670	6.47	0.38	6.85	11.00	Complies




Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	10.74	11.00	Complies
110	5550	10.91	11.00	Complies
134	5670	10.55	11.00	Complies


Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	7.24	0.37	7.61	11.00	Complies
122	5610	6.61	0.37	6.98	11.00	Complies

CH106




CH122




Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	7.17	0.37	7.54	11.00	Complies
122	5610	7.60	0.37	7.97	11.00	Complies

CH106



CH122




Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	10.58	11.00	Complies
122	5610	10.51	11.00	Complies


Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	2.39	0.38	2.77	11.00	Complies



Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	2.32	0.38	2.70	11.00	Complies




Test Mode	UNII-2C_TX AX(HE160) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	5.74	11.00	Complies


Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	17.61	0.29	17.90	30.00	Complies
157	5785	16.93	0.29	17.22	30.00	Complies
165	5825	16.44	0.29	16.73	30.00	Complies



Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	16.55	0.29	16.84	30.00	Complies
157	5785	16.64	0.29	16.93	30.00	Complies
165	5825	16.56	0.29	16.85	30.00	Complies




Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	20.41	30.00	Complies
157	5785	20.09	30.00	Complies
165	5825	19.80	30.00	Complies


Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	15.97	0.39	16.36	30.00	Complies
157	5785	16.36	0.39	16.75	30.00	Complies
165	5825	15.93	0.39	16.32	30.00	Complies



Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	15.64	0.39	16.03	30.00	Complies
157	5785	16.51	0.39	16.90	30.00	Complies
165	5825	16.09	0.39	16.48	30.00	Complies




Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	19.21	30.00	Complies
157	5785	19.84	30.00	Complies
165	5825	19.41	30.00	Complies


Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	12.59	0.38	12.97	30.00	Complies
159	5795	11.46	0.38	11.84	30.00	Complies



Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	12.87	0.38	13.25	30.00	Complies
159	5795	13.26	0.38	13.64	30.00	Complies




Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	16.12	30.00	Complies
159	5795	15.84	30.00	Complies


Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	8.96	0.38	9.34	30.00	Complies



Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	9.46	0.38	9.85	30.00	Complies




Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	12.60	30.00	Complies


Test Mode UNII-3_TX AX(HE20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	14.63	0.37	15.00	30.00	Complies
157	5785	15.37	0.37	15.74	30.00	Complies
165	5825	14.58	0.37	14.95	30.00	Complies



Test Mode UNII-3_TX AX(HE20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	16.25	0.37	16.62	30.00	Complies
157	5785	14.80	0.37	15.17	30.00	Complies
165	5825	15.73	0.37	16.10	30.00	Complies




Test Mode UNII-3_TX AX(HE20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	18.89	30.00	Complies
157	5785	18.47	30.00	Complies
165	5825	18.57	30.00	Complies


Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	11.96	0.38	12.34	30.00	Complies
159	5795	11.92	0.38	12.30	30.00	Complies



Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	12.84	0.38	13.22	30.00	Complies
159	5795	13.00	0.38	13.38	30.00	Complies




Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	15.81	30.00	Complies
159	5795	15.88	30.00	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	9.21	0.37	9.58	30.00	Complies


CH155



Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	9.23	0.37	9.60	30.00	Complies

CH155



Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	12.60	30.00	Complies

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5180.0000
132	5179.9799
120	5179.9799
108	5179.9799
Maximum Deviation (MHz)	0.0201
Maximum Deviation (ppm)	3.8851

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5180.0000
0	5179.9748
5	5179.9799
15	5179.9750
25	5179.9799
35	5179.9800
40	5179.9750
Maximum Deviation (MHz)	0.0252
Maximum Deviation (ppm)	4.8625

Test Mode	UNII-2A
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5260.0000
132	5259.9750
120	5259.9750
108	5259.9950
Maximum Deviation (MHz)	0.0250
Maximum Deviation (ppm)	4.7529

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5260.0000
0	5259.9750
5	5259.9750
15	5259.9800
25	5259.9599
35	5259.9750
40	5259.9750
Maximum Deviation (MHz)	0.0401
Maximum Deviation (ppm)	7.6283

Test Mode	UNII-2C
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5500.0000
132	5499.9599
120	5499.9750
108	5499.9750
Maximum Deviation (MHz)	0.0401
Maximum Deviation (ppm)	7.2932

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5500.0000
0	5499.9800
5	5499.9750
15	5499.9600
25	5499.9800
35	5499.9750
40	5499.9750
Maximum Deviation (MHz)	0.0400
Maximum Deviation (ppm)	7.2773

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5745.0000
132	5744.9599
120	5744.9550
108	5744.9600
Maximum Deviation (MHz)	0.0450
Maximum Deviation (ppm)	7.8329

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5745.0000
0	5744.9599
5	5744.9800
15	5744.9599
25	5744.9599
35	5744.9548
40	5744.9600
Maximum Deviation (MHz)	0.0452
Maximum Deviation (ppm)	7.8655

End of Test Report