



Test Mode:	802.11be EHT20	Channel:	5500
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8793.000	38.69	8.91	47.60	74.00	-26.40	peak
2	10531.000	34.45	12.94	47.39	74.00	-26.61	peak
3	11004.000	35.45	14.74	50.19	74.00	-23.81	peak
4	12676.000	31.34	18.05	49.39	74.00	-24.61	peak
5	13864.000	27.99	21.53	49.52	74.00	-24.48	peak
6	18000.000	23.33	26.12	49.45	74.00	-24.55	peak

Test Mode:	802.11be EHT20	Channel:	5580
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8925.000	40.10	9.82	49.92	74.00	-24.08	peak
2	11158.000	35.16	15.37	50.53	74.00	-23.47	peak
3	11664.000	33.39	17.08	50.47	74.00	-23.53	peak
4	12544.000	32.41	17.88	50.29	74.00	-23.71	peak
5	13908.000	28.73	21.66	50.39	74.00	-23.61	peak
6	17923.000	24.57	25.60	50.17	74.00	-23.83	peak

Test Mode:	802.11be EHT20	Channel:	5580
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8925.000	38.24	9.82	48.06	74.00	-25.94	peak
2	10916.000	34.96	14.39	49.35	74.00	-24.65	peak
3	11521.000	33.89	16.82	50.71	74.00	-23.29	peak
4	12610.000	31.97	17.97	49.94	74.00	-24.06	peak
5	13941.000	28.90	21.73	50.63	74.00	-23.37	peak
6	17978.000	24.16	25.97	50.13	74.00	-23.87	peak

Test Mode:	802.11be EHT20	Channel:	5700
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9112.000	39.25	10.41	49.66	74.00	-24.34	peak
2	11070.000	34.49	15.01	49.50	74.00	-24.50	peak
3	11400.000	34.02	16.36	50.38	74.00	-23.62	peak
4	12621.000	31.96	17.98	49.94	74.00	-24.06	peak
5	13611.000	28.91	20.92	49.83	74.00	-24.17	peak
6	17989.000	23.24	26.04	49.28	74.00	-24.72	peak

Test Mode:	802.11be EHT20	Channel:	5700
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9112.000	39.63	10.41	50.04	74.00	-23.96	peak
2	11059.000	34.31	14.96	49.27	74.00	-24.73	peak
3	11400.000	34.17	16.36	50.53	74.00	-23.47	peak
4	12687.000	31.46	18.05	49.51	74.00	-24.49	peak
5	13919.000	28.43	21.68	50.11	74.00	-23.89	peak
6	17967.000	23.95	25.89	49.84	74.00	-24.16	peak

Test Mode:	802.11be EHT20	Channel:	5720
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9145.000	39.38	10.43	49.81	74.00	-24.19	peak
2	11026.000	34.11	14.82	48.93	74.00	-25.07	peak
3	11323.000	33.49	16.05	49.54	74.00	-24.46	peak
4	12709.000	31.39	18.09	49.48	74.00	-24.52	peak
5	13875.000	27.76	21.57	49.33	74.00	-24.67	peak
6	17989.000	23.21	26.04	49.25	74.00	-24.75	peak

Test Mode:	802.11be EHT20	Channel:	5720
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7605.000	37.27	6.78	44.05	74.00	-29.95	peak
2	9145.000	37.76	10.43	48.19	74.00	-25.81	peak
3	11004.000	35.35	14.74	50.09	74.00	-23.91	peak
4	11884.000	32.99	17.48	50.47	74.00	-23.53	peak
5	14018.000	28.43	21.80	50.23	74.00	-23.77	peak
6	17967.000	24.58	25.89	50.47	74.00	-23.53	peak

Test Mode:	802.11be EHT20	Channel:	5745
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7814.000	37.99	6.60	44.59	74.00	-29.41	peak
2	9189.000	39.76	10.46	50.22	74.00	-23.78	peak
3	11488.000	33.29	16.72	50.01	74.00	-23.99	peak
4	13809.000	28.30	21.41	49.71	74.00	-24.29	peak
5	17241.000	31.85	21.62	53.47	74.00	-20.53	peak
6	17989.000	23.38	26.04	49.42	74.00	-24.58	peak

Test Mode:	802.11be EHT20	Channel:	5745
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	41.46	10.46	51.92	74.00	-22.08	peak
2	9189.000	34.84	10.46	45.30	54.00	-8.70	AVG
3	11488.000	36.00	16.72	52.72	74.00	-21.28	peak
4	11488.000	30.88	16.72	47.60	54.00	-6.40	AVG
5	11873.000	33.10	17.46	50.56	74.00	-23.44	peak
6	12632.000	32.73	17.99	50.72	74.00	-23.28	peak
7	13600.000	28.24	20.89	49.13	74.00	-24.87	peak
8	18000.000	22.92	26.12	49.04	74.00	-24.96	peak

Test Mode:	802.11be EHT20	Channel:	5785
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	38.29	10.51	48.80	74.00	-25.20	peak
2	11565.000	37.35	16.89	54.24	74.00	-19.76	peak
3	11565.000	31.11	16.89	48.00	54.00	-6.00	AVG
4	12698.000	31.54	18.08	49.62	74.00	-24.38	peak
5	13930.000	27.11	21.71	48.82	74.00	-25.18	peak
6	17362.000	29.28	22.12	51.40	74.00	-22.60	peak
7	17989.000	23.73	26.04	49.77	74.00	-24.23	peak

Test Mode:	802.11be EHT20	Channel:	5785
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7880.000	37.84	6.54	44.38	74.00	-29.62	peak
2	9255.000	38.96	10.51	49.47	74.00	-24.53	peak
3	11015.000	34.60	14.79	49.39	74.00	-24.61	peak
4	11565.000	33.86	16.89	50.75	74.00	-23.25	peak
5	13919.000	27.39	21.68	49.07	74.00	-24.93	peak
6	17967.000	23.43	25.89	49.32	74.00	-24.68	peak

Test Mode:	802.11be EHT20	Channel:	5825
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	36.29	10.49	46.78	74.00	-27.22	peak
2	10795.000	35.65	13.94	49.59	74.00	-24.41	peak
3	11653.000	38.99	17.05	56.04	74.00	-17.96	peak
4	11653.000	33.25	17.05	50.30	54.00	-3.70	AVG
5	12654.000	32.63	18.01	50.64	74.00	-23.36	peak
6	13996.000	29.12	21.87	50.99	74.00	-23.01	peak
7	17945.000	24.44	25.75	50.19	74.00	-23.81	peak

Test Mode:	802.11be EHT20	Channel:	5825
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9321.000	40.29	10.53	50.82	74.00	-23.18	peak
2	11268.000	34.40	15.83	50.23	74.00	-23.77	peak
3	11642.000	36.26	17.03	53.29	74.00	-20.71	peak
4	11642.000	31.67	17.03	48.70	54.00	-5.30	AVG
5	12621.000	32.20	17.98	50.18	74.00	-23.82	peak
6	13919.000	28.67	21.68	50.35	74.00	-23.65	peak
7	17989.000	24.19	26.04	50.23	74.00	-23.77	peak

Test Mode:	802.11be EHT40	Channel:	5190
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	36.83	10.51	47.34	74.00	-26.66	peak
2	10993.000	34.77	14.70	49.47	74.00	-24.53	peak
3	11400.000	33.93	16.36	50.29	74.00	-23.71	peak
4	12555.000	32.43	17.90	50.33	74.00	-23.67	peak
5	13919.000	28.44	21.68	50.12	74.00	-23.88	peak
6	17989.000	24.50	26.04	50.54	74.00	-23.46	peak

Test Mode:	802.11be EHT40	Channel:	5190
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8298.000	40.18	6.71	46.89	74.00	-27.11	peak
2	8848.000	37.43	9.29	46.72	74.00	-27.28	peak
3	11697.000	33.26	17.13	50.39	74.00	-23.61	peak
4	12709.000	32.71	18.09	50.80	74.00	-23.20	peak
5	13941.000	28.06	21.73	49.79	74.00	-24.21	peak
6	17681.000	25.18	23.94	49.12	74.00	-24.88	peak

Test Mode:	802.11be EHT40	Channel:	5230
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9310.000	36.52	10.54	47.06	74.00	-26.94	peak
2	11004.000	33.97	14.74	48.71	74.00	-25.29	peak
3	11906.000	32.01	17.52	49.53	74.00	-24.47	peak
4	13985.000	27.67	21.85	49.52	74.00	-24.48	peak
5	17714.000	24.95	24.16	49.11	74.00	-24.89	peak
6	17956.000	24.13	25.82	49.95	74.00	-24.05	peak

Test Mode:	802.11be EHT40	Channel:	5230
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8364.000	42.61	6.76	49.37	74.00	-24.63	peak
2	10465.000	36.59	12.75	49.34	74.00	-24.66	peak
3	11851.000	33.24	17.43	50.67	74.00	-23.33	peak
4	12698.000	32.91	18.08	50.99	74.00	-23.01	peak
5	13589.000	29.13	20.86	49.99	74.00	-24.01	peak
6	17989.000	23.97	26.04	50.01	74.00	-23.99	peak

Test Mode:	802.11be EHT40	Channel:	5270
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	36.24	10.49	46.73	74.00	-27.27	peak
2	10531.000	35.36	12.94	48.30	74.00	-25.70	peak
3	11785.000	32.99	17.30	50.29	74.00	-23.71	peak
4	12687.000	32.02	18.05	50.07	74.00	-23.93	peak
5	13963.000	28.18	21.78	49.96	74.00	-24.04	peak
6	17967.000	24.48	25.89	50.37	74.00	-23.63	peak

Test Mode:	802.11be EHT40	Channel:	5270
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	35.82	10.49	46.31	74.00	-27.69	peak
2	10564.000	34.68	13.06	47.74	74.00	-26.26	peak
3	11290.000	33.53	15.90	49.43	74.00	-24.57	peak
4	12236.000	32.38	17.76	50.14	74.00	-23.86	peak
5	13600.000	29.41	20.89	50.30	74.00	-23.70	peak
6	17989.000	23.38	26.04	49.42	74.00	-24.58	peak

Test Mode:	802.11be EHT40	Channel:	5310
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8496.000	40.08	6.89	46.97	74.00	-27.03	peak
2	11004.000	34.22	14.74	48.96	74.00	-25.04	peak
3	11785.000	32.59	17.30	49.89	74.00	-24.11	peak
4	13512.000	29.65	20.68	50.33	74.00	-23.67	peak
5	15932.000	39.37	16.90	56.27	74.00	-17.73	peak
6	15932.000	34.00	16.90	50.90	54.00	-3.10	AVG
7	17648.000	27.05	23.72	50.77	74.00	-23.23	peak

Test Mode:	802.11be EHT40	Channel:	5310
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8496.000	43.20	6.89	50.09	74.00	-23.91	peak
2	10608.000	36.21	13.23	49.44	74.00	-24.56	peak
3	11301.000	34.46	15.95	50.41	74.00	-23.59	peak
4	11895.000	32.90	17.51	50.41	74.00	-23.59	peak
5	13864.000	29.26	21.53	50.79	74.00	-23.21	peak
6	18000.000	24.29	26.12	50.41	74.00	-23.59	peak

Test Mode:	802.11be EHT40	Channel:	5510
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8815.000	40.37	9.07	49.44	74.00	-24.56	peak
2	11015.000	38.31	14.79	53.10	74.00	-20.90	peak
3	11015.000	33.01	14.79	47.80	54.00	-6.20	AVG
4	12258.000	32.64	17.77	50.41	74.00	-23.59	peak
5	12709.000	32.27	18.09	50.36	74.00	-23.64	peak
6	13622.000	29.53	20.95	50.48	74.00	-23.52	peak
7	17780.000	25.06	24.61	49.67	74.00	-24.33	peak

Test Mode:	802.11be EHT40	Channel:	5510
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8815.000	37.85	9.07	46.92	74.00	-27.08	peak
2	11070.000	34.26	15.01	49.27	74.00	-24.73	peak
3	11400.000	33.75	16.36	50.11	74.00	-23.89	peak
4	12643.000	32.32	18.01	50.33	74.00	-23.67	peak
5	13875.000	28.29	21.57	49.86	74.00	-24.14	peak
6	17989.000	23.10	26.04	49.14	74.00	-24.86	peak

Test Mode:	802.11be EHT40	Channel:	5550
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8881.000	39.14	9.52	48.66	74.00	-25.34	peak
2	11004.000	34.78	14.74	49.52	74.00	-24.48	peak
3	11697.000	33.05	17.13	50.18	74.00	-23.82	peak
4	12698.000	31.84	18.08	49.92	74.00	-24.08	peak
5	13985.000	28.53	21.85	50.38	74.00	-23.62	peak
6	17956.000	23.92	25.82	49.74	74.00	-24.26	peak

Test Mode:	802.11be EHT40	Channel:	5550
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8881.000	38.74	9.52	48.26	74.00	-25.74	peak
2	11048.000	34.61	14.91	49.52	74.00	-24.48	peak
3	11763.000	32.21	17.26	49.47	74.00	-24.53	peak
4	12654.000	32.25	18.01	50.26	74.00	-23.74	peak
5	13435.000	30.10	20.35	50.45	74.00	-23.55	peak
6	17978.000	24.06	25.97	50.03	74.00	-23.97	peak

Test Mode:	802.11be EHT40	Channel:	5670
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9068.000	39.82	10.39	50.21	74.00	-23.79	peak
2	11070.000	35.13	15.01	50.14	74.00	-23.86	peak
3	11345.000	36.40	16.14	52.54	74.00	-21.46	peak
4	11345.000	30.36	16.14	46.50	54.00	-7.50	AVG
5	12632.000	32.45	17.99	50.44	74.00	-23.56	peak
6	13930.000	27.75	21.71	49.46	74.00	-24.54	peak
7	18000.000	22.94	26.12	49.06	74.00	-24.94	peak

Test Mode:	802.11be EHT40	Channel:	5670
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9068.000	40.23	10.39	50.62	74.00	-23.38	peak
2	11070.000	34.49	15.01	49.50	74.00	-24.50	peak
3	11521.000	33.38	16.82	50.20	74.00	-23.80	peak
4	12698.000	32.04	18.08	50.12	74.00	-23.88	peak
5	13633.000	28.74	20.97	49.71	74.00	-24.29	peak
6	17978.000	23.23	25.97	49.20	74.00	-24.80	peak

Test Mode:	802.11be EHT40	Channel:	5710
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	39.14	10.41	49.55	74.00	-24.45	peak
2	11059.000	34.48	14.96	49.44	74.00	-24.56	peak
3	11818.000	33.31	17.36	50.67	74.00	-23.33	peak
4	13347.000	30.00	19.97	49.97	74.00	-24.03	peak
5	13919.000	28.19	21.68	49.87	74.00	-24.13	peak
6	17978.000	23.47	25.97	49.44	74.00	-24.56	peak

Test Mode:	802.11be EHT40	Channel:	5710
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	39.85	10.41	50.26	74.00	-23.74	peak
2	11323.000	33.58	16.05	49.63	74.00	-24.37	peak
3	11796.000	32.76	17.32	50.08	74.00	-23.92	peak
4	12698.000	32.44	18.08	50.52	74.00	-23.48	peak
5	13556.000	29.27	20.78	50.05	74.00	-23.95	peak
6	17703.000	25.26	24.09	49.35	74.00	-24.65	peak

Test Mode:	802.11be EHT40	Channel:	5755
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	35.99	10.46	46.45	74.00	-27.55	peak
2	11510.000	38.05	16.79	54.84	74.00	-19.16	peak
3	11510.000	31.71	16.79	48.50	54.00	-5.50	AVG
4	12687.000	32.72	18.05	50.77	74.00	-23.23	peak
5	13127.000	31.35	19.01	50.36	74.00	-23.64	peak
6	17604.000	25.59	23.41	49.00	74.00	-25.00	peak
7	17978.000	23.45	25.97	49.42	74.00	-24.58	peak

Test Mode:	802.11be EHT40	Channel:	5755
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9200.000	40.37	10.46	50.83	74.00	-23.17	peak
2	11290.000	33.45	15.90	49.35	74.00	-24.65	peak
3	11862.000	32.00	17.45	49.45	74.00	-24.55	peak
4	12676.000	31.98	18.05	50.03	74.00	-23.97	peak
5	13820.000	28.21	21.43	49.64	74.00	-24.36	peak
6	17989.000	23.50	26.04	49.54	74.00	-24.46	peak

Test Mode:	802.11be EHT40	Channel:	5795
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9266.000	38.05	10.51	48.56	74.00	-25.44	peak
2	10916.000	35.04	14.39	49.43	74.00	-24.57	peak
3	11587.000	36.00	16.93	52.93	74.00	-21.07	peak
4	11587.000	29.17	16.93	46.10	54.00	-7.90	AVG
5	12621.000	32.00	17.98	49.98	74.00	-24.02	peak
6	13952.000	27.30	21.76	49.06	74.00	-24.94	peak
7	17384.000	30.70	22.22	52.92	74.00	-21.08	peak

Test Mode:	802.11be EHT40	Channel:	5795
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7715.000	38.75	6.68	45.43	74.00	-28.57	peak
2	9266.000	40.18	10.51	50.69	74.00	-23.31	peak
3	11587.000	34.77	16.93	51.70	74.00	-22.30	peak
4	11587.000	26.77	16.93	43.70	54.00	-10.30	AVG
5	12687.000	31.66	18.05	49.71	74.00	-24.29	peak
6	13479.000	29.68	20.55	50.23	74.00	-23.77	peak
7	18000.000	24.44	26.12	50.56	74.00	-23.44	peak

Test Mode:	802.11be EHT80	Channel:	5210
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8331.000	39.89	6.73	46.62	74.00	-27.38	peak
2	9068.000	36.62	10.39	47.01	74.00	-26.99	peak
3	11059.000	35.21	14.96	50.17	74.00	-23.83	peak
4	13985.000	28.89	21.85	50.74	74.00	-23.26	peak
5	15624.000	29.83	16.76	46.59	74.00	-27.41	peak
6	18000.000	23.78	26.12	49.90	74.00	-24.10	peak

Test Mode:	802.11be EHT80	Channel:	5210
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8331.000	41.87	6.73	48.60	74.00	-25.40	peak
2	11037.000	34.77	14.87	49.64	74.00	-24.36	peak
3	11884.000	32.86	17.48	50.34	74.00	-23.66	peak
4	12654.000	32.80	18.01	50.81	74.00	-23.19	peak
5	13919.000	28.28	21.68	49.96	74.00	-24.04	peak
6	18000.000	24.47	26.12	50.59	74.00	-23.41	peak

Test Mode:	802.11be EHT80	Channel:	5290
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	36.75	10.49	47.24	74.00	-26.76	peak
2	11048.000	34.76	14.91	49.67	74.00	-24.33	peak
3	11774.000	34.02	17.28	51.30	74.00	-22.70	peak
4	11774.000	26.62	17.28	43.90	54.00	-10.10	AVG
5	12632.000	31.72	17.99	49.71	74.00	-24.29	peak
6	13611.000	28.93	20.92	49.85	74.00	-24.15	peak
7	17989.000	23.16	26.04	49.20	74.00	-24.80	peak

Test Mode:	802.11be EHT80	Channel:	5290
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8463.000	43.09	6.85	49.94	74.00	-24.06	peak
2	11279.000	34.79	15.86	50.65	74.00	-23.35	peak
3	12676.000	31.62	18.05	49.67	74.00	-24.33	peak
4	13963.000	29.11	21.78	50.89	74.00	-23.11	peak
5	17219.000	27.79	21.52	49.31	74.00	-24.69	peak
6	17593.000	26.66	23.34	50.00	74.00	-24.00	peak

Test Mode:	802.11be EHT80	Channel:	5530
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8848.000	41.66	9.29	50.95	74.00	-23.05	peak
2	11411.000	32.89	16.41	49.30	74.00	-24.70	peak
3	11840.000	32.19	17.40	49.59	74.00	-24.41	peak
4	12632.000	31.81	17.99	49.80	74.00	-24.20	peak
5	13611.000	29.00	20.92	49.92	74.00	-24.08	peak
6	17989.000	23.81	26.04	49.85	74.00	-24.15	peak

Test Mode:	802.11be EHT80	Channel:	5530
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8848.000	38.67	9.29	47.96	74.00	-26.04	peak
2	11059.000	35.51	14.96	50.47	74.00	-23.53	peak
3	11697.000	33.45	17.13	50.58	74.00	-23.42	peak
4	12698.000	32.90	18.08	50.98	74.00	-23.02	peak
5	13919.000	28.89	21.68	50.57	74.00	-23.43	peak
6	17648.000	26.22	23.72	49.94	74.00	-24.06	peak

Test Mode:	802.11be EHT80	Channel:	5610
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8969.000	39.09	10.13	49.22	74.00	-24.78	peak
2	11026.000	35.30	14.82	50.12	74.00	-23.88	peak
3	11807.000	32.32	17.34	49.66	74.00	-24.34	peak
4	12621.000	31.74	17.98	49.72	74.00	-24.28	peak
5	13622.000	28.93	20.95	49.88	74.00	-24.12	peak
6	17967.000	24.16	25.89	50.05	74.00	-23.95	peak

Test Mode:	802.11be EHT80	Channel:	5610
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8969.000	38.10	10.13	48.23	74.00	-25.77	peak
2	11059.000	35.00	14.96	49.96	74.00	-24.04	peak
3	11411.000	33.77	16.41	50.18	74.00	-23.82	peak
4	12621.000	32.65	17.98	50.63	74.00	-23.37	peak
5	13611.000	29.50	20.92	50.42	74.00	-23.58	peak
6	17967.000	24.77	25.89	50.66	74.00	-23.34	peak

Test Mode:	802.11be EHT80	Channel:	5690
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9200.000	36.57	10.46	47.03	74.00	-26.97	peak
2	11059.000	35.02	14.96	49.98	74.00	-24.02	peak
3	11400.000	33.95	16.36	50.31	74.00	-23.69	peak
4	11829.000	32.30	17.38	49.68	74.00	-24.32	peak
5	13534.000	29.64	20.73	50.37	74.00	-23.63	peak
6	17989.000	23.87	26.04	49.91	74.00	-24.09	peak

Test Mode:	802.11be EHT80	Channel:	5690
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9101.000	39.41	10.40	49.81	74.00	-24.19	peak
2	10564.000	35.76	13.06	48.82	74.00	-25.18	peak
3	11026.000	35.31	14.82	50.13	74.00	-23.87	peak
4	11862.000	33.24	17.45	50.69	74.00	-23.31	peak
5	13919.000	29.16	21.68	50.84	74.00	-23.16	peak
6	17989.000	24.19	26.04	50.23	74.00	-23.77	peak

Test Mode:	802.11be EHT80	Channel:	5775
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	36.73	10.48	47.21	74.00	-26.79	peak
2	10883.000	35.72	14.27	49.99	74.00	-24.01	peak
3	11521.000	33.72	16.82	50.54	74.00	-23.46	peak
4	12698.000	31.91	18.08	49.99	74.00	-24.01	peak
5	13809.000	29.09	21.41	50.50	74.00	-23.50	peak
6	17934.000	23.93	25.67	49.60	74.00	-24.40	peak

Test Mode:	802.11be EHT80	Channel:	5775
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	39.99	10.48	50.47	74.00	-23.53	peak
2	11048.000	35.17	14.91	50.08	74.00	-23.92	peak
3	11686.000	33.19	17.12	50.31	74.00	-23.69	peak
4	13600.000	29.89	20.89	50.78	74.00	-23.22	peak
5	13985.000	28.90	21.85	50.75	74.00	-23.25	peak
6	17989.000	24.57	26.04	50.61	74.00	-23.39	peak

Test Mode:	802.11be EHT160	Channel:	5250
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	36.43	10.46	46.89	74.00	-27.11	peak
2	10938.000	34.64	14.48	49.12	74.00	-24.88	peak
3	11664.000	33.52	17.08	50.60	74.00	-23.40	peak
4	12643.000	32.84	18.01	50.85	74.00	-23.15	peak
5	13886.000	29.51	21.60	51.11	74.00	-22.89	peak
6	17978.000	24.51	25.97	50.48	74.00	-23.52	peak

Test Mode:	802.11be EHT160	Channel:	5250
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8397.000	42.15	6.80	48.95	74.00	-25.05	peak
2	9266.000	36.31	10.51	46.82	74.00	-27.18	peak
3	11026.000	34.39	14.82	49.21	74.00	-24.79	peak
4	12687.000	32.59	18.05	50.64	74.00	-23.36	peak
5	13611.000	28.23	20.92	49.15	74.00	-24.85	peak
6	17978.000	23.50	25.97	49.47	74.00	-24.53	peak

Test Mode:	802.11be EHT160	Channel:	5570
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8914.000	40.51	9.75	50.26	74.00	-23.74	peak
2	10872.000	34.77	14.23	49.00	74.00	-25.00	peak
3	11312.000	34.39	16.00	50.39	74.00	-23.61	peak
4	12555.000	31.85	17.90	49.75	74.00	-24.25	peak
5	13864.000	28.47	21.53	50.00	74.00	-24.00	peak
6	17736.000	25.85	24.32	50.17	74.00	-23.83	peak

Test Mode:	802.11be EHT160	Channel:	5570
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8903.000	39.96	9.66	49.62	74.00	-24.38	peak
2	11015.000	33.87	14.79	48.66	74.00	-25.34	peak
3	11840.000	32.77	17.40	50.17	74.00	-23.83	peak
4	12687.000	32.22	18.05	50.27	74.00	-23.73	peak
5	14007.000	28.31	21.85	50.16	74.00	-23.84	peak
6	18000.000	24.32	26.12	50.44	74.00	-23.56	peak

8.6. SPURIOUS EMISSIONS(7 GHZ~18 GHZ)


For ISED UNII-1 test data:

Test Mode:	802.11a 20	Channel:	5180
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	36.51	10.49	47.00	74.00	-27.00	peak
2	11037.000	34.21	14.87	49.08	74.00	-24.92	peak
3	11554.000	33.16	16.87	50.03	74.00	-23.97	peak
4	12720.000	32.10	18.09	50.19	74.00	-23.81	peak
5	13985.000	27.73	21.85	49.58	74.00	-24.42	peak
6	17978.000	23.50	25.97	49.47	74.00	-24.53	peak

Test Mode:	802.11a 20	Channel:	5180
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9541.000	36.74	10.74	47.48	74.00	-26.52	peak
2	11048.000	34.41	14.91	49.32	74.00	-24.68	peak
3	11301.000	33.68	15.95	49.63	74.00	-24.37	peak
4	12698.000	31.61	18.08	49.69	74.00	-24.31	peak
5	13523.000	28.95	20.70	49.65	74.00	-24.35	peak
6	17978.000	23.30	25.97	49.27	74.00	-24.73	peak

Test Mode:	802.11a 20	Channel:	5200
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9057.000	36.20	10.38	46.58	74.00	-27.42	peak
2	11081.000	34.34	15.05	49.39	74.00	-24.61	peak
3	11345.000	33.27	16.14	49.41	74.00	-24.59	peak
4	12632.000	32.32	17.99	50.31	74.00	-23.69	peak
5	13864.000	28.37	21.53	49.90	74.00	-24.10	peak
6	17989.000	24.48	26.04	50.52	74.00	-23.48	peak

Test Mode:	802.11a 20	Channel:	5200
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8287.000	39.47	6.70	46.17	74.00	-27.83	peak
2	9233.000	36.75	10.48	47.23	74.00	-26.77	peak
3	11026.000	34.90	14.82	49.72	74.00	-24.28	peak
4	12566.000	31.72	17.91	49.63	74.00	-24.37	peak
5	13919.000	28.28	21.68	49.96	74.00	-24.04	peak
6	17714.000	26.04	24.16	50.20	74.00	-23.80	peak

Test Mode:	802.11a 20	Channel:	5240
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	36.79	10.41	47.20	74.00	-26.80	peak
2	11290.000	33.82	15.90	49.72	74.00	-24.28	peak
3	11697.000	32.80	17.13	49.93	74.00	-24.07	peak
4	12687.000	32.29	18.05	50.34	74.00	-23.66	peak
5	17560.000	26.63	23.11	49.74	74.00	-24.26	peak
6	17956.000	24.03	25.82	49.85	74.00	-24.15	peak

Test Mode:	802.11a 20	Channel:	5240
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9211.000	35.96	10.47	46.43	74.00	-27.57	peak
2	10817.000	34.54	14.03	48.57	74.00	-25.43	peak
3	11290.000	34.22	15.90	50.12	74.00	-23.88	peak
4	12698.000	32.85	18.08	50.93	74.00	-23.07	peak
5	13468.000	29.87	20.50	50.37	74.00	-23.63	peak
6	17989.000	24.11	26.04	50.15	74.00	-23.85	peak

Test Mode:	802.11ax HE20	Channel:	5180
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9057.000	36.92	10.38	47.30	74.00	-26.70	peak
2	11026.000	35.18	14.82	50.00	74.00	-24.00	peak
3	11323.000	33.63	16.05	49.68	74.00	-24.32	peak
4	12698.000	31.08	18.08	49.16	74.00	-24.84	peak
5	13919.000	26.91	21.68	48.59	74.00	-25.41	peak
6	17989.000	23.69	26.04	49.73	74.00	-24.27	peak

Test Mode:	802.11ax HE20	Channel:	5180
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9365.000	36.58	10.57	47.15	74.00	-26.85	peak
2	11202.000	33.53	15.55	49.08	74.00	-24.92	peak
3	11686.000	32.46	17.12	49.58	74.00	-24.42	peak
4	12731.000	31.55	18.12	49.67	74.00	-24.33	peak
5	13809.000	28.38	21.41	49.79	74.00	-24.21	peak
6	17989.000	23.39	26.04	49.43	74.00	-24.57	peak

Test Mode:	802.11ax HE20	Channel:	5200
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	36.70	10.46	47.16	74.00	-26.84	peak
2	11290.000	33.89	15.90	49.79	74.00	-24.21	peak
3	11807.000	33.48	17.34	50.82	74.00	-23.18	peak
4	12687.000	32.27	18.05	50.32	74.00	-23.68	peak
5	13985.000	27.95	21.85	49.80	74.00	-24.20	peak
6	18000.000	23.47	26.12	49.59	74.00	-24.41	peak

Test Mode:	802.11ax HE20	Channel:	5200
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	36.61	10.48	47.09	74.00	-26.91	peak
2	11048.000	34.44	14.91	49.35	74.00	-24.65	peak
3	11466.000	32.90	16.63	49.53	74.00	-24.47	peak
4	12709.000	32.10	18.09	50.19	74.00	-23.81	peak
5	13600.000	28.58	20.89	49.47	74.00	-24.53	peak
6	17989.000	23.63	26.04	49.67	74.00	-24.33	peak

Test Mode:	802.11ax HE20	Channel:	5240
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8287.000	39.39	6.70	46.09	74.00	-27.91	peak
2	9068.000	38.02	10.39	48.41	74.00	-25.59	peak
3	11345.000	33.63	16.14	49.77	74.00	-24.23	peak
4	12632.000	31.89	17.99	49.88	74.00	-24.12	peak
5	13853.000	27.76	21.52	49.28	74.00	-24.72	peak
6	17934.000	23.13	25.67	48.80	74.00	-25.20	peak

Test Mode:	802.11ax HE20	Channel:	5240
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8287.000	39.92	6.70	46.62	74.00	-27.38	peak
2	11609.000	32.50	16.98	49.48	74.00	-24.52	peak
3	12709.000	32.49	18.09	50.58	74.00	-23.42	peak
4	13149.000	31.04	19.10	50.14	74.00	-23.86	peak
5	13919.000	28.28	21.68	49.96	74.00	-24.04	peak
6	17967.000	24.15	25.89	50.04	74.00	-23.96	peak

Test Mode:	802.11ax HE40	Channel:	5190
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	37.16	10.21	47.37	74.00	-26.63	peak
2	11246.000	33.00	15.73	48.73	74.00	-25.27	peak
3	11818.000	31.91	17.36	49.27	74.00	-24.73	peak
4	12632.000	32.27	17.99	50.26	74.00	-23.74	peak
5	13435.000	28.81	20.35	49.16	74.00	-24.84	peak
6	17967.000	23.13	25.89	49.02	74.00	-24.98	peak

Test Mode:	802.11ax HE40	Channel:	5190
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7671.000	37.60	6.71	44.31	74.00	-29.69	peak
2	9387.000	36.26	10.58	46.84	74.00	-27.16	peak
3	11059.000	34.89	14.96	49.85	74.00	-24.15	peak
4	12665.000	32.72	18.04	50.76	74.00	-23.24	peak
5	13149.000	31.07	19.10	50.17	74.00	-23.83	peak
6	18000.000	23.90	26.12	50.02	74.00	-23.98	peak

Test Mode:	802.11ax HE40	Channel:	5230
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7627.000	37.56	6.76	44.32	74.00	-29.68	peak
2	9233.000	36.53	10.48	47.01	74.00	-26.99	peak
3	11301.000	33.99	15.95	49.94	74.00	-24.06	peak
4	12698.000	32.49	18.08	50.57	74.00	-23.43	peak
5	13457.000	29.83	20.46	50.29	74.00	-23.71	peak
6	17989.000	24.59	26.04	50.63	74.00	-23.37	peak

Test Mode:	802.11ax HE40	Channel:	5230
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	36.07	10.41	46.48	74.00	-27.52	peak
2	11048.000	34.56	14.91	49.47	74.00	-24.53	peak
3	11389.000	34.03	16.31	50.34	74.00	-23.66	peak
4	12698.000	30.86	18.08	48.94	74.00	-25.06	peak
5	13435.000	29.04	20.35	49.39	74.00	-24.61	peak
6	17945.000	24.23	25.75	49.98	74.00	-24.02	peak

Test Mode:	802.11ax HE80	Channel:	5210
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	36.48	10.49	46.97	74.00	-27.03	peak
2	11015.000	34.76	14.79	49.55	74.00	-24.45	peak
3	11323.000	34.37	16.05	50.42	74.00	-23.58	peak
4	12654.000	32.58	18.01	50.59	74.00	-23.41	peak
5	13391.000	30.29	20.16	50.45	74.00	-23.55	peak
6	18000.000	24.47	26.12	50.59	74.00	-23.41	peak

Test Mode:	802.11ax HE80	Channel:	5210
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9178.000	36.40	10.45	46.85	74.00	-27.15	peak
2	10223.000	34.72	12.24	46.96	74.00	-27.04	peak
3	11015.000	34.49	14.79	49.28	74.00	-24.72	peak
4	12654.000	30.58	18.01	48.59	74.00	-25.41	peak
5	13864.000	27.79	21.53	49.32	74.00	-24.68	peak
6	17945.000	23.23	25.75	48.98	74.00	-25.02	peak

Test Mode:	802.11be EHT20	Channel:	5180
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8375.000	39.32	6.77	46.09	74.00	-27.91	peak
2	9244.000	36.98	10.49	47.47	74.00	-26.53	peak
3	11323.000	33.19	16.05	49.24	74.00	-24.76	peak
4	12599.000	31.11	17.95	49.06	74.00	-24.94	peak
5	13996.000	28.01	21.87	49.88	74.00	-24.12	peak
6	18000.000	23.64	26.12	49.76	74.00	-24.24	peak

Test Mode:	802.11be EHT20	Channel:	5180
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8375.000	40.98	6.77	47.75	74.00	-26.25	peak
2	9057.000	36.39	10.38	46.77	74.00	-27.23	peak
3	11037.000	34.62	14.87	49.49	74.00	-24.51	peak
4	12698.000	31.24	18.08	49.32	74.00	-24.68	peak
5	13853.000	27.85	21.52	49.37	74.00	-24.63	peak
6	17989.000	23.78	26.04	49.82	74.00	-24.18	peak

Test Mode:	802.11be EHT20	Channel:	5200
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9068.000	36.99	10.39	47.38	74.00	-26.62	peak
2	11389.000	34.52	16.31	50.83	74.00	-23.17	peak
3	12258.000	32.81	17.77	50.58	74.00	-23.42	peak
4	13600.000	29.14	20.89	50.03	74.00	-23.97	peak
5	13919.000	28.30	21.68	49.98	74.00	-24.02	peak
6	17989.000	23.72	26.04	49.76	74.00	-24.24	peak

Test Mode:	802.11be EHT20	Channel:	5200
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	35.82	10.48	46.30	74.00	-27.70	peak
2	11180.000	33.80	15.46	49.26	74.00	-24.74	peak
3	11840.000	32.17	17.40	49.57	74.00	-24.43	peak
4	12709.000	31.21	18.09	49.30	74.00	-24.70	peak
5	13985.000	26.91	21.85	48.76	74.00	-25.24	peak
6	18000.000	22.12	26.12	48.24	74.00	-25.76	peak

Test Mode:	802.11be EHT20	Channel:	5240
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9200.000	36.74	10.46	47.20	74.00	-26.80	peak
2	11081.000	34.40	15.05	49.45	74.00	-24.55	peak
3	12665.000	32.19	18.04	50.23	74.00	-23.77	peak
4	13468.000	28.98	20.50	49.48	74.00	-24.52	peak
5	17593.000	26.76	23.34	50.10	74.00	-23.90	peak
6	17978.000	24.29	25.97	50.26	74.00	-23.74	peak

Test Mode:	802.11be EHT20	Channel:	5240
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9068.000	35.72	10.39	46.11	74.00	-27.89	peak
2	10223.000	34.34	12.24	46.58	74.00	-27.42	peak
3	11026.000	33.77	14.82	48.59	74.00	-25.41	peak
4	11895.000	31.70	17.51	49.21	74.00	-24.79	peak
5	13589.000	28.23	20.86	49.09	74.00	-24.91	peak
6	17967.000	23.05	25.89	48.94	74.00	-25.06	peak

Test Mode:	802.11be EHT40	Channel:	5190
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9200.000	35.81	10.46	46.27	74.00	-27.73	peak
2	11202.000	33.45	15.55	49.00	74.00	-25.00	peak
3	11708.000	32.44	17.16	49.60	74.00	-24.40	peak
4	12665.000	31.53	18.04	49.57	74.00	-24.43	peak
5	13919.000	28.30	21.68	49.98	74.00	-24.02	peak
6	17989.000	23.66	26.04	49.70	74.00	-24.30	peak

Test Mode:	802.11be EHT40	Channel:	5190
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8914.000	36.34	9.75	46.09	74.00	-27.91	peak
2	11048.000	35.10	14.91	50.01	74.00	-23.99	peak
3	11345.000	33.97	16.14	50.11	74.00	-23.89	peak
4	12621.000	32.42	17.98	50.40	74.00	-23.60	peak
5	13919.000	28.27	21.68	49.95	74.00	-24.05	peak
6	17989.000	23.46	26.04	49.50	74.00	-24.50	peak

Test Mode:	802.11be EHT40	Channel:	5230
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8958.000	36.21	10.05	46.26	74.00	-27.74	peak
2	11059.000	34.54	14.96	49.50	74.00	-24.50	peak
3	11895.000	33.18	17.51	50.69	74.00	-23.31	peak
4	12709.000	32.27	18.09	50.36	74.00	-23.64	peak
5	14117.000	27.87	21.39	49.26	74.00	-24.74	peak
6	17989.000	23.83	26.04	49.87	74.00	-24.13	peak

Test Mode:	802.11be EHT40	Channel:	5230
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	35.80	10.54	46.34	74.00	-27.66	peak
2	10872.000	34.03	14.23	48.26	74.00	-25.74	peak
3	11400.000	33.20	16.36	49.56	74.00	-24.44	peak
4	12709.000	31.48	18.09	49.57	74.00	-24.43	peak
5	13864.000	28.46	21.53	49.99	74.00	-24.01	peak
6	17978.000	23.50	25.97	49.47	74.00	-24.53	peak

Test Mode:	802.11be EHT80	Channel:	5210
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7715.000	37.70	6.68	44.38	74.00	-29.62	peak
2	9233.000	36.03	10.48	46.51	74.00	-27.49	peak
3	11004.000	34.85	14.74	49.59	74.00	-24.41	peak
4	11741.000	32.79	17.22	50.01	74.00	-23.99	peak
5	13556.000	29.28	20.78	50.06	74.00	-23.94	peak
6	17989.000	24.29	26.04	50.33	74.00	-23.67	peak


Test Mode:	802.11be EHT80	Channel:	5210
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9057.000	36.51	10.38	46.89	74.00	-27.11	peak
2	9255.000	36.62	10.51	47.13	74.00	-26.87	peak
3	11642.000	32.79	17.03	49.82	74.00	-24.18	peak
4	13193.000	30.39	19.30	49.69	74.00	-24.31	peak
5	13908.000	27.58	21.66	49.24	74.00	-24.76	peak
6	18000.000	23.61	26.12	49.73	74.00	-24.27	peak


8.7. SPURIOUS EMISSIONS(9 KHZ~30 MHZ)

Test Mode:	802.11a20	Channel:	5180
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	0.0100	78.22	-101.40	-23.18	47.60	-70.78	peak
2	0.0131	74.97	-101.38	-26.41	45.25	-71.66	peak
3	0.0188	72.14	-101.35	-29.21	42.12	-71.33	peak
4	0.0273	68.99	-101.38	-32.39	38.88	-71.27	peak
5	0.0551	64.45	-101.50	-37.05	32.78	-69.83	peak
6	0.0675	64.14	-101.56	-37.42	31.02	-68.44	peak

Test Mode:	802.11a20	Channel:	5180
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	0.1554	76.27	-101.65	-25.38	23.77	-49.15	peak
2	0.1925	71.96	-101.70	-29.74	21.92	-51.66	peak
3	0.2164	70.27	-101.75	-31.48	20.90	-52.38	peak
4	0.2530	67.64	-101.80	-34.16	19.54	-53.70	peak
5	0.2942	64.32	-101.85	-37.53	18.23	-55.76	peak
6	0.3431	62.17	-101.90	-39.73	16.89	-56.62	peak


Test Mode:	802.11a20	Channel:	5180
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	0.5039	63.93	-62.07	1.86	33.56	-31.70	peak
2	0.8195	62.66	-62.16	0.50	29.33	-28.83	peak
3	1.2214	59.62	-62.16	-2.54	25.87	-28.41	peak
4	2.0539	56.70	-61.81	-5.11	29.54	-34.65	peak
5	6.2445	56.13	-61.32	-5.19	29.54	-34.73	peak
6	10.5234	55.81	-60.82	-5.01	29.54	-34.55	peak


8.8. SPURIOUS EMISSIONS(18 GHZ~26 GHZ)

Test Mode:	802.11a 20	Channel:	5180
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	18144.000	49.77	-5.48	44.29	74.00	-29.71	peak
2	19504.000	49.97	-5.54	44.43	74.00	-29.57	peak
3	21600.000	49.02	-4.54	44.48	74.00	-29.52	peak
4	23064.000	47.49	-3.42	44.07	74.00	-29.93	peak
5	23480.000	48.04	-3.16	44.88	74.00	-29.12	peak
6	25000.000	46.36	-2.10	44.26	74.00	-29.74	peak


Test Mode:	802.11a 20	Channel:	5180
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	18960.000	49.51	-5.25	44.26	74.00	-29.74	peak
2	19696.000	50.15	-5.32	44.83	74.00	-29.17	peak
3	20584.000	49.00	-5.27	43.73	74.00	-30.27	peak
4	23088.000	48.02	-3.41	44.61	74.00	-29.39	peak
5	24568.000	46.10	-2.33	43.77	74.00	-30.23	peak
6	25728.000	45.11	-0.72	44.39	74.00	-29.61	peak


8.9. SPURIOUS EMISSIONS(26 GHZ~40 GHZ)

Test Mode:	802.11a 20	Channel:	5180
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	26490.000	52.29	-4.74	47.55	74.00	-26.45	peak
2	30144.000	47.96	-1.30	46.66	74.00	-27.34	peak
3	32804.000	47.64	-1.12	46.52	74.00	-27.48	peak
4	35366.000	45.90	2.59	48.49	74.00	-25.51	peak
5	36262.000	44.10	3.28	47.38	74.00	-26.62	peak
6	38320.000	44.06	3.77	47.83	74.00	-26.17	peak


Test Mode:	802.11a 20	Channel:	5180
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	26476.000	52.03	-4.78	47.25	74.00	-26.75	peak
2	28828.000	48.13	-0.79	47.34	74.00	-26.66	peak
3	31320.000	49.11	-0.93	48.18	74.00	-25.82	peak
4	33602.000	48.01	0.46	48.47	74.00	-25.53	peak
5	35912.000	45.20	3.85	49.05	74.00	-24.95	peak
6	38278.000	44.82	3.82	48.64	74.00	-25.36	peak


8.10. SPURIOUS EMISSIONS(30 MHZ~1 GHZ)

Test Mode:	802.11a 20	Channel:	5180
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	34.8500	45.33	-18.99	26.34	40.00	-13.66	QP
2	74.6200	52.14	-21.12	31.02	40.00	-8.98	QP
3	165.8000	45.42	-17.19	28.23	43.50	-15.27	QP
4	323.9100	43.67	-14.09	29.58	46.00	-16.42	QP
5	377.2600	42.44	-12.89	29.55	46.00	-16.45	QP
6	874.8700	42.88	-5.44	37.44	46.00	-8.56	QP


Test Mode:	802.11a 20	Channel:	5180
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	51.3400	54.44	-20.53	33.91	40.00	-6.09	QP
2	69.7699	57.28	-20.76	36.52	40.00	-3.48	QP
3	158.0399	49.97	-17.71	32.26	43.50	-11.24	QP
4	417.0300	44.41	-12.55	31.86	46.00	-14.14	QP
5	562.5300	46.24	-10.22	36.02	46.00	-9.98	QP
6	874.8700	40.98	-5.44	35.54	46.00	-10.46	QP


8.11. SIMULTANEOUSLY TRANSMISSION SPURIOUS EMISSIONS (1 GHz~18 GHz) (Worst case)

Test Mode:	WIFI 2.4G 802.11b Mode 2437 MHz & WIFI 5G 802.11a Mode 5745 MHz		
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2572.000	42.92	-8.27	34.65	74.00	-39.35	peak
2	4504.000	40.78	-2.12	38.66	74.00	-35.34	peak
3	5122.000	39.39	-0.02	39.37	74.00	-34.63	peak
4	5662.000	38.31	0.88	39.19	74.00	-34.81	peak
5	6664.000	35.77	4.54	40.31	74.00	-33.69	peak
6	6922.000	35.17	5.81	40.98	74.00	-33.02	peak

Test Mode:	WIFI 2.4G 802.11b Mode 2437 MHz & WIFI 5G 802.11a Mode 5745 MHz		
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2686.000	42.49	-7.93	34.56	74.00	-39.44	peak
2	4318.000	39.37	-2.99	36.38	74.00	-37.62	peak
3	4642.000	39.47	-1.57	37.90	74.00	-36.10	peak
4	5122.000	43.28	-0.02	43.26	74.00	-30.74	peak
5	5482.000	44.80	0.40	45.20	74.00	-28.80	peak
6	6634.000	36.11	4.38	40.49	74.00	-33.51	peak

Test Mode:	WIFI 2.4G 802.11b Mode 2437 MHz &WIFI 5G 802.11a Mode 5745 MHz		
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8903.000	35.96	9.66	45.62	74.00	-28.38	peak
2	10366.000	35.11	12.54	47.65	74.00	-26.35	peak
3	11400.000	32.75	16.36	49.11	74.00	-24.89	peak
4	12654.000	30.92	18.01	48.93	74.00	-25.07	peak
5	13919.000	27.79	21.68	49.47	74.00	-24.53	peak
6	17692.000	25.15	24.01	49.16	74.00	-24.84	peak

Test Mode:	WIFI 2.4G 802.11b Mode 2437 MHz &WIFI 5G 802.11a Mode 5745 MHz		
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7704.000	38.79	6.69	45.48	74.00	-28.52	peak
2	9211.000	36.31	10.47	46.78	74.00	-27.22	peak
3	10355.000	36.36	12.52	48.88	74.00	-25.12	peak
4	11389.000	33.11	16.31	49.42	74.00	-24.58	peak
5	12654.000	32.26	18.01	50.27	74.00	-23.73	peak
6	18000.000	23.10	26.12	49.22	74.00	-24.78	peak

9. AC POWER LINE CONDUCTED EMISSION

LIMITS

Please refer to CFR 47 FCC §15.207 (a) and ISED RSS-Gen Clause 8.8

FREQUENCY (MHz)	Quasi-peak	Average
0.15 -0.5	66 - 56 *	56 - 46 *
0.50 -5.0	56.00	46.00
5.0 -30.0	60.00	50.00


TEST PROCEDURE

Refer to ANSI C63.10-2013 clause 6.2.

The EUT is put on a table of non-conducting material that is 80 cm high. The vertical conducting wall of shielding is located 40 cm to the rear of the EUT. The power line of the EUT is connected to the AC mains through a Artificial Mains Network (A.M.N.). A EMI Measurement Receiver (R&S Test Receiver ESR3) is used to test the emissions from both sides of AC line. According to the requirements in Section 6.2 of ANSI C63.10-2013. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30 MHz using CISPR Quasi-Peak and average detector mode. The bandwidth of EMI test receiver is set at 9 kHz.

The arrangement of the equipment is installed to meet the standards and operating in a manner, which tends to maximize its emission characteristics in a normal application.

TEST SETUP



TEST ENVIRONMENT


Temperature	25.2°C	Relative Humidity	57%
Atmosphere Pressure	101kPa	Test Voltage	AC 120 V, 60 Hz

TEST DATE / ENGINEER

Test Date	May 26, 2023	Test By	Wite Chen
-----------	--------------	---------	-----------

TEST RESULTS

Test Mode:	802.11a	Channel:	5180
Line:	Line	Test Voltage:	AC 120 V, 60 Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB)	Result (dBuV)	Limit (dBuV)	Margin (dB)	Remark
1	0.1524	38.15	9.59	47.74	65.87	-18.13	QP
2	0.1524	22.53	9.59	32.12	55.87	-23.75	AVG
3	0.1648	36.33	9.59	45.92	65.22	-19.30	QP
4	0.1648	22.55	9.59	32.14	55.22	-23.08	AVG
5	0.3053	31.93	9.59	41.52	60.10	-18.58	QP
6	0.3053	25.14	9.59	34.73	50.10	-15.37	AVG
7	0.5105	39.37	9.60	48.97	56.00	-7.03	QP
8	0.5105	34.25	9.60	43.85	46.00	-2.15	AVG
9	0.6817	25.40	9.60	35.00	56.00	-21.00	QP
10	0.6817	19.39	9.60	28.99	46.00	-17.01	AVG
11	2.8400	22.08	9.66	31.74	56.00	-24.26	QP
12	2.8400	17.04	9.66	26.70	46.00	-19.30	AVG

Note:

1. Result = Reading + Correct Factor.
2. If QP Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 200 Hz (9 kHz ~ 150 kHz), 9 kHz (150 kHz ~ 30 MHz).
4. Step size: 80 Hz (0.009 MHz ~ 0.15 MHz), 4 kHz (0.15 MHz ~ 30 MHz), Scan time: auto.

Note: All the modes have been tested, only the worst data was recorded in the report.

Test Mode:	802.11a	Channel:	5180
Line:	Neutral	Test Voltage:	AC 120 V, 60 Hz



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB)	Result (dBuV)	Limit (dBuV)	Margin (dB)	Remark
1	0.1550	38.48	9.59	48.07	65.73	-17.66	QP
2	0.1550	21.94	9.59	31.53	55.73	-24.20	AVG
3	0.1626	36.46	9.59	46.05	65.33	-19.28	QP
4	0.1626	20.40	9.59	29.99	55.33	-25.34	AVG
5	0.2556	26.57	9.59	36.16	61.57	-25.41	QP
6	0.2556	17.15	9.59	26.74	51.57	-24.83	AVG
7	0.5115	37.90	9.60	47.50	56.00	-8.50	QP
8	0.5115	32.99	9.60	42.59	46.00	-3.41	AVG
9	0.8214	23.87	9.60	33.47	56.00	-22.53	QP
10	0.8214	18.79	9.60	28.39	46.00	-17.61	AVG
11	3.2514	19.49	9.67	29.16	56.00	-26.84	QP
12	3.2514	14.47	9.67	24.14	46.00	-21.86	AVG

Note:

1. Result = Reading + Correct Factor.
2. If QP Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 200 Hz (9 kHz ~ 150 kHz), 9 kHz (150 kHz ~ 30 MHz).
4. Step size: 80 Hz (0.009 MHz ~ 0.15 MHz), 4 kHz (0.15 MHz ~ 30 MHz), Scan time: auto.

Note: All the modes have been tested, only the worst data was recorded in the report.

10. ANTENNA REQUIREMENT

REQUIREMENT

Please refer to FCC part 15.203

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section. The manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

Please refer to FCC part 15.407(a)

For an indoor access point operating in the band 5.15-5.25 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W provided the maximum antenna gain does not exceed 6 dBi. In addition, the maximum power spectral density shall not exceed 17 dBm in any 1 megahertz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

DESCRIPTION

Pass

11. TEST DATA

11.1. APPENDIX A: EMISSION BANDWIDTH

11.1.1. Test Result


Test Mode	Antenna	Channel	26db EBW [MHz]	FL[MHz]	FH[MHz]	Verdict
11A-CDD	Ant1	5180	21.84	5169.16	5191.00	PASS
	Ant4	5180	21.08	5169.64	5190.72	PASS
	Ant1	5200	22.36	5188.56	5210.92	PASS
	Ant4	5200	22.68	5188.68	5211.36	PASS
	Ant1	5240	21.68	5229.04	5250.72	PASS
	Ant4	5240	21.80	5229.08	5250.88	PASS
	Ant1	5260	21.48	5249.44	5270.92	PASS
	Ant4	5260	21.44	5249.24	5270.68	PASS
	Ant1	5280	21.88	5269.04	5290.92	PASS
	Ant4	5280	22.08	5268.88	5290.96	PASS
	Ant1	5320	22.80	5308.36	5331.16	PASS
	Ant4	5320	21.60	5309.16	5330.76	PASS
	Ant1	5500	21.52	5489.32	5510.84	PASS
	Ant4	5500	21.32	5489.36	5510.68	PASS
	Ant1	5580	21.80	5568.88	5590.68	PASS
	Ant4	5580	21.48	5569.32	5590.80	PASS
	Ant1	5700	21.80	5688.88	5710.68	PASS
	Ant4	5700	21.40	5689.52	5710.92	PASS
	Ant1	5720	21.44	5709.40	5730.84	PASS
	Ant4	5720	21.80	5708.92	5730.72	PASS
	Ant1	5720_UNII-2C	15.6	5709.40	5725	PASS
	Ant4	5720_UNII-2C	16.08	5708.92	5725	PASS
	Ant1	5720_UNII-3	5.84	5725	5730.84	PASS
	Ant4	5720_UNII-3	5.72	5725	5730.72	PASS
	Ant1	5745	21.96	5734.36	5756.32	PASS
	Ant4	5745	21.16	5734.56	5755.72	PASS
	Ant1	5785	20.72	5774.48	5795.20	PASS
	Ant4	5785	22.32	5774.12	5796.44	PASS
	Ant1	5825	22.24	5814.04	5836.28	PASS
	Ant4	5825	21.92	5813.80	5835.72	PASS
11AX20MIMO	Ant1	5180	22.24	5168.88	5191.12	PASS
	Ant4	5180	21.64	5169.08	5190.72	PASS
	Ant1	5200	23.64	5187.92	5211.56	PASS
	Ant4	5200	22.12	5188.84	5210.96	PASS
	Ant1	5240	22.16	5228.96	5251.12	PASS
	Ant4	5240	21.24	5229.28	5250.52	PASS
	Ant1	5260	20.48	5249.96	5270.44	PASS
	Ant4	5260	21.00	5249.48	5270.48	PASS
	Ant1	5280	21.28	5269.24	5290.52	PASS
	Ant4	5280	21.96	5268.92	5290.88	PASS
	Ant1	5320	21.16	5308.96	5330.12	PASS
	Ant4	5320	21.88	5308.88	5330.76	PASS
	Ant1	5500	21.20	5489.28	5510.48	PASS
	Ant4	5500	21.44	5489.16	5510.60	PASS
	Ant1	5580	21.68	5569.60	5591.28	PASS
	Ant4	5580	21.80	5569.24	5591.04	PASS
	Ant1	5700	21.44	5689.32	5710.76	PASS
	Ant4	5700	22.44	5688.48	5710.92	PASS
	Ant1	5720	21.32	5709.32	5730.64	PASS
	Ant4	5720	21.44	5709.52	5730.96	PASS
	Ant1	5720_UNII-2C	15.68	5709.32	5725	PASS
	Ant4	5720_UNII-2C	15.48	5709.52	5725	PASS
	Ant1	5720_UNII-3	5.64	5725	5730.64	PASS


	Ant4	5720_UNII-3	5.96	5725	5730.96	PASS
	Ant1	5745	21.36	5733.92	5755.28	PASS
	Ant4	5745	22.56	5733.60	5756.16	PASS
	Ant1	5785	22.84	5773.68	5796.52	PASS
	Ant4	5785	21.52	5774.16	5795.68	PASS
	Ant1	5825	22.04	5813.76	5835.80	PASS
	Ant4	5825	21.12	5814.28	5835.40	PASS
11AX40MIMO	Ant1	5190	43.68	5167.92	5211.60	PASS
	Ant4	5190	42.40	5168.72	5211.12	PASS
	Ant1	5230	42.64	5209.28	5251.92	PASS
	Ant4	5230	42.24	5208.96	5251.20	PASS
	Ant1	5270	42.64	5249.20	5291.84	PASS
	Ant4	5270	42.24	5249.60	5291.84	PASS
	Ant1	5310	42.08	5288.64	5330.72	PASS
	Ant4	5310	41.76	5289.12	5330.88	PASS
	Ant1	5510	42.00	5489.12	5531.12	PASS
	Ant4	5510	43.28	5488.32	5531.60	PASS
	Ant1	5550	42.16	5528.88	5571.04	PASS
	Ant4	5550	43.68	5527.92	5571.60	PASS
	Ant1	5670	42.24	5650.00	5692.24	PASS
	Ant4	5670	42.96	5648.80	5691.76	PASS
	Ant1	5710	42.64	5689.28	5731.92	PASS
	Ant4	5710	41.44	5689.04	5730.48	PASS
	Ant1	5710_UNII-2C	35.72	5689.28	5725	PASS
	Ant4	5710_UNII-2C	35.96	5689.04	5725	PASS
	Ant1	5710_UNII-3	6.92	5725	5731.92	PASS
	Ant4	5710_UNII-3	5.48	5725	5730.48	PASS
	Ant1	5755	42.64	5733.96	5776.60	PASS
	Ant4	5755	42.96	5733.56	5776.52	PASS
	Ant1	5795	43.52	5772.84	5816.36	PASS
	Ant4	5795	41.76	5773.80	5815.56	PASS
11AX80MIMO	Ant1	5210	86.72	5166.16	5252.88	PASS
	Ant4	5210	87.84	5166.96	5254.80	PASS
	Ant1	5290	85.28	5245.68	5330.96	PASS
	Ant4	5290	84.80	5247.60	5332.40	PASS
	Ant1	5530	85.12	5487.60	5572.72	PASS
	Ant4	5530	84.16	5487.28	5571.44	PASS
	Ant1	5610	84.32	5566.96	5651.28	PASS
	Ant4	5610	86.08	5565.84	5651.92	PASS
	Ant1	5690	87.84	5645.68	5733.52	PASS
	Ant4	5690	87.20	5647.28	5734.48	PASS
	Ant1	5690_UNII-2C	79.32	5645.68	5725	PASS
	Ant4	5690_UNII-2C	77.72	5647.28	5725	PASS
	Ant1	5690_UNII-3	8.52	5725	5733.52	PASS
	Ant4	5690_UNII-3	9.48	5725	5734.48	PASS
	Ant1	5775	85.60	5731.48	5817.08	PASS
	Ant4	5775	87.36	5731.16	5818.52	PASS
11AX160MIMO	Ant1	5250	172.80	5164.56	5337.36	PASS
	Ant4	5250	172.48	5163.60	5336.08	PASS
	Ant1	5250_UNII-1	85.44	5164.56	5250	PASS
	Ant4	5250_UNII-1	86.4	5163.60	5250	PASS
	Ant1	5250_UNII-2A	87.36	5250	5337.36	PASS
	Ant4	5250_UNII-2A	86.08	5250	5336.08	PASS
	Ant1	5570	169.60	5484.24	5653.84	PASS
Ant4	5570	169.60	5485.84	5655.44	PASS	
11BE20MIMO	Ant1	5180	22.92	5168.76	5191.68	PASS
	Ant4	5180	21.72	5169.20	5190.92	PASS
	Ant1	5200	23.04	5188.36	5211.40	PASS
	Ant4	5200	22.04	5188.92	5210.96	PASS
	Ant1	5240	21.28	5229.32	5250.60	PASS
Ant4	5240	21.12	5229.68	5250.80	PASS	

	Ant1	5260	21.36	5249.28	5270.64	PASS
	Ant4	5260	21.72	5249.68	5271.40	PASS
	Ant1	5280	22.36	5268.88	5291.24	PASS
	Ant4	5280	21.80	5269.00	5290.80	PASS
	Ant1	5320	22.32	5308.76	5331.08	PASS
	Ant4	5320	22.00	5308.92	5330.92	PASS
	Ant1	5500	21.48	5489.32	5510.80	PASS
	Ant4	5500	22.08	5489.20	5511.28	PASS
	Ant1	5580	21.52	5569.32	5590.84	PASS
	Ant4	5580	22.16	5568.96	5591.12	PASS
	Ant1	5700	22.08	5688.96	5711.04	PASS
	Ant4	5700	21.28	5689.40	5710.68	PASS
	Ant1	5720	21.40	5709.24	5730.64	PASS
	Ant4	5720	21.60	5709.28	5730.88	PASS
	Ant1	5720_UNII-2C	15.76	5709.24	5725	PASS
	Ant4	5720_UNII-2C	15.72	5709.28	5725	PASS
	Ant1	5720_UNII-3	5.64	5725	5730.64	PASS
	Ant4	5720_UNII-3	5.88	5725	5730.88	PASS
	Ant1	5745	22.48	5733.88	5756.36	PASS
	Ant4	5745	21.92	5733.80	5755.72	PASS
	Ant1	5785	21.36	5774.36	5795.72	PASS
	Ant4	5785	22.52	5773.20	5795.72	PASS
	Ant1	5825	22.52	5813.20	5835.72	PASS
	Ant4	5825	21.24	5814.04	5835.28	PASS
11BE40MIMO	Ant1	5190	42.08	5168.88	5210.96	PASS
	Ant4	5190	42.80	5168.48	5211.28	PASS
	Ant1	5230	42.56	5208.48	5251.04	PASS
	Ant4	5230	44.64	5207.76	5252.40	PASS
	Ant1	5270	42.24	5249.68	5291.92	PASS
	Ant4	5270	42.24	5248.96	5291.20	PASS
	Ant1	5310	44.72	5287.12	5331.84	PASS
	Ant4	5310	42.24	5288.64	5330.88	PASS
	Ant1	5510	43.20	5488.96	5532.16	PASS
	Ant4	5510	42.56	5488.24	5530.80	PASS
	Ant1	5550	42.16	5529.20	5571.36	PASS
	Ant4	5550	42.48	5529.04	5571.52	PASS
	Ant1	5670	43.12	5647.60	5690.72	PASS
	Ant4	5670	42.96	5648.08	5691.04	PASS
	Ant1	5710	41.36	5688.88	5730.24	PASS
	Ant4	5710	43.68	5688.16	5731.84	PASS
	Ant1	5710_UNII-2C	36.12	5688.88	5725	PASS
	Ant4	5710_UNII-2C	36.84	5688.16	5725	PASS
	Ant1	5710_UNII-3	5.24	5725	5730.24	PASS
	Ant4	5710_UNII-3	6.84	5725	5731.84	PASS
	Ant1	5755	43.68	5732.44	5776.12	PASS
	Ant4	5755	43.12	5733.88	5777.00	PASS
Ant1	5795	44.24	5772.36	5816.60	PASS	
Ant4	5795	42.88	5773.48	5816.36	PASS	
11BE80MIMO	Ant1	5210	86.40	5166.80	5253.20	PASS
	Ant4	5210	87.84	5164.88	5252.72	PASS
	Ant1	5290	86.24	5247.28	5333.52	PASS
	Ant4	5290	87.68	5246.48	5334.16	PASS
	Ant1	5530	84.80	5487.92	5572.72	PASS
	Ant4	5530	85.76	5487.60	5573.36	PASS
	Ant1	5610	87.36	5566.32	5653.68	PASS
	Ant4	5610	84.80	5568.56	5653.36	PASS
	Ant1	5690	85.28	5646.64	5731.92	PASS
	Ant4	5690	83.84	5648.08	5731.92	PASS
	Ant1	5690_UNII-2C	78.36	5646.64	5725	PASS
	Ant4	5690_UNII-2C	76.92	5648.08	5725	PASS
Ant1	5690_UNII-3	6.92	5725	5731.92	PASS	


	Ant4	5690_UNII-3	6.92	5725	5731.92	PASS
	Ant1	5775	82.72	5733.72	5816.44	PASS
	Ant4	5775	87.52	5731.48	5819.00	PASS
11BE160MIMO	Ant1	5250	170.56	5164.56	5335.12	PASS
	Ant4	5250	192.00	5163.92	5355.92	PASS
	Ant1	5250_UNII-1	85.44	5164.56	5250	PASS
	Ant4	5250_UNII-1	86.08	5163.92	5250	PASS
	Ant1	5250_UNII-2A	85.12	5250	5335.12	PASS
	Ant4	5250_UNII-2A	105.92	5250	5355.92	PASS
	Ant1	5570	172.48	5484.24	5656.72	PASS
	Ant4	5570	167.68	5486.16	5653.84	PASS

11.1.2. Test Graphs









11A-CDD_Ant4_5200




11A-CDD_Ant1_5240




11A-CDD_Ant4_5240







11A-CDD_Ant4_5280




11A-CDD_Ant1_5320




11A-CDD_Ant4_5320




11A-CDD_Ant1_5500




11A-CDD_Ant4_5500




11A-CDD_Ant1_5580




11A-CDD_Ant4_5580




11A-CDD_Ant1_5700




11A-CDD_Ant4_5700






11A-CDD_Ant1_5720




11A-CDD_Ant4_5720




11A-CDD_Ant1_5745







11A-CDD_Ant1_5825




11A-CDD_Ant4_5825




11AX20MIMO_Ant1_5180




11AX20MIMO_Ant4_5180




11AX20MIMO_Ant1_5200




11AX20MIMO_Ant4_5200




11AX20MIMO_Ant1_5240




11AX20MIMO_Ant4_5240




11AX20MIMO_Ant1_5260






11AX20MIMO_Ant4_5260




11AX20MIMO_Ant1_5280




11AX20MIMO_Ant4_5280









11AX20MIMO_Ant4_5500




11AX20MIMO_Ant1_5580




11AX20MIMO_Ant4_5580







11AX20MIMO_Ant4_5720




11AX20MIMO_Ant1_5745




11AX20MIMO_Ant4_5745



11AX20MIMO_Ant1_5785



11AX20MIMO_Ant4_5785



11AX20MIMO_Ant1_5825

