




11BE20MIMO_Ant3_6435_Center_6435_5




11BE20MIMO_Ant3_6435_Center_6435_6




11BE20MIMO_Ant3_6435_Center_6435_7




11BE20MIMO_Ant3_6435_Center_6435_8




11BE20MIMO_Ant3_6435_Center_6435_9




11BE20MIMO_Ant3_6435_Center_6435_10




11BE20MIMO_Ant3_6535_Center_6535_1




11BE20MIMO_Ant3_6535_Center_6535_2




11BE20MIMO_Ant3_6535_Center_6535_3




11BE20MIMO_Ant3_6535_Center_6535_4




11BE20MIMO_Ant3_6535_Center_6535_5




11BE20MIMO_Ant3_6535_Center_6535_6




11BE20MIMO_Ant3_6535_Center_6535_7




11BE20MIMO_Ant3_6535_Center_6535_8




11BE20MIMO_Ant3_6535_Center_6535_9




11BE20MIMO_Ant3_6535_Center_6535_10




11BE20MIMO_Ant3_6895_Center_6895_1




11BE20MIMO_Ant3_6895_Center_6895_2




11BE20MIMO_Ant3_6895_Center_6895_3




11BE20MIMO_Ant3_6895_Center_6895_4




11BE20MIMO_Ant3_6895_Center_6895_5




11BE20MIMO_Ant3_6895_Center_6895_6




11BE20MIMO_Ant3_6895_Center_6895_7



11BE20MIMO_Ant3_6895_Center_6895_8



11BE20MIMO_Ant3_6895_Center_6895_9



11BE20MIMO_Ant3_6895_Center_6895_10

11.8. APPENDIX H: FREQUENCY STABILITY

11.8.1. Test Result

Frequency Error vs. Voltage									
802.11ax:5955MHz									
Temp.	Volt.	0 Minute		2 Minute		5 Minute		10 Minute	
		Freq.Error (MHz)	Tolerance (ppm)	Freq.Error (MHz)	Tolerance (ppm)	Freq.Error (MHz)	Tolerance (ppm)	Freq.Error (MHz)	Tolerance (ppm)
TN	VL	5954.9826	-2.91	5955.0014	0.23	5955.0042	0.71	5955.0048	0.80
TN	VN	5954.9812	-3.15	5954.9758	-4.06	5954.9916	-1.41	5955.0083	1.39
TN	VH	5954.9947	-0.90	5955.0109	1.84	5954.9995	-0.09	5954.9945	-0.93

Frequency Error vs. Temperature									
802.11ax:5955MHz									
Temp.	Volt.	0 Minute		2 Minute		5 Minute		10 Minute	
		Freq.Error (MHz)	Tolerance (ppm)	Freq.Error (MHz)	Tolerance (ppm)	Freq.Error (MHz)	Tolerance (ppm)	Freq.Error (MHz)	Tolerance (ppm)
40	VN	5954.9823	-2.97	5955.0061	1.02	5954.9982	-0.31	5955.0122	2.05
30	VN	5955.0155	2.60	5955.0200	3.36	5954.9860	-2.35	5954.9962	-0.64
20	VN	5954.9883	-1.97	5955.0027	0.45	5954.9855	-2.44	5954.9759	-4.05
10	VN	5954.9840	-2.70	5955.0197	3.31	5955.0097	1.64	5955.0108	1.81
0	VN	5954.9887	-1.90	5954.9986	-0.23	5954.9924	-1.28	5955.0204	3.42

Note:

1. All antennas, test modes and test channels have been tested, only the worst data record in the report.
2. For the detail Test Conditions, please refer to section 7.6 TEST ENVIRONMENT.

END OF REPORT