





Test Mode:	802.11a 20	Channel:	5260
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8991.000	36.73	10.28	47.01	74.00	-26.99	peak
2	10212.000	35.36	12.21	47.57	74.00	-26.43	peak
3	11400.000	32.76	16.36	49.12	74.00	-24.88	peak
4	12698.000	30.60	18.08	48.68	74.00	-25.32	peak
5	14007.000	27.31	21.85	49.16	74.00	-24.84	peak
6	17978.000	24.50	25.97	50.47	74.00	-23.53	peak




Test Mode:	802.11a 20	Channel:	5280
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7759.000	38.23	6.64	44.87	74.00	-29.13	peak
2	10234.000	34.91	12.26	47.17	74.00	-26.83	peak
3	11059.000	33.54	14.96	48.50	74.00	-25.50	peak
4	11774.000	31.22	17.28	48.50	74.00	-25.50	peak
5	13567.000	28.70	20.80	49.50	74.00	-24.50	peak
6	17934.000	24.35	25.67	50.02	74.00	-23.98	peak




Test Mode:	802.11a 20	Channel:	5280
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8441.000	38.29	6.84	45.13	74.00	-28.87	peak
2	9178.000	37.55	10.45	48.00	74.00	-26.00	peak
3	11048.000	33.49	14.91	48.40	74.00	-25.60	peak
4	11664.000	32.02	17.08	49.10	74.00	-24.90	peak
5	13611.000	27.26	20.92	48.18	74.00	-25.82	peak
6	17945.000	24.27	25.75	50.02	74.00	-23.98	peak




Test Mode:	802.11a 20	Channel:	5320
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7891.000	38.08	6.52	44.60	74.00	-29.40	peak
2	9343.000	36.49	10.55	47.04	74.00	-26.96	peak
3	11642.000	31.25	17.03	48.28	74.00	-25.72	peak
4	13534.000	28.73	20.73	49.46	74.00	-24.54	peak
5	13919.000	28.52	21.68	50.20	74.00	-23.80	peak
6	18000.000	24.22	26.12	50.34	74.00	-23.66	peak




Test Mode:	802.11a 20	Channel:	5320
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	36.55	10.41	46.96	74.00	-27.04	peak
2	10212.000	35.15	12.21	47.36	74.00	-26.64	peak
3	11400.000	31.75	16.36	48.11	74.00	-25.89	peak
4	11708.000	31.09	17.16	48.25	74.00	-25.75	peak
5	14062.000	27.23	21.62	48.85	74.00	-25.15	peak
6	17945.000	23.73	25.75	49.48	74.00	-24.52	peak




Test Mode:	802.11a 20	Channel:	5500
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8859.000	37.48	9.36	46.84	74.00	-27.16	peak
2	11048.000	33.73	14.91	48.64	74.00	-25.36	peak
3	11510.000	31.60	16.79	48.39	74.00	-25.61	peak
4	13534.000	29.03	20.73	49.76	74.00	-24.24	peak
5	13952.000	27.09	21.76	48.85	74.00	-25.15	peak
6	17725.000	24.46	24.24	48.70	74.00	-25.30	peak




Test Mode:	802.11a 20	Channel:	5500
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9343.000	36.59	10.55	47.14	74.00	-26.86	peak
2	11070.000	33.62	15.01	48.63	74.00	-25.37	peak
3	11653.000	32.06	17.05	49.11	74.00	-24.89	peak
4	12247.000	31.26	17.77	49.03	74.00	-24.97	peak
5	13820.000	27.70	21.43	49.13	74.00	-24.87	peak
6	17956.000	24.71	25.82	50.53	74.00	-23.47	peak




Test Mode:	802.11a 20	Channel:	5580
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	36.98	10.49	47.47	74.00	-26.53	peak
2	10223.000	35.65	12.24	47.89	74.00	-26.11	peak
3	11653.000	32.87	17.05	49.92	74.00	-24.08	peak
4	12709.000	31.02	18.09	49.11	74.00	-24.89	peak
5	13919.000	28.37	21.68	50.05	74.00	-23.95	peak
6	17945.000	24.22	25.75	49.97	74.00	-24.03	peak




Test Mode:	802.11a 20	Channel:	5580
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8925.000	37.80	9.82	47.62	74.00	-26.38	peak
2	10036.000	35.54	11.84	47.38	74.00	-26.62	peak
3	11466.000	32.23	16.63	48.86	74.00	-25.14	peak
4	13534.000	27.77	20.73	48.50	74.00	-25.50	peak
5	14436.000	29.28	20.05	49.33	74.00	-24.67	peak
6	17912.000	25.41	25.52	50.93	74.00	-23.07	peak




Test Mode:	802.11a 20	Channel:	5700
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	36.97	10.51	47.48	74.00	-26.52	peak
2	10333.000	34.91	12.47	47.38	74.00	-26.62	peak
3	11026.000	35.06	14.82	49.88	74.00	-24.12	peak
4	12632.000	31.43	17.99	49.42	74.00	-24.58	peak
5	13853.000	27.63	21.52	49.15	74.00	-24.85	peak
6	17989.000	23.69	26.04	49.73	74.00	-24.27	peak




Test Mode:	802.11a 20	Channel:	5700
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7704.000	37.95	6.69	44.64	74.00	-29.36	peak
2	9112.000	37.12	10.41	47.53	74.00	-26.47	peak
3	11059.000	33.13	14.96	48.09	74.00	-25.91	peak
4	11653.000	32.33	17.05	49.38	74.00	-24.62	peak
5	13578.000	28.21	20.83	49.04	74.00	-24.96	peak
6	17934.000	24.72	25.67	50.39	74.00	-23.61	peak




Test Mode:	802.11a 20	Channel:	5720
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	36.47	10.41	46.88	74.00	-27.12	peak
2	10300.000	35.33	12.40	47.73	74.00	-26.27	peak
3	11653.000	32.99	17.05	50.04	74.00	-23.96	peak
4	12632.000	31.86	17.99	49.85	74.00	-24.15	peak
5	13919.000	27.86	21.68	49.54	74.00	-24.46	peak
6	17956.000	24.46	25.82	50.28	74.00	-23.72	peak




Test Mode:	802.11a 20	Channel:	5720
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7957.000	37.93	6.46	44.39	74.00	-29.61	peak
2	9145.000	37.36	10.43	47.79	74.00	-26.21	peak
3	11026.000	33.56	14.82	48.38	74.00	-25.62	peak
4	11653.000	31.88	17.05	48.93	74.00	-25.07	peak
5	13897.000	28.41	21.62	50.03	74.00	-23.97	peak
6	17989.000	23.68	26.04	49.72	74.00	-24.28	peak




Test Mode:	802.11a 20	Channel:	5745
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7297.000	37.27	6.95	44.22	74.00	-29.78	peak
2	9189.000	36.36	10.46	46.82	74.00	-27.18	peak
3	11048.000	34.10	14.91	49.01	74.00	-24.99	peak
4	11719.000	32.80	17.18	49.98	74.00	-24.02	peak
5	13479.000	28.93	20.55	49.48	74.00	-24.52	peak
6	18000.000	24.50	26.12	50.62	74.00	-23.38	peak




Test Mode:	802.11a 20	Channel:	5745
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7968.000	38.07	6.45	44.52	74.00	-29.48	peak
2	8903.000	37.41	9.66	47.07	74.00	-26.93	peak
3	10091.000	35.42	11.97	47.39	74.00	-26.61	peak
4	11543.000	32.76	16.84	49.60	74.00	-24.40	peak
5	13831.000	27.02	21.47	48.49	74.00	-25.51	peak
6	17703.000	25.03	24.09	49.12	74.00	-24.88	peak




Test Mode:	802.11a 20	Channel:	5785
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8023.000	37.87	6.45	44.32	74.00	-29.68	peak
2	9255.000	36.91	10.51	47.42	74.00	-26.58	peak
3	11400.000	32.94	16.36	49.30	74.00	-24.70	peak
4	11796.000	31.62	17.32	48.94	74.00	-25.06	peak
5	13963.000	27.43	21.78	49.21	74.00	-24.79	peak
6	17989.000	23.52	26.04	49.56	74.00	-24.44	peak




Test Mode:	802.11a 20	Channel:	5785
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8991.000	37.12	10.28	47.40	74.00	-26.60	peak
2	10036.000	35.12	11.84	46.96	74.00	-27.04	peak
3	10872.000	34.15	14.23	48.38	74.00	-25.62	peak
4	11829.000	31.50	17.38	48.88	74.00	-25.12	peak
5	13886.000	27.15	21.60	48.75	74.00	-25.25	peak
6	18000.000	24.69	26.12	50.81	74.00	-23.19	peak




Test Mode:	802.11a 20	Channel:	5825
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	36.35	10.46	46.81	74.00	-27.19	peak
2	9629.000	35.42	10.94	46.36	74.00	-27.64	peak
3	11059.000	32.32	14.96	47.28	74.00	-26.72	peak
4	12258.000	30.14	17.77	47.91	74.00	-26.09	peak
5	13864.000	26.67	21.53	48.20	74.00	-25.80	peak
6	17956.000	23.49	25.82	49.31	74.00	-24.69	peak




Test Mode:	802.11a 20	Channel:	5825
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7704.000	38.27	6.69	44.96	74.00	-29.04	peak
2	8925.000	36.53	9.82	46.35	74.00	-27.65	peak
3	11015.000	32.92	14.79	47.71	74.00	-26.29	peak
4	11598.000	31.09	16.96	48.05	74.00	-25.95	peak
5	13567.000	28.27	20.80	49.07	74.00	-24.93	peak
6	18000.000	24.18	26.12	50.30	74.00	-23.70	peak




Test Mode:	802.11ax HE20	Channel:	5180
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8287.000	38.20	6.70	44.90	74.00	-29.10	peak
2	9332.000	36.77	10.54	47.31	74.00	-26.69	peak
3	11686.000	30.93	17.12	48.05	74.00	-25.95	peak
4	13567.000	28.49	20.80	49.29	74.00	-24.71	peak
5	13919.000	27.69	21.68	49.37	74.00	-24.63	peak
6	17989.000	24.64	26.04	50.68	74.00	-23.32	peak




Test Mode:	802.11ax HE20	Channel:	5180
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	36.20	10.54	46.74	74.00	-27.26	peak
2	10586.000	34.26	13.15	47.41	74.00	-26.59	peak
3	11400.000	32.12	16.36	48.48	74.00	-25.52	peak
4	13611.000	28.35	20.92	49.27	74.00	-24.73	peak
5	13930.000	27.44	21.71	49.15	74.00	-24.85	peak
6	17989.000	24.22	26.04	50.26	74.00	-23.74	peak




Test Mode:	802.11ax HE20	Channel:	5200
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9057.000	36.85	10.38	47.23	74.00	-26.77	peak
2	10223.000	35.66	12.24	47.90	74.00	-26.10	peak
3	10916.000	33.67	14.39	48.06	74.00	-25.94	peak
4	12269.000	30.17	17.77	47.94	74.00	-26.06	peak
5	13864.000	28.78	21.53	50.31	74.00	-23.69	peak
6	17989.000	24.62	26.04	50.66	74.00	-23.34	peak




Test Mode:	802.11ax HE20	Channel:	5200
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8870.000	37.69	9.44	47.13	74.00	-26.87	peak
2	9431.000	36.64	10.61	47.25	74.00	-26.75	peak
3	11466.000	32.21	16.63	48.84	74.00	-25.16	peak
4	11774.000	31.74	17.28	49.02	74.00	-24.98	peak
5	13919.000	28.39	21.68	50.07	74.00	-23.93	peak
6	17956.000	24.87	25.82	50.69	74.00	-23.31	peak




Test Mode:	802.11ax HE20	Channel:	5240
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	36.43	10.41	46.84	74.00	-27.16	peak
2	10234.000	35.14	12.26	47.40	74.00	-26.60	peak
3	11686.000	31.60	17.12	48.72	74.00	-25.28	peak
4	12269.000	31.44	17.77	49.21	74.00	-24.79	peak
5	13974.000	27.84	21.82	49.66	74.00	-24.34	peak
6	18000.000	24.42	26.12	50.54	74.00	-23.46	peak




Test Mode:	802.11ax HE20	Channel:	5240
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9057.000	36.94	10.38	47.32	74.00	-26.68	peak
2	10168.000	35.10	12.13	47.23	74.00	-26.77	peak
3	11070.000	32.75	15.01	47.76	74.00	-26.24	peak
4	12588.000	30.86	17.94	48.80	74.00	-25.20	peak
5	13919.000	28.54	21.68	50.22	74.00	-23.78	peak
6	17978.000	24.57	25.97	50.54	74.00	-23.46	peak




Test Mode:	802.11ax HE20	Channel:	5260
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	36.68	10.54	47.22	74.00	-26.78	peak
2	11048.000	34.26	14.91	49.17	74.00	-24.83	peak
3	11400.000	33.72	16.36	50.08	74.00	-23.92	peak
4	13600.000	30.01	20.89	50.90	74.00	-23.10	peak
5	13941.000	28.34	21.73	50.07	74.00	-23.93	peak
6	17967.000	24.37	25.89	50.26	74.00	-23.74	peak




Test Mode:	802.11ax HE20	Channel:	5260
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8991.000	36.46	10.28	46.74	74.00	-27.26	peak
2	10212.000	35.07	12.21	47.28	74.00	-26.72	peak
3	11334.000	33.63	16.09	49.72	74.00	-24.28	peak
4	12225.000	32.08	17.75	49.83	74.00	-24.17	peak
5	13919.000	27.23	21.68	48.91	74.00	-25.09	peak
6	17956.000	24.77	25.82	50.59	74.00	-23.41	peak




Test Mode:	802.11ax HE20	Channel:	5280
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	36.20	10.51	46.71	74.00	-27.29	peak
2	11048.000	34.59	14.91	49.50	74.00	-24.50	peak
3	12247.000	31.75	17.77	49.52	74.00	-24.48	peak
4	13512.000	29.26	20.68	49.94	74.00	-24.06	peak
5	13842.000	27.94	21.49	49.43	74.00	-24.57	peak
6	17989.000	24.39	26.04	50.43	74.00	-23.57	peak




Test Mode:	802.11ax HE20	Channel:	5280
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	36.90	10.48	47.38	74.00	-26.62	peak
2	10234.000	35.60	12.26	47.86	74.00	-26.14	peak
3	11686.000	32.43	17.12	49.55	74.00	-24.45	peak
4	12258.000	31.28	17.77	49.05	74.00	-24.95	peak
5	13952.000	27.59	21.76	49.35	74.00	-24.65	peak
6	17758.000	25.89	24.46	50.35	74.00	-23.65	peak




Test Mode:	802.11ax HE20	Channel:	5320
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9200.000	36.41	10.46	46.87	74.00	-27.13	peak
2	11048.000	33.97	14.91	48.88	74.00	-25.12	peak
3	11884.000	32.27	17.48	49.75	74.00	-24.25	peak
4	13468.000	29.02	20.50	49.52	74.00	-24.48	peak
5	13919.000	28.71	21.68	50.39	74.00	-23.61	peak
6	17703.000	24.87	24.09	48.96	74.00	-25.04	peak




Test Mode:	802.11ax HE20	Channel:	5320
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8837.000	37.18	9.21	46.39	74.00	-27.61	peak
2	9343.000	36.59	10.55	47.14	74.00	-26.86	peak
3	10795.000	33.43	13.94	47.37	74.00	-26.63	peak
4	11686.000	32.59	17.12	49.71	74.00	-24.29	peak
5	13864.000	26.56	21.53	48.09	74.00	-25.91	peak
6	17934.000	23.94	25.67	49.61	74.00	-24.39	peak




Test Mode:	802.11ax HE20	Channel:	5500
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8991.000	36.95	10.28	47.23	74.00	-26.77	peak
2	11400.000	32.72	16.36	49.08	74.00	-24.92	peak
3	11741.000	32.24	17.22	49.46	74.00	-24.54	peak
4	12698.000	31.17	18.08	49.25	74.00	-24.75	peak
5	13853.000	27.24	21.52	48.76	74.00	-25.24	peak
6	17890.000	24.60	25.37	49.97	74.00	-24.03	peak




Test Mode:	802.11ax HE20	Channel:	5500
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	36.70	10.21	46.91	74.00	-27.09	peak
2	9288.000	36.45	10.52	46.97	74.00	-27.03	peak
3	11026.000	33.66	14.82	48.48	74.00	-25.52	peak
4	12258.000	31.43	17.77	49.20	74.00	-24.80	peak
5	13919.000	28.08	21.68	49.76	74.00	-24.24	peak
6	17714.000	25.72	24.16	49.88	74.00	-24.12	peak




Test Mode:	802.11ax HE20	Channel:	5580
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8925.000	36.63	9.82	46.45	74.00	-27.55	peak
2	9552.000	36.63	10.76	47.39	74.00	-26.61	peak
3	11466.000	32.91	16.63	49.54	74.00	-24.46	peak
4	11818.000	32.52	17.36	49.88	74.00	-24.12	peak
5	13919.000	28.09	21.68	49.77	74.00	-24.23	peak
6	17945.000	24.24	25.75	49.99	74.00	-24.01	peak




Test Mode:	802.11ax HE20	Channel:	5580
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9288.000	37.10	10.52	47.62	74.00	-26.38	peak
2	11026.000	34.15	14.82	48.97	74.00	-25.03	peak
3	11356.000	32.81	16.19	49.00	74.00	-25.00	peak
4	12654.000	31.25	18.01	49.26	74.00	-24.74	peak
5	13864.000	27.65	21.53	49.18	74.00	-24.82	peak
6	17934.000	24.31	25.67	49.98	74.00	-24.02	peak




Test Mode:	802.11ax HE20	Channel:	5700
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8958.000	37.76	10.05	47.81	74.00	-26.19	peak
2	10289.000	35.73	12.38	48.11	74.00	-25.89	peak
3	11070.000	33.97	15.01	48.98	74.00	-25.02	peak
4	11829.000	32.02	17.38	49.40	74.00	-24.60	peak
5	13644.000	28.76	20.99	49.75	74.00	-24.25	peak
6	18000.000	24.05	26.12	50.17	74.00	-23.83	peak




Test Mode:	802.11ax HE20	Channel:	5700
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9112.000	37.90	10.41	48.31	74.00	-25.69	peak
2	11400.000	32.22	16.36	48.58	74.00	-25.42	peak
3	12610.000	30.69	17.97	48.66	74.00	-25.34	peak
4	13512.000	28.66	20.68	49.34	74.00	-24.66	peak
5	14084.000	27.99	21.52	49.51	74.00	-24.49	peak
6	17989.000	24.60	26.04	50.64	74.00	-23.36	peak




Test Mode:	802.11ax HE20	Channel:	5720
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9145.000	36.66	10.43	47.09	74.00	-26.91	peak
2	10333.000	34.97	12.47	47.44	74.00	-26.56	peak
3	11004.000	33.41	14.74	48.15	74.00	-25.85	peak
4	11873.000	31.84	17.46	49.30	74.00	-24.70	peak
5	13809.000	27.46	21.41	48.87	74.00	-25.13	peak
6	17989.000	23.66	26.04	49.70	74.00	-24.30	peak




Test Mode:	802.11ax HE20	Channel:	5720
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	37.95	6.57	44.52	74.00	-29.48	peak
2	9145.000	37.20	10.43	47.63	74.00	-26.37	peak
3	10916.000	34.29	14.39	48.68	74.00	-25.32	peak
4	11642.000	33.03	17.03	50.06	74.00	-23.94	peak
5	13919.000	27.86	21.68	49.54	74.00	-24.46	peak
6	18000.000	24.62	26.12	50.74	74.00	-23.26	peak




Test Mode:	802.11ax HE20	Channel:	5745
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	36.84	10.46	47.30	74.00	-26.70	peak
2	10289.000	34.86	12.38	47.24	74.00	-26.76	peak
3	11400.000	34.30	16.36	50.66	74.00	-23.34	peak
4	11708.000	33.71	17.16	50.87	74.00	-23.13	peak
5	13611.000	28.65	20.92	49.57	74.00	-24.43	peak
6	18000.000	24.22	26.12	50.34	74.00	-23.66	peak




Test Mode:	802.11ax HE20	Channel:	5745
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8045.000	37.83	6.47	44.30	74.00	-29.70	peak
2	9189.000	38.16	10.46	48.62	74.00	-25.38	peak
3	11422.000	33.31	16.46	49.77	74.00	-24.23	peak
4	12698.000	31.28	18.08	49.36	74.00	-24.64	peak
5	13985.000	27.47	21.85	49.32	74.00	-24.68	peak
6	18000.000	24.53	26.12	50.65	74.00	-23.35	peak




Test Mode:	802.11ax HE20	Channel:	5785
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	37.57	10.51	48.08	74.00	-25.92	peak
2	10289.000	35.62	12.38	48.00	74.00	-26.00	peak
3	11719.000	33.11	17.18	50.29	74.00	-23.71	peak
4	12709.000	32.16	18.09	50.25	74.00	-23.75	peak
5	13116.000	31.26	18.96	50.22	74.00	-23.78	peak
6	17989.000	24.55	26.04	50.59	74.00	-23.41	peak




Test Mode:	802.11ax HE20	Channel:	5785
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	36.88	10.51	47.39	74.00	-26.61	peak
2	11389.000	32.95	16.31	49.26	74.00	-24.74	peak
3	11840.000	31.91	17.40	49.31	74.00	-24.69	peak
4	12687.000	30.75	18.05	48.80	74.00	-25.20	peak
5	13919.000	28.07	21.68	49.75	74.00	-24.25	peak
6	17989.000	23.87	26.04	49.91	74.00	-24.09	peak




Test Mode:	802.11ax HE20	Channel:	5825
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9310.000	35.85	10.54	46.39	74.00	-27.61	peak
2	11048.000	34.27	14.91	49.18	74.00	-24.82	peak
3	11774.000	33.25	17.28	50.53	74.00	-23.47	peak
4	12610.000	32.43	17.97	50.40	74.00	-23.60	peak
5	13930.000	28.30	21.71	50.01	74.00	-23.99	peak
6	17967.000	24.69	25.89	50.58	74.00	-23.42	peak




Test Mode:	802.11ax HE20	Channel:	5825
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9321.000	36.40	10.53	46.93	74.00	-27.07	peak
2	11466.000	33.65	16.63	50.28	74.00	-23.72	peak
3	12291.000	32.71	17.78	50.49	74.00	-23.51	peak
4	12621.000	32.35	17.98	50.33	74.00	-23.67	peak
5	13919.000	28.99	21.68	50.67	74.00	-23.33	peak
6	17989.000	24.60	26.04	50.64	74.00	-23.36	peak




Test Mode:	802.11ax HE40	Channel:	5190
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9354.000	36.06	10.56	46.62	74.00	-27.38	peak
2	10344.000	34.36	12.49	46.85	74.00	-27.15	peak
3	11389.000	33.61	16.31	49.92	74.00	-24.08	peak
4	11906.000	31.58	17.52	49.10	74.00	-24.90	peak
5	13644.000	29.05	20.99	50.04	74.00	-23.96	peak
6	18000.000	23.95	26.12	50.07	74.00	-23.93	peak




Test Mode:	802.11ax HE40	Channel:	5190
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7715.000	37.37	6.68	44.05	74.00	-29.95	peak
2	9574.000	36.45	10.81	47.26	74.00	-26.74	peak
3	11290.000	34.32	15.90	50.22	74.00	-23.78	peak
4	12291.000	33.03	17.78	50.81	74.00	-23.19	peak
5	14073.000	28.63	21.57	50.20	74.00	-23.80	peak
6	17934.000	24.88	25.67	50.55	74.00	-23.45	peak




Test Mode:	802.11ax HE40	Channel:	5230
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	36.02	10.41	46.43	74.00	-27.57	peak
2	10278.000	34.70	12.35	47.05	74.00	-26.95	peak
3	11664.000	33.44	17.08	50.52	74.00	-23.48	peak
4	12720.000	32.73	18.09	50.82	74.00	-23.18	peak
5	13534.000	30.19	20.73	50.92	74.00	-23.08	peak
6	17780.000	25.83	24.61	50.44	74.00	-23.56	peak




Test Mode:	802.11ax HE40	Channel:	5230
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9299.000	36.95	10.53	47.48	74.00	-26.52	peak
2	11422.000	33.66	16.46	50.12	74.00	-23.88	peak
3	11906.000	33.02	17.52	50.54	74.00	-23.46	peak
4	12665.000	31.77	18.04	49.81	74.00	-24.19	peak
5	13512.000	28.97	20.68	49.65	74.00	-24.35	peak
6	18000.000	24.83	26.12	50.95	74.00	-23.05	peak




Test Mode:	802.11ax HE40	Channel:	5270
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	36.32	10.41	46.73	74.00	-27.27	peak
2	11730.000	32.87	17.19	50.06	74.00	-23.94	peak
3	12654.000	32.31	18.01	50.32	74.00	-23.68	peak
4	13556.000	29.55	20.78	50.33	74.00	-23.67	peak
5	13919.000	27.96	21.68	49.64	74.00	-24.36	peak
6	17989.000	23.67	26.04	49.71	74.00	-24.29	peak




Test Mode:	802.11ax HE40	Channel:	5270
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9354.000	36.47	10.56	47.03	74.00	-26.97	peak
2	11400.000	33.47	16.36	49.83	74.00	-24.17	peak
3	11763.000	32.93	17.26	50.19	74.00	-23.81	peak
4	12621.000	32.29	17.98	50.27	74.00	-23.73	peak
5	13941.000	29.01	21.73	50.74	74.00	-23.26	peak
6	17714.000	25.60	24.16	49.76	74.00	-24.24	peak




Test Mode:	802.11ax HE40	Channel:	5310
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9497.000	36.24	10.66	46.90	74.00	-27.10	peak
2	10278.000	35.46	12.35	47.81	74.00	-26.19	peak
3	11059.000	33.76	14.96	48.72	74.00	-25.28	peak
4	11785.000	32.22	17.30	49.52	74.00	-24.48	peak
5	13567.000	29.12	20.80	49.92	74.00	-24.08	peak
6	18000.000	24.52	26.12	50.64	74.00	-23.36	peak




Test Mode:	802.11ax HE40	Channel:	5310
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9200.000	36.66	10.46	47.12	74.00	-26.88	peak
2	11059.000	34.38	14.96	49.34	74.00	-24.66	peak
3	11411.000	33.91	16.41	50.32	74.00	-23.68	peak
4	12610.000	32.66	17.97	50.63	74.00	-23.37	peak
5	13996.000	29.28	21.87	51.15	74.00	-22.85	peak
6	17967.000	25.06	25.89	50.95	74.00	-23.05	peak




Test Mode:	802.11ax HE40	Channel:	5510
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9013.000	36.30	10.34	46.64	74.00	-27.36	peak
2	9629.000	35.74	10.94	46.68	74.00	-27.32	peak
3	11884.000	32.20	17.48	49.68	74.00	-24.32	peak
4	13930.000	28.27	21.71	49.98	74.00	-24.02	peak
5	16867.000	28.33	20.00	48.33	74.00	-25.67	peak
6	17945.000	24.73	25.75	50.48	74.00	-23.52	peak




Test Mode:	802.11ax HE40	Channel:	5510
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	36.35	10.49	46.84	74.00	-27.16	peak
2	10168.000	35.08	12.13	47.21	74.00	-26.79	peak
3	11048.000	34.32	14.91	49.23	74.00	-24.77	peak
4	11774.000	31.63	17.28	48.91	74.00	-25.09	peak
5	13974.000	28.19	21.82	50.01	74.00	-23.99	peak
6	17989.000	24.28	26.04	50.32	74.00	-23.68	peak




Test Mode:	802.11ax HE40	Channel:	5550
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9354.000	35.54	10.56	46.10	74.00	-27.90	peak
2	11059.000	33.56	14.96	48.52	74.00	-25.48	peak
3	11818.000	31.61	17.36	48.97	74.00	-25.03	peak
4	13600.000	29.15	20.89	50.04	74.00	-23.96	peak
5	13952.000	28.97	21.76	50.73	74.00	-23.27	peak
6	17934.000	24.97	25.67	50.64	74.00	-23.36	peak




Test Mode:	802.11ax HE40	Channel:	5550
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9552.000	35.76	10.76	46.52	74.00	-27.48	peak
2	10564.000	33.40	13.06	46.46	74.00	-27.54	peak
3	11862.000	32.54	17.45	49.99	74.00	-24.01	peak
4	12610.000	32.41	17.97	50.38	74.00	-23.62	peak
5	13853.000	27.92	21.52	49.44	74.00	-24.56	peak
6	17978.000	24.36	25.97	50.33	74.00	-23.67	peak




Test Mode:	802.11ax HE40	Channel:	5670
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9123.000	36.22	10.42	46.64	74.00	-27.36	peak
2	11048.000	33.45	14.91	48.36	74.00	-25.64	peak
3	11785.000	32.48	17.30	49.78	74.00	-24.22	peak
4	12698.000	31.25	18.08	49.33	74.00	-24.67	peak
5	13919.000	27.87	21.68	49.55	74.00	-24.45	peak
6	17967.000	24.02	25.89	49.91	74.00	-24.09	peak




Test Mode:	802.11ax HE40	Channel:	5670
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9068.000	37.34	10.39	47.73	74.00	-26.27	peak
2	10190.000	35.10	12.18	47.28	74.00	-26.72	peak
3	11642.000	33.61	17.03	50.64	74.00	-23.36	peak
4	12665.000	32.93	18.04	50.97	74.00	-23.03	peak
5	13809.000	28.77	21.41	50.18	74.00	-23.82	peak
6	18000.000	24.64	26.12	50.76	74.00	-23.24	peak




Test Mode:	802.11ax HE40	Channel:	5710
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9068.000	36.20	10.39	46.59	74.00	-27.41	peak
2	10234.000	35.06	12.26	47.32	74.00	-26.68	peak
3	11829.000	32.26	17.38	49.64	74.00	-24.36	peak
4	12632.000	31.53	17.99	49.52	74.00	-24.48	peak
5	13534.000	28.92	20.73	49.65	74.00	-24.35	peak
6	17956.000	23.98	25.82	49.80	74.00	-24.20	peak




Test Mode:	802.11ax HE40	Channel:	5710
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8573.000	37.20	7.40	44.60	74.00	-29.40	peak
2	9134.000	38.42	10.41	48.83	74.00	-25.17	peak
3	11400.000	33.00	16.36	49.36	74.00	-24.64	peak
4	11884.000	32.11	17.48	49.59	74.00	-24.41	peak
5	13809.000	26.58	21.41	47.99	74.00	-26.01	peak
6	17945.000	23.94	25.75	49.69	74.00	-24.31	peak




Test Mode:	802.11ax HE40	Channel:	5755
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7990.000	38.10	6.43	44.53	74.00	-29.47	peak
2	9200.000	35.98	10.46	46.44	74.00	-27.56	peak
3	11389.000	32.99	16.31	49.30	74.00	-24.70	peak
4	11653.000	32.69	17.05	49.74	74.00	-24.26	peak
5	13622.000	29.62	20.95	50.57	74.00	-23.43	peak
6	17956.000	24.90	25.82	50.72	74.00	-23.28	peak




Test Mode:	802.11ax HE40	Channel:	5755
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9618.000	35.48	10.92	46.40	74.00	-27.60	peak
2	10883.000	33.82	14.27	48.09	74.00	-25.91	peak
3	11906.000	31.53	17.52	49.05	74.00	-24.95	peak
4	13567.000	27.87	20.80	48.67	74.00	-25.33	peak
5	13908.000	29.07	21.66	50.73	74.00	-23.27	peak
6	17956.000	24.55	25.82	50.37	74.00	-23.63	peak




Test Mode:	802.11ax HE40	Channel:	5795
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	35.71	10.49	46.20	74.00	-27.80	peak
2	10234.000	33.98	12.26	46.24	74.00	-27.76	peak
3	11345.000	32.12	16.14	48.26	74.00	-25.74	peak
4	12291.000	30.67	17.78	48.45	74.00	-25.55	peak
5	13908.000	27.16	21.66	48.82	74.00	-25.18	peak
6	17978.000	23.29	25.97	49.26	74.00	-24.74	peak




Test Mode:	802.11ax HE40	Channel:	5795
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	36.80	10.21	47.01	74.00	-26.99	peak
2	10168.000	35.18	12.13	47.31	74.00	-26.69	peak
3	11455.000	32.99	16.58	49.57	74.00	-24.43	peak
4	12720.000	30.09	18.09	48.18	74.00	-25.82	peak
5	13952.000	27.66	21.76	49.42	74.00	-24.58	peak
6	17989.000	23.56	26.04	49.60	74.00	-24.40	peak




Test Mode:	802.11ax HE80	Channel:	5210
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10245.000	33.84	12.28	46.12	74.00	-27.88	peak
2	11367.000	33.41	16.22	49.63	74.00	-24.37	peak
3	11796.000	32.81	17.32	50.13	74.00	-23.87	peak
4	13611.000	29.13	20.92	50.05	74.00	-23.95	peak
5	14238.000	28.73	20.88	49.61	74.00	-24.39	peak
6	17989.000	24.03	26.04	50.07	74.00	-23.93	peak




Test Mode:	802.11ax HE80	Channel:	5210
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10212.000	35.04	12.21	47.25	74.00	-26.75	peak
2	11554.000	32.98	16.87	49.85	74.00	-24.15	peak
3	11829.000	32.16	17.38	49.54	74.00	-24.46	peak
4	13589.000	28.38	20.86	49.24	74.00	-24.76	peak
5	17395.000	26.96	22.26	49.22	74.00	-24.78	peak
6	17967.000	24.07	25.89	49.96	74.00	-24.04	peak




Test Mode:	802.11ax HE80	Channel:	5290
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	36.55	10.49	47.04	74.00	-26.96	peak
2	10333.000	34.77	12.47	47.24	74.00	-26.76	peak
3	11400.000	33.50	16.36	49.86	74.00	-24.14	peak
4	12027.000	32.52	17.70	50.22	74.00	-23.78	peak
5	13677.000	28.81	21.08	49.89	74.00	-24.11	peak
6	17989.000	23.95	26.04	49.99	74.00	-24.01	peak




Test Mode:	802.11ax HE80	Channel:	5290
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7759.000	38.03	6.64	44.67	74.00	-29.33	peak
2	9189.000	36.72	10.46	47.18	74.00	-26.82	peak
3	10916.000	34.72	14.39	49.11	74.00	-24.89	peak
4	11664.000	33.22	17.08	50.30	74.00	-23.70	peak
5	13864.000	27.83	21.53	49.36	74.00	-24.64	peak
6	17989.000	24.76	26.04	50.80	74.00	-23.20	peak




Test Mode:	802.11ax HE80	Channel:	5530
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9343.000	37.65	10.55	48.20	74.00	-25.80	peak
2	11048.000	33.42	14.91	48.33	74.00	-25.67	peak
3	11906.000	31.94	17.52	49.46	74.00	-24.54	peak
4	12687.000	31.00	18.05	49.05	74.00	-24.95	peak
5	13908.000	27.36	21.66	49.02	74.00	-24.98	peak
6	17967.000	24.15	25.89	50.04	74.00	-23.96	peak




Test Mode:	802.11ax HE80	Channel:	5530
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7297.000	37.74	6.95	44.69	74.00	-29.31	peak
2	9200.000	36.55	10.46	47.01	74.00	-26.99	peak
3	10432.000	35.12	12.67	47.79	74.00	-26.21	peak
4	11873.000	32.04	17.46	49.50	74.00	-24.50	peak
5	13578.000	28.80	20.83	49.63	74.00	-24.37	peak
6	17989.000	24.35	26.04	50.39	74.00	-23.61	peak




Test Mode:	802.11ax HE80	Channel:	5610
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8738.000	36.40	8.53	44.93	74.00	-29.07	peak
2	9354.000	36.33	10.56	46.89	74.00	-27.11	peak
3	11675.000	32.97	17.10	50.07	74.00	-23.93	peak
4	12698.000	32.03	18.08	50.11	74.00	-23.89	peak
5	13545.000	29.57	20.75	50.32	74.00	-23.68	peak
6	17978.000	24.48	25.97	50.45	74.00	-23.55	peak




Test Mode:	802.11ax HE80	Channel:	5610
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8969.000	37.22	10.13	47.35	74.00	-26.65	peak
2	10223.000	35.25	12.24	47.49	74.00	-26.51	peak
3	11455.000	33.32	16.58	49.90	74.00	-24.10	peak
4	11906.000	31.57	17.52	49.09	74.00	-24.91	peak
5	13974.000	27.81	21.82	49.63	74.00	-24.37	peak
6	18000.000	23.90	26.12	50.02	74.00	-23.98	peak




Test Mode:	802.11ax HE80	Channel:	5690
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9101.000	37.15	10.40	47.55	74.00	-26.45	peak
2	11059.000	33.97	14.96	48.93	74.00	-25.07	peak
3	11400.000	33.42	16.36	49.78	74.00	-24.22	peak
4	11708.000	32.94	17.16	50.10	74.00	-23.90	peak
5	13974.000	28.05	21.82	49.87	74.00	-24.13	peak
6	17934.000	25.06	25.67	50.73	74.00	-23.27	peak




Test Mode:	802.11ax HE80	Channel:	5690
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9101.000	37.64	10.40	48.04	74.00	-25.96	peak
2	10883.000	34.00	14.27	48.27	74.00	-25.73	peak
3	11840.000	32.52	17.40	49.92	74.00	-24.08	peak
4	12621.000	31.17	17.98	49.15	74.00	-24.85	peak
5	13930.000	28.15	21.71	49.86	74.00	-24.14	peak
6	17956.000	24.67	25.82	50.49	74.00	-23.51	peak




Test Mode:	802.11ax HE80	Channel:	5775
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	37.75	10.48	48.23	74.00	-25.77	peak
2	11059.000	33.43	14.96	48.39	74.00	-25.61	peak
3	11785.000	31.77	17.30	49.07	74.00	-24.93	peak
4	12698.000	30.93	18.08	49.01	74.00	-24.99	peak
5	13952.000	28.36	21.76	50.12	74.00	-23.88	peak
6	17956.000	24.63	25.82	50.45	74.00	-23.55	peak




Test Mode:	802.11ax HE80	Channel:	5775
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	37.09	10.48	47.57	74.00	-26.43	peak
2	10872.000	33.96	14.23	48.19	74.00	-25.81	peak
3	11829.000	31.93	17.38	49.31	74.00	-24.69	peak
4	12599.000	31.88	17.95	49.83	74.00	-24.17	peak
5	13864.000	28.56	21.53	50.09	74.00	-23.91	peak
6	17934.000	24.09	25.67	49.76	74.00	-24.24	peak




Test Mode:	802.11ax HE160	Channel:	5250
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10443.000	35.06	12.70	47.76	74.00	-26.24	peak
2	11026.000	34.25	14.82	49.07	74.00	-24.93	peak
3	11829.000	32.74	17.38	50.12	74.00	-23.88	peak
4	13556.000	29.46	20.78	50.24	74.00	-23.76	peak
5	14007.000	27.78	21.85	49.63	74.00	-24.37	peak
6	17967.000	24.02	25.89	49.91	74.00	-24.09	peak




Test Mode:	802.11ax HE160	Channel:	5250
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9288.000	36.71	10.52	47.23	74.00	-26.77	peak
2	10245.000	35.14	12.28	47.42	74.00	-26.58	peak
3	11554.000	33.71	16.87	50.58	74.00	-23.42	peak
4	12544.000	32.13	17.88	50.01	74.00	-23.99	peak
5	13831.000	29.28	21.47	50.75	74.00	-23.25	peak
6	17978.000	25.02	25.97	50.99	74.00	-23.01	peak




Test Mode:	802.11ax HE160	Channel:	5570
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	36.74	10.41	47.15	74.00	-26.85	peak
2	11048.000	34.29	14.91	49.20	74.00	-24.80	peak
3	11444.000	34.43	16.53	50.96	74.00	-23.04	peak
4	13512.000	29.37	20.68	50.05	74.00	-23.95	peak
5	14436.000	29.60	20.05	49.65	74.00	-24.35	peak
6	17956.000	25.00	25.82	50.82	74.00	-23.18	peak




Test Mode:	802.11ax HE160	Channel:	5570
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	36.45	10.46	46.91	74.00	-27.09	peak
2	11081.000	33.89	15.05	48.94	74.00	-25.06	peak
3	11763.000	32.31	17.26	49.57	74.00	-24.43	peak
4	12632.000	31.47	17.99	49.46	74.00	-24.54	peak
5	13941.000	29.10	21.73	50.83	74.00	-23.17	peak
6	17967.000	25.11	25.89	51.00	74.00	-23.00	peak




Test Mode:	802.11be EHT20	Channel:	5180
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	35.72	10.51	46.23	74.00	-27.77	peak
2	11026.000	33.75	14.82	48.57	74.00	-25.43	peak
3	11675.000	33.12	17.10	50.22	74.00	-23.78	peak
4	12665.000	32.29	18.04	50.33	74.00	-23.67	peak
5	13556.000	29.16	20.78	49.94	74.00	-24.06	peak
6	17967.000	24.75	25.89	50.64	74.00	-23.36	peak




Test Mode:	802.11be EHT20	Channel:	5180
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8023.000	38.53	6.45	44.98	74.00	-29.02	peak
2	8936.000	36.50	9.90	46.40	74.00	-27.60	peak
3	11048.000	34.03	14.91	48.94	74.00	-25.06	peak
4	11785.000	32.58	17.30	49.88	74.00	-24.12	peak
5	13974.000	27.72	21.82	49.54	74.00	-24.46	peak
6	17978.000	24.81	25.97	50.78	74.00	-23.22	peak




Test Mode:	802.11be EHT20	Channel:	5200
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8859.000	36.89	9.36	46.25	74.00	-27.75	peak
2	11015.000	33.68	14.79	48.47	74.00	-25.53	peak
3	11796.000	32.11	17.32	49.43	74.00	-24.57	peak
4	13611.000	28.48	20.92	49.40	74.00	-24.60	peak
5	13919.000	27.44	21.68	49.12	74.00	-24.88	peak
6	17989.000	24.38	26.04	50.42	74.00	-23.58	peak




Test Mode:	802.11be EHT20	Channel:	5200
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	36.72	10.41	47.13	74.00	-26.87	peak
2	11048.000	34.08	14.91	48.99	74.00	-25.01	peak
3	11609.000	32.89	16.98	49.87	74.00	-24.13	peak
4	12698.000	31.23	18.08	49.31	74.00	-24.69	peak
5	13919.000	29.28	21.68	50.96	74.00	-23.04	peak
6	17637.000	26.21	23.64	49.85	74.00	-24.15	peak




Test Mode:	802.11be EHT20	Channel:	5240
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9123.000	36.71	10.42	47.13	74.00	-26.87	peak
2	11070.000	34.25	15.01	49.26	74.00	-24.74	peak
3	11763.000	32.59	17.26	49.85	74.00	-24.15	peak
4	12291.000	32.13	17.78	49.91	74.00	-24.09	peak
5	13501.000	29.05	20.64	49.69	74.00	-24.31	peak
6	17934.000	24.99	25.67	50.66	74.00	-23.34	peak




Test Mode:	802.11be EHT20	Channel:	5240
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8375.000	38.35	6.77	45.12	74.00	-28.88	peak
2	9255.000	37.26	10.51	47.77	74.00	-26.23	peak
3	11026.000	34.71	14.82	49.53	74.00	-24.47	peak
4	11697.000	33.36	17.13	50.49	74.00	-23.51	peak
5	13985.000	28.07	21.85	49.92	74.00	-24.08	peak
6	17956.000	24.52	25.82	50.34	74.00	-23.66	peak




Test Mode:	802.11be EHT20	Channel:	5260
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	36.17	10.41	46.58	74.00	-27.42	peak
2	11455.000	32.83	16.58	49.41	74.00	-24.59	peak
3	11829.000	31.52	17.38	48.90	74.00	-25.10	peak
4	14084.000	28.96	21.52	50.48	74.00	-23.52	peak
5	17615.000	27.09	23.49	50.58	74.00	-23.42	peak
6	18000.000	24.59	26.12	50.71	74.00	-23.29	peak




Test Mode:	802.11be EHT20	Channel:	5260
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	36.16	10.41	46.57	74.00	-27.43	peak
2	10223.000	35.65	12.24	47.89	74.00	-26.11	peak
3	11081.000	33.34	15.05	48.39	74.00	-25.61	peak
4	11664.000	31.92	17.08	49.00	74.00	-25.00	peak
5	13666.000	29.31	21.05	50.36	74.00	-23.64	peak
6	17934.000	24.72	25.67	50.39	74.00	-23.61	peak




Test Mode:	802.11be EHT20	Channel:	5280
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8969.000	36.78	10.13	46.91	74.00	-27.09	peak
2	11048.000	34.45	14.91	49.36	74.00	-24.64	peak
3	11697.000	33.12	17.13	50.25	74.00	-23.75	peak
4	13523.000	29.61	20.70	50.31	74.00	-23.69	peak
5	14018.000	28.85	21.80	50.65	74.00	-23.35	peak
6	17659.000	26.89	23.78	50.67	74.00	-23.33	peak




Test Mode:	802.11be EHT20	Channel:	5280
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8914.000	37.13	9.75	46.88	74.00	-27.12	peak
2	10300.000	35.80	12.40	48.20	74.00	-25.80	peak
3	11059.000	34.24	14.96	49.20	74.00	-24.80	peak
4	11785.000	32.86	17.30	50.16	74.00	-23.84	peak
5	13545.000	28.67	20.75	49.42	74.00	-24.58	peak
6	17967.000	24.99	25.89	50.88	74.00	-23.12	peak




Test Mode:	802.11be EHT20	Channel:	5320
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9057.000	36.53	10.38	46.91	74.00	-27.09	peak
2	10916.000	33.13	14.39	47.52	74.00	-26.48	peak
3	11455.000	32.94	16.58	49.52	74.00	-24.48	peak
4	13534.000	30.17	20.73	50.90	74.00	-23.10	peak
5	13952.000	28.86	21.76	50.62	74.00	-23.38	peak
6	17912.000	25.14	25.52	50.66	74.00	-23.34	peak




Test Mode:	802.11be EHT20	Channel:	5320
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9123.000	36.50	10.42	46.92	74.00	-27.08	peak
2	11048.000	34.35	14.91	49.26	74.00	-24.74	peak
3	11884.000	32.48	17.48	49.96	74.00	-24.04	peak
4	12698.000	31.15	18.08	49.23	74.00	-24.77	peak
5	13919.000	27.54	21.68	49.22	74.00	-24.78	peak
6	17989.000	24.11	26.04	50.15	74.00	-23.85	peak




Test Mode:	802.11be EHT20	Channel:	5500
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9057.000	36.37	10.38	46.75	74.00	-27.25	peak
2	11026.000	35.02	14.82	49.84	74.00	-24.16	peak
3	11422.000	34.00	16.46	50.46	74.00	-23.54	peak
4	11895.000	31.96	17.51	49.47	74.00	-24.53	peak
5	13941.000	29.24	21.73	50.97	74.00	-23.03	peak
6	17967.000	24.49	25.89	50.38	74.00	-23.62	peak




Test Mode:	802.11be EHT20	Channel:	5500
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8100.000	37.31	6.52	43.83	74.00	-30.17	peak
2	9134.000	36.79	10.41	47.20	74.00	-26.80	peak
3	11048.000	34.82	14.91	49.73	74.00	-24.27	peak
4	11884.000	31.26	17.48	48.74	74.00	-25.26	peak
5	13919.000	27.28	21.68	48.96	74.00	-25.04	peak
6	17978.000	23.94	25.97	49.91	74.00	-24.09	peak




Test Mode:	802.11be EHT20	Channel:	5580
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8925.000	36.74	9.82	46.56	74.00	-27.44	peak
2	11466.000	32.63	16.63	49.26	74.00	-24.74	peak
3	11796.000	32.49	17.32	49.81	74.00	-24.19	peak
4	13545.000	29.36	20.75	50.11	74.00	-23.89	peak
5	13952.000	28.02	21.76	49.78	74.00	-24.22	peak
6	18000.000	23.12	26.12	49.24	74.00	-24.76	peak




Test Mode:	802.11be EHT20	Channel:	5580
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	36.79	10.46	47.25	74.00	-26.75	peak
2	11070.000	33.56	15.01	48.57	74.00	-25.43	peak
3	11400.000	33.39	16.36	49.75	74.00	-24.25	peak
4	13644.000	29.16	20.99	50.15	74.00	-23.85	peak
5	14436.000	28.66	20.05	48.71	74.00	-25.29	peak
6	18000.000	23.50	26.12	49.62	74.00	-24.38	peak




Test Mode:	802.11be EHT20	Channel:	5700
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10245.000	35.30	12.28	47.58	74.00	-26.42	peak
2	11059.000	33.30	14.96	48.26	74.00	-25.74	peak
3	11587.000	31.90	16.93	48.83	74.00	-25.17	peak
4	12643.000	32.19	18.01	50.20	74.00	-23.80	peak
5	13919.000	28.89	21.68	50.57	74.00	-23.43	peak
6	17989.000	24.19	26.04	50.23	74.00	-23.77	peak




Test Mode:	802.11be EHT20	Channel:	5700
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9112.000	37.22	10.41	47.63	74.00	-26.37	peak
2	10300.000	35.42	12.40	47.82	74.00	-26.18	peak
3	11554.000	33.73	16.87	50.60	74.00	-23.40	peak
4	11818.000	32.57	17.36	49.93	74.00	-24.07	peak
5	13501.000	29.73	20.64	50.37	74.00	-23.63	peak
6	17978.000	24.24	25.97	50.21	74.00	-23.79	peak




Test Mode:	802.11be EHT20	Channel:	5720
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9145.000	36.48	10.43	46.91	74.00	-27.09	peak
2	11048.000	34.22	14.91	49.13	74.00	-24.87	peak
3	11829.000	32.69	17.38	50.07	74.00	-23.93	peak
4	12720.000	31.96	18.09	50.05	74.00	-23.95	peak
5	13919.000	28.71	21.68	50.39	74.00	-23.61	peak
6	17989.000	23.80	26.04	49.84	74.00	-24.16	peak




Test Mode:	802.11be EHT20	Channel:	5720
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9145.000	37.68	10.43	48.11	74.00	-25.89	peak
2	11466.000	33.78	16.63	50.41	74.00	-23.59	peak
3	12291.000	32.21	17.78	49.99	74.00	-24.01	peak
4	13688.000	29.10	21.10	50.20	74.00	-23.80	peak
5	13919.000	28.44	21.68	50.12	74.00	-23.88	peak
6	17967.000	23.76	25.89	49.65	74.00	-24.35	peak




Test Mode:	802.11be EHT20	Channel:	5745
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7814.000	38.38	6.60	44.98	74.00	-29.02	peak
2	9145.000	36.68	10.43	47.11	74.00	-26.89	peak
3	11422.000	32.96	16.46	49.42	74.00	-24.58	peak
4	11851.000	32.44	17.43	49.87	74.00	-24.13	peak
5	13930.000	28.56	21.71	50.27	74.00	-23.73	peak
6	17989.000	23.65	26.04	49.69	74.00	-24.31	peak




Test Mode:	802.11be EHT20	Channel:	5745
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	36.47	10.46	46.93	74.00	-27.07	peak
2	11048.000	34.39	14.91	49.30	74.00	-24.70	peak
3	11884.000	32.23	17.48	49.71	74.00	-24.29	peak
4	12742.000	31.23	18.13	49.36	74.00	-24.64	peak
5	13853.000	28.15	21.52	49.67	74.00	-24.33	peak
6	17989.000	24.54	26.04	50.58	74.00	-23.42	peak




Test Mode:	802.11be EHT20	Channel:	5785
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	38.17	10.51	48.68	74.00	-25.32	peak
2	11059.000	34.40	14.96	49.36	74.00	-24.64	peak
3	11818.000	33.04	17.36	50.40	74.00	-23.60	peak
4	13622.000	29.02	20.95	49.97	74.00	-24.03	peak
5	13930.000	28.91	21.71	50.62	74.00	-23.38	peak
6	17989.000	23.90	26.04	49.94	74.00	-24.06	peak




Test Mode:	802.11be EHT20	Channel:	5785
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	35.95	10.51	46.46	74.00	-27.54	peak
2	11048.000	34.76	14.91	49.67	74.00	-24.33	peak
3	11664.000	32.70	17.08	49.78	74.00	-24.22	peak
4	12280.000	31.42	17.77	49.19	74.00	-24.81	peak
5	13886.000	28.20	21.60	49.80	74.00	-24.20	peak
6	17989.000	24.41	26.04	50.45	74.00	-23.55	peak




Test Mode:	802.11be EHT20	Channel:	5825
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9321.000	36.04	10.53	46.57	74.00	-27.43	peak
2	10168.000	34.76	12.13	46.89	74.00	-27.11	peak
3	11301.000	33.24	15.95	49.19	74.00	-24.81	peak
4	12577.000	30.55	17.93	48.48	74.00	-25.52	peak
5	13930.000	28.14	21.71	49.85	74.00	-24.15	peak
6	17967.000	24.24	25.89	50.13	74.00	-23.87	peak




Test Mode:	802.11be EHT20	Channel:	5825
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	36.21	10.41	46.62	74.00	-27.38	peak
2	10432.000	34.92	12.67	47.59	74.00	-26.41	peak
3	11389.000	33.44	16.31	49.75	74.00	-24.25	peak
4	11873.000	32.18	17.46	49.64	74.00	-24.36	peak
5	13930.000	29.06	21.71	50.77	74.00	-23.23	peak
6	17945.000	24.55	25.75	50.30	74.00	-23.70	peak




Test Mode:	802.11be EHT40	Channel:	5190
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9354.000	35.72	10.56	46.28	74.00	-27.72	peak
2	11037.000	34.08	14.87	48.95	74.00	-25.05	peak
3	11653.000	32.89	17.05	49.94	74.00	-24.06	peak
4	13611.000	29.21	20.92	50.13	74.00	-23.87	peak
5	13930.000	28.89	21.71	50.60	74.00	-23.40	peak
6	17945.000	24.55	25.75	50.30	74.00	-23.70	peak




Test Mode:	802.11be EHT40	Channel:	5190
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11037.000	34.58	14.87	49.45	74.00	-24.55	peak
2	11422.000	33.72	16.46	50.18	74.00	-23.82	peak
3	12258.000	32.56	17.77	50.33	74.00	-23.67	peak
4	12676.000	31.89	18.05	49.94	74.00	-24.06	peak
5	13941.000	28.70	21.73	50.43	74.00	-23.57	peak
6	18000.000	24.66	26.12	50.78	74.00	-23.22	peak




Test Mode:	802.11be EHT40	Channel:	5230
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	36.28	10.41	46.69	74.00	-27.31	peak
2	10234.000	34.99	12.26	47.25	74.00	-26.75	peak
3	11059.000	35.20	14.96	50.16	74.00	-23.84	peak
4	11510.000	33.05	16.79	49.84	74.00	-24.16	peak
5	13919.000	28.47	21.68	50.15	74.00	-23.85	peak
6	18000.000	24.03	26.12	50.15	74.00	-23.85	peak




Test Mode:	802.11be EHT40	Channel:	5230
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9299.000	36.18	10.53	46.71	74.00	-27.29	peak
2	10168.000	35.57	12.13	47.70	74.00	-26.30	peak
3	11059.000	34.05	14.96	49.01	74.00	-24.99	peak
4	11818.000	32.72	17.36	50.08	74.00	-23.92	peak
5	13809.000	28.59	21.41	50.00	74.00	-24.00	peak
6	17835.000	25.36	24.99	50.35	74.00	-23.65	peak




Test Mode:	802.11be EHT40	Channel:	5270
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8936.000	36.68	9.90	46.58	74.00	-27.42	peak
2	11026.000	34.41	14.82	49.23	74.00	-24.77	peak
3	11477.000	33.33	16.67	50.00	74.00	-24.00	peak
4	13512.000	29.29	20.68	49.97	74.00	-24.03	peak
5	17670.000	26.21	23.86	50.07	74.00	-23.93	peak
6	17989.000	24.66	26.04	50.70	74.00	-23.30	peak




Test Mode:	802.11be EHT40	Channel:	5270
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9365.000	36.24	10.57	46.81	74.00	-27.19	peak
2	10432.000	35.51	12.67	48.18	74.00	-25.82	peak
3	11026.000	34.05	14.82	48.87	74.00	-25.13	peak
4	11521.000	32.87	16.82	49.69	74.00	-24.31	peak
5	13908.000	28.37	21.66	50.03	74.00	-23.97	peak
6	17967.000	24.79	25.89	50.68	74.00	-23.32	peak




Test Mode:	802.11be EHT40	Channel:	5310
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9354.000	35.96	10.56	46.52	74.00	-27.48	peak
2	11081.000	34.14	15.05	49.19	74.00	-24.81	peak
3	11697.000	32.73	17.13	49.86	74.00	-24.14	peak
4	12698.000	32.57	18.08	50.65	74.00	-23.35	peak
5	13534.000	30.14	20.73	50.87	74.00	-23.13	peak
6	17879.000	24.93	25.29	50.22	74.00	-23.78	peak




Test Mode:	802.11be EHT40	Channel:	5310
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9112.000	36.80	10.41	47.21	74.00	-26.79	peak
2	11048.000	34.08	14.91	48.99	74.00	-25.01	peak
3	11884.000	32.31	17.48	49.79	74.00	-24.21	peak
4	12632.000	31.48	17.99	49.47	74.00	-24.53	peak
5	13919.000	28.17	21.68	49.85	74.00	-24.15	peak
6	17945.000	24.72	25.75	50.47	74.00	-23.53	peak




Test Mode:	802.11be EHT40	Channel:	5510
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9167.000	35.46	10.45	45.91	74.00	-28.09	peak
2	10245.000	34.79	12.28	47.07	74.00	-26.93	peak
3	11070.000	33.75	15.01	48.76	74.00	-25.24	peak
4	13523.000	28.97	20.70	49.67	74.00	-24.33	peak
5	13930.000	28.06	21.71	49.77	74.00	-24.23	peak
6	17989.000	24.68	26.04	50.72	74.00	-23.28	peak




Test Mode:	802.11be EHT40	Channel:	5510
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8903.000	36.97	9.66	46.63	74.00	-27.37	peak
2	9310.000	36.47	10.54	47.01	74.00	-26.99	peak
3	11048.000	34.69	14.91	49.60	74.00	-24.40	peak
4	11686.000	32.82	17.12	49.94	74.00	-24.06	peak
5	13534.000	28.89	20.73	49.62	74.00	-24.38	peak
6	17989.000	24.36	26.04	50.40	74.00	-23.60	peak




Test Mode:	802.11be EHT40	Channel:	5550
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	35.99	10.41	46.40	74.00	-27.60	peak
2	10179.000	35.10	12.14	47.24	74.00	-26.76	peak
3	11708.000	32.54	17.16	49.70	74.00	-24.30	peak
4	12753.000	30.94	18.14	49.08	74.00	-24.92	peak
5	13534.000	28.48	20.73	49.21	74.00	-24.79	peak
6	17956.000	24.85	25.82	50.67	74.00	-23.33	peak




Test Mode:	802.11be EHT40	Channel:	5550
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8991.000	36.92	10.28	47.20	74.00	-26.80	peak
2	9552.000	37.32	10.76	48.08	74.00	-25.92	peak
3	11378.000	33.27	16.26	49.53	74.00	-24.47	peak
4	12511.000	31.48	17.84	49.32	74.00	-24.68	peak
5	13930.000	27.76	21.71	49.47	74.00	-24.53	peak
6	17967.000	24.53	25.89	50.42	74.00	-23.58	peak




Test Mode:	802.11be EHT40	Channel:	5670
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9068.000	35.74	10.39	46.13	74.00	-27.87	peak
2	11290.000	33.37	15.90	49.27	74.00	-24.73	peak
3	11774.000	31.95	17.28	49.23	74.00	-24.77	peak
4	12731.000	30.50	18.12	48.62	74.00	-25.38	peak
5	13677.000	28.56	21.08	49.64	74.00	-24.36	peak
6	17923.000	24.62	25.60	50.22	74.00	-23.78	peak




Test Mode:	802.11be EHT40	Channel:	5670
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9068.000	36.90	10.39	47.29	74.00	-26.71	peak
2	11048.000	34.28	14.91	49.19	74.00	-24.81	peak
3	11444.000	33.79	16.53	50.32	74.00	-23.68	peak
4	11653.000	33.36	17.05	50.41	74.00	-23.59	peak
5	14062.000	27.97	21.62	49.59	74.00	-24.41	peak
6	17967.000	24.67	25.89	50.56	74.00	-23.44	peak




Test Mode:	802.11be EHT40	Channel:	5710
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	37.30	10.41	47.71	74.00	-26.29	peak
2	11422.000	33.38	16.46	49.84	74.00	-24.16	peak
3	11928.000	32.63	17.57	50.20	74.00	-23.80	peak
4	13611.000	29.09	20.92	50.01	74.00	-23.99	peak
5	13930.000	28.99	21.71	50.70	74.00	-23.30	peak
6	17945.000	24.94	25.75	50.69	74.00	-23.31	peak




Test Mode:	802.11be EHT40	Channel:	5710
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9354.000	37.45	10.56	48.01	74.00	-25.99	peak
2	11466.000	32.73	16.63	49.36	74.00	-24.64	peak
3	11785.000	32.32	17.30	49.62	74.00	-24.38	peak
4	12632.000	31.12	17.99	49.11	74.00	-24.89	peak
5	13930.000	27.96	21.71	49.67	74.00	-24.33	peak
6	17714.000	25.62	24.16	49.78	74.00	-24.22	peak




Test Mode:	802.11be EHT40	Channel:	5755
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	37.42	10.21	47.63	74.00	-26.37	peak
2	11048.000	34.67	14.91	49.58	74.00	-24.42	peak
3	11785.000	33.22	17.30	50.52	74.00	-23.48	peak
4	12742.000	32.49	18.13	50.62	74.00	-23.38	peak
5	13919.000	28.66	21.68	50.34	74.00	-23.66	peak
6	17945.000	24.71	25.75	50.46	74.00	-23.54	peak




Test Mode:	802.11be EHT40	Channel:	5755
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7715.000	37.24	6.68	43.92	74.00	-30.08	peak
2	9244.000	37.00	10.49	47.49	74.00	-26.51	peak
3	10223.000	35.37	12.24	47.61	74.00	-26.39	peak
4	11741.000	31.94	17.22	49.16	74.00	-24.84	peak
5	13963.000	27.49	21.78	49.27	74.00	-24.73	peak
6	17989.000	24.33	26.04	50.37	74.00	-23.63	peak




Test Mode:	802.11be EHT40	Channel:	5795
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9266.000	36.51	10.51	47.02	74.00	-26.98	peak
2	11059.000	33.90	14.96	48.86	74.00	-25.14	peak
3	11411.000	32.64	16.41	49.05	74.00	-24.95	peak
4	12720.000	30.34	18.09	48.43	74.00	-25.57	peak
5	13963.000	27.62	21.78	49.40	74.00	-24.60	peak
6	17934.000	24.48	25.67	50.15	74.00	-23.85	peak




Test Mode:	802.11be EHT40	Channel:	5795
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	36.18	10.41	46.59	74.00	-27.41	peak
2	10333.000	34.58	12.47	47.05	74.00	-26.95	peak
3	11653.000	31.43	17.05	48.48	74.00	-25.52	peak
4	11917.000	30.10	17.54	47.64	74.00	-26.36	peak
5	13963.000	27.00	21.78	48.78	74.00	-25.22	peak
6	17967.000	24.00	25.89	49.89	74.00	-24.11	peak




Test Mode:	802.11be EHT80	Channel:	5210
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	36.72	10.41	47.13	74.00	-26.87	peak
2	11059.000	34.06	14.96	49.02	74.00	-24.98	peak
3	11664.000	33.58	17.08	50.66	74.00	-23.34	peak
4	12247.000	32.13	17.77	49.90	74.00	-24.10	peak
5	13930.000	27.61	21.71	49.32	74.00	-24.68	peak
6	17989.000	23.96	26.04	50.00	74.00	-24.00	peak




Test Mode:	802.11be EHT80	Channel:	5210
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9101.000	36.72	10.40	47.12	74.00	-26.88	peak
2	11026.000	33.14	14.82	47.96	74.00	-26.04	peak
3	11829.000	31.52	17.38	48.90	74.00	-25.10	peak
4	13600.000	28.76	20.89	49.65	74.00	-24.35	peak
5	13974.000	28.00	21.82	49.82	74.00	-24.18	peak
6	17923.000	24.73	25.60	50.33	74.00	-23.67	peak




Test Mode:	802.11be EHT80	Channel:	5290
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9376.000	36.27	10.58	46.85	74.00	-27.15	peak
2	11059.000	33.69	14.96	48.65	74.00	-25.35	peak
3	11851.000	31.89	17.43	49.32	74.00	-24.68	peak
4	12291.000	31.48	17.78	49.26	74.00	-24.74	peak
5	13886.000	27.42	21.60	49.02	74.00	-24.98	peak
6	17989.000	24.43	26.04	50.47	74.00	-23.53	peak




Test Mode:	802.11be EHT80	Channel:	5290
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7891.000	38.75	6.52	45.27	74.00	-28.73	peak
2	9321.000	36.32	10.53	46.85	74.00	-27.15	peak
3	11048.000	34.24	14.91	49.15	74.00	-24.85	peak
4	11532.000	33.49	16.83	50.32	74.00	-23.68	peak
5	13545.000	29.63	20.75	50.38	74.00	-23.62	peak
6	17967.000	25.01	25.89	50.90	74.00	-23.10	peak




Test Mode:	802.11be EHT80	Channel:	5530
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	35.91	10.49	46.40	74.00	-27.60	peak
2	10344.000	34.49	12.49	46.98	74.00	-27.02	peak
3	11059.000	33.01	14.96	47.97	74.00	-26.03	peak
4	11785.000	31.88	17.30	49.18	74.00	-24.82	peak
5	13622.000	28.02	20.95	48.97	74.00	-25.03	peak
6	17978.000	24.03	25.97	50.00	74.00	-24.00	peak




Test Mode:	802.11be EHT80	Channel:	5530
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8001.000	37.81	6.43	44.24	74.00	-29.76	peak
2	8848.000	38.41	9.29	47.70	74.00	-26.30	peak
3	11081.000	33.95	15.05	49.00	74.00	-25.00	peak
4	11796.000	32.31	17.32	49.63	74.00	-24.37	peak
5	13600.000	28.59	20.89	49.48	74.00	-24.52	peak
6	18000.000	23.73	26.12	49.85	74.00	-24.15	peak




Test Mode:	802.11be EHT80	Channel:	5610
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	36.01	10.49	46.50	74.00	-27.50	peak
2	11026.000	33.04	14.82	47.86	74.00	-26.14	peak
3	11466.000	32.14	16.63	48.77	74.00	-25.23	peak
4	12247.000	30.35	17.77	48.12	74.00	-25.88	peak
5	13864.000	28.16	21.53	49.69	74.00	-24.31	peak
6	17956.000	23.72	25.82	49.54	74.00	-24.46	peak




Test Mode:	802.11be EHT80	Channel:	5610
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9145.000	36.69	10.43	47.12	74.00	-26.88	peak
2	11059.000	33.50	14.96	48.46	74.00	-25.54	peak
3	11664.000	32.57	17.08	49.65	74.00	-24.35	peak
4	12687.000	30.49	18.05	48.54	74.00	-25.46	peak
5	13996.000	28.26	21.87	50.13	74.00	-23.87	peak
6	17945.000	24.49	25.75	50.24	74.00	-23.76	peak




Test Mode:	802.11be EHT80	Channel:	5690
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9101.000	36.45	10.40	46.85	74.00	-27.15	peak
2	11048.000	33.71	14.91	48.62	74.00	-25.38	peak
3	11829.000	31.72	17.38	49.10	74.00	-24.90	peak
4	13545.000	28.85	20.75	49.60	74.00	-24.40	peak
5	13886.000	28.27	21.60	49.87	74.00	-24.13	peak
6	17923.000	24.55	25.60	50.15	74.00	-23.85	peak




Test Mode:	802.11be EHT80	Channel:	5690
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9101.000	37.24	10.40	47.64	74.00	-26.36	peak
2	10883.000	34.90	14.27	49.17	74.00	-24.83	peak
3	12269.000	31.41	17.77	49.18	74.00	-24.82	peak
4	13523.000	28.16	20.70	48.86	74.00	-25.14	peak
5	13963.000	26.88	21.78	48.66	74.00	-25.34	peak
6	17978.000	23.54	25.97	49.51	74.00	-24.49	peak




Test Mode:	802.11be EHT80	Channel:	5775
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	36.53	10.48	47.01	74.00	-26.99	peak
2	10311.000	35.46	12.42	47.88	74.00	-26.12	peak
3	11037.000	33.82	14.87	48.69	74.00	-25.31	peak
4	11708.000	32.52	17.16	49.68	74.00	-24.32	peak
5	13633.000	28.25	20.97	49.22	74.00	-24.78	peak
6	17989.000	24.22	26.04	50.26	74.00	-23.74	peak




Test Mode:	802.11be EHT80	Channel:	5775
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	36.91	10.41	47.32	74.00	-26.68	peak
2	10179.000	35.07	12.14	47.21	74.00	-26.79	peak
3	11257.000	33.45	15.78	49.23	74.00	-24.77	peak
4	12654.000	30.05	18.01	48.06	74.00	-25.94	peak
5	13919.000	27.95	21.68	49.63	74.00	-24.37	peak
6	18000.000	23.86	26.12	49.98	74.00	-24.02	peak




Test Mode:	802.11be EHT160	Channel:	5250
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9145.000	36.29	10.43	46.72	74.00	-27.28	peak
2	9596.000	35.84	10.87	46.71	74.00	-27.29	peak
3	11785.000	32.89	17.30	50.19	74.00	-23.81	peak
4	12720.000	31.98	18.09	50.07	74.00	-23.93	peak
5	13831.000	29.25	21.47	50.72	74.00	-23.28	peak
6	17956.000	25.46	25.82	51.28	74.00	-22.72	peak




Test Mode:	802.11be EHT160	Channel:	5250
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8056.000	37.67	6.48	44.15	74.00	-29.85	peak
2	8958.000	37.15	10.05	47.20	74.00	-26.80	peak
3	10894.000	34.85	14.32	49.17	74.00	-24.83	peak
4	11444.000	34.15	16.53	50.68	74.00	-23.32	peak
5	13919.000	28.66	21.68	50.34	74.00	-23.66	peak
6	17989.000	24.94	26.04	50.98	74.00	-23.02	peak




Test Mode:	802.11be EHT160	Channel:	5570
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7748.000	38.03	6.66	44.69	74.00	-29.31	peak
2	9068.000	36.52	10.39	46.91	74.00	-27.09	peak
3	11895.000	31.87	17.51	49.38	74.00	-24.62	peak
4	12709.000	31.58	18.09	49.67	74.00	-24.33	peak
5	13952.000	27.29	21.76	49.05	74.00	-24.95	peak
6	17956.000	23.60	25.82	49.42	74.00	-24.58	peak




Test Mode:	802.11be EHT160	Channel:	5570
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8914.000	37.49	9.75	47.24	74.00	-26.76	peak
2	10168.000	35.00	12.13	47.13	74.00	-26.87	peak
3	11301.000	34.13	15.95	50.08	74.00	-23.92	peak
4	11774.000	32.77	17.28	50.05	74.00	-23.95	peak
5	14007.000	28.75	21.85	50.60	74.00	-23.40	peak
6	18000.000	24.65	26.12	50.77	74.00	-23.23	peak




Test Mode:	802.11be EHT240	Channel:	5610
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	38.33	6.57	44.90	74.00	-29.10	peak
2	9244.000	36.84	10.49	47.33	74.00	-26.67	peak
3	10201.000	36.12	12.19	48.31	74.00	-25.69	peak
4	11609.000	32.73	16.98	49.71	74.00	-24.29	peak
5	13534.000	28.47	20.73	49.20	74.00	-24.80	peak
6	17989.000	23.57	26.04	49.61	74.00	-24.39	peak



Test Mode:	802.11be EHT240	Channel:	5610
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	37.09	10.41	47.50	74.00	-26.50	peak
2	11686.000	32.40	17.12	49.52	74.00	-24.48	peak
3	12753.000	30.00	18.14	48.14	74.00	-25.86	peak
4	13666.000	27.75	21.05	48.80	74.00	-25.20	peak
5	14238.000	26.03	20.88	46.91	74.00	-27.09	peak
6	18000.000	23.79	26.12	49.91	74.00	-24.09	peak



8.4. SPURIOUS EMISSIONS(9 KHZ~30 MHZ)


Test Mode:	802.11a20	Channel:	5180
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	FCC Result (dBuV/m)	FCC Limit (dBuV/m)	ISED Result (dBuA/m)	ISED Limit (dBuA/m)	Margin (dB)	Remark
1	0.0100	77.22	-101.40	-24.18	47.60	-75.68	-3.90	-71.78	peak
2	0.0131	74.47	-101.38	-26.91	45.25	-78.41	-6.25	-72.16	peak
3	0.0200	71.36	-101.34	-29.98	41.58	-81.48	-9.92	-71.56	peak
4	0.0280	68.29	-101.38	-33.09	38.66	-84.59	-12.84	-71.75	peak
5	0.0675	63.14	-101.56	-38.42	31.02	-89.92	-20.48	-69.44	peak
6	0.0806	61.68	-101.63	-39.95	29.47	-91.45	-22.03	-69.42	peak




Test Mode:	802.11a20	Channel:	5180
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	FCC Result (dBuV/m)	FCC Limit (dBuV/m)	ISED Result (dBuA/m)	ISED Limit (dBuA/m)	Margin (dB)	Remark
1	0.1554	75.77	-101.65	-25.88	23.77	-77.38	-27.73	-49.65	peak
2	0.1621	74.92	-101.65	-26.73	23.41	-78.23	-28.09	-50.14	peak
3	0.1817	73.03	-101.68	-28.65	22.42	-80.15	-29.08	-51.07	peak
4	0.2190	68.77	-101.75	-32.98	20.79	-84.48	-30.71	-53.77	peak
5	0.3163	63.70	-101.87	-38.17	17.60	-89.67	-33.90	-55.77	peak
6	0.4062	60.14	-101.96	-41.82	15.43	-93.32	-36.07	-57.25	peak



Test Mode:	802.11a20	Channel:	5180
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	FCC Result (dBuV/m)	FCC Limit (dBuV/m)	ISED Result (dBuA/m)	ISED Limit (dBuA/m)	Margin (dB)	Remark
1	0.6532	64.98	-62.10	2.88	31.30	-48.62	-20.20	-28.42	peak
2	0.8820	63.19	-62.19	1.00	28.69	-50.50	-22.81	-27.69	peak
3	1.5625	59.96	-62.02	-2.06	23.73	-53.56	-27.77	-25.79	peak
4	3.2343	57.29	-61.53	-4.24	29.54	-55.74	-21.96	-33.78	peak
5	7.3361	55.08	-61.17	-6.09	29.54	-57.59	-21.96	-35.63	peak
6	18.2545	54.93	-60.90	-5.97	29.54	-57.47	-21.96	-35.51	peak