

Note: All the mode had been test, but only the worst data was recorded in the report.

11.4.3. ISED CDD Mode Test Result

| Mode | Frequency (MHz) | Average Conducted Power (dBm) | | | Directional Gain (dBi) | ISED EIRP (dBm) | ISED Limit (dBm) |
|----------------|-----------------|-------------------------------|-------|-------|------------------------|-----------------|------------------|
| | | ANT1 | ANT2 | Total | | | |
| 802.11a | 5180 | 12.05 | 11.56 | 14.82 | 3.00 | 17.82 | ≤22.27 |
| | 5200 | 12.28 | 11.89 | 15.10 | 3.00 | 18.10 | ≤22.27 |
| | 5240 | 11.71 | 11.54 | 14.64 | 3.00 | 17.64 | ≤22.27 |
| | 5260 | 18.27 | 18.42 | 21.36 | 3.00 | / | ≤23.27 |
| | 5280 | 18.63 | 18.58 | 21.62 | 3.00 | / | ≤23.27 |
| | 5320 | 18.53 | 18.69 | 21.62 | 3.00 | / | ≤23.27 |
| | 5500 | 18.48 | 18.63 | 21.57 | 3.00 | / | ≤23.27 |
| | 5580 | 18.69 | 18.55 | 21.63 | 3.00 | / | ≤23.27 |
| | 5700 | 18.41 | 18.62 | 21.53 | 3.00 | / | ≤23.27 |
| | 5720-2c | 17.21 | 17.65 | 20.45 | 3.00 | / | ≤23.27 |
| | 5720-3 | 11.09 | 11.49 | 14.30 | 3.00 | / | ≤30.00 |
| | 5745 | 25.13 | 25.78 | 28.48 | 3.00 | / | ≤30.00 |
| | 5785 | 24.78 | 25.50 | 28.17 | 3.00 | / | ≤30.00 |
| | 5825 | 25.20 | 24.90 | 28.06 | 3.00 | / | ≤30.00 |
| 802.11ac VHT20 | 5180 | 12.65 | 12.15 | 15.42 | 3.00 | 18.42 | ≤22.83 |
| | 5200 | 12.35 | 11.92 | 15.15 | 3.00 | 18.15 | ≤22.83 |
| | 5240 | 12.33 | 12.12 | 15.24 | 3.00 | 18.24 | ≤22.83 |
| | 5260 | 18.92 | 19.03 | 21.99 | 3.00 | / | ≤23.83 |
| | 5280 | 19.39 | 19.40 | 22.41 | 3.00 | / | ≤23.83 |
| | 5320 | 19.12 | 19.01 | 22.08 | 3.00 | / | ≤23.83 |
| | 5500 | 19.05 | 19.32 | 22.20 | 3.00 | / | ≤23.83 |
| | 5580 | 19.39 | 19.16 | 22.29 | 3.00 | / | ≤23.83 |
| | 5700 | 18.87 | 18.97 | 21.93 | 3.00 | / | ≤23.83 |
| | 5720-2c | 17.95 | 18.04 | 21.01 | 3.00 | / | ≤23.83 |
| | 5720-3 | 12.25 | 12.33 | 15.30 | 3.00 | / | ≤24.00 |
| | 5745 | 24.69 | 24.85 | 27.78 | 3.00 | / | ≤30.00 |
| | 5785 | 24.24 | 24.44 | 27.35 | 3.00 | / | ≤30.00 |
| 5825 | 24.73 | 24.01 | 27.40 | 3.00 | / | ≤30.00 | |
| 802.11ac VHT40 | 5190 | 14.93 | 14.81 | 17.88 | 3.00 | 20.88 | ≤23.00 |
| | 5230 | 14.81 | 14.92 | 17.88 | 3.00 | 20.88 | ≤23.00 |
| | 5270 | 20.40 | 20.62 | 23.52 | 3.00 | / | ≤24.00 |
| | 5310 | 20.45 | 20.18 | 23.33 | 3.00 | / | ≤24.00 |
| | 5510 | 20.42 | 20.65 | 23.55 | 3.00 | / | ≤24.00 |
| | 5550 | 20.47 | 20.56 | 23.53 | 3.00 | / | ≤24.00 |
| | 5670 | 20.59 | 20.65 | 23.63 | 3.00 | / | ≤24.00 |
| | 5710-2c | 20.34 | 20.29 | 23.33 | 3.00 | / | ≤24.00 |
| | 5710-3 | 9.95 | 9.74 | 12.86 | 3.00 | / | ≤24.00 |

| | | | | | | | |
|-----------------|---------|-------|-------|-------|------|--------|--------|
| | 5755 | 24.93 | 24.48 | 27.72 | 3.00 | / | ≤30.00 |
| | 5795 | 23.99 | 24.17 | 27.09 | 3.00 | / | ≤30.00 |
| 802.11ac VHT80 | 5210 | 17.12 | 16.76 | 19.95 | 3.00 | 22.95 | ≤23.00 |
| | 5290 | 20.80 | 20.64 | 23.73 | 3.00 | / | ≤24.00 |
| | 5530 | 20.36 | 20.58 | 23.48 | 3.00 | / | ≤24.00 |
| | 5610 | 20.85 | 20.43 | 23.66 | 3.00 | / | ≤24.00 |
| | 5690-2c | 20.09 | 20.14 | 23.13 | 3.00 | / | ≤24.00 |
| | 5690-3 | 6.11 | 5.84 | 8.99 | 3.00 | / | ≤24.00 |
| | 5775 | 24.23 | 24.24 | 27.25 | 3.00 | / | ≤30.00 |
| 802.11ac VHT160 | 5250-1 | 16.66 | 16.62 | 19.65 | 3.00 | 22.65 | ≤23.00 |
| | 5250-2 | 16.64 | 16.28 | 19.47 | 3.00 | / | ≤24.00 |
| | 5570 | 18.87 | 19.29 | 22.10 | 3.00 | / | ≤24.00 |
| 802.11be EHT20 | 5180 | 12.91 | 12.48 | 15.71 | 3.00 | 18.71 | ≤22.85 |
| | 5200 | 12.63 | 12.33 | 15.49 | 3.00 | 18.49 | ≤22.85 |
| | 5240 | 12.72 | 12.63 | 15.69 | 3.00 | 18.69 | ≤22.85 |
| | 5260 | 18.92 | 19.02 | 21.98 | 3.00 | / | ≤23.85 |
| | 5280 | 18.87 | 18.90 | 21.90 | 3.00 | / | ≤23.85 |
| | 5320 | 19.16 | 19.28 | 22.23 | 3.00 | / | ≤23.85 |
| | 5500 | 18.97 | 19.32 | 22.16 | 3.00 | / | ≤23.85 |
| | 5580 | 19.33 | 19.27 | 22.31 | 3.00 | / | ≤23.85 |
| | 5700 | 19.14 | 19.11 | 22.14 | 3.00 | / | ≤23.85 |
| | 5720-2a | 17.71 | 18.00 | 20.87 | 3.00 | / | ≤23.85 |
| | 5720-2c | 12.55 | 12.85 | 15.71 | 3.00 | / | ≤24.00 |
| | 5745 | 25.30 | 25.80 | 28.57 | 3.00 | / | ≤30.00 |
| | 5785 | 24.98 | 25.67 | 28.35 | 3.00 | / | ≤30.00 |
| 5825 | 25.30 | 24.99 | 28.16 | 3.00 | / | ≤30.00 | |
| 802.11be EHT40 | 5190 | 15.69 | 15.32 | 18.52 | 3.00 | 21.52 | ≤23.00 |
| | 5230 | 15.61 | 15.62 | 18.63 | 3.00 | 21.63 | ≤23.00 |
| | 5270 | 20.18 | 20.51 | 23.36 | 3.00 | / | ≤24.00 |
| | 5310 | 20.33 | 20.05 | 23.20 | 3.00 | / | ≤24.00 |
| | 5510 | 20.19 | 20.47 | 23.34 | 3.00 | / | ≤24.00 |
| | 5550 | 20.47 | 20.25 | 23.37 | 3.00 | / | ≤24.00 |
| | 5670 | 20.63 | 20.59 | 23.62 | 3.00 | / | ≤24.00 |
| | 5710-2a | 20.45 | 20.44 | 23.45 | 3.00 | / | ≤24.00 |
| | 5710-2c | 11.01 | 10.74 | 13.89 | 3.00 | / | ≤24.00 |
| | 5755 | 25.21 | 24.89 | 28.06 | 3.00 | / | ≤30.00 |
| | 5795 | 24.30 | 24.54 | 27.43 | 3.00 | / | ≤30.00 |
| 802.11be EHT80 | 5210 | 16.73 | 16.28 | 19.52 | 3.00 | 22.52 | ≤23.00 |
| | 5290 | 20.62 | 20.67 | 23.66 | 3.00 | / | ≤24.00 |
| | 5530 | 20.15 | 20.43 | 23.30 | 3.00 | / | ≤24.00 |
| | 5610 | 20.72 | 20.24 | 23.50 | 3.00 | / | ≤24.00 |

| | | | | | | | |
|-----------------|---------|-------|-------|-------|------|-------|--------|
| | 5690-2c | 20.10 | 20.01 | 23.07 | 3.00 | / | ≤24.00 |
| | 5690-3 | 7.17 | 6.80 | 10.00 | 3.00 | / | ≤24.00 |
| | 5775 | 24.65 | 24.71 | 27.69 | 3.00 | / | ≤30.00 |
| 802.11be EHT160 | 5250-1 | 16.63 | 16.40 | 19.53 | 3.00 | 22.53 | ≤23.00 |
| | 5250-2 | 16.67 | 16.36 | 19.53 | 3.00 | / | ≤24.00 |
| | 5570 | 19.75 | 20.34 | 23.07 | 3.00 | / | ≤30.00 |
| 802.11be EHT240 | 5610-2c | 13.92 | 13.70 | 16.82 | 3.00 | / | ≤24.00 |
| | 5610-3 | -3.62 | -3.51 | -0.55 | 3.00 | / | ≤30.00 |

11.4.4. FCC Tx beamforming Mode Test Result

| Mode | Frequency (MHz) | Average Conducted Power (dBm) | | | Directional Gain (dBi) | FCC Limit (dBm) |
|-----------------|-----------------|-------------------------------|-------|-------|------------------------|-----------------|
| | | ANT1 | ANT2 | Total | | |
| 802.11ac VHT20 | 5180 | 19.42 | 19.49 | 22.46 | 6.01 | ≤30.00 |
| | 5200 | 21.67 | 21.91 | 24.81 | 6.01 | ≤30.00 |
| | 5240 | 21.78 | 22.07 | 24.94 | 6.01 | ≤30.00 |
| | 5260 | 15.87 | 16.11 | 19.01 | 6.01 | ≤24.00 |
| | 5280 | 16.55 | 16.25 | 19.41 | 6.01 | ≤24.00 |
| | 5320 | 16.06 | 15.94 | 19.01 | 6.01 | ≤24.00 |
| | 5500 | 16.02 | 16.17 | 19.11 | 6.01 | ≤24.00 |
| | 5580 | 16.25 | 16.38 | 19.33 | 6.01 | ≤24.00 |
| | 5700 | 16.10 | 15.76 | 18.94 | 6.01 | ≤24.00 |
| | 5720-2C | 15.10 | 15.17 | 18.14 | 6.01 | ≤24.00 |
| | 5720-3 | 9.51 | 9.39 | 12.46 | 6.01 | ≤30.00 |
| | 5745 | 21.94 | 21.82 | 24.89 | 6.01 | ≤30.00 |
| | 5785 | 21.31 | 21.36 | 24.35 | 6.01 | ≤30.00 |
| | 5825 | 20.62 | 20.58 | 23.61 | 6.01 | ≤30.00 |
| 802.11ac VHT40 | 5190 | 19.14 | 19.29 | 22.22 | 6.01 | ≤30.00 |
| | 5230 | 20.98 | 21.40 | 24.20 | 6.01 | ≤30.00 |
| | 5270 | 17.12 | 17.43 | 20.28 | 6.01 | ≤24.00 |
| | 5310 | 17.32 | 17.35 | 20.35 | 6.01 | ≤24.00 |
| | 5510 | 17.34 | 17.64 | 20.51 | 6.01 | ≤24.00 |
| | 5550 | 17.16 | 17.75 | 20.48 | 6.01 | ≤24.00 |
| | 5670 | 17.54 | 17.46 | 20.51 | 6.01 | ≤24.00 |
| | 5710-2C | 17.50 | 17.21 | 20.37 | 6.01 | ≤24.00 |
| | 5710-3 | 6.98 | 6.70 | 9.85 | 6.01 | ≤30.00 |
| | 5755 | 18.80 | 19.34 | 22.09 | 6.01 | ≤30.00 |
| 5795 | 20.17 | 20.97 | 23.60 | 6.01 | ≤30.00 | |
| 802.11ac VHT80 | 5210 | 18.06 | 18.08 | 21.08 | 6.01 | ≤30.00 |
| | 5290 | 17.85 | 17.69 | 20.78 | 6.01 | ≤24.00 |
| | 5530 | 17.42 | 17.34 | 20.39 | 6.01 | ≤24.00 |
| | 5610 | 17.91 | 17.44 | 20.69 | 6.01 | ≤24.00 |
| | 5690-2C | 17.14 | 17.16 | 20.16 | 6.01 | ≤24.00 |
| | 5690-3 | 3.25 | 2.97 | 6.12 | 6.01 | ≤30.00 |
| | 5775 | 18.86 | 19.57 | 22.24 | 6.01 | ≤30.00 |
| 802.11ac VHT160 | 5250-1 | 13.84 | 14.33 | 17.10 | 6.01 | ≤30.00 |
| | 5250-2 | 13.57 | 13.62 | 16.60 | 6.01 | ≤24.00 |
| | 5570 | 15.88 | 16.36 | 19.14 | 6.01 | ≤24.00 |
| 802.11be EHT20 | 5180 | 19.46 | 19.79 | 22.64 | 6.01 | ≤30.00 |
| | 5200 | 21.58 | 21.38 | 24.49 | 6.01 | ≤30.00 |

| | | | | | | |
|-----------------|---------|-------|-------|-------|------|--------|
| | 5240 | 22.24 | 22.15 | 25.21 | 6.01 | ≤30.00 |
| | 5260 | 16.15 | 16.13 | 19.15 | 6.01 | ≤24.00 |
| | 5280 | 15.84 | 16.12 | 18.99 | 6.01 | ≤24.00 |
| | 5320 | 16.23 | 16.39 | 19.32 | 6.01 | ≤24.00 |
| | 5500 | 15.81 | 16.34 | 19.09 | 6.01 | ≤24.00 |
| | 5580 | 16.47 | 16.30 | 19.40 | 6.01 | ≤24.00 |
| | 5700 | 16.22 | 16.06 | 19.15 | 6.01 | ≤24.00 |
| | 5720-2a | 15.08 | 15.06 | 18.08 | 6.01 | ≤24.00 |
| | 5720-2c | 9.67 | 9.95 | 12.82 | 6.01 | ≤30.00 |
| | 5745 | 22.26 | 22.79 | 25.54 | 6.01 | ≤30.00 |
| | 5785 | 22.07 | 22.70 | 25.41 | 6.01 | ≤30.00 |
| | 5825 | 20.51 | 20.08 | 23.31 | 6.01 | ≤30.00 |
| 802.11be EHT40 | 5190 | 19.30 | 19.84 | 22.59 | 6.01 | ≤30.00 |
| | 5230 | 19.90 | 20.83 | 23.40 | 6.01 | ≤30.00 |
| | 5270 | 17.33 | 17.39 | 20.37 | 6.01 | ≤24.00 |
| | 5310 | 17.57 | 16.92 | 20.27 | 6.01 | ≤24.00 |
| | 5510 | 17.32 | 17.63 | 20.49 | 6.01 | ≤24.00 |
| | 5550 | 17.74 | 17.00 | 20.40 | 6.01 | ≤24.00 |
| | 5670 | 17.69 | 17.46 | 20.59 | 6.01 | ≤24.00 |
| | 5710-2a | 17.46 | 17.51 | 20.49 | 6.01 | ≤24.00 |
| | 5710-2c | 8.09 | 7.43 | 10.78 | 6.01 | ≤30.00 |
| | 5755 | 20.53 | 20.52 | 23.54 | 6.01 | ≤30.00 |
| 802.11be EHT80 | 5210 | 17.04 | 17.59 | 20.33 | 6.01 | ≤30.00 |
| | 5290 | 17.59 | 17.39 | 20.50 | 6.01 | ≤24.00 |
| | 5530 | 17.21 | 17.19 | 20.21 | 6.01 | ≤24.00 |
| | 5610 | 17.87 | 17.43 | 20.66 | 6.01 | ≤24.00 |
| | 5690-2c | 17.08 | 16.99 | 20.04 | 6.01 | ≤24.00 |
| | 5690-3 | 4.35 | 3.93 | 7.16 | 6.01 | ≤30.00 |
| | 5775 | 18.76 | 19.24 | 22.02 | 6.01 | ≤30.00 |
| 802.11be EHT160 | 5250-1 | 13.47 | 13.66 | 16.58 | 6.01 | ≤30.00 |
| | 5250-2 | 13.56 | 13.92 | 16.75 | 6.01 | ≤24.00 |
| | 5570 | 16.92 | 17.39 | 20.17 | 6.01 | ≤24.00 |
| 802.11be EHT240 | 5610-2c | 10.96 | 10.73 | 13.85 | 6.01 | ≤24.00 |
| | 5610-3 | -6.77 | -6.45 | -3.60 | 6.01 | ≤30.00 |

Note: 1. Conducted Power=Meas. Level+ Correction Factor

2. The Duty Cycle Factor (refer to section 7.1) had already compensated to the test data.

11.4.5. ISED Tx beamforming Mode Test Result

| Mode | Frequency (MHz) | Average Conducted Power (dBm) | | | Directional Gain (dBi) | ISED EIRP (dBm) | ISED Limit (dBm) |
|-----------------|-----------------|-------------------------------|-------|-------|------------------------|-----------------|------------------|
| | | ANT1 | ANT2 | Total | | | |
| 802.11ac VHT20 | 5180 | 9.48 | 9.22 | 12.36 | 6.01 | 18.37 | ≤22.83 |
| | 5200 | 9.40 | 8.83 | 12.13 | 6.01 | 18.14 | ≤22.83 |
| | 5240 | 9.41 | 9.08 | 12.26 | 6.01 | 18.27 | ≤22.83 |
| | 5260 | 15.84 | 16.02 | 18.94 | 6.01 | / | ≤23.83 |
| | 5280 | 16.48 | 16.51 | 19.50 | 6.01 | / | ≤23.83 |
| | 5320 | 15.90 | 15.86 | 18.89 | 6.01 | / | ≤23.83 |
| | 5500 | 16.11 | 16.32 | 19.23 | 6.01 | / | ≤23.83 |
| | 5580 | 16.47 | 16.40 | 19.45 | 6.01 | / | ≤23.83 |
| | 5700 | 15.68 | 16.02 | 18.86 | 6.01 | / | ≤23.83 |
| | 5720-2c | 15.07 | 15.23 | 18.16 | 6.01 | / | ≤23.83 |
| | 5720-3 | 9.35 | 9.57 | 12.47 | 6.01 | / | ≤24.00 |
| | 5745 | 21.79 | 22.03 | 24.92 | 6.01 | / | ≤30.00 |
| | 5785 | 20.99 | 21.52 | 24.27 | 6.01 | / | ≤30.00 |
| | 5825 | 21.43 | 21.05 | 24.25 | 6.01 | / | ≤30.00 |
| 802.11ac VHT40 | 5190 | 12.08 | 11.93 | 15.02 | 6.01 | 21.03 | ≤23.00 |
| | 5230 | 11.76 | 11.98 | 14.88 | 6.01 | 20.89 | ≤23.00 |
| | 5270 | 17.45 | 17.76 | 20.62 | 6.01 | / | ≤24.00 |
| | 5310 | 17.53 | 17.38 | 20.47 | 6.01 | / | ≤24.00 |
| | 5510 | 17.64 | 17.59 | 20.62 | 6.01 | / | ≤24.00 |
| | 5550 | 17.61 | 17.84 | 20.73 | 6.01 | / | ≤24.00 |
| | 5670 | 17.75 | 17.63 | 20.70 | 6.01 | / | ≤24.00 |
| | 5710-2c | 17.32 | 17.18 | 20.26 | 6.01 | / | ≤24.00 |
| | 5710-3 | 6.80 | 6.72 | 9.77 | 6.01 | / | ≤24.00 |
| | 5755 | 22.11 | 21.55 | 24.85 | 6.01 | / | ≤30.00 |
| 5795 | 20.95 | 21.41 | 24.19 | 6.01 | / | ≤30.00 | |
| 802.11ac VHT80 | 5210 | 14.07 | 13.54 | 16.82 | 6.01 | 22.83 | ≤23.00 |
| | 5290 | 17.63 | 17.64 | 20.64 | 6.01 | / | ≤24.00 |
| | 5530 | 17.61 | 17.92 | 20.78 | 6.01 | / | ≤24.00 |
| | 5610 | 17.95 | 17.46 | 20.72 | 6.01 | / | ≤24.00 |
| | 5690-2c | 16.81 | 17.06 | 19.95 | 6.01 | / | ≤24.00 |
| | 5690-3 | 3.09 | 2.73 | 5.92 | 6.01 | / | ≤24.00 |
| | 5775 | 21.14 | 21.22 | 24.19 | 6.01 | / | ≤30.00 |
| 802.11ac VHT160 | 5250-1 | 13.63 | 13.66 | 16.65 | 6.01 | 22.66 | ≤23.00 |
| | 5250-2 | 13.66 | 13.01 | 16.36 | 6.01 | / | ≤24.00 |
| | 5570 | 15.67 | 16.56 | 19.15 | 6.01 | / | ≤24.00 |
| 802.11be EHT20 | 5180 | 10.08 | 9.76 | 12.93 | 6.01 | 18.94 | ≤22.85 |
| | 5200 | 9.65 | 9.05 | 12.37 | 6.01 | 18.38 | ≤22.85 |

| | | | | | | | |
|-----------------|---------|-------|-------|-------|------|-------|--------|
| | 5240 | 9.57 | 9.47 | 12.53 | 6.01 | 18.54 | ≤22.85 |
| | 5260 | 15.94 | 16.05 | 19.01 | 6.01 | / | ≤23.85 |
| | 5280 | 15.88 | 16.05 | 18.98 | 6.01 | / | ≤23.85 |
| | 5320 | 16.15 | 16.13 | 19.15 | 6.01 | / | ≤23.85 |
| | 5500 | 15.91 | 16.44 | 19.19 | 6.01 | / | ≤23.85 |
| | 5580 | 16.45 | 16.43 | 19.45 | 6.01 | / | ≤23.85 |
| | 5700 | 16.11 | 16.16 | 19.15 | 6.01 | / | ≤23.85 |
| | 5720-2a | 14.52 | 14.99 | 17.77 | 6.01 | / | ≤23.85 |
| | 5720-2c | 9.49 | 9.89 | 12.71 | 6.01 | / | ≤24.00 |
| | 5745 | 22.53 | 23.11 | 25.84 | 6.01 | / | ≤30.00 |
| | 5785 | 22.18 | 22.62 | 25.42 | 6.01 | / | ≤30.00 |
| | 5825 | 22.20 | 22.22 | 25.22 | 6.01 | / | ≤30.00 |
| 802.11be EHT40 | 5190 | 12.83 | 12.35 | 15.61 | 6.01 | 21.62 | ≤23.00 |
| | 5230 | 12.50 | 12.48 | 15.50 | 6.01 | 21.51 | ≤23.00 |
| | 5270 | 17.26 | 17.57 | 20.43 | 6.01 | / | ≤24.00 |
| | 5310 | 17.29 | 17.14 | 20.22 | 6.01 | / | ≤24.00 |
| | 5510 | 17.12 | 17.49 | 20.32 | 6.01 | / | ≤24.00 |
| | 5550 | 17.25 | 17.64 | 20.46 | 6.01 | / | ≤24.00 |
| | 5670 | 17.75 | 17.85 | 20.81 | 6.01 | / | ≤24.00 |
| | 5710-2a | 17.32 | 17.48 | 20.41 | 6.01 | / | ≤24.00 |
| | 5710-2c | 8.32 | 7.54 | 10.96 | 6.01 | / | ≤24.00 |
| | 5755 | 22.19 | 21.63 | 24.93 | 6.01 | / | ≤30.00 |
| 802.11be EHT80 | 5210 | 13.77 | 13.28 | 16.54 | 6.01 | 22.55 | ≤23.00 |
| | 5290 | 17.82 | 17.60 | 20.72 | 6.01 | / | ≤24.00 |
| | 5530 | 17.01 | 17.19 | 20.11 | 6.01 | / | ≤24.00 |
| | 5610 | 17.79 | 17.01 | 20.43 | 6.01 | / | ≤24.00 |
| | 5690-2c | 16.91 | 16.91 | 19.92 | 6.01 | / | ≤24.00 |
| | 5690-3 | 4.21 | 3.71 | 6.98 | 6.01 | / | ≤24.00 |
| | 5775 | 21.60 | 21.97 | 24.80 | 6.01 | / | ≤30.00 |
| 802.11be EHT160 | 5250-1 | 13.71 | 13.16 | 16.45 | 6.01 | 22.46 | ≤23.00 |
| | 5250-2 | 13.78 | 13.34 | 16.58 | 6.01 | / | ≤24.00 |
| | 5570 | 16.55 | 17.37 | 19.99 | 6.01 | / | ≤30.00 |
| 802.11be EHT240 | 5610-2c | 11.28 | 10.64 | 13.98 | 6.01 | 19.99 | ≤24.00 |
| | 5610-3 | -6.37 | -6.60 | -3.47 | 6.01 | / | ≤30.00 |

Note: 1. Conducted Power=Meas. Level+ Correction Factor

2. The Duty Cycle Factor (refer to section 7.1) had already compensated to the test data.

11.5. APPENDIX E: MAXIMUM POWER SPECTRAL DENSITY

11.5.1. Test Result

| Test Mode | Antenna | Frequency[MHz] | Power [dBm/MHz] | Limit [dBm/MHz] | Verdict |
|------------|---------|----------------|-----------------|-----------------|---------|
| 11A-CDD | Ant1 | 5180 | 11.37 | ≤17.00 | PASS |
| | Ant2 | 5180 | 11.75 | ≤17.00 | PASS |
| | total | 5180 | 14.57 | ≤17.00 | PASS |
| | Ant1 | 5200 | 13.63 | ≤17.00 | PASS |
| | Ant2 | 5200 | 13.77 | ≤17.00 | PASS |
| | total | 5200 | 16.71 | ≤17.00 | PASS |
| | Ant1 | 5240 | 13.28 | ≤17.00 | PASS |
| | Ant2 | 5240 | 13.63 | ≤17.00 | PASS |
| | total | 5240 | 16.47 | ≤17.00 | PASS |
| | Ant1 | 5260 | 7.37 | ≤11.00 | PASS |
| | Ant2 | 5260 | 7.33 | ≤11.00 | PASS |
| | total | 5260 | 10.36 | ≤11.00 | PASS |
| | Ant1 | 5280 | 7.63 | ≤11.00 | PASS |
| | Ant2 | 5280 | 7.6 | ≤11.00 | PASS |
| | total | 5280 | 10.63 | ≤11.00 | PASS |
| | Ant1 | 5320 | 7.46 | ≤11.00 | PASS |
| | Ant2 | 5320 | 7.85 | ≤11.00 | PASS |
| | total | 5320 | 10.67 | ≤11.00 | PASS |
| | Ant1 | 5500 | 7.33 | ≤11.00 | PASS |
| | Ant2 | 5500 | 7.58 | ≤11.00 | PASS |
| | total | 5500 | 10.47 | ≤11.00 | PASS |
| | Ant1 | 5580 | 7.54 | ≤11.00 | PASS |
| | Ant2 | 5580 | 7.37 | ≤11.00 | PASS |
| | total | 5580 | 10.47 | ≤11.00 | PASS |
| | Ant1 | 5700 | 7.19 | ≤11.00 | PASS |
| | Ant2 | 5700 | 7.47 | ≤11.00 | PASS |
| | total | 5700 | 10.34 | ≤11.00 | PASS |
| | Ant1 | 5720_UNII-2C | 7.32 | ≤11.00 | PASS |
| | Ant2 | 5720_UNII-2C | 7.67 | ≤11.00 | PASS |
| | total | 5720_UNII-2C | 10.51 | ≤11.00 | PASS |
| | Ant1 | 5720_UNII-3 | 3.95 | ≤30.00 | PASS |
| | Ant2 | 5720_UNII-3 | 4.52 | ≤30.00 | PASS |
| | total | 5720_UNII-3 | 7.25 | ≤30.00 | PASS |
| | Ant1 | 5745 | 11.16 | ≤30.00 | PASS |
| | Ant2 | 5745 | 11.77 | ≤30.00 | PASS |
| | total | 5745 | 14.49 | ≤30.00 | PASS |
| Ant1 | 5785 | 10.82 | ≤30.00 | PASS | |
| Ant2 | 5785 | 11.67 | ≤30.00 | PASS | |
| total | 5785 | 14.28 | ≤30.00 | PASS | |
| Ant1 | 5825 | 11.32 | ≤30.00 | PASS | |
| Ant2 | 5825 | 10.96 | ≤30.00 | PASS | |
| total | 5825 | 14.15 | ≤30.00 | PASS | |
| 11AC20MIMO | Ant1 | 5180 | 10.23 | ≤17.00 | PASS |
| | Ant2 | 5180 | 10.13 | ≤17.00 | PASS |
| | total | 5180 | 13.19 | ≤17.00 | PASS |
| | Ant1 | 5200 | 13.2 | ≤17.00 | PASS |
| | Ant2 | 5200 | 13.45 | ≤17.00 | PASS |
| | total | 5200 | 16.34 | ≤17.00 | PASS |
| | Ant1 | 5240 | 13.28 | ≤17.00 | PASS |
| | Ant2 | 5240 | 13.35 | ≤17.00 | PASS |
| | total | 5240 | 16.33 | ≤17.00 | PASS |
| | Ant1 | 5260 | 7.4 | ≤11.00 | PASS |
| | Ant2 | 5260 | 7.61 | ≤11.00 | PASS |
| | total | 5260 | 10.52 | ≤11.00 | PASS |
| Ant1 | 5280 | 7.84 | ≤11.00 | PASS | |
| Ant2 | 5280 | 7.8 | ≤11.00 | PASS | |

| | | | | | |
|------------|-------|--------------|-------|--------|------|
| | total | 5280 | 10.83 | ≤11.00 | PASS |
| | Ant1 | 5320 | 7.69 | ≤11.00 | PASS |
| | Ant2 | 5320 | 7.47 | ≤11.00 | PASS |
| | total | 5320 | 10.59 | ≤11.00 | PASS |
| | Ant1 | 5500 | 7.59 | ≤11.00 | PASS |
| | Ant2 | 5500 | 7.95 | ≤11.00 | PASS |
| | total | 5500 | 10.78 | ≤11.00 | PASS |
| | Ant1 | 5580 | 7.78 | ≤11.00 | PASS |
| | Ant2 | 5580 | 7.78 | ≤11.00 | PASS |
| | total | 5580 | 10.79 | ≤11.00 | PASS |
| | Ant1 | 5700 | 7.21 | ≤11.00 | PASS |
| | Ant2 | 5700 | 7.53 | ≤11.00 | PASS |
| | total | 5700 | 10.38 | ≤11.00 | PASS |
| | Ant1 | 5720_UNII-2C | 7.47 | ≤11.00 | PASS |
| | Ant2 | 5720_UNII-2C | 7.84 | ≤11.00 | PASS |
| | total | 5720_UNII-2C | 10.67 | ≤11.00 | PASS |
| | Ant1 | 5720_UNII-3 | 4.42 | ≤30.00 | PASS |
| | Ant2 | 5720_UNII-3 | 4.37 | ≤30.00 | PASS |
| | total | 5720_UNII-3 | 7.41 | ≤30.00 | PASS |
| | Ant1 | 5745 | 10.25 | ≤30.00 | PASS |
| | Ant2 | 5745 | 10.51 | ≤30.00 | PASS |
| | total | 5745 | 13.39 | ≤30.00 | PASS |
| | Ant1 | 5785 | 9.75 | ≤30.00 | PASS |
| | Ant2 | 5785 | 10.01 | ≤30.00 | PASS |
| | total | 5785 | 12.89 | ≤30.00 | PASS |
| | Ant1 | 5825 | 8.99 | ≤30.00 | PASS |
| | Ant2 | 5825 | 8.48 | ≤30.00 | PASS |
| | total | 5825 | 11.75 | ≤30.00 | PASS |
| 11AC40MIMO | Ant1 | 5190 | 7.06 | ≤17.00 | PASS |
| | Ant2 | 5190 | 7.15 | ≤17.00 | PASS |
| | total | 5190 | 10.12 | ≤17.00 | PASS |
| | Ant1 | 5230 | 9.14 | ≤17.00 | PASS |
| | Ant2 | 5230 | 9.78 | ≤17.00 | PASS |
| | total | 5230 | 12.48 | ≤17.00 | PASS |
| | Ant1 | 5270 | 5.82 | ≤11.00 | PASS |
| | Ant2 | 5270 | 6.09 | ≤11.00 | PASS |
| | total | 5270 | 8.97 | ≤11.00 | PASS |
| | Ant1 | 5310 | 5.71 | ≤11.00 | PASS |
| | Ant2 | 5310 | 5.74 | ≤11.00 | PASS |
| | total | 5310 | 8.74 | ≤11.00 | PASS |
| | Ant1 | 5510 | 6.14 | ≤11.00 | PASS |
| | Ant2 | 5510 | 6.22 | ≤11.00 | PASS |
| | total | 5510 | 9.19 | ≤11.00 | PASS |
| | Ant1 | 5550 | 5.84 | ≤11.00 | PASS |
| | Ant2 | 5550 | 5.99 | ≤11.00 | PASS |
| | total | 5550 | 8.93 | ≤11.00 | PASS |
| | Ant1 | 5670 | 5.81 | ≤11.00 | PASS |
| | Ant2 | 5670 | 5.97 | ≤11.00 | PASS |
| | total | 5670 | 8.90 | ≤11.00 | PASS |
| | Ant1 | 5710_UNII-2C | 6.06 | ≤11.00 | PASS |
| | Ant2 | 5710_UNII-2C | 6.16 | ≤11.00 | PASS |
| | total | 5710_UNII-2C | 9.12 | ≤11.00 | PASS |
| | Ant1 | 5710_UNII-3 | 2.99 | ≤30.00 | PASS |
| | Ant2 | 5710_UNII-3 | 2.73 | ≤30.00 | PASS |
| | total | 5710_UNII-3 | 5.87 | ≤30.00 | PASS |
| | Ant1 | 5755 | 4.08 | ≤30.00 | PASS |
| | Ant2 | 5755 | 4.41 | ≤30.00 | PASS |
| | total | 5755 | 7.26 | ≤30.00 | PASS |
| | Ant1 | 5795 | 5.53 | ≤30.00 | PASS |
| | Ant2 | 5795 | 6.16 | ≤30.00 | PASS |
| | total | 5795 | 8.87 | ≤30.00 | PASS |


| | | | | | |
|-------------|--------------|--------------|--------|--------|------|
| 11AC80MIMO | Ant1 | 5210 | 2.69 | ≤17.00 | PASS |
| | Ant2 | 5210 | 2.82 | ≤17.00 | PASS |
| | total | 5210 | 5.77 | ≤17.00 | PASS |
| | Ant1 | 5290 | 3 | ≤11.00 | PASS |
| | Ant2 | 5290 | 2.87 | ≤11.00 | PASS |
| | total | 5290 | 5.95 | ≤11.00 | PASS |
| | Ant1 | 5530 | 2.77 | ≤11.00 | PASS |
| | Ant2 | 5530 | 2.7 | ≤11.00 | PASS |
| | total | 5530 | 5.75 | ≤11.00 | PASS |
| | Ant1 | 5610 | 3.19 | ≤11.00 | PASS |
| | Ant2 | 5610 | 2.53 | ≤11.00 | PASS |
| | total | 5610 | 5.88 | ≤11.00 | PASS |
| | Ant1 | 5690_UNII-2C | 2.53 | ≤11.00 | PASS |
| | Ant2 | 5690_UNII-2C | 2.54 | ≤11.00 | PASS |
| | total | 5690_UNII-2C | 5.55 | ≤11.00 | PASS |
| | Ant1 | 5690_UNII-3 | -1.06 | ≤30.00 | PASS |
| | Ant2 | 5690_UNII-3 | -1.45 | ≤30.00 | PASS |
| | total | 5690_UNII-3 | 1.76 | ≤30.00 | PASS |
| Ant1 | 5775 | 0.84 | ≤30.00 | PASS | |
| Ant2 | 5775 | 1.48 | ≤30.00 | PASS | |
| total | 5775 | 4.18 | ≤30.00 | PASS | |
| 11AC160MIMO | Ant1 | 5250_UNII-1 | -1.34 | ≤17.00 | PASS |
| | Ant2 | 5250_UNII-1 | -0.69 | ≤17.00 | PASS |
| | total | 5250_UNII-1 | 2.01 | ≤17.00 | PASS |
| | Ant1 | 5250_UNII-2A | -1.01 | ≤11.00 | PASS |
| | Ant2 | 5250_UNII-2A | -0.71 | ≤11.00 | PASS |
| | total | 5250_UNII-2A | 2.15 | ≤11.00 | PASS |
| | Ant1 | 5570 | -2.54 | ≤11.00 | PASS |
| | Ant2 | 5570 | -1.67 | ≤11.00 | PASS |
| | total | 5570 | 0.93 | ≤11.00 | PASS |
| 11BE20MIMO | Ant1 | 5180 | 10.16 | ≤17.00 | PASS |
| | Ant2 | 5180 | 10.41 | ≤17.00 | PASS |
| | total | 5180 | 13.30 | ≤17.00 | PASS |
| | Ant1 | 5200 | 13.32 | ≤17.00 | PASS |
| | Ant2 | 5200 | 13.11 | ≤17.00 | PASS |
| | total | 5200 | 16.23 | ≤17.00 | PASS |
| | Ant1 | 5240 | 13.61 | ≤17.00 | PASS |
| | Ant2 | 5240 | 13.49 | ≤17.00 | PASS |
| | total | 5240 | 16.56 | ≤17.00 | PASS |
| | Ant1 | 5260 | 7.42 | ≤11.00 | PASS |
| | Ant2 | 5260 | 7.57 | ≤11.00 | PASS |
| | total | 5260 | 10.51 | ≤11.00 | PASS |
| | Ant1 | 5280 | 7.25 | ≤11.00 | PASS |
| | Ant2 | 5280 | 7.36 | ≤11.00 | PASS |
| | total | 5280 | 10.32 | ≤11.00 | PASS |
| | Ant1 | 5320 | 7.67 | ≤11.00 | PASS |
| | Ant2 | 5320 | 7.84 | ≤11.00 | PASS |
| | total | 5320 | 10.77 | ≤11.00 | PASS |
| | Ant1 | 5500 | 7.35 | ≤11.00 | PASS |
| | Ant2 | 5500 | 7.96 | ≤11.00 | PASS |
| | total | 5500 | 10.68 | ≤11.00 | PASS |
| | Ant1 | 5580 | 7.77 | ≤11.00 | PASS |
| | Ant2 | 5580 | 7.87 | ≤11.00 | PASS |
| | total | 5580 | 10.83 | ≤11.00 | PASS |
| | Ant1 | 5700 | 7.62 | ≤11.00 | PASS |
| | Ant2 | 5700 | 7.35 | ≤11.00 | PASS |
| | total | 5700 | 10.50 | ≤11.00 | PASS |
| Ant1 | 5720_UNII-2C | 7.5 | ≤11.00 | PASS | |
| Ant2 | 5720_UNII-2C | 7.68 | ≤11.00 | PASS | |
| total | 5720_UNII-2C | 10.60 | ≤11.00 | PASS | |
| Ant1 | 5720_UNII-3 | 4.35 | ≤30.00 | PASS | |


| | | | | | | |
|------------|-------------|--------------|--------------|--------|--------|------|
| | Ant2 | 5720_UNII-3 | 4.66 | ≤30.00 | PASS | |
| | total | 5720_UNII-3 | 7.52 | ≤11.00 | PASS | |
| | Ant1 | 5745 | 11.25 | ≤30.00 | PASS | |
| | Ant2 | 5745 | 11.78 | ≤30.00 | PASS | |
| | total | 5745 | 14.53 | ≤30.00 | PASS | |
| | Ant1 | 5785 | 10.56 | ≤30.00 | PASS | |
| | Ant2 | 5785 | 11.4 | ≤30.00 | PASS | |
| | total | 5785 | 14.01 | ≤30.00 | PASS | |
| | Ant1 | 5825 | 8.69 | ≤30.00 | PASS | |
| | Ant2 | 5825 | 8.16 | ≤30.00 | PASS | |
| | total | 5825 | 11.44 | ≤30.00 | PASS | |
| 11BE40MIMO | Ant1 | 5190 | 7.48 | ≤17.00 | PASS | |
| | Ant2 | 5190 | 7.8 | ≤17.00 | PASS | |
| | total | 5190 | 10.65 | ≤17.00 | PASS | |
| | Ant1 | 5230 | 7.83 | ≤17.00 | PASS | |
| | Ant2 | 5230 | 8.56 | ≤17.00 | PASS | |
| | total | 5230 | 11.22 | ≤17.00 | PASS | |
| | Ant1 | 5270 | 5.4 | ≤11.00 | PASS | |
| | Ant2 | 5270 | 5.6 | ≤11.00 | PASS | |
| | total | 5270 | 8.51 | ≤11.00 | PASS | |
| | Ant1 | 5310 | 5.6 | ≤11.00 | PASS | |
| | Ant2 | 5310 | 5.31 | ≤11.00 | PASS | |
| | total | 5310 | 8.47 | ≤11.00 | PASS | |
| | Ant1 | 5510 | 5.66 | ≤11.00 | PASS | |
| | Ant2 | 5510 | 5.77 | ≤11.00 | PASS | |
| | total | 5510 | 8.73 | ≤11.00 | PASS | |
| | Ant1 | 5550 | 5.4 | ≤11.00 | PASS | |
| | Ant2 | 5550 | 5.56 | ≤11.00 | PASS | |
| | total | 5550 | 8.49 | ≤11.00 | PASS | |
| | Ant1 | 5670 | 5.97 | ≤11.00 | PASS | |
| | Ant2 | 5670 | 5.82 | ≤11.00 | PASS | |
| | total | 5670 | 8.91 | ≤11.00 | PASS | |
| | | Ant1 | 5710_UNII-2C | 6.18 | ≤11.00 | PASS |
| | | Ant2 | 5710_UNII-2C | 6.19 | ≤11.00 | PASS |
| | | total | 5710_UNII-2C | 9.20 | ≤11.00 | PASS |
| | | Ant1 | 5710_UNII-3 | 2.66 | ≤30.00 | PASS |
| | | Ant2 | 5710_UNII-3 | 2.47 | ≤30.00 | PASS |
| | | total | 5710_UNII-3 | 5.58 | ≤30.00 | PASS |
| | | Ant1 | 5755 | 5.52 | ≤30.00 | PASS |
| | | Ant2 | 5755 | 5.58 | ≤30.00 | PASS |
| | | total | 5755 | 8.56 | ≤30.00 | PASS |
| | | Ant1 | 5795 | 5.4 | ≤30.00 | PASS |
| | | Ant2 | 5795 | 5.57 | ≤30.00 | PASS |
| | | total | 5795 | 8.50 | ≤30.00 | PASS |
| 11BE80MIMO | Ant1 | 5210 | 1.62 | ≤17.00 | PASS | |
| | Ant2 | 5210 | 1.84 | ≤17.00 | PASS | |
| | total | 5210 | 4.74 | ≤17.00 | PASS | |
| | Ant1 | 5290 | 2.72 | ≤11.00 | PASS | |
| | Ant2 | 5290 | 2.81 | ≤11.00 | PASS | |
| | total | 5290 | 5.78 | ≤11.00 | PASS | |
| | Ant1 | 5530 | 2.41 | ≤11.00 | PASS | |
| | Ant2 | 5530 | 2.71 | ≤11.00 | PASS | |
| | total | 5530 | 5.57 | ≤11.00 | PASS | |
| | Ant1 | 5610 | 3.03 | ≤11.00 | PASS | |
| | Ant2 | 5610 | 2.38 | ≤11.00 | PASS | |
| | total | 5610 | 5.73 | ≤11.00 | PASS | |
| | Ant1 | 5690_UNII-2C | 2.35 | ≤11.00 | PASS | |
| | Ant2 | 5690_UNII-2C | 2.31 | ≤11.00 | PASS | |
| | total | 5690_UNII-2C | 5.34 | ≤11.00 | PASS | |
| Ant1 | 5690_UNII-3 | -1.06 | ≤30.00 | PASS | | |
| Ant2 | 5690_UNII-3 | -1.41 | ≤30.00 | PASS | | |

| | | | | | |
|-------------|-------------|--------------|--------------|--------|--------|
| | total | 5690_UNII-3 | 1.78 | ≤30.00 | PASS |
| | Ant1 | 5775 | 0.14 | ≤30.00 | PASS |
| | Ant2 | 5775 | 1.58 | ≤30.00 | PASS |
| | total | 5775 | 3.93 | ≤30.00 | PASS |
| 11BE160MIMO | Ant1 | 5250_UNII-1 | -1.8 | ≤17.00 | PASS |
| | Ant2 | 5250_UNII-1 | -1.18 | ≤17.00 | PASS |
| | total | 5250_UNII-1 | 1.53 | ≤17.00 | PASS |
| | Ant1 | 5250_UNII-2A | -1.65 | ≤11.00 | PASS |
| | Ant2 | 5250_UNII-2A | -1.09 | ≤11.00 | PASS |
| | total | 5250_UNII-2A | 1.65 | ≤11.00 | PASS |
| | Ant1 | 5570 | -1.63 | ≤11.00 | PASS |
| | Ant2 | 5570 | -1.04 | ≤11.00 | PASS |
| | total | 5570 | 1.69 | ≤11.00 | PASS |
| | 11BE240MIMO | Ant1 | 5610_UNII-2C | -8.84 | ≤11.00 |
| Ant2 | | 5610_UNII-2C | -8.78 | ≤11.00 | PASS |
| total | | 5610_UNII-2C | -5.80 | ≤11.00 | PASS |
| Ant1 | | 5610_UNII-3 | -13.14 | ≤30.00 | PASS |
| Ant2 | | 5610_UNII-3 | -13.41 | ≤30.00 | PASS |
| total | | 5610_UNII-3 | -10.26 | ≤30.00 | PASS |


- Note: 1. The Result and Limit Unit is dBm/500 kHz in the band 5.725 ~ 5.85 GHz.
 2. The Duty Cycle Factor and RBW Factor is compensated in the graph.
 3. All the modes had been test, but only the worst data was recorded in the report.

11.5.2. Test Graphs







11A-CDD_Ant2_5200




11A-CDD_Ant1_5240




11A-CDD_Ant2_5240






11A-CDD_Ant1_5260




11A-CDD_Ant2_5260




11A-CDD_Ant1_5280







11A-CDD_Ant1_5500




11A-CDD_Ant2_5500




11A-CDD_Ant1_5580




11A-CDD_Ant2_5580




11A-CDD_Ant1_5700




11A-CDD_Ant2_5700




11A-CDD_Ant1_5720_UNII-2C




11A-CDD_Ant2_5720_UNII-2C




11A-CDD_Ant1_5720_UNII-3




11A-CDD_Ant2_5720_UNII-3




11A-CDD_Ant1_5745




11A-CDD_Ant2_5745




11A-CDD_Ant1_5785




11A-CDD_Ant2_5785




11A-CDD_Ant1_5825




11A-CDD_Ant2_5825




11AC20MIMO_Ant1_5180




11AC20MIMO_Ant2_5180




11AC20MIMO_Ant1_5200




11AC20MIMO_Ant2_5200




11AC20MIMO_Ant1_5240




11AC20MIMO_Ant2_5240




11AC20MIMO_Ant1_5260




11AC20MIMO_Ant2_5260




11AC20MIMO_Ant1_5280




11AC20MIMO_Ant2_5280




11AC20MIMO_Ant1_5320




11AC20MIMO_Ant2_5320




11AC20MIMO_Ant1_5500




11AC20MIMO_Ant2_5500




11AC20MIMO_Ant1_5580




11AC20MIMO_Ant2_5580




11AC20MIMO_Ant1_5700




11AC20MIMO_Ant2_5700




11AC20MIMO_Ant1_5720_UNII-2C




11AC20MIMO_Ant2_5720_UNII-2C




11AC20MIMO_Ant1_5720_UNII-3




11AC20MIMO_Ant2_5720_UNII-3




11AC20MIMO_Ant1_5745






11AC20MIMO_Ant2_5745




11AC20MIMO_Ant1_5785




11AC20MIMO_Ant2_5785







11AC40MIMO_Ant2_5190




11AC40MIMO_Ant1_5230




11AC40MIMO_Ant2_5230




11AC40MIMO_Ant1_5270




11AC40MIMO_Ant2_5270




11AC40MIMO_Ant1_5310




11AC40MIMO_Ant2_5310




11AC40MIMO_Ant1_5510




11AC40MIMO_Ant2_5510




11AC40MIMO_Ant1_5550




11AC40MIMO_Ant2_5550




11AC40MIMO_Ant1_5670



11AC40MIMO_Ant2_5670



11AC40MIMO_Ant1_5710_UNII-2C



11AC40MIMO_Ant2_5710_UNII-2C

