




11AX40-CDD_Ant6_5795




11AX80-CDD_Ant5_5690




11AX80-CDD_Ant6_5690




11AX80-CDD_Ant5_5775




11AX80-CDD_Ant6_5775




11BE20-CDD_Ant5_5720




11BE20-CDD_Ant6_5720




11BE20-CDD_Ant5_5745




11BE20-CDD_Ant6_5745




11BE20-CDD_Ant5_5785




11BE20-CDD_Ant6_5785




11BE20-CDD_Ant5_5825




11BE20-CDD_Ant6_5825




11BE40-CDD_Ant5_5710




11BE40-CDD_Ant6_5710




11BE40-CDD_Ant5_5755




11BE40-CDD_Ant6_5755




11BE40-CDD_Ant5_5795




11BE40-CDD_Ant6_5795




11BE80-CDD_Ant5_5690



11BE80-CDD_Ant6_5690



11BE80-CDD_Ant5_5775



11BE80-CDD_Ant6_5775

Note: All the modes had been tested, but only the worst data was recorded in the report.

11.4. APPENDIX B: MAXIMUM AVERAGE CONDUCTED OUTPUT POWER

11.4.1. CDD Mode Test Result


Mode	Frequency (MHz)	Average Conducted Output Power (dBm)			Directional Gain(dBi)	Limit (dBm)
		ANT5	ANT6	Total		
802.11a	5180	21.53	22.98	25.33	3.00	30.00
	5200	23.17	24.65	26.98	3.00	30.00
	5240	23.74	24.84	27.34	3.00	30.00
	5500	20.01	20.91	23.49	3.00	24.00
	5580	20.83	20.09	23.49	3.00	24.00
	5700	20.04	21.00	23.56	3.00	24.00
	5720-UNII-2C	17.13	18.01	20.60	3.00	24.00
	5720-UNII-3	11.04	11.87	14.49	3.00	30.00
	5745	23.43	23.58	26.52	3.00	30.00
	5785	24.36	22.91	26.71	3.00	30.00
5825	24.36	23.21	26.83	3.00	30.00	
802.11ax HT20	5180	21.56	23.14	25.43	3.00	30.00
	5200	22.55	24.89	26.89	3.00	30.00
	5240	23.74	24.79	27.31	3.00	30.00
	5500	20.22	21.06	23.67	3.00	24.00
	5580	20.92	20.42	23.69	3.00	24.00
	5700	20.04	21.10	23.61	3.00	24.00
	5720-UNII-2C	17.05	18.09	20.61	3.00	24.00
	5720-UNII-3	12.02	12.98	15.54	3.00	30.00
	5745	23.53	24.03	26.80	3.00	30.00
	5785	24.42	23.18	26.85	3.00	30.00
5825	23.74	23.09	26.44	3.00	30.00	
802.11ax HT40	5190	21.27	22.61	25.00	3.00	30.00
	5230	23.37	23.64	26.52	3.00	30.00
	5510	20.48	21.16	23.84	3.00	24.00
	5550	20.45	20.33	23.40	3.00	24.00
	5670	20.34	21.02	23.70	3.00	24.00
	5710-UNII-2C	17.92	19.01	21.51	3.00	24.00
	5710-3	8.86	9.53	12.22	3.00	30.00
	5755	23.43	23.31	26.38	3.00	30.00
5795	23.86	22.80	26.37	3.00	30.00	
802.11ax HT80	5210	20.46	22.09	24.36	3.00	30.00
	5530	20.06	20.38	23.23	3.00	24.00
	5610	20.36	20.48	23.43	3.00	24.00
	5690-UNII-2C	18.31	18.93	21.64	3.00	24.00

	5690-UNII-3	5.53	5.77	8.66	3.00	30.00
	5775	22.50	21.73	25.14	3.00	30.00
802.11ax HT160	5250-1	14.75	16.03	18.45	3.00	30.00
	5250-2	15.42	16.05	18.76	3.00	24.00
	5570	17.34	17.50	20.43	3.00	24.00
802.11be EHT20	5180	21.77	23.20	25.55	3.00	30.00
	5200	22.64	25.14	27.08	3.00	30.00
	5240	23.76	25.01	27.44	3.00	30.00
	5500	20.25	21.18	23.75	3.00	24.00
	5580	20.81	20.38	23.61	3.00	24.00
	5700	20.18	21.14	23.70	3.00	24.00
	5720-UNII-2C	17.15	18.21	20.72	3.00	24.00
	5720-UNII-3	12.11	13.09	15.64	3.00	30.00
	5745	23.41	23.86	26.65	3.00	30.00
	5785	24.36	23.21	26.83	3.00	30.00
	5825	24.51	23.47	27.03	3.00	30.00
802.11be EHT40	5190	21.54	23.24	25.48	3.00	30.00
	5230	23.37	25.39	27.51	3.00	30.00
	5510	20.02	20.82	23.45	3.00	24.00
	5550	20.65	20.90	23.79	3.00	24.00
	5670	20.04	20.89	23.50	3.00	24.00
	5710-UNII-2C	17.74	18.80	21.31	3.00	24.00
	5710-UNII-3	8.54	9.33	11.96	3.00	30.00
	5755	23.24	23.20	26.23	3.00	30.00
802.11be EHT80	5210	20.55	22.09	24.40	3.00	30.00
	5530	20.23	20.58	23.42	3.00	24.00
	5610	20.33	20.51	23.43	3.00	24.00
	5690-UNII-2C	18.36	18.95	21.68	3.00	24.00
	5690-UNII-3	5.34	5.77	8.57	3.00	30.00
	5775	21.57	20.69	24.16	3.00	30.00
802.11be EHT160	5250-1	14.02	15.27	17.70	3.00	30.00
	5250-2	14.63	15.32	18.00	3.00	24.00
	5570	17.43	17.80	20.63	3.00	24.00
802.11be EHT240	5610-UNII-2C	10.68	10.92	13.81	3.00	24.00
	5610-UNII-3	-7.51	-7.44	-4.46	3.00	30.00


Note: 1. Conducted Power=Meas. Level+ Correction Factor

2. The Duty Cycle Factor (refer to section 7.1) had already compensated to the test data.


11.4.2. CDD Mode Test Graphs




11A-CDD_Ant5_5720_UNII-2C




11A-CDD_Ant6_5720_UNII-2C




11A-CDD_Ant5_5720_UNII-3




11A-CDD_Ant6_5720_UNII-3




11AX20-CDD_Ant5_5720_UNII-2C




11AX20-CDD_Ant6_5720_UNII-2C




11AX20-CDD_Ant5_5720_UNII-3




11AX20-CDD_Ant6_5720_UNII-3




11AX40-CDD_Ant5_5710_UNII-2C




11AX40-CDD_Ant6_5710_UNII-2C




11AX40-CDD_Ant5_5710_UNII-3




11AX40-CDD_Ant6_5710_UNII-3




11AX80-CDD_Ant5_5690_UNII-2C




11AX80-CDD_Ant6_5690_UNII-2C




11AX80-CDD_Ant5_5690_UNII-3




11AX80-CDD_Ant6_5690_UNII-3




11AX160-CDD_Ant5_5250_UNII-1




11AX160-CDD_Ant6_5250_UNII-1




11AX160-CDD_Ant5_5250_UNII-2A




11AX160-CDD_Ant6_5250_UNII-2A




11BE20-CDD_Ant5_5720_UNII-2C




11BE20-CDD_Ant6_5720_UNII-2C




11BE20-CDD_Ant5_5720_UNII-3




11BE20-CDD_Ant6_5720_UNII-3




11BE40-CDD_Ant5_5710_UNII-2C




11BE40-CDD_Ant6_5710_UNII-2C




11BE40-CDD_Ant5_5710_UNII-3




11BE40-CDD_Ant6_5710_UNII-3




11BE80-CDD_Ant5_5690_UNII-2C




11BE80-CDD_Ant6_5690_UNII-2C




11BE80-CDD_Ant5_5690_UNII-3




11BE80-CDD_Ant6_5690_UNII-3




11BE160-CDD_Ant5_5250_UNII-1




11BE160-CDD_Ant6_5250_UNII-1




11BE160-CDD_Ant5_5250_UNII-2A




11BE160-CDD_Ant6_5250_UNII-2A




11BE240-CDD_Ant5_5610_UNII-2C



11BE240-CDD_Ant6_5610_UNII-2C



11BE240-CDD_Ant5_5610_UNII-3



Note: All the modes had been tested, but only the worst data was recorded in the report.

11.4.3. Tx beamforming Mode Test Result

Mode	Frequency (MHz)	Average Conducted Output Power (dBm)			Directional Gain (dBi)	FCC Limit (dBm)
		ANT5	ANT6	Total		
802.11ax HT20	5180	18.41	20.04	22.31	6.02	30.00
	5200	19.51	21.98	23.93	6.02	30.00
	5240	20.86	22.28	24.64	6.02	30.00
	5500	17.51	18.15	20.85	6.02	30.00
	5580	17.82	17.32	20.58	6.02	30.00
	5700	16.94	17.73	20.36	6.02	30.00
	5720-UNII-2C	14.35	15.49	17.97	6.02	30.00
	5720-UNII-3	9.23	9.94	12.61	6.02	30.00
	5745	20.80	20.51	23.67	6.02	30.00
	5785	21.68	20.31	24.06	6.02	30.00
	5825	20.87	20.25	23.58	6.02	30.00
802.11ax HT40	5190	18.50	19.15	21.85	6.02	30.00
	5230	20.51	20.76	23.64	6.02	30.00
	5510	17.52	17.91	20.73	6.02	30.00
	5550	18.00	17.28	20.67	6.02	30.00
	5670	17.21	18.02	20.65	6.02	30.00
	5710-UNII-2C	14.86	15.85	18.39	6.02	30.00
	5710-UNII-3	6.11	6.49	9.31	6.02	30.00
	5755	20.76	20.25	23.52	6.02	30.00
	5795	20.84	19.96	23.43	6.02	30.00
802.11ax HT80	5210	17.76	18.76	21.30	6.02	30.00
	5530	17.19	17.14	20.17	6.02	30.00
	5610	16.98	17.36	20.18	6.02	30.00
	5690-UNII-2C	15.20	15.74	18.49	6.02	30.00
	5690-UNII-3	2.51	2.86	5.70	6.02	30.00
	5775	19.56	18.52	22.08	6.02	30.00
802.11ax HT160	5250-UNII-1	11.36	13.33	15.47	6.02	30.00
	5250-UNII-2A	12.61	13.35	16.00	6.02	30.00
	5570	14.62	14.29	17.47	6.02	30.00
802.11be EHT20	5180	18.64	19.87	22.31	6.02	30.00
	5200	19.63	22.21	24.12	6.02	30.00
	5240	20.57	21.92	24.31	6.02	30.00
	5500	17.33	18.01	20.69	6.02	30.00
	5580	17.95	17.35	20.67	6.02	30.00
	5700	17.39	18.21	20.83	6.02	30.00
	5720-UNII-2C	13.80	14.88	17.38	6.02	30.00

	5720-UNII-3	9.13	9.91	12.54	6.02	30.00
	5745	20.28	21.06	23.70	6.02	30.00
	5785	21.24	20.12	23.73	6.02	30.00
	5825	21.58	20.54	24.10	6.02	30.00
802.11be EHT40	5190	18.60	19.89	22.30	6.02	30.00
	5230	20.26	22.06	24.26	6.02	30.00
	5510	17.47	17.92	20.72	6.02	30.00
	5550	17.56	17.92	20.75	6.02	30.00
	5670	16.73	17.73	20.27	6.02	30.00
	5710-UNII-2C	15.37	15.70	18.55	6.02	30.00
	5710-UNII-3	5.70	6.21	8.97	6.02	30.00
	5755	20.07	20.10	23.10	6.02	30.00
802.11be EHT80	5795	20.92	19.57	23.31	6.02	30.00
	5210	17.78	19.27	21.60	6.02	30.00
	5530	16.75	17.73	20.28	6.02	30.00
	5610	16.94	17.66	20.33	6.02	30.00
	5690-UNII-2C	15.10	16.14	18.66	6.02	30.00
	5690-UNII-3	2.25	2.71	5.50	6.02	30.00
802.11be EHT160	5775	18.58	17.66	21.15	6.02	30.00
	5250-UNII-1	10.80	12.00	14.45	6.02	30.00
	5250-UNII-2A	11.79	12.40	15.12	6.02	30.00
802.11be EHT240	5570	14.56	15.12	17.86	6.02	30.00
	5610-UNII-2C	7.78	7.76	10.78	6.02	30.00
	5610-UNII-3	-10.45	-10.87	-7.65	6.02	30.00

Note: 1. Conducted Power=Meas. Level+ Correction Factor

2. The Duty Cycle Factor (refer to section 7.1) had already compensated to the test data.

11.5. APPENDIX C: MAXIMUM POWER SPECTRAL DENSITY

11.5.1. Test Result

Test Mode	Antenna	Channel	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A-CDD	Ant5	5180	9.08	≤17.00	PASS
	Ant6	5180	10.39	≤17.00	PASS
	total	5180	12.79	≤17.00	PASS
	Ant5	5200	10.6	≤17.00	PASS
	Ant6	5200	11.66	≤17.00	PASS
	total	5200	14.17	≤17.00	PASS
	Ant5	5240	10.71	≤17.00	PASS
	Ant6	5240	11.6	≤17.00	PASS
	total	5240	14.19	≤17.00	PASS
	Ant5	5500	6.78	≤11.00	PASS
	Ant6	5500	7.88	≤11.00	PASS
	total	5500	10.38	≤11.00	PASS
	Ant5	5580	7.83	≤11.00	PASS
	Ant6	5580	6.91	≤11.00	PASS
	total	5580	10.40	≤11.00	PASS
	Ant5	5700	7.4	≤11.00	PASS
	Ant6	5700	7.95	≤11.00	PASS
	total	5700	10.69	≤11.00	PASS
	Ant5	5720_UNII-2C	6.93	≤11.00	PASS
	Ant6	5720_UNII-2C	7.68	≤11.00	PASS
	total	5720_UNII-2C	10.33	≤11.00	PASS
	Ant5	5720_UNII-3	3.92	≤30.00	PASS
	Ant6	5720_UNII-3	4.62	≤30.00	PASS
	total	5720_UNII-3	7.29	≤30.00	PASS
	Ant5	5745	7.13	≤30.00	PASS
	Ant6	5745	7.3	≤30.00	PASS
	total	5745	10.23	≤30.00	PASS
	Ant5	5785	8.46	≤30.00	PASS
	Ant6	5785	6.78	≤30.00	PASS
	total	5785	10.71	≤30.00	PASS
Ant5	5825	8.18	≤30.00	PASS	
Ant6	5825	7	≤30.00	PASS	
total	5825	10.64	≤30.00	PASS	
11AX20-CDD	Ant5	5180	8.24	≤17.00	PASS
	Ant6	5180	9.72	≤17.00	PASS
	total	5180	12.05	≤17.00	PASS
	Ant5	5200	9.27	≤17.00	PASS
	Ant6	5200	11.3	≤17.00	PASS
	total	5200	13.41	≤17.00	PASS
	Ant5	5240	10.37	≤17.00	PASS
	Ant6	5240	11.34	≤17.00	PASS
	total	5240	13.89	≤17.00	PASS
	Ant5	5500	6.4	≤11.00	PASS
	Ant6	5500	7.43	≤11.00	PASS
	total	5500	9.96	≤11.00	PASS
	Ant5	5580	7.32	≤11.00	PASS
	Ant6	5580	6.64	≤11.00	PASS
	total	5580	10.00	≤11.00	PASS
	Ant5	5700	6.81	≤11.00	PASS
	Ant6	5700	7.58	≤11.00	PASS
	total	5700	10.22	≤11.00	PASS
	Ant5	5720_UNII-2C	6.56	≤11.00	PASS
	Ant6	5720_UNII-2C	7.42	≤11.00	PASS
	total	5720_UNII-2C	10.02	≤11.00	PASS
Ant5	5720_UNII-3	3.7	≤30.00	PASS	

	Ant6	5720_UNII-3	4.35	≤30.00	PASS
	total	5720_UNII-3	7.05	≤30.00	PASS
	Ant5	5745	6.67	≤30.00	PASS
	Ant6	5745	7.19	≤30.00	PASS
	total	5745	9.95	≤30.00	PASS
	Ant5	5785	7.59	≤30.00	PASS
	Ant6	5785	6.27	≤30.00	PASS
	total	5785	9.99	≤30.00	PASS
	Ant5	5825	7.31	≤30.00	PASS
	Ant6	5825	6.41	≤30.00	PASS
total	5825	9.89	≤30.00	PASS	
11AX40-CDD	Ant5	5190	5.1	≤17.00	PASS
	Ant6	5190	6.32	≤17.00	PASS
	total	5190	8.76	≤17.00	PASS
	Ant5	5230	7.47	≤17.00	PASS
	Ant6	5230	7.14	≤17.00	PASS
	total	5230	10.32	≤17.00	PASS
	Ant5	5510	3.74	≤11.00	PASS
	Ant6	5510	4.67	≤11.00	PASS
	total	5510	7.24	≤11.00	PASS
	Ant5	5550	3.9	≤11.00	PASS
	Ant6	5550	4.11	≤11.00	PASS
	total	5550	7.02	≤11.00	PASS
	Ant5	5670	3.96	≤11.00	PASS
	Ant6	5670	4.48	≤11.00	PASS
	total	5670	7.24	≤11.00	PASS
	Ant5	5710_UNII-2C	3.71	≤11.00	PASS
	Ant6	5710_UNII-2C	4.9	≤11.00	PASS
	total	5710_UNII-2C	7.36	≤11.00	PASS
	Ant5	5710_UNII-3	0.72	≤30.00	PASS
	Ant6	5710_UNII-3	1.17	≤30.00	PASS
	total	5710_UNII-3	3.96	≤30.00	PASS
	Ant5	5755	3.97	≤30.00	PASS
	Ant6	5755	4.04	≤30.00	PASS
	total	5755	7.02	≤30.00	PASS
Ant5	5795	4.3	≤30.00	PASS	
Ant6	5795	3.26	≤30.00	PASS	
total	5795	6.82	≤30.00	PASS	
11AX80-CDD	Ant5	5210	1.67	≤17.00	PASS
	Ant6	5210	2.74	≤17.00	PASS
	total	5210	5.25	≤17.00	PASS
	Ant5	5530	0.55	≤11.00	PASS
	Ant6	5530	1.09	≤11.00	PASS
	total	5530	3.84	≤11.00	PASS
	Ant5	5610	1.21	≤11.00	PASS
	Ant6	5610	0.83	≤11.00	PASS
	total	5610	4.03	≤11.00	PASS
	Ant5	5690_UNII-2C	0.7	≤11.00	PASS
	Ant6	5690_UNII-2C	1.51	≤11.00	PASS
	total	5690_UNII-2C	4.13	≤11.00	PASS
	Ant5	5690_UNII-3	-2.78	≤30.00	PASS
	Ant6	5690_UNII-3	-2.65	≤30.00	PASS
	total	5690_UNII-3	0.30	≤30.00	PASS
	Ant5	5775	-0.01	≤30.00	PASS
	Ant6	5775	-0.62	≤30.00	PASS
	total	5775	2.71	≤30.00	PASS
11AX160-CDD	Ant5	5250_UNII-1	-2.46	≤17.00	PASS
	Ant6	5250_UNII-1	-1.7	≤17.00	PASS
	total	5250_UNII-1	0.95	≤17.00	PASS
	Ant5	5250_UNII-2A	-2.54	≤11.00	PASS
	Ant6	5250_UNII-2A	-1.72	≤11.00	PASS

	total	5250_UNII-2A	0.90	≤11.00	PASS
	Ant5	5570	-4.8	≤11.00	PASS
	Ant6	5570	-4.7	≤11.00	PASS
	total	5570	-1.74	≤11.00	PASS
11BE20-CDD	Ant5	5180	8.75	≤17.00	PASS
	Ant6	5180	10	≤17.00	PASS
	total	5180	12.43	≤17.00	PASS
	Ant5	5200	9.62	≤17.00	PASS
	Ant6	5200	11.71	≤17.00	PASS
	total	5200	13.80	≤17.00	PASS
	Ant5	5240	10.3	≤17.00	PASS
	Ant6	5240	11.39	≤17.00	PASS
	total	5240	13.89	≤17.00	PASS
	Ant5	5500	6.61	≤11.00	PASS
	Ant6	5500	7.37	≤11.00	PASS
	total	5500	10.02	≤11.00	PASS
	Ant5	5580	7.39	≤11.00	PASS
	Ant6	5580	6.61	≤11.00	PASS
	total	5580	10.03	≤11.00	PASS
	Ant5	5700	6.82	≤11.00	PASS
	Ant6	5700	7.62	≤11.00	PASS
	total	5700	10.25	≤11.00	PASS
	Ant5	5720_UNII-2C	6.52	≤11.00	PASS
	Ant6	5720_UNII-2C	7.58	≤11.00	PASS
	total	5720_UNII-2C	10.09	≤11.00	PASS
	Ant5	5720_UNII-3	3.44	≤30.00	PASS
	Ant6	5720_UNII-3	4.4	≤30.00	PASS
	total	5720_UNII-3	6.96	≤30.00	PASS
	Ant5	5745	6.67	≤30.00	PASS
	Ant6	5745	7.11	≤30.00	PASS
	total	5745	9.91	≤30.00	PASS
	Ant5	5785	7.62	≤30.00	PASS
	Ant6	5785	6.35	≤30.00	PASS
	total	5785	10.04	≤30.00	PASS
	Ant5	5825	7.93	≤30.00	PASS
	Ant6	5825	6.77	≤30.00	PASS
total	5825	10.40	≤30.00	PASS	
11BE40-CDD	Ant5	5190	5.52	≤17.00	PASS
	Ant6	5190	6.84	≤17.00	PASS
	total	5190	9.24	≤17.00	PASS
	Ant5	5230	7.27	≤17.00	PASS
	Ant6	5230	8.77	≤17.00	PASS
	total	5230	11.09	≤17.00	PASS
	Ant5	5510	3.33	≤11.00	PASS
	Ant6	5510	4.42	≤11.00	PASS
	total	5510	6.92	≤11.00	PASS
	Ant5	5550	4.19	≤11.00	PASS
	Ant6	5550	4.44	≤11.00	PASS
	total	5550	7.33	≤11.00	PASS
	Ant5	5670	3.66	≤11.00	PASS
	Ant6	5670	4.52	≤11.00	PASS
	total	5670	7.12	≤11.00	PASS
	Ant5	5710_UNII-2C	3.42	≤11.00	PASS
	Ant6	5710_UNII-2C	4.7	≤11.00	PASS
	total	5710_UNII-2C	7.12	≤11.00	PASS
	Ant5	5710_UNII-3	0.22	≤30.00	PASS
	Ant6	5710_UNII-3	1.36	≤30.00	PASS
	total	5710_UNII-3	3.84	≤30.00	PASS
	Ant5	5755	3.77	≤30.00	PASS
	Ant6	5755	4.05	≤30.00	PASS
	total	5755	6.92	≤30.00	PASS


	Ant5	5795	4.3	≤30.00	PASS
	Ant6	5795	3.18	≤30.00	PASS
	total	5795	6.79	≤30.00	PASS
11BE80-CDD	Ant5	5210	2.06	≤17.00	PASS
	Ant6	5210	2.94	≤17.00	PASS
	total	5210	5.53	≤17.00	PASS
	Ant5	5530	0.43	≤11.00	PASS
	Ant6	5530	0.98	≤11.00	PASS
	total	5530	3.72	≤11.00	PASS
	Ant5	5610	1.34	≤11.00	PASS
	Ant6	5610	0.89	≤11.00	PASS
	total	5610	4.13	≤11.00	PASS
	Ant5	5690_UNII-2C	0.62	≤11.00	PASS
	Ant6	5690_UNII-2C	1.48	≤11.00	PASS
	total	5690_UNII-2C	4.08	≤11.00	PASS
	Ant5	5690_UNII-3	-2.81	≤30.00	PASS
	Ant6	5690_UNII-3	-2.58	≤30.00	PASS
	total	5690_UNII-3	0.32	≤30.00	PASS
	Ant5	5775	-1.07	≤30.00	PASS
	Ant6	5775	-1.29	≤30.00	PASS
	total	5775	1.83	≤30.00	PASS
11BE160-CDD	Ant5	5250_UNII-1	-3.36	≤17.00	PASS
	Ant6	5250_UNII-1	-2.47	≤17.00	PASS
	total	5250_UNII-1	0.12	≤17.00	PASS
	Ant5	5250_UNII-2A	-3.21	≤11.00	PASS
	Ant6	5250_UNII-2A	-2.49	≤11.00	PASS
	total	5250_UNII-2A	0.18	≤11.00	PASS
	Ant5	5570	-4.62	≤11.00	PASS
	Ant6	5570	-4.62	≤11.00	PASS
total	5570	-1.61	≤11.00	PASS	
11BE240-CDD	Ant5	5610_UNII-2C	-11.41	≤11.00	PASS
	Ant6	5610_UNII-2C	-11.45	≤11.00	PASS
	total	5610_UNII-2C	-8.42	≤11.00	PASS
	Ant5	5610_UNII-3	-15.8	≤30.00	PASS
	Ant6	5610_UNII-3	-16.11	≤30.00	PASS
	total	5610_UNII-3	-12.94	≤30.00	PASS

Note: 1. The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.


2. The Duty Cycle Factor and RBW Factor is compensated in the graph.

Note: All the modes had been tested, but only the worst data was recorded in the report.


11.5.2. Test Graphs




11A-CDD_Ant5_5180




11A-CDD_Ant6_5180




11A-CDD_Ant5_5200




11A-CDD_Ant6_5200




11A-CDD_Ant5_5240




11A-CDD_Ant6_5240




11A-CDD_Ant5_5500




11A-CDD_Ant6_5500




11A-CDD_Ant5_5580




11A-CDD_Ant6_5580




11A-CDD_Ant5_5700




11A-CDD_Ant6_5700




11A-CDD_Ant5_5720_UNII-2C




11A-CDD_Ant6_5720_UNII-2C




11A-CDD_Ant5_5720_UNII-3




11A-CDD_Ant6_5720_UNII-3




11A-CDD_Ant5_5745




11A-CDD_Ant6_5745




11A-CDD_Ant5_5785




11A-CDD_Ant6_5785




11A-CDD_Ant5_5825




11A-CDD_Ant6_5825




11AX20-CDD_Ant5_5180




11AX20-CDD_Ant6_5180




11AX20-CDD_Ant5_5200




11AX20-CDD_Ant6_5200




11AX20-CDD_Ant5_5240




11AX20-CDD_Ant6_5240




11AX20-CDD_Ant5_5500




11AX20-CDD_Ant6_5500




11AX20-CDD_Ant5_5580




11AX20-CDD_Ant6_5580




11AX20-CDD_Ant5_5700




11AX20-CDD_Ant6_5700




11AX20-CDD_Ant5_5720_UNII-2C




11AX20-CDD_Ant6_5720_UNII-2C




11AX20-CDD_Ant5_5720_UNII-3




11AX20-CDD_Ant6_5720_UNII-3




11AX20-CDD_Ant5_5745




11AX20-CDD_Ant6_5745




11AX20-CDD_Ant5_5785




11AX20-CDD_Ant6_5785



11AX20-CDD_Ant5_5825



11AX20-CDD_Ant6_5825



11AX40-CDD_Ant5_5190