






11AX40-CDD_Ant3_5795







11AX40-CDD_Ant4_5795




11AX80-CDD_Ant1_5775











11BE20-CDD_Ant4_5745









11BE20-CDD_Ant1_5785









11BE20-CDD_Ant2_5785
















Date: 13.APR.2023 14:31:14



Date: 13.APR.2023 14:29:13



Date: 13.APR.2023 14:31:25

11.4. APPENDIX D: MAXIMUM AVERAGE CONDUCTED OUTPUT POWER

11.4.1. Test Result

Test Mode	Antenna	Channel	Power [dBm]	Limit [dBm]	Verdict
11A-CDD	Ant1	5180	21.19	≤30.00	PASS
	Ant2	5180	20.57	≤30.00	PASS
	Ant3	5180	20.78	≤30.00	PASS
	Ant4	5180	21.42	≤30.00	PASS
	total	5180	27.02	≤30.00	PASS
	Ant1	5200	21.15	≤30.00	PASS
	Ant2	5200	20.66	≤30.00	PASS
	Ant3	5200	21.18	≤30.00	PASS
	Ant4	5200	21.32	≤30.00	PASS
	total	5200	27.11	≤30.00	PASS
	Ant1	5240	21.01	≤30.00	PASS
	Ant2	5240	20.78	≤30.00	PASS
	Ant3	5240	21.26	≤30.00	PASS
	Ant4	5240	21.05	≤30.00	PASS
	total	5240	27.05	≤30.00	PASS
	Ant1	5260	15.86	≤23.98	PASS
	Ant2	5260	15.40	≤23.98	PASS
	Ant3	5260	14.67	≤23.98	PASS
	Ant4	5260	15.48	≤23.98	PASS
	total	5260	21.39	≤23.98	PASS
	Ant1	5280	15.33	≤23.98	PASS
	Ant2	5280	15.25	≤23.98	PASS
	Ant3	5280	14.90	≤23.98	PASS
	Ant4	5280	15.09	≤23.98	PASS
	total	5280	21.17	≤23.98	PASS
	Ant1	5320	15.05	≤23.98	PASS
	Ant2	5320	15.19	≤23.98	PASS
	Ant3	5320	14.94	≤23.98	PASS
	Ant4	5320	15.17	≤23.98	PASS
	total	5320	21.11	≤23.98	PASS
	Ant1	5500	15.52	≤23.98	PASS
	Ant2	5500	15.08	≤23.98	PASS
	Ant3	5500	15.44	≤23.98	PASS
	Ant4	5500	15.44	≤23.98	PASS
	total	5500	21.39	≤23.98	PASS
	Ant1	5580	16.17	≤23.98	PASS
	Ant2	5580	15.54	≤23.98	PASS
	Ant3	5580	15.75	≤23.98	PASS
	Ant4	5580	15.29	≤23.98	PASS
	total	5580	21.72	≤23.98	PASS
	Ant1	5700	15.09	≤23.98	PASS
	Ant2	5700	14.76	≤23.98	PASS
	Ant3	5700	16.59	≤23.98	PASS
	Ant4	5700	15.19	≤23.98	PASS
	total	5700	21.49	≤23.98	PASS
	Ant1	5745	24.30	≤30.00	PASS
	Ant2	5745	23.32	≤30.00	PASS
	Ant3	5745	24.12	≤30.00	PASS
Ant4	5745	23.87	≤30.00	PASS	
total	5745	29.94	≤30.00	PASS	
Ant1	5785	23.93	≤30.00	PASS	
Ant2	5785	23.13	≤30.00	PASS	
Ant3	5785	24.36	≤30.00	PASS	
Ant4	5785	23.68	≤30.00	PASS	
total	5785	29.82	≤30.00	PASS	
Ant1	5825	23.14	≤30.00	PASS	
Ant2	5825	22.99	≤30.00	PASS	

	Ant3	5825	24.10	≤30.00	PASS
	Ant4	5825	23.45	≤30.00	PASS
	total	5825	29.46	≤30.00	PASS
11AX20-CDD	Ant1	5180	21.96	≤30.00	PASS
	Ant2	5180	21.52	≤30.00	PASS
	Ant3	5180	21.91	≤30.00	PASS
	Ant4	5180	22.26	≤30.00	PASS
	total	5180	27.94	≤30.00	PASS
	Ant1	5200	22.04	≤30.00	PASS
	Ant2	5200	21.49	≤30.00	PASS
	Ant3	5200	21.93	≤30.00	PASS
	Ant4	5200	22.10	≤30.00	PASS
	total	5200	27.92	≤30.00	PASS
	Ant1	5240	21.80	≤30.00	PASS
	Ant2	5240	21.63	≤30.00	PASS
	Ant3	5240	22.21	≤30.00	PASS
	Ant4	5240	21.92	≤30.00	PASS
	total	5240	27.92	≤30.00	PASS
	Ant1	5260	16.78	≤23.98	PASS
	Ant2	5260	16.13	≤23.98	PASS
	Ant3	5260	15.81	≤23.98	PASS
	Ant4	5260	16.34	≤23.98	PASS
	total	5260	22.30	≤23.98	PASS
	Ant1	5280	16.18	≤23.98	PASS
	Ant2	5280	16.06	≤23.98	PASS
	Ant3	5280	15.88	≤23.98	PASS
	Ant4	5280	15.98	≤23.98	PASS
	total	5280	22.05	≤23.98	PASS
	Ant1	5320	15.49	≤23.98	PASS
	Ant2	5320	15.77	≤23.98	PASS
	Ant3	5320	16.08	≤23.98	PASS
	Ant4	5320	15.83	≤23.98	PASS
	total	5320	21.82	≤23.98	PASS
	Ant1	5500	16.09	≤23.98	PASS
	Ant2	5500	15.82	≤23.98	PASS
	Ant3	5500	16.10	≤23.98	PASS
	Ant4	5500	16.37	≤23.98	PASS
	total	5500	22.12	≤23.98	PASS
	Ant1	5580	16.26	≤23.98	PASS
	Ant2	5580	15.89	≤23.98	PASS
	Ant3	5580	16.39	≤23.98	PASS
	Ant4	5580	15.58	≤23.98	PASS
	total	5580	22.06	≤23.98	PASS
	Ant1	5700	15.86	≤23.98	PASS
	Ant2	5700	15.43	≤23.98	PASS
Ant3	5700	17.42	≤23.98	PASS	
Ant4	5700	16.02	≤23.98	PASS	
total	5700	22.27	≤23.98	PASS	
Ant1	5745	24.02	≤30.00	PASS	
Ant2	5745	22.77	≤30.00	PASS	
Ant3	5745	23.87	≤30.00	PASS	
Ant4	5745	23.28	≤30.00	PASS	
total	5745	29.53	≤30.00	PASS	
Ant1	5785	23.58	≤30.00	PASS	
Ant2	5785	22.87	≤30.00	PASS	
Ant3	5785	24.23	≤30.00	PASS	
Ant4	5785	23.65	≤30.00	PASS	
total	5785	29.63	≤30.00	PASS	
Ant1	5825	23.18	≤30.00	PASS	
Ant2	5825	22.59	≤30.00	PASS	
Ant3	5825	24.04	≤30.00	PASS	
Ant4	5825	23.44	≤30.00	PASS	
total	5825	29.36	≤30.00	PASS	

11AX40-CDD	Ant1	5190	21.54	≤30.00	PASS
	Ant2	5190	22.03	≤30.00	PASS
	Ant3	5190	20.25	≤30.00	PASS
	Ant4	5190	21.38	≤30.00	PASS
	total	5190	27.37	≤30.00	PASS
	Ant1	5230	23.24	≤30.00	PASS
	Ant2	5230	24.73	≤30.00	PASS
	Ant3	5230	22.57	≤30.00	PASS
	Ant4	5230	23.19	≤30.00	PASS
	total	5230	29.53	≤30.00	PASS
	Ant1	5270	17.88	≤23.98	PASS
	Ant2	5270	17.39	≤23.98	PASS
	Ant3	5270	17.24	≤23.98	PASS
	Ant4	5270	17.46	≤23.98	PASS
	total	5270	23.52	≤23.98	PASS
	Ant1	5310	17.32	≤23.98	PASS
	Ant2	5310	17.40	≤23.98	PASS
	Ant3	5310	17.59	≤23.98	PASS
	Ant4	5310	17.38	≤23.98	PASS
	total	5310	23.44	≤23.98	PASS
	Ant1	5510	17.56	≤23.98	PASS
	Ant2	5510	17.37	≤23.98	PASS
	Ant3	5510	17.99	≤23.98	PASS
	Ant4	5510	17.27	≤23.98	PASS
	total	5510	23.58	≤23.98	PASS
	Ant1	5550	16.79	≤23.98	PASS
	Ant2	5550	17.76	≤23.98	PASS
	Ant3	5550	18.04	≤23.98	PASS
	Ant4	5550	16.94	≤23.98	PASS
	total	5550	23.44	≤23.98	PASS
	Ant1	5670	17.82	≤23.98	PASS
	Ant2	5670	17.07	≤23.98	PASS
	Ant3	5670	18.64	≤23.98	PASS
	Ant4	5670	17.48	≤23.98	PASS
	total	5670	23.81	≤23.98	PASS
	Ant1	5755	24.35	≤30.00	PASS
Ant2	5755	23.25	≤30.00	PASS	
Ant3	5755	24.38	≤30.00	PASS	
Ant4	5755	23.61	≤30.00	PASS	
total	5755	29.94	≤30.00	PASS	
Ant1	5795	23.47	≤30.00	PASS	
Ant2	5795	22.97	≤30.00	PASS	
Ant3	5795	24.39	≤30.00	PASS	
Ant4	5795	23.37	≤30.00	PASS	
total	5795	29.60	≤30.00	PASS	
11AX80-CDD	Ant1	5210	20.57	≤30.00	PASS
	Ant2	5210	21.89	≤30.00	PASS
	Ant3	5210	19.98	≤30.00	PASS
	Ant4	5210	20.41	≤30.00	PASS
	total	5210	26.79	≤30.00	PASS
	Ant1	5290	17.35	≤23.98	PASS
	Ant2	5290	17.22	≤23.98	PASS
	Ant3	5290	17.23	≤23.98	PASS
	Ant4	5290	17.17	≤23.98	PASS
	total	5290	23.26	≤23.98	PASS
	Ant1	5530	17.36	≤23.98	PASS
	Ant2	5530	17.96	≤23.98	PASS
	Ant3	5530	18.07	≤23.98	PASS
	Ant4	5530	16.95	≤23.98	PASS
	total	5530	23.63	≤23.98	PASS
	Ant1	5610	18.11	≤23.98	PASS
	Ant2	5610	17.19	≤23.98	PASS
	Ant3	5610	17.91	≤23.98	PASS


	Ant4	5610	17.38	≤23.98	PASS
	total	5610	23.68	≤23.98	PASS
	Ant1	5775	22.96	≤30.00	PASS
	Ant2	5775	24.11	≤30.00	PASS
	Ant3	5775	22.12	≤30.00	PASS
	Ant4	5775	22.83	≤30.00	PASS
	total	5775	29.09	≤30.00	PASS
11AX160-CDD	Ant1	5250_UNII-1	16.06	≤23.98	PASS
	Ant2	5250_UNII-1	17.76	≤23.98	PASS
	Ant3	5250_UNII-1	15.44	≤23.98	PASS
	Ant4	5250_UNII-1	15.65	≤23.98	PASS
	total	5250_UNII-1	22.35	≤23.98	PASS
	Ant1	5250_UNII-2A	14.39	≤23.98	PASS
	Ant2	5250_UNII-2A	16.01	≤23.98	PASS
	Ant3	5250_UNII-2A	13.78	≤23.98	PASS
	Ant4	5250_UNII-2A	13.84	≤23.98	PASS
	total	5250_UNII-2A	20.62	≤23.98	PASS
	Ant1	5570	17.36	≤23.98	PASS
	Ant2	5570	18.68	≤23.98	PASS
	Ant3	5570	17.62	≤23.98	PASS
	Ant4	5570	16.84	≤23.98	PASS
	total	5570	23.70	≤23.98	PASS
	11BE20-CDD	Ant1	5180	21.79	≤30.00
Ant2		5180	21.56	≤30.00	PASS
Ant3		5180	22.26	≤30.00	PASS
Ant4		5180	22.16	≤30.00	PASS
total		5180	27.97	≤30.00	PASS
Ant1		5200	21.41	≤30.00	PASS
Ant2		5200	21.74	≤30.00	PASS
Ant3		5200	22.45	≤30.00	PASS
Ant4		5200	22.12	≤30.00	PASS
total		5200	27.97	≤30.00	PASS
Ant1		5240	20.98	≤30.00	PASS
Ant2		5240	21.67	≤30.00	PASS
Ant3		5240	22.59	≤30.00	PASS
Ant4		5240	21.93	≤30.00	PASS
total		5240	27.85	≤30.00	PASS
Ant1		5260	16.27	≤23.98	PASS
Ant2		5260	16.29	≤23.98	PASS
Ant3		5260	16.30	≤23.98	PASS
Ant4		5260	16.52	≤23.98	PASS
total		5260	22.37	≤23.98	PASS
Ant1		5280	16.28	≤23.98	PASS
Ant2		5280	16.18	≤23.98	PASS
Ant3		5280	16.39	≤23.98	PASS
Ant4		5280	16.09	≤23.98	PASS
total		5280	22.26	≤23.98	PASS
Ant1		5320	16.19	≤23.98	PASS
Ant2		5320	15.99	≤23.98	PASS
Ant3		5320	16.43	≤23.98	PASS
Ant4		5320	16.01	≤23.98	PASS
total		5320	22.18	≤23.98	PASS
Ant1		5500	16.54	≤23.98	PASS
Ant2		5500	16.05	≤23.98	PASS
Ant3		5500	16.66	≤23.98	PASS
Ant4		5500	16.43	≤23.98	PASS
total		5500	22.45	≤23.98	PASS
Ant1		5580	16.26	≤23.98	PASS
Ant2	5580	16.36	≤23.98	PASS	
Ant3	5580	16.68	≤23.98	PASS	
Ant4	5580	16.15	≤23.98	PASS	
total	5580	22.39	≤23.98	PASS	
Ant1	5700	15.70	≤23.98	PASS	




	Ant2	5700	15.44	≤23.98	PASS
	Ant3	5700	17.46	≤23.98	PASS
	Ant4	5700	16.07	≤23.98	PASS
	total	5700	22.26	≤23.98	PASS
	Ant1	5745	23.42	≤30.00	PASS
	Ant2	5745	23.20	≤30.00	PASS
	Ant3	5745	24.35	≤30.00	PASS
	Ant4	5745	23.95	≤30.00	PASS
	total	5745	29.77	≤30.00	PASS
	Ant1	5785	23.22	≤30.00	PASS
	Ant2	5785	23.24	≤30.00	PASS
	Ant3	5785	24.61	≤30.00	PASS
	Ant4	5785	23.81	≤30.00	PASS
	total	5785	29.78	≤30.00	PASS
	Ant1	5825	22.94	≤30.00	PASS
	Ant2	5825	23.10	≤30.00	PASS
	Ant3	5825	24.26	≤30.00	PASS
	Ant4	5825	23.69	≤30.00	PASS
	total	5825	29.55	≤30.00	PASS
11BE40-CDD	Ant1	5190	21.28	≤30.00	PASS
	Ant2	5190	22.30	≤30.00	PASS
	Ant3	5190	20.41	≤30.00	PASS
	Ant4	5190	20.99	≤30.00	PASS
	total	5190	27.32	≤30.00	PASS
	Ant1	5230	23.15	≤30.00	PASS
	Ant2	5230	24.71	≤30.00	PASS
	Ant3	5230	22.58	≤30.00	PASS
	Ant4	5230	23.14	≤30.00	PASS
	total	5230	29.49	≤30.00	PASS
	Ant1	5270	17.38	≤23.98	PASS
	Ant2	5270	17.43	≤23.98	PASS
	Ant3	5270	17.69	≤23.98	PASS
	Ant4	5270	17.50	≤23.98	PASS
	total	5270	23.52	≤23.98	PASS
	Ant1	5310	17.79	≤23.98	PASS
	Ant2	5310	17.34	≤23.98	PASS
	Ant3	5310	17.80	≤23.98	PASS
	Ant4	5310	17.44	≤23.98	PASS
	total	5310	23.62	≤23.98	PASS
	Ant1	5510	17.70	≤23.98	PASS
	Ant2	5510	17.38	≤23.98	PASS
	Ant3	5510	17.99	≤23.98	PASS
	Ant4	5510	17.48	≤23.98	PASS
	total	5510	23.66	≤23.98	PASS
	Ant1	5550	16.89	≤23.98	PASS
	Ant2	5550	17.69	≤23.98	PASS
	Ant3	5550	17.98	≤23.98	PASS
	Ant4	5550	16.65	≤23.98	PASS
	total	5550	23.36	≤23.98	PASS
	Ant1	5670	17.43	≤23.98	PASS
	Ant2	5670	17.11	≤23.98	PASS
	Ant3	5670	18.55	≤23.98	PASS
	Ant4	5670	17.48	≤23.98	PASS
	total	5670	23.70	≤23.98	PASS
	Ant1	5755	23.10	≤30.00	PASS
	Ant2	5755	23.64	≤30.00	PASS
	Ant3	5755	24.58	≤30.00	PASS
	Ant4	5755	23.90	≤30.00	PASS
	total	5755	29.86	≤30.00	PASS
Ant1	5795	23.28	≤30.00	PASS	
Ant2	5795	22.86	≤30.00	PASS	
Ant3	5795	24.40	≤30.00	PASS	
Ant4	5795	23.54	≤30.00	PASS	


11BE80-CDD	total	5795	29.58	≤30.00	PASS
	Ant1	5210	20.58	≤30.00	PASS
	Ant2	5210	21.80	≤30.00	PASS
	Ant3	5210	19.72	≤30.00	PASS
	Ant4	5210	20.19	≤30.00	PASS
	total	5210	26.66	≤30.00	PASS
	Ant1	5290	17.63	≤23.98	PASS
	Ant2	5290	18.74	≤23.98	PASS
	Ant3	5290	17.47	≤23.98	PASS
	Ant4	5290	17.78	≤23.98	PASS
	total	5290	23.95	≤23.98	PASS
	Ant1	5530	17.46	≤23.98	PASS
	Ant2	5530	17.64	≤23.98	PASS
	Ant3	5530	18.13	≤23.98	PASS
	Ant4	5530	16.86	≤23.98	PASS
	total	5530	23.57	≤23.98	PASS
	Ant1	5610	17.49	≤23.98	PASS
	Ant2	5610	17.43	≤23.98	PASS
	Ant3	5610	18.33	≤23.98	PASS
	Ant4	5610	17.71	≤23.98	PASS
total	5610	23.78	≤23.98	PASS	
11BE160-CDD	Ant1	5775	22.80	≤30.00	PASS
	Ant2	5775	23.93	≤30.00	PASS
	Ant3	5775	22.00	≤30.00	PASS
	Ant4	5775	22.66	≤30.00	PASS
	total	5775	28.92	≤30.00	PASS
	Ant1	5250_UNII-1	15.48	≤23.98	PASS
	Ant2	5250_UNII-1	17.02	≤23.98	PASS
	Ant3	5250_UNII-1	14.69	≤23.98	PASS
	Ant4	5250_UNII-1	15.03	≤23.98	PASS
	total	5250_UNII-1	21.67	≤23.98	PASS
	Ant1	5250_UNII-2A	13.79	≤23.98	PASS
	Ant2	5250_UNII-2A	15.38	≤23.98	PASS
	Ant3	5250_UNII-2A	13.18	≤23.98	PASS
	Ant4	5250_UNII-2A	13.26	≤23.98	PASS
	total	5250_UNII-2A	20.02	≤23.98	PASS
	Ant1	5570	16.66	≤23.98	PASS
	Ant2	5570	17.90	≤23.98	PASS
	Ant3	5570	17.07	≤23.98	PASS
	Ant4	5570	16.28	≤23.98	PASS
	total	5570	23.04	≤23.98	PASS

Note: The Duty Cycle Factor is compensated in the test result.


11.4.2. Test Graphs









11AX160-CDD_Ant3_5250_UNII-2A




11AX160-CDD_Ant4_5250_UNII-2A




11BE160-CDD_Ant1_5250_UNII-1






11BE160-CDD_Ant2_5250_UNII-1




11BE160-CDD_Ant3_5250_UNII-1



11BE160-CDD_Ant4_5250_UNII-1





11BE160-CDD_Ant4_5250_UNII-2A

11.5. APPENDIX E: MAXIMUM POWER SPECTRAL DENSITY

11.5.1. Test Result

Test Mode	Antenna	Channel	Power [dBm/MHz]	Limit [dBm/MHz]	Verdict
11A-CDD	Ant1	5180	9.01	≤14.98	PASS
	Ant2	5180	7.77	≤14.98	PASS
	Ant3	5180	8.4	≤14.98	PASS
	Ant4	5180	9.02	≤14.98	PASS
	total	5180	14.60	≤14.98	PASS
	Ant1	5200	8.71	≤14.98	PASS
	Ant2	5200	8.13	≤14.98	PASS
	Ant3	5200	8.51	≤14.98	PASS
	Ant4	5200	8.79	≤14.98	PASS
	total	5200	14.56	≤14.98	PASS
	Ant1	5240	8.58	≤14.98	PASS
	Ant2	5240	7.93	≤14.98	PASS
	Ant3	5240	8.37	≤14.98	PASS
	Ant4	5240	8.32	≤14.98	PASS
	total	5240	14.33	≤14.98	PASS
	Ant1	5260	3.53	≤8.98	PASS
	Ant2	5260	2.81	≤8.98	PASS
	Ant3	5260	2.06	≤8.98	PASS
	Ant4	5260	2.72	≤8.98	PASS
	total	5260	8.83	≤8.98	PASS
	Ant1	5280	3.01	≤8.98	PASS
	Ant2	5280	2.57	≤8.98	PASS
	Ant3	5280	2.35	≤8.98	PASS
	Ant4	5280	2.42	≤8.98	PASS
	total	5280	8.62	≤8.98	PASS
	Ant1	5320	2.62	≤8.98	PASS
	Ant2	5320	2.57	≤8.98	PASS
	Ant3	5320	2.54	≤8.98	PASS
	Ant4	5320	2.67	≤8.98	PASS
	total	5320	8.62	≤8.98	PASS
	Ant1	5500	2.75	≤8.98	PASS
	Ant2	5500	2.15	≤8.98	PASS
	Ant3	5500	2.75	≤8.98	PASS
	Ant4	5500	2.66	≤8.98	PASS
	total	5500	8.61	≤8.98	PASS
	Ant1	5580	3.38	≤8.98	PASS
	Ant2	5580	2.68	≤8.98	PASS
	Ant3	5580	2.93	≤8.98	PASS
	Ant4	5580	2.64	≤8.98	PASS
	total	5580	8.94	≤8.98	PASS
	Ant1	5700	2.55	≤8.98	PASS
	Ant2	5700	1.89	≤8.98	PASS
	Ant3	5700	3.53	≤8.98	PASS
	Ant4	5700	2.45	≤8.98	PASS
	total	5700	8.67	≤8.98	PASS
	Ant1	5745	8.41	≤27.98	PASS
	Ant2	5745	7.44	≤27.98	PASS
	Ant3	5745	8.7	≤27.98	PASS
	Ant4	5745	8.34	≤27.98	PASS
	total	5745	14.27	≤27.98	PASS
Ant1	5785	8.4	≤27.98	PASS	
Ant2	5785	7.65	≤27.98	PASS	
Ant3	5785	8.73	≤27.98	PASS	
Ant4	5785	7.83	≤27.98	PASS	
total	5785	14.19	≤27.98	PASS	
Ant1	5825	7.68	≤27.98	PASS	
Ant2	5825	7.24	≤27.98	PASS	

	Ant3	5825	8.7	≤27.98	PASS
	Ant4	5825	7.79	≤27.98	PASS
	total	5825	13.91	≤27.98	PASS
11AX20-CDD	Ant1	5180	8.84	≤14.98	PASS
	Ant2	5180	7.87	≤14.98	PASS
	Ant3	5180	8.42	≤14.98	PASS
	Ant4	5180	8.88	≤14.98	PASS
	total	5180	14.54	≤14.98	PASS
	Ant1	5200	8.68	≤14.98	PASS
	Ant2	5200	7.92	≤14.98	PASS
	Ant3	5200	8.51	≤14.98	PASS
	Ant4	5200	8.56	≤14.98	PASS
	total	5200	14.45	≤14.98	PASS
	Ant1	5240	8.28	≤14.98	PASS
	Ant2	5240	7.89	≤14.98	PASS
	Ant3	5240	8.78	≤14.98	PASS
	Ant4	5240	7.91	≤14.98	PASS
	total	5240	14.25	≤14.98	PASS
	Ant1	5260	3.24	≤8.98	PASS
	Ant2	5260	2.48	≤8.98	PASS
	Ant3	5260	2.16	≤8.98	PASS
	Ant4	5260	2.57	≤8.98	PASS
	total	5260	8.65	≤8.98	PASS
	Ant1	5280	2.91	≤8.98	PASS
	Ant2	5280	2.36	≤8.98	PASS
	Ant3	5280	2.32	≤8.98	PASS
	Ant4	5280	2.39	≤8.98	PASS
	total	5280	8.52	≤8.98	PASS
	Ant1	5320	2.06	≤8.98	PASS
	Ant2	5320	2.24	≤8.98	PASS
	Ant3	5320	2.59	≤8.98	PASS
	Ant4	5320	2.36	≤8.98	PASS
	total	5320	8.34	≤8.98	PASS
	Ant1	5500	2.37	≤8.98	PASS
	Ant2	5500	2.06	≤8.98	PASS
	Ant3	5500	2.49	≤8.98	PASS
	Ant4	5500	2.45	≤8.98	PASS
	total	5500	8.37	≤8.98	PASS
	Ant1	5580	2.84	≤8.98	PASS
	Ant2	5580	2.17	≤8.98	PASS
	Ant3	5580	2.7	≤8.98	PASS
	Ant4	5580	1.91	≤8.98	PASS
	total	5580	8.44	≤8.98	PASS
	Ant1	5700	2.32	≤8.98	PASS
	Ant2	5700	1.66	≤8.98	PASS
	Ant3	5700	3.72	≤8.98	PASS
	Ant4	5700	2.12	≤8.98	PASS
total	5700	8.55	≤8.98	PASS	
Ant1	5745	7.61	≤27.98	PASS	
Ant2	5745	6.11	≤27.98	PASS	
Ant3	5745	7.88	≤27.98	PASS	
Ant4	5745	7.18	≤27.98	PASS	
total	5745	13.27	≤27.98	PASS	
Ant1	5785	7.11	≤27.98	PASS	
Ant2	5785	6.38	≤27.98	PASS	
Ant3	5785	7.73	≤27.98	PASS	
Ant4	5785	7.67	≤27.98	PASS	
total	5785	13.28	≤27.98	PASS	
Ant1	5825	6.94	≤27.98	PASS	
Ant2	5825	6.35	≤27.98	PASS	
Ant3	5825	7.82	≤27.98	PASS	
Ant4	5825	6.82	≤27.98	PASS	
total	5825	13.04	≤27.98	PASS	

11AX40-CDD	Ant1	5190	6.66	≤14.98	PASS
	Ant2	5190	7.3	≤14.98	PASS
	Ant3	5190	5.86	≤14.98	PASS
	Ant4	5190	6.45	≤14.98	PASS
	total	5190	12.62	≤14.98	PASS
	Ant1	5230	8.24	≤14.98	PASS
	Ant2	5230	9.54	≤14.98	PASS
	Ant3	5230	7.5	≤14.98	PASS
	Ant4	5230	7.86	≤14.98	PASS
	total	5230	14.38	≤14.98	PASS
	Ant1	5270	3.18	≤8.98	PASS
	Ant2	5270	2.18	≤8.98	PASS
	Ant3	5270	1.93	≤8.98	PASS
	Ant4	5270	1.74	≤8.98	PASS
	total	5270	8.31	≤8.98	PASS
	Ant1	5310	2.43	≤8.98	PASS
	Ant2	5310	2.1	≤8.98	PASS
	Ant3	5310	2.65	≤8.98	PASS
	Ant4	5310	2.16	≤8.98	PASS
	total	5310	8.36	≤8.98	PASS
	Ant1	5510	2.64	≤8.98	PASS
	Ant2	5510	2.21	≤8.98	PASS
	Ant3	5510	2.7	≤8.98	PASS
	Ant4	5510	2.02	≤8.98	PASS
	total	5510	8.42	≤8.98	PASS
	Ant1	5550	1.91	≤8.98	PASS
	Ant2	5550	2.74	≤8.98	PASS
	Ant3	5550	3.15	≤8.98	PASS
	Ant4	5550	1.85	≤8.98	PASS
	total	5550	8.47	≤8.98	PASS
	Ant1	5670	2.64	≤8.98	PASS
	Ant2	5670	2.02	≤8.98	PASS
	Ant3	5670	3.25	≤8.98	PASS
	Ant4	5670	1.9	≤8.98	PASS
	total	5670	8.51	≤8.98	PASS
	Ant1	5755	6.33	≤27.98	PASS
	Ant2	5755	5.07	≤27.98	PASS
	Ant3	5755	6.86	≤27.98	PASS
	Ant4	5755	6.28	≤27.98	PASS
	total	5755	12.20	≤27.98	PASS
Ant1	5795	5.82	≤27.98	PASS	
Ant2	5795	4.8	≤27.98	PASS	
Ant3	5795	6.42	≤27.98	PASS	
Ant4	5795	5.87	≤27.98	PASS	
total	5795	11.79	≤27.98	PASS	
11AX80-CDD	Ant1	5210	3.08	≤14.98	PASS
	Ant2	5210	4.1	≤14.98	PASS
	Ant3	5210	2.42	≤14.98	PASS
	Ant4	5210	2.59	≤14.98	PASS
	total	5210	9.12	≤14.98	PASS
	Ant1	5290	-0.36	≤8.98	PASS
	Ant2	5290	-0.63	≤8.98	PASS
	Ant3	5290	-0.56	≤8.98	PASS
	Ant4	5290	-1.03	≤8.98	PASS
	total	5290	5.38	≤8.98	PASS
	Ant1	5530	-0.55	≤8.98	PASS
	Ant2	5530	-0.09	≤8.98	PASS
	Ant3	5530	0.12	≤8.98	PASS
	Ant4	5530	-0.99	≤8.98	PASS
	total	5530	5.66	≤8.98	PASS
	Ant1	5610	0.25	≤8.98	PASS
	Ant2	5610	-1.11	≤8.98	PASS
	Ant3	5610	-0.01	≤8.98	PASS

	Ant4	5610	-0.9	≤8.98	PASS
	total	5610	5.62	≤8.98	PASS
	Ant1	5775	2.06	≤27.98	PASS
	Ant2	5775	2.82	≤27.98	PASS
	Ant3	5775	1.37	≤27.98	PASS
	Ant4	5775	2.47	≤27.98	PASS
	total	5775	8.23	≤27.98	PASS
11AX160-CDD	Ant1	5250_UNII-1	-0.68	≤14.98	PASS
	Ant2	5250_UNII-1	0.74	≤14.98	PASS
	Ant3	5250_UNII-1	-1.57	≤14.98	PASS
	Ant4	5250_UNII-1	-1.12	≤14.98	PASS
	total	5250_UNII-1	5.45	≤14.98	PASS
	Ant1	5250_UNII-2A	-0.76	≤8.98	PASS
	Ant2	5250_UNII-2A	0.71	≤8.98	PASS
	Ant3	5250_UNII-2A	-1.58	≤8.98	PASS
	Ant4	5250_UNII-2A	-1.35	≤8.98	PASS
	total	5250_UNII-2A	5.37	≤8.98	PASS
	Ant1	5570	-3.6	≤8.98	PASS
	Ant2	5570	-2.41	≤8.98	PASS
	Ant3	5570	-3.01	≤8.98	PASS
	Ant4	5570	-4.02	≤8.98	PASS
	total	5570	2.80	≤8.98	PASS
	11BE20-CDD	Ant1	5180	8.52	≤14.98
Ant2		5180	8.24	≤14.98	PASS
Ant3		5180	9.1	≤14.98	PASS
Ant4		5180	9.24	≤14.98	PASS
total		5180	14.81	≤14.98	PASS
Ant1		5200	8.28	≤14.98	PASS
Ant2		5200	8.38	≤14.98	PASS
Ant3		5200	9.32	≤14.98	PASS
Ant4		5200	8.9	≤14.98	PASS
total		5200	14.76	≤14.98	PASS
Ant1		5240	7.62	≤14.98	PASS
Ant2		5240	8.32	≤14.98	PASS
Ant3		5240	9.21	≤14.98	PASS
Ant4		5240	8.45	≤14.98	PASS
total		5240	14.46	≤14.98	PASS
Ant1		5260	2.99	≤8.98	PASS
Ant2		5260	2.83	≤8.98	PASS
Ant3		5260	2.8	≤8.98	PASS
Ant4		5260	2.89	≤8.98	PASS
total		5260	8.90	≤8.98	PASS
Ant1		5280	3.08	≤8.98	PASS
Ant2		5280	2.75	≤8.98	PASS
Ant3		5280	3	≤8.98	PASS
Ant4		5280	2.58	≤8.98	PASS
total		5280	8.88	≤8.98	PASS
Ant1		5320	2.95	≤8.98	PASS
Ant2		5320	2.32	≤8.98	PASS
Ant3		5320	3.14	≤8.98	PASS
Ant4		5320	2.47	≤8.98	PASS
total		5320	8.75	≤8.98	PASS
Ant1		5500	2.94	≤8.98	PASS
Ant2		5500	2.42	≤8.98	PASS
Ant3		5500	3.02	≤8.98	PASS
Ant4		5500	2.68	≤8.98	PASS
total		5500	8.79	≤8.98	PASS
Ant1		5580	2.62	≤8.98	PASS
Ant2		5580	2.51	≤8.98	PASS
Ant3		5580	2.91	≤8.98	PASS
Ant4		5580	2.37	≤8.98	PASS
total		5580	8.63	≤8.98	PASS
Ant1	5700	2.21	≤8.98	PASS	


	Ant2	5700	1.55	≤8.98	PASS
	Ant3	5700	3.5	≤8.98	PASS
	Ant4	5700	2.11	≤8.98	PASS
	total	5700	8.42	≤8.98	PASS
	Ant1	5745	6.71	≤27.98	PASS
	Ant2	5745	6.45	≤27.98	PASS
	Ant3	5745	8.3	≤27.98	PASS
	Ant4	5745	7.73	≤27.98	PASS
	total	5745	13.38	≤27.98	PASS
	Ant1	5785	7.04	≤27.98	PASS
	Ant2	5785	6.72	≤27.98	PASS
	Ant3	5785	8.11	≤27.98	PASS
	Ant4	5785	7.53	≤27.98	PASS
	total	5785	13.40	≤27.98	PASS
	Ant1	5825	6.48	≤27.98	PASS
	Ant2	5825	6.88	≤27.98	PASS
	Ant3	5825	7.64	≤27.98	PASS
	Ant4	5825	7.38	≤27.98	PASS
	total	5825	13.14	≤27.98	PASS
11BE40-CDD	Ant1	5190	6.68	≤14.98	PASS
	Ant2	5190	7.17	≤14.98	PASS
	Ant3	5190	5.6	≤14.98	PASS
	Ant4	5190	6.29	≤14.98	PASS
	total	5190	12.49	≤14.98	PASS
	Ant1	5230	8.08	≤14.98	PASS
	Ant2	5230	9.57	≤14.98	PASS
	Ant3	5230	7.63	≤14.98	PASS
	Ant4	5230	7.98	≤14.98	PASS
	total	5230	14.40	≤14.98	PASS
	Ant1	5270	2.39	≤8.98	PASS
	Ant2	5270	2.1	≤8.98	PASS
	Ant3	5270	2.4	≤8.98	PASS
	Ant4	5270	1.83	≤8.98	PASS
	total	5270	8.21	≤8.98	PASS
	Ant1	5310	2.84	≤8.98	PASS
	Ant2	5310	2.19	≤8.98	PASS
	Ant3	5310	2.92	≤8.98	PASS
	Ant4	5310	2.42	≤8.98	PASS
	total	5310	8.62	≤8.98	PASS
	Ant1	5510	2.46	≤8.98	PASS
	Ant2	5510	2.11	≤8.98	PASS
	Ant3	5510	2.82	≤8.98	PASS
	Ant4	5510	1.94	≤8.98	PASS
	total	5510	8.37	≤8.98	PASS
	Ant1	5550	2.04	≤8.98	PASS
	Ant2	5550	2.76	≤8.98	PASS
	Ant3	5550	3.07	≤8.98	PASS
	Ant4	5550	1.35	≤8.98	PASS
	total	5550	8.38	≤8.98	PASS
	Ant1	5670	2.45	≤8.98	PASS
	Ant2	5670	1.7	≤8.98	PASS
	Ant3	5670	3.02	≤8.98	PASS
	Ant4	5670	2.29	≤8.98	PASS
	total	5670	8.41	≤8.98	PASS
	Ant1	5755	5.38	≤27.98	PASS
	Ant2	5755	5.62	≤27.98	PASS
	Ant3	5755	7.27	≤27.98	PASS
	Ant4	5755	6.19	≤27.98	PASS
	total	5755	12.20	≤27.98	PASS
Ant1	5795	5.06	≤27.98	PASS	
Ant2	5795	4.9	≤27.98	PASS	
Ant3	5795	6.46	≤27.98	PASS	
Ant4	5795	5.34	≤27.98	PASS	

11BE80-CDD	total	5795	11.51	≤27.98	PASS
	Ant1	5210	2.85	≤14.98	PASS
	Ant2	5210	3.65	≤14.98	PASS
	Ant3	5210	2.31	≤14.98	PASS
	Ant4	5210	2.46	≤14.98	PASS
	total	5210	8.87	≤14.98	PASS
	Ant1	5290	0.12	≤8.98	PASS
	Ant2	5290	1.06	≤8.98	PASS
	Ant3	5290	-0.24	≤8.98	PASS
	Ant4	5290	-0.39	≤8.98	PASS
	total	5290	6.20	≤8.98	PASS
	Ant1	5530	-0.37	≤8.98	PASS
	Ant2	5530	-0.32	≤8.98	PASS
	Ant3	5530	0.44	≤8.98	PASS
	Ant4	5530	-1.4	≤8.98	PASS
	total	5530	5.66	≤8.98	PASS
	Ant1	5610	-0.65	≤8.98	PASS
	Ant2	5610	-1.01	≤8.98	PASS
	Ant3	5610	0.2	≤8.98	PASS
	Ant4	5610	-0.54	≤8.98	PASS
	total	5610	5.54	≤8.98	PASS
	Ant1	5775	2.22	≤27.98	PASS
	Ant2	5775	2.86	≤27.98	PASS
	Ant3	5775	1.4	≤27.98	PASS
Ant4	5775	2.32	≤27.98	PASS	
total	5775	8.25	≤27.98	PASS	
11BE160-CDD	Ant1	5250_UNII-1	-1.37	≤14.98	PASS
	Ant2	5250_UNII-1	0.02	≤14.98	PASS
	Ant3	5250_UNII-1	-2.19	≤14.98	PASS
	Ant4	5250_UNII-1	-2.07	≤14.98	PASS
	total	5250_UNII-1	4.71	≤14.98	PASS
	Ant1	5250_UNII-2A	-1.29	≤8.98	PASS
	Ant2	5250_UNII-2A	0.15	≤8.98	PASS
	Ant3	5250_UNII-2A	-2.57	≤8.98	PASS
	Ant4	5250_UNII-2A	-1.82	≤8.98	PASS
	total	5250_UNII-2A	4.76	≤8.98	PASS
	Ant1	5570	-4.15	≤8.98	PASS
	Ant2	5570	-3.17	≤8.98	PASS
	Ant3	5570	-3.72	≤8.98	PASS
	Ant4	5570	-4.56	≤8.98	PASS
	total	5570	2.15	≤8.98	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.


2.The Duty Cycle Factor and RBW Factor is compensated in the graph.

11.5.2. Test Graphs






11A-CDD_Ant4_5180



11A-CDD_Ant1_5200



11A-CDD_Ant2_5200



11A-CDD_Ant3_5200



11A-CDD_Ant4_5200



11A-CDD_Ant1_5240




11A-CDD_Ant2_5240



11A-CDD_Ant3_5240



11A-CDD_Ant4_5240




11A-CDD_Ant1_5260



11A-CDD_Ant2_5260



11A-CDD_Ant3_5260




11A-CDD_Ant4_5260



11A-CDD_Ant1_5280



11A-CDD_Ant2_5280



11A-CDD_Ant3_5280



11A-CDD_Ant4_5280




11A-CDD_Ant1_5320




11A-CDD_Ant2_5320



11A-CDD_Ant3_5320



11A-CDD_Ant4_5320




11A-CDD_Ant1_5500




11A-CDD_Ant2_5500



11A-CDD_Ant3_5500



11A-CDD_Ant4_5500



11A-CDD_Ant1_5580




11A-CDD_Ant2_5580




11A-CDD_Ant3_5580



11A-CDD_Ant4_5580




11A-CDD_Ant1_5700



11A-CDD_Ant2_5700



11A-CDD_Ant3_5700



11A-CDD_Ant4_5700




11A-CDD_Ant1_5745




11A-CDD_Ant2_5745




11A-CDD_Ant3_5745



11A-CDD_Ant4_5745



11A-CDD_Ant1_5785




11A-CDD_Ant2_5785



11A-CDD_Ant3_5785



11A-CDD_Ant4_5785




11A-CDD_Ant1_5825



11A-CDD_Ant2_5825



11A-CDD_Ant3_5825



11A-CDD_Ant4_5825