




11BE20MIMO_Ant3_5745




11BE20MIMO_Ant5_5745




11BE20MIMO_Ant7_5745






11BE20MIMO_Ant1_5785




11BE20MIMO_Ant3_5785




11BE20MIMO_Ant5_5785







11BE20MIMO_Ant5_5825




11BE20MIMO_Ant7_5825




11BE40MIMO_Ant1_5710






11BE40MIMO_Ant3_5710









11BE40MIMO_Ant5_5710




11BE40MIMO_Ant7_5710












11BE80MIMO_Ant3_5690




11BE80MIMO_Ant5_5690




11BE80MIMO_Ant7_5690




11BE80MIMO_Ant1_5775



11BE80MIMO_Ant3_5775



11BE80MIMO_Ant5_5775



11.4. APPENDIX D: MAXIMUM CONDUCTED OUTPUT POWER

11.4.1. Test Result

FCC NSS=1, test data table:

Test Mode	Antenna	Channel	Power [dBm]	FCC Limit [dBm]	Verdict
11A-CDD	Ant1	5180	18.92	≤30.00	PASS
	Ant3	5180	18.23	≤30.00	PASS
	Ant5	5180	19.00	≤30.00	PASS
	Ant7	5180	18.63	≤30.00	PASS
	total	5180	24.73	≤30.00	PASS
	Ant1	5200	18.53	≤30.00	PASS
	Ant3	5200	18.23	≤30.00	PASS
	Ant5	5200	18.05	≤30.00	PASS
	Ant7	5200	18.67	≤30.00	PASS
	total	5200	24.40	≤30.00	PASS
	Ant1	5240	18.67	≤30.00	PASS
	Ant3	5240	18.89	≤30.00	PASS
	Ant5	5240	18.54	≤30.00	PASS
	Ant7	5240	18.95	≤30.00	PASS
	total	5240	24.79	≤30.00	PASS
	Ant1	5745	22.59	≤30.00	PASS
	Ant3	5745	22.74	≤30.00	PASS
	Ant5	5745	23.81	≤30.00	PASS
	Ant7	5745	23.92	≤30.00	PASS
	total	5745	29.33	≤30.00	PASS
	Ant1	5785	22.99	≤30.00	PASS
	Ant3	5785	23.07	≤30.00	PASS
	Ant5	5785	23.47	≤30.00	PASS
	Ant7	5785	23.33	≤30.00	PASS
	total	5785	29.24	≤30.00	PASS
	Ant1	5825	23.30	≤30.00	PASS
	Ant3	5825	22.92	≤30.00	PASS
	Ant5	5825	23.57	≤30.00	PASS
Ant7	5825	22.43	≤30.00	PASS	
total	5825	29.10	≤30.00	PASS	
11AX20MIMO	Ant1	5180	18.93	≤30.00	PASS
	Ant3	5180	18.26	≤30.00	PASS
	Ant5	5180	19.03	≤30.00	PASS
	Ant7	5180	18.47	≤30.00	PASS
	total	5180	24.70	≤30.00	PASS
	Ant1	5200	19.09	≤30.00	PASS
	Ant3	5200	18.76	≤30.00	PASS
	Ant5	5200	18.71	≤30.00	PASS
	Ant7	5200	19.06	≤30.00	PASS
	total	5200	24.93	≤30.00	PASS
	Ant1	5240	19.31	≤30.00	PASS
	Ant3	5240	19.39	≤30.00	PASS
	Ant5	5240	19.15	≤30.00	PASS
	Ant7	5240	19.30	≤30.00	PASS
	total	5240	25.31	≤30.00	PASS
	Ant1	5745	23.32	≤30.00	PASS
	Ant3	5745	23.07	≤30.00	PASS
	Ant5	5745	23.99	≤30.00	PASS
	Ant7	5745	23.76	≤30.00	PASS
	total	5745	29.57	≤30.00	PASS
	Ant1	5785	23.47	≤30.00	PASS
	Ant3	5785	23.28	≤30.00	PASS
	Ant5	5785	23.76	≤30.00	PASS
	Ant7	5785	23.22	≤30.00	PASS
	total	5785	29.46	≤30.00	PASS
	Ant1	5825	23.78	≤30.00	PASS

	Ant3	5825	23.19	≤30.00	PASS
	Ant5	5825	23.66	≤30.00	PASS
	Ant7	5825	22.30	≤30.00	PASS
	total	5825	29.29	≤30.00	PASS
11AX40MIMO	Ant1	5190	19.78	≤30.00	PASS
	Ant3	5190	20.04	≤30.00	PASS
	Ant5	5190	20.17	≤30.00	PASS
	Ant7	5190	20.16	≤30.00	PASS
	total	5190	26.06	≤30.00	PASS
	Ant1	5230	20.55	≤30.00	PASS
	Ant3	5230	21.54	≤30.00	PASS
	Ant5	5230	20.70	≤30.00	PASS
	Ant7	5230	21.31	≤30.00	PASS
	total	5230	27.07	≤30.00	PASS
	Ant1	5755	22.78	≤30.00	PASS
	Ant3	5755	22.90	≤30.00	PASS
	Ant5	5755	23.72	≤30.00	PASS
	Ant7	5755	23.37	≤30.00	PASS
	total	5755	29.23	≤30.00	PASS
	Ant1	5795	23.48	≤30.00	PASS
	Ant3	5795	23.16	≤30.00	PASS
	Ant5	5795	23.51	≤30.00	PASS
	Ant7	5795	23.10	≤30.00	PASS
	total	5795	29.34	≤30.00	PASS
11AX80MIMO	Ant1	5210	18.96	≤30.00	PASS
	Ant3	5210	19.72	≤30.00	PASS
	Ant5	5210	19.42	≤30.00	PASS
	Ant7	5210	19.59	≤30.00	PASS
	total	5210	25.45	≤30.00	PASS

11BE20MIMO	Ant1	5180	19.38	≤30.00	---	22.38	---	PASS
	Ant3	5180	18.61	≤30.00	---	21.61	---	PASS
	Ant5	5180	19.60	≤30.00	---	22.60	---	PASS
	Ant7	5180	18.86	≤30.00	---	21.86	---	PASS
	total	5180	25.15	≤30.00	---	28.15	---	PASS
	Ant1	5200	19.38	≤30.00	---	22.38	---	PASS
	Ant3	5200	19.00	≤30.00	---	22.00	---	PASS
	Ant5	5200	18.91	≤30.00	---	21.91	---	PASS
	Ant7	5200	19.31	≤30.00	---	22.31	---	PASS
	total	5200	25.18	≤30.00	---	28.18	---	PASS
	Ant1	5240	19.59	≤30.00	---	22.59	---	PASS
	Ant3	5240	19.52	≤30.00	---	22.52	---	PASS
	Ant5	5240	19.19	≤30.00	---	22.19	---	PASS
	Ant7	5240	19.46	≤30.00	---	22.46	---	PASS
	total	5240	25.46	≤30.00	---	28.46	---	PASS
	Ant1	5745	23.32	≤30.00	≤30.00	26.32	---	PASS
	Ant3	5745	22.89	≤30.00	≤30.00	25.89	---	PASS
	Ant5	5745	23.91	≤30.00	≤30.00	26.91	---	PASS
	Ant7	5745	23.89	≤30.00	≤30.00	26.89	---	PASS
	total	5745	29.54	≤30.00	≤30.00	32.54	---	PASS
Ant1	5785	23.37	≤30.00	≤30.00	26.37	---	PASS	
Ant3	5785	23.06	≤30.00	≤30.00	26.06	---	PASS	
Ant5	5785	23.43	≤30.00	≤30.00	26.43	---	PASS	
Ant7	5785	23.06	≤30.00	≤30.00	26.06	---	PASS	
total	5785	29.25	≤30.00	≤30.00	32.25	---	PASS	
Ant1	5825	23.75	≤30.00	≤30.00	26.75	---	PASS	
Ant3	5825	23.02	≤30.00	≤30.00	26.02	---	PASS	
Ant5	5825	23.73	≤30.00	≤30.00	26.73	---	PASS	
Ant7	5825	22.47	≤30.00	≤30.00	25.47	---	PASS	
total	5825	29.30	≤30.00	≤30.00	32.3	---	PASS	
11BE40MIMO	Ant1	5190	19.50	≤30.00	---	22.50	---	PASS
	Ant3	5190	19.74	≤30.00	---	22.74	---	PASS
	Ant5	5190	19.90	≤30.00	---	22.90	---	PASS
	Ant7	5190	19.85	≤30.00	---	22.85	---	PASS
	total	5190	25.77	≤30.00	---	28.77	---	PASS
	Ant1	5230	20.23	≤30.00	---	23.23	---	PASS
	Ant3	5230	21.29	≤30.00	---	24.29	---	PASS
	Ant5	5230	20.41	≤30.00	---	23.41	---	PASS
	Ant7	5230	21.13	≤30.00	---	24.13	---	PASS
	total	5230	26.81	≤30.00	---	29.81	---	PASS
	Ant1	5755	23.78	≤30.00	≤30.00	26.78	---	PASS
	Ant3	5755	23.28	≤30.00	≤30.00	26.28	---	PASS
	Ant5	5755	24.11	≤30.00	≤30.00	27.11	---	PASS
	Ant7	5755	23.81	≤30.00	≤30.00	26.81	---	PASS
	total	5755	29.78	≤30.00	≤30.00	32.78	---	PASS
	Ant1	5795	23.64	≤30.00	≤30.00	26.64	---	PASS
	Ant3	5795	23.34	≤30.00	≤30.00	26.34	---	PASS
	Ant5	5795	23.71	≤30.00	≤30.00	26.71	---	PASS
	Ant7	5795	23.23	≤30.00	≤30.00	26.23	---	PASS
	total	5795	29.51	≤30.00	≤30.00	32.51	---	PASS
11BE80MIMO	Ant1	5210	18.95	≤30.00	---	21.95	---	PASS
	Ant3	5210	19.80	≤30.00	---	22.80	---	PASS
	Ant5	5210	19.43	≤30.00	---	22.43	---	PASS
	Ant7	5210	19.84	≤30.00	---	22.84	---	PASS
	total	5210	25.54	≤30.00	---	28.54	---	PASS
	Ant1	5775	21.95	≤30.00	≤30.00	24.95	---	PASS
	Ant3	5775	22.02	≤30.00	≤30.00	25.02	---	PASS
	Ant5	5775	22.75	≤30.00	≤30.00	25.75	---	PASS
	Ant7	5775	22.17	≤30.00	≤30.00	25.17	---	PASS
total	5775	28.25	≤30.00	≤30.00	31.25	---	PASS	

Note: 1. Conducted Power=Meas. Level+ Correction Factor

2. The Duty Cycle Factor (refer to section 7.1) had already compensated to the test data.

11.4.2. Test Result

ISED NSS=1, test data table:

Test Mode	Antenna	Channel	Power [dBm]	Power Limit	EIRP [dBm]	EIRP Limit [dBm]	Verdict	
11A-CDD	Ant1	5180	4.94	---	7.94	≤22.44	PASS	
	Ant3	5180	5.22	---	8.22	≤22.46	PASS	
	Ant5	5180	5.78	---	8.78	≤22.42	PASS	
	Ant7	5180	5.2	---	8.2	≤22.43	PASS	
	total	5180	11.32	---	14.32	≤22.42	PASS	
	Ant1	5200	4.85	---	7.85	≤22.46	PASS	
	Ant3	5200	5.46	---	8.46	≤22.45	PASS	
	Ant5	5200	5.15	---	8.15	≤22.43	PASS	
	Ant7	5200	5.74	---	8.74	≤22.42	PASS	
	total	5200	11.33	---	14.33	≤22.42	PASS	
	Ant1	5240	4.52	---	7.52	≤22.46	PASS	
	Ant3	5240	5.2	---	8.2	≤22.46	PASS	
	Ant5	5240	4.75	---	7.75	≤22.43	PASS	
	Ant7	5240	5.1	---	8.1	≤22.43	PASS	
	total	5240	10.92	---	13.92	≤22.43	PASS	
	Ant1	5745	22.59	≤30.00	25.59	---	25.59	
	Ant3	5745	22.74	≤30.00	25.74	---	25.74	
	Ant5	5745	23.81	≤30.00	26.81	---	26.81	
	Ant7	5745	23.92	≤30.00	26.92	---	26.92	
	total	5745	29.33	≤30.00	32.33	---	32.33	
	Ant1	5785	22.99	≤30.00	25.99	---	25.99	
	Ant3	5785	23.07	≤30.00	26.07	---	26.07	
	Ant5	5785	23.47	≤30.00	26.47	---	26.47	
	Ant7	5785	23.33	≤30.00	26.33	---	26.33	
	total	5785	29.24	≤30.00	32.24	---	32.24	
	Ant1	5825	23.3	≤30.00	26.3	---	26.3	
	Ant3	5825	22.92	≤30.00	25.92	---	25.92	
	Ant5	5825	23.57	≤30.00	26.57	---	26.57	
	Ant7	5825	22.43	≤30.00	25.43	---	25.43	
	total	5825	29.1	≤30.00	32.1	---	32.1	
	11AX20MIMO	Ant1	5180	6.1	---	9.1	≤22.84	PASS
		Ant3	5180	6.14	---	9.14	≤22.85	PASS
Ant5		5180	6.87	---	9.87	≤22.87	PASS	
Ant7		5180	6.11	---	9.11	≤22.86	PASS	
total		5180	12.34	---	15.34	≤22.84	PASS	
Ant1		5200	5.91	---	8.91	≤22.85	PASS	
Ant3		5200	6.51	---	9.51	≤22.86	PASS	
Ant5		5200	6.23	---	9.23	≤22.86	PASS	

	Ant7	5200	6.56	---	9.56	≤22.86	PASS
	total	5200	12.33	---	15.33	≤22.85	PASS
	Ant1	5240	6.04	---	9.04	≤22.84	PASS
	Ant3	5240	6.95	---	9.95	≤22.85	PASS
	Ant5	5240	6.21	---	9.21	≤22.87	PASS
	Ant7	5240	6.5	---	9.5	≤22.87	PASS
	total	5240	12.46	---	15.46	≤22.84	PASS
	Ant1	5745	23.32	≤30.00	26.32	---	PASS
	Ant3	5745	23.07	≤30.00	26.07	---	PASS
	Ant5	5745	23.99	≤30.00	26.99	---	PASS
	Ant7	5745	23.76	≤30.00	26.76	---	PASS
	total	5745	29.57	≤30.00	32.57	---	PASS
	Ant1	5785	23.47	≤30.00	26.47	---	PASS
	Ant3	5785	23.28	≤30.00	26.28	---	PASS
	Ant5	5785	23.76	≤30.00	26.76	---	PASS
	Ant7	5785	23.22	≤30.00	26.22	---	PASS
	total	5785	29.46	≤30.00	32.46	---	PASS
	Ant1	5825	23.78	≤30.00	26.78	---	PASS
	Ant3	5825	23.19	≤30.00	26.19	---	PASS
	Ant5	5825	23.66	≤30.00	26.66	---	PASS
	Ant7	5825	22.3	≤30.00	25.3	---	PASS
	total	5825	29.29	≤30.00	32.29	---	PASS
11AX40MIMO	Ant1	5190	8.64	---	11.64	≤23.00	PASS
	Ant3	5190	9.1	---	12.1	≤23.00	PASS
	Ant5	5190	9.63	---	12.63	≤23.00	PASS
	Ant7	5190	9.53	---	12.53	≤23.00	PASS
	total	5190	15.26	---	18.26	≤23.00	PASS
	Ant1	5230	8.97	---	11.97	≤23.00	PASS
	Ant3	5230	9.71	---	12.71	≤23.00	PASS
	Ant5	5230	9.11	---	12.11	≤23.00	PASS
	Ant7	5230	9.79	---	12.79	≤23.00	PASS
	total	5230	15.43	---	18.43	≤23.00	PASS
	Ant1	5755	22.78	≤30.00	25.78	---	PASS
	Ant3	5755	22.9	≤30.00	25.9	---	PASS
	Ant5	5755	23.72	≤30.00	26.72	---	PASS
	Ant7	5755	23.37	≤30.00	26.37	---	PASS
	total	5755	29.23	≤30.00	32.23	---	PASS
	Ant1	5795	23.48	≤30.00	26.48	---	PASS
	Ant3	5795	23.16	≤30.00	26.16	---	PASS
	Ant5	5795	23.51	≤30.00	26.51	---	PASS
	Ant7	5795	23.1	≤30.00	26.1	---	PASS
	total	5795	29.34	≤30.00	32.34	---	PASS

11AX80MIMO	Ant1	5210	12.18	---	15.18	≤23.00	PASS	
	Ant3	5210	12.89	---	15.89	≤23.00	PASS	
	Ant5	5210	12.5	---	15.5	≤23.00	PASS	
	Ant7	5210	12.7	---	15.7	≤23.00	PASS	
	total	5210	18.6	---	21.6	≤23.00	PASS	
11BE20MIMO	Ant1	5180	6.22	---	9.22	≤22.89	PASS	
	Ant3	5180	6.56	---	9.56	≤22.87	PASS	
	Ant5	5180	7.39	---	10.39	≤22.86	PASS	
	Ant7	5180	6.63	---	9.63	≤22.88	PASS	
	total	5180	12.74	---	15.74	≤22.86	PASS	
	Ant1	5200	5.76	---	8.76	≤22.89	PASS	
	Ant3	5200	6.42	---	9.42	≤22.90	PASS	
	Ant5	5200	5.95	---	8.95	≤22.88	PASS	
	Ant7	5200	6.44	---	9.44	≤22.94	PASS	
	total	5200	12.17	---	15.17	≤22.88	PASS	
	Ant1	5240	6.28	---	9.28	≤22.87	PASS	
	Ant3	5240	7.12	---	10.12	≤22.91	PASS	
	Ant5	5240	6.51	---	9.51	≤22.86	PASS	
	Ant7	5240	6.83	---	9.83	≤22.90	PASS	
	total	5240	12.72	---	15.72	≤22.86	PASS	
	Ant1	5745	23.32	≤30.00	26.32	---	PASS	
	Ant3	5745	23.07	≤30.00	26.07	---	PASS	
	Ant5	5745	23.99	≤30.00	26.99	---	PASS	
	Ant7	5745	23.76	≤30.00	26.76	---	PASS	
	total	5745	29.57	≤30.00	32.57	---	PASS	
	Ant1	5785	23.47	≤30.00	26.47	---	PASS	
	Ant3	5785	23.28	≤30.00	26.28	---	PASS	
	Ant5	5785	23.76	≤30.00	26.76	---	PASS	
	Ant7	5785	23.22	≤30.00	26.22	---	PASS	
	total	5785	29.46	≤30.00	32.46	---	PASS	
	Ant1	5825	23.78	≤30.00	26.78	---	PASS	
	Ant3	5825	23.19	≤30.00	26.19	---	PASS	
	Ant5	5825	23.66	≤30.00	26.66	---	PASS	
	Ant7	5825	22.3	≤30.00	25.3	---	PASS	
	total	5825	29.29	≤30.00	32.29	---	PASS	
	11BE40MIMO	Ant1	5190	8.64	---	11.64	≤23.00	PASS
		Ant3	5190	9.15	---	12.15	≤23.00	PASS
		Ant5	5190	9.71	---	12.71	≤23.00	PASS
Ant7		5190	9.38	---	12.38	≤23.00	PASS	
total		5190	15.26	---	18.26	≤23.00	PASS	
Ant1		5230	8.81	---	11.81	≤23.00	PASS	
Ant3		5230	9.73	---	12.73	≤23.00	PASS	

	Ant5	5230	9.08	---	12.08	≤23.00	PASS
	Ant7	5230	9.7	---	12.7	≤23.00	PASS
	total	5230	15.37	---	18.37	≤23.00	PASS
	Ant1	5755	23.78	≤30.00	26.78	---	PASS
	Ant3	5755	23.28	≤30.00	26.28	---	PASS
	Ant5	5755	24.11	≤30.00	27.11	---	PASS
	Ant7	5755	23.81	≤30.00	26.81	---	PASS
	total	5755	29.78	≤30.00	32.78	---	PASS
	Ant1	5795	23.64	≤30.00	26.64	---	PASS
	Ant3	5795	23.34	≤30.00	26.34	---	PASS
	Ant5	5795	23.71	≤30.00	26.71	---	PASS
	Ant7	5795	23.23	≤30.00	26.23	---	PASS
	total	5795	29.51	≤30.00	32.51	---	PASS
11BE80MIMO	Ant1	5210	11.66	---	14.66	≤23.00	PASS
	Ant3	5210	12.44	---	15.44	≤23.00	PASS
	Ant5	5210	11.93	---	14.93	≤23.00	PASS
	Ant7	5210	12.34	---	15.34	≤23.00	PASS
	total	5210	18.12	---	21.12	≤23.00	PASS

11.4.3. Test Result

For FCC UNII-1 NSS=4 test data table:

Test Mode	Antenna	Channel	Power [dB m]	Limit [dBm]	Verdict
11AX20MIMO	Ant1	5180	20.89	≤30.00	PASS
	Ant3	5180	20.61	≤30.00	PASS
	Ant5	5180	21.07	≤30.00	PASS
	Ant7	5180	20.80	≤30.00	PASS
	total	5180	26.87	≤30.00	PASS
	Ant1	5200	22.51	≤30.00	PASS
	Ant3	5200	21.93	≤30.00	PASS
	Ant5	5200	21.46	≤30.00	PASS
	Ant7	5200	21.96	≤30.00	PASS
	total	5200	28.00	≤30.00	PASS
	Ant1	5240	21.83	≤30.00	PASS
	Ant3	5240	22.70	≤30.00	PASS
	Ant5	5240	21.96	≤30.00	PASS
	Ant7	5240	22.34	≤30.00	PASS
total	5240	28.24	≤30.00	PASS	
11BE20MIMO	Ant1	5180	20.89	≤30.00	PASS
	Ant3	5180	20.55	≤30.00	PASS
	Ant5	5180	20.89	≤30.00	PASS
	Ant7	5180	20.66	≤30.00	PASS
	total	5180	26.77	≤30.00	PASS
	Ant1	5200	22.47	≤30.00	PASS
	Ant3	5200	21.99	≤30.00	PASS
	Ant5	5200	21.59	≤30.00	PASS
	Ant7	5200	22.08	≤30.00	PASS
	total	5200	28.06	≤30.00	PASS
	Ant1	5240	21.62	≤30.00	PASS
	Ant3	5240	22.58	≤30.00	PASS
	Ant5	5240	21.77	≤30.00	PASS
	Ant7	5240	22.09	≤30.00	PASS
total	5240	28.05	≤30.00	PASS	

Note: 1. Conducted Power=Meas. Level+ Correction Factor

2. The Duty Cycle Factor (refer to section 7.1) had already compensated to the test data.

11.4.4. Test Result

For ISED UNII-1 NSS=4 test data table:

Test Mode	Antenna	Channel	Power [dBm]	EIRP [dBm]	Limit [dBm]	Verdict
11AX20MIMO	Ant1	5180	11.33	14.33	≤22.84	PASS
	Ant2	5180	10.72	13.72	≤22.85	PASS
	Ant3	5180	11.19	14.19	≤22.87	PASS
	Ant4	5180	11.56	14.56	≤22.86	PASS
	total	5180	17.23	20.23	≤22.84	PASS
	Ant1	5200	11.25	14.25	≤22.85	PASS
	Ant2	5200	10.65	13.65	≤22.86	PASS
	Ant3	5200	11.11	14.11	≤22.86	PASS
	Ant4	5200	11.87	14.87	≤22.86	PASS
	total	5200	17.26	20.26	≤22.85	PASS
	Ant1	5240	10.86	13.86	≤22.84	PASS
	Ant2	5240	10.51	13.51	≤22.85	PASS
	Ant3	5240	10.85	13.85	≤22.87	PASS
	Ant4	5240	10.95	13.95	≤22.87	PASS
total	5240	16.82	19.82	≤22.84	PASS	
11BE20MIMO	Ant1	5180	11.18	14.18	≤22.89	PASS
	Ant2	5180	10.54	13.54	≤22.87	PASS
	Ant3	5180	11.03	14.03	≤22.86	PASS
	Ant4	5180	11.25	14.25	≤22.88	PASS
	total	5180	17.03	20.03	≤22.86	PASS
	Ant1	5200	10.73	13.73	≤22.89	PASS
	Ant2	5200	10.26	13.26	≤22.90	PASS
	Ant3	5200	10.78	13.78	≤22.88	PASS
	Ant4	5200	11.24	14.24	≤22.94	PASS
	total	5200	16.79	19.79	≤22.88	PASS
	Ant1	5240	11.02	14.02	≤22.87	PASS
	Ant2	5240	10.57	13.57	≤22.91	PASS
	Ant3	5240	11.00	14.00	≤22.86	PASS
	Ant4	5240	11.15	14.15	≤22.90	PASS
total	5240	16.96	19.96	≤22.86	PASS	

Note: 1. Conducted Power=Meas. Level+ Correction Factor

2. The Duty Cycle Factor (refer to section 7.1) had already compensated to the test data.

11.5. APPENDIX E: MAXIMUM POWER SPECTRAL DENSITY

11.5.1. Test Result

For FCC NSS=1 test data table:

Test Mode	Antenna	Channel	Power [dBm/MHz]	Limit [dBm/MHz]	Verdict
11A-CDD	Ant1	5180	7.65	≤13.98	PASS
	Ant3	5180	6.98	≤13.98	PASS
	Ant5	5180	7.82	≤13.98	PASS
	Ant7	5180	7.49	≤13.98	PASS
	total	5180	13.52	≤13.98	PASS
	Ant1	5200	7.18	≤13.98	PASS
	Ant3	5200	7.22	≤13.98	PASS
	Ant5	5200	6.74	≤13.98	PASS
	Ant7	5200	7.61	≤13.98	PASS
	total	5200	13.22	≤13.98	PASS
	Ant1	5240	7.41	≤13.98	PASS
	Ant3	5240	7.61	≤13.98	PASS
	Ant5	5240	7.41	≤13.98	PASS
	Ant7	5240	7.73	≤13.98	PASS
	total	5240	13.56	≤13.98	PASS
	Ant1	5745	8.7	≤26.98	PASS
	Ant3	5745	8.83	≤26.98	PASS
	Ant5	5745	9.66	≤26.98	PASS
	Ant7	5745	10.02	≤26.98	PASS
	total	5745	15.36	≤26.98	PASS
	Ant1	5785	8.75	≤26.98	PASS
	Ant3	5785	9.23	≤26.98	PASS
	Ant5	5785	9.4	≤26.98	PASS
	Ant7	5785	9.51	≤26.98	PASS
	total	5785	15.25	≤26.98	PASS
	Ant1	5825	9.2	≤26.98	PASS
	Ant3	5825	9.01	≤26.98	PASS
	Ant5	5825	9.73	≤26.98	PASS
	Ant7	5825	8.4	≤26.98	PASS
	total	5825	15.13	≤26.98	PASS
11AX20MIMO	Ant1	5180	7.31	≤13.98	PASS
	Ant3	5180	6.88	≤13.98	PASS
	Ant5	5180	7.23	≤13.98	PASS
	Ant7	5180	6.78	≤13.98	PASS
	total	5180	13.08	≤13.98	PASS
	Ant1	5200	7.49	≤13.98	PASS
	Ant3	5200	7.39	≤13.98	PASS
	Ant5	5200	7.11	≤13.98	PASS
	Ant7	5200	7.35	≤13.98	PASS
	total	5200	13.36	≤13.98	PASS
	Ant1	5240	7.71	≤13.98	PASS
	Ant3	5240	7.96	≤13.98	PASS
	Ant5	5240	7.79	≤13.98	PASS
	Ant7	5240	7.65	≤13.98	PASS
	total	5240	13.80	≤13.98	PASS
	Ant1	5745	8.65	≤26.98	PASS
	Ant3	5745	8.85	≤26.98	PASS
	Ant5	5745	9.81	≤26.98	PASS
	Ant7	5745	9.66	≤26.98	PASS
	total	5745	15.29	≤26.98	PASS
	Ant1	5785	8.71	≤26.98	PASS
	Ant3	5785	9.06	≤26.98	PASS
	Ant5	5785	9.25	≤26.98	PASS
	Ant7	5785	8.87	≤26.98	PASS
	total	5785	15.00	≤26.98	PASS
	Ant1	5825	9.05	≤26.98	PASS

	Ant3	5825	8.83	≤26.98	PASS
	Ant5	5825	9.19	≤26.98	PASS
	Ant7	5825	7.82	≤26.98	PASS
	total	5825	14.77	≤26.98	PASS
11AX40MIMO	Ant1	5190	4.79	≤13.98	PASS
	Ant3	5190	5.14	≤13.98	PASS
	Ant5	5190	5.83	≤13.98	PASS
	Ant7	5190	5.29	≤13.98	PASS
	total	5190	11.30	≤13.98	PASS
	Ant1	5230	5.75	≤13.98	PASS
	Ant3	5230	6.89	≤13.98	PASS
	Ant5	5230	6.17	≤13.98	PASS
	Ant7	5230	6.45	≤13.98	PASS
	total	5230	12.36	≤13.98	PASS
	Ant1	5755	5.14	≤26.98	PASS
	Ant3	5755	5.15	≤26.98	PASS
	Ant5	5755	6.16	≤26.98	PASS
	Ant7	5755	5.99	≤26.98	PASS
	total	5755	11.66	≤26.98	PASS
	Ant1	5795	6.13	≤26.98	PASS
	Ant3	5795	5.49	≤26.98	PASS
	Ant5	5795	6.26	≤26.98	PASS
	Ant7	5795	5.38	≤26.98	PASS
	total	5795	11.85	≤26.98	PASS
11AX80MIMO	Ant1	5210	1.04	≤13.98	PASS
	Ant3	5210	2.17	≤13.98	PASS
	Ant5	5210	1.75	≤13.98	PASS
	Ant7	5210	1.56	≤13.98	PASS
	total	5210	7.67	≤13.98	PASS
	Ant1	5775	1.99	≤26.98	PASS
	Ant3	5775	2.25	≤26.98	PASS
	Ant5	5775	3.11	≤26.98	PASS
Ant7	5775	2.57	≤26.98	PASS	
total	5775	8.52	≤26.98	PASS	
11BE20MIMO	Ant1	5180	7.52	≤13.98	PASS
	Ant3	5180	6.73	≤13.98	PASS
	Ant5	5180	7.72	≤13.98	PASS
	Ant7	5180	7.02	≤13.98	PASS
	total	5180	13.29	≤13.98	PASS
	Ant1	5200	7.5	≤13.98	PASS
	Ant3	5200	7.42	≤13.98	PASS
	Ant5	5200	7.05	≤13.98	PASS
	Ant7	5200	7.41	≤13.98	PASS
	total	5200	13.37	≤13.98	PASS
	Ant1	5240	7.65	≤13.98	PASS
	Ant3	5240	7.63	≤13.98	PASS
	Ant5	5240	7.45	≤13.98	PASS
	Ant7	5240	7.52	≤13.98	PASS
	total	5240	13.58	≤13.98	PASS
	Ant1	5745	8.57	≤26.98	PASS
	Ant3	5745	8.42	≤26.98	PASS
	Ant5	5745	9.05	≤26.98	PASS
	Ant7	5745	9.3	≤26.98	PASS
	total	5745	14.87	≤26.98	PASS
	Ant1	5785	8.58	≤26.98	PASS
	Ant3	5785	8.56	≤26.98	PASS
	Ant5	5785	8.62	≤26.98	PASS
	Ant7	5785	8.44	≤26.98	PASS
	total	5785	14.57	≤26.98	PASS
	Ant1	5825	9.06	≤26.98	PASS
	Ant3	5825	8.33	≤26.98	PASS
	Ant5	5825	9.19	≤26.98	PASS
Ant7	5825	8	≤26.98	PASS	

	total	5825	14.69	≤26.98	PASS
11BE40MIMO	Ant1	5190	4.55	≤13.98	PASS
	Ant3	5190	4.87	≤13.98	PASS
	Ant5	5190	5.45	≤13.98	PASS
	Ant7	5190	4.92	≤13.98	PASS
	total	5190	10.98	≤13.98	PASS
	Ant1	5230	5.34	≤13.98	PASS
	Ant3	5230	6.41	≤13.98	PASS
	Ant5	5230	5.88	≤13.98	PASS
	Ant7	5230	6.12	≤13.98	PASS
	total	5230	11.98	≤13.98	PASS
	Ant1	5755	6.04	≤26.98	PASS
	Ant3	5755	5.63	≤26.98	PASS
	Ant5	5755	6.59	≤26.98	PASS
	Ant7	5755	6.41	≤26.98	PASS
	total	5755	12.20	≤26.98	PASS
	Ant1	5795	5.96	≤26.98	PASS
	Ant3	5795	5.78	≤26.98	PASS
	Ant5	5795	6.65	≤26.98	PASS
	Ant7	5795	5.33	≤26.98	PASS
	total	5795	11.98	≤26.98	PASS
11BE80MIMO	Ant1	5210	0.87	≤13.98	PASS
	Ant3	5210	2.2	≤13.98	PASS
	Ant5	5210	1.76	≤13.98	PASS
	Ant7	5210	1.75	≤13.98	PASS
	total	5210	7.69	≤13.98	PASS
	Ant1	5775	1.02	≤26.98	PASS
	Ant3	5775	1.18	≤26.98	PASS
	Ant5	5775	2.26	≤26.98	PASS
	Ant7	5775	1.65	≤26.98	PASS
	total	5775	7.58	≤26.98	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

2.The Duty Cycle Factor and RBW Factor is compensated in the graph.

11.5.2. Test Result

For ISED NSS=1 test data table:

Test Mode	Antenna	Channel	Power [dBm/MHz]	Limit [dBm/MHz]	EIRP [dBm/MHz]	EIRP Limit [dBm/MHz]	Verdict
11A-CDD	Ant1	5180	-6.2	---	-3.2	≤10.00	PASS
	Ant3	5180	-6.04	---	-3.04	≤10.00	PASS
	Ant5	5180	-5.47	---	-2.47	≤10.00	PASS
	Ant7	5180	-5.76	---	-2.76	≤10.00	PASS
	total	5180	0.16	---	9.18	≤10.00	PASS
	Ant1	5200	-5.71	---	-2.71	≤10.00	PASS
	Ant3	5200	-5.08	---	-2.08	≤10.00	PASS
	Ant5	5200	-5.81	---	-2.81	≤10.00	PASS
	Ant7	5200	-4.82	---	-1.82	≤10.00	PASS
	total	5200	0.69	---	9.71	≤10.00	PASS
	Ant1	5240	-6.36	---	-3.36	≤10.00	PASS
	Ant3	5240	-4.87	---	-1.87	≤10.00	PASS
	Ant5	5240	-6.45	---	-3.45	≤10.00	PASS
	Ant7	5240	-5.77	---	-2.77	≤10.00	PASS
	total	5240	0.21	---	9.23	≤10.00	PASS
	Ant1	5745	8.7	≤30.00	---	---	PASS
	Ant3	5745	8.83	≤30.00	---	---	PASS
	Ant5	5745	9.66	≤30.00	---	---	PASS
	Ant7	5745	10.02	≤30.00	---	---	PASS
	total	5745	15.36	≤30.00	---	---	PASS
	Ant1	5785	8.75	≤30.00	---	---	PASS
	Ant3	5785	9.23	≤30.00	---	---	PASS
	Ant5	5785	9.4	≤30.00	---	---	PASS
	Ant7	5785	9.51	≤30.00	---	---	PASS
	total	5785	15.25	≤30.00	---	---	PASS
	Ant1	5825	9.2	≤30.00	---	---	PASS
	Ant3	5825	9.01	≤30.00	---	---	PASS
	Ant5	5825	9.73	≤30.00	---	---	PASS
	Ant7	5825	8.4	≤30.00	---	---	PASS
	total	5825	15.13	≤30.00	---	---	PASS
11AX20MIMO	Ant1	5180	-6.06	---	-3.06	≤10.00	PASS
	Ant3	5180	-5.65	---	-2.65	≤10.00	PASS
	Ant5	5180	-5.08	---	-2.08	≤10.00	PASS
	Ant7	5180	-5.56	---	-2.56	≤10.00	PASS
	total	5180	0.45	---	9.47	≤10.00	PASS
	Ant1	5200	-5.87	---	-2.87	≤10.00	PASS
	Ant3	5200	-5.12	---	-2.12	≤10.00	PASS
	Ant5	5200	-5.7	---	-2.7	≤10.00	PASS

	Ant7	5200	-5.15	---	-2.15	≤10.00	PASS
	total	5200	0.57	---	9.59	≤10.00	PASS
	Ant1	5240	-6.04	---	-3.04	≤10.00	PASS
	Ant3	5240	-5.12	---	-2.12	≤10.00	PASS
	Ant5	5240	-5.45	---	-2.45	≤10.00	PASS
	Ant7	5240	-5.48	---	-2.48	≤10.00	PASS
	total	5240	0.51	---	9.53	≤10.00	PASS
	Ant1	5745	8.65	≤30.00	---	---	PASS
	Ant3	5745	8.85	≤30.00	---	---	PASS
	Ant5	5745	9.81	≤30.00	---	---	PASS
	Ant7	5745	9.66	≤30.00	---	---	PASS
	total	5745	15.29	≤30.00	---	---	PASS
	Ant1	5785	8.71	≤30.00	---	---	PASS
	Ant3	5785	9.06	≤30.00	---	---	PASS
	Ant5	5785	9.25	≤30.00	---	---	PASS
	Ant7	5785	8.87	≤30.00	---	---	PASS
	total	5785	15	≤30.00	---	---	PASS
	Ant1	5825	9.05	≤30.00	---	---	PASS
	Ant3	5825	8.83	≤30.00	---	---	PASS
	Ant5	5825	9.19	≤30.00	---	---	PASS
	Ant7	5825	7.82	≤30.00	---	---	PASS
	total	5825	14.77	≤30.00	---	---	PASS
11AX40MIMO	Ant1	5190	-6.4	---	-3.4	≤10.00	PASS
	Ant3	5190	-5.69	---	-2.69	≤10.00	PASS
	Ant5	5190	-4.72	---	-1.72	≤10.00	PASS
	Ant7	5190	-5.43	---	-2.43	≤10.00	PASS
	total	5190	0.5	---	9.52	≤10.00	PASS
	Ant1	5230	-6.14	---	-3.14	≤10.00	PASS
	Ant3	5230	-4.99	---	-1.99	≤10.00	PASS
	Ant5	5230	-5.39	---	-2.39	≤10.00	PASS
	Ant7	5230	-5.19	---	-2.19	≤10.00	PASS
	total	5230	0.61	---	9.63	≤10.00	PASS
	Ant1	5755	5.14	≤30.00	---	---	PASS
	Ant3	5755	5.15	≤30.00	---	---	PASS
	Ant5	5755	6.16	≤30.00	---	---	PASS
	Ant7	5755	5.99	≤30.00	---	---	PASS
	total	5755	11.66	≤30.00	---	---	PASS
	Ant1	5795	6.13	≤30.00	---	---	PASS
	Ant3	5795	5.49	≤30.00	---	---	PASS
	Ant5	5795	6.26	≤30.00	---	---	PASS
	Ant7	5795	5.38	≤30.00	---	---	PASS
	total	5795	11.85	≤30.00	---	---	PASS

11AX80MIMO	Ant1	5210	-5.73	---	-2.73	≤10.00	PASS
	Ant3	5210	-4.81	---	-1.81	≤10.00	PASS
	Ant5	5210	-5.41	---	-2.41	≤10.00	PASS
	Ant7	5210	-5.28	---	-2.28	≤10.00	PASS
	total	5210	0.73	---	9.75	≤10.00	PASS
	Ant1	5775	1.99	≤30.00	---	---	PASS
	Ant3	5775	2.25	≤30.00	---	---	PASS
	Ant5	5775	3.11	≤30.00	---	---	PASS
	Ant7	5775	2.57	≤30.00	---	---	PASS
	total	5775	8.52	≤30.00	---	---	PASS
11BE20MIMO	Ant1	5180	-5.62	---	-2.62	≤10.00	PASS
	Ant3	5180	-5.35	---	-2.35	≤10.00	PASS
	Ant5	5180	-4.45	---	-1.45	≤10.00	PASS
	Ant7	5180	-5.2	---	-2.2	≤10.00	PASS
	total	5180	0.89	---	9.91	≤10.00	PASS
	Ant1	5200	-5.85	---	-2.85	≤10.00	PASS
	Ant3	5200	-5.2	---	-2.2	≤10.00	PASS
	Ant5	5200	-6.05	---	-3.05	≤10.00	PASS
	Ant7	5200	-5.32	---	-2.32	≤10.00	PASS
	total	5200	0.43	---	9.45	≤10.00	PASS
	Ant1	5240	-5.79	---	-2.79	≤10.00	PASS
	Ant3	5240	-4.71	---	-1.71	≤10.00	PASS
	Ant5	5240	-4.99	---	-1.99	≤10.00	PASS
	Ant7	5240	-5.07	---	-2.07	≤10.00	PASS
	total	5240	0.9	---	9.92	≤10.00	PASS
	Ant1	5745	8.57	≤30.00	---	---	PASS
	Ant3	5745	8.42	≤30.00	---	---	PASS
	Ant5	5745	9.05	≤30.00	---	---	PASS
	Ant7	5745	9.3	≤30.00	---	---	PASS
	total	5745	14.87	≤30.00	---	---	PASS
	Ant1	5785	8.58	≤30.00	---	---	PASS
	Ant3	5785	8.56	≤30.00	---	---	PASS
	Ant5	5785	8.62	≤30.00	---	---	PASS
	Ant7	5785	8.44	≤30.00	---	---	PASS
	total	5785	14.57	≤30.00	---	---	PASS
	Ant1	5825	9.06	≤30.00	---	---	PASS
	Ant3	5825	8.33	≤30.00	---	---	PASS
	Ant5	5825	9.19	≤30.00	---	---	PASS
	Ant7	5825	8	≤30.00	---	---	PASS
	total	5825	14.69	≤30.00	---	---	PASS
11BE40MIMO	Ant1	5190	-6.47	---	-3.47	≤10.00	PASS
	Ant3	5190	-5.76	---	-2.76	≤10.00	PASS

	Ant5	5190	-4.81	---	-1.81	≤10.00	PASS
	Ant7	5190	-5.39	---	-2.39	≤10.00	PASS
	total	5190	0.45	---	9.47	≤10.00	PASS
	Ant1	5230	-6.06	---	-3.06	≤10.00	PASS
	Ant3	5230	-5.23	---	-2.23	≤10.00	PASS
	Ant5	5230	-5.27	---	-2.27	≤10.00	PASS
	Ant7	5230	-5.33	---	-2.33	≤10.00	PASS
	total	5230	0.56	---	9.58	≤10.00	PASS
	Ant1	5755	6.04	≤30.00	---	---	PASS
	Ant3	5755	5.63	≤30.00	---	---	PASS
	Ant5	5755	6.59	≤30.00	---	---	PASS
	Ant7	5755	6.41	≤30.00	---	---	PASS
	total	5755	12.2	≤30.00	---	---	PASS
	Ant1	5795	5.96	≤30.00	---	---	PASS
	Ant3	5795	5.78	≤30.00	---	---	PASS
	Ant5	5795	6.65	≤30.00	---	---	PASS
	Ant7	5795	5.33	≤30.00	---	---	PASS
	total	5795	11.98	≤30.00	---	---	PASS
11BE80MIMO	Ant1	5210	-6.4	---	-3.4	≤10.00	PASS
	Ant3	5210	-5.03	---	-2.03	≤10.00	PASS
	Ant5	5210	-5.49	---	-2.49	≤10.00	PASS
	Ant7	5210	-5.65	---	-2.65	≤10.00	PASS
	total	5210	0.41	---	9.43	≤10.00	PASS
	Ant1	5775	1.02	≤30.00	---	---	PASS
	Ant3	5775	1.18	≤30.00	---	---	PASS
	Ant5	5775	2.26	≤30.00	---	---	PASS
	Ant7	5775	1.65	≤30.00	---	---	PASS
	total	5775	7.58	≤30.00	---	---	PASS

Note: 1. The Duty Cycle Factor and RBW Factor is compensated in the graph.

11.5.3. Test Result

For FCC UNII-1 NSS=4 test data table:

Test Mode	Antenna	Channel	Power [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX20MIMO	Ant1	5180	9.11	≤17.00	PASS
	Ant3	5180	8.74	≤17.00	PASS
	Ant5	5180	9.53	≤17.00	PASS
	Ant7	5180	8.96	≤17.00	PASS
	total	5180	15.12	≤17.00	PASS
	Ant1	5200	10.66	≤17.00	PASS
	Ant3	5200	10.23	≤17.00	PASS
	Ant5	5200	9.74	≤17.00	PASS
	Ant7	5200	10.12	≤17.00	PASS
	total	5200	16.22	≤17.00	PASS
	Ant1	5240	10.35	≤17.00	PASS
	Ant3	5240	10.92	≤17.00	PASS
	Ant5	5240	10.3	≤17.00	PASS
	Ant7	5240	10.62	≤17.00	PASS
total	5240	16.58	≤17.00	PASS	
11BE20MIMO	Ant1	5180	9.13	≤17.00	PASS
	Ant3	5180	8.75	≤17.00	PASS
	Ant5	5180	9.46	≤17.00	PASS
	Ant7	5180	8.71	≤17.00	PASS
	total	5180	15.04	≤17.00	PASS
	Ant1	5200	10.66	≤17.00	PASS
	Ant3	5200	10.61	≤17.00	PASS
	Ant5	5200	9.64	≤17.00	PASS
	Ant7	5200	10.21	≤17.00	PASS
	total	5200	16.32	≤17.00	PASS
	Ant1	5240	9.92	≤17.00	PASS
	Ant3	5240	10.63	≤17.00	PASS
	Ant5	5240	10.1	≤17.00	PASS
	Ant7	5240	10.19	≤17.00	PASS
total	5240	16.24	≤17.00	PASS	

- Note: 1. The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
 2. The Duty Cycle Factor and RBW Factor is compensated in the graph.

11.5.4. Test Result


For ISED UNII-1 NSS=4 test data table:

Test Mode	Antenna	Channel	Power [dBm/MHz]	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX20MIMO	Ant1	5180	0.53	3.53	≤10.00	PASS
	Ant2	5180	0.46	3.46	≤10.00	PASS
	Ant3	5180	0.8	3.80	≤10.00	PASS
	Ant4	5180	0.96	3.96	≤10.00	PASS
	total	5180	6.71	9.71	≤10.00	PASS
	Ant1	5200	0.62	3.62	≤10.00	PASS
	Ant2	5200	0.4	3.40	≤10.00	PASS
	Ant3	5200	0.74	3.74	≤10.00	PASS
	Ant4	5200	1.05	4.05	≤10.00	PASS
	total	5200	6.73	9.73	≤10.00	PASS
	Ant1	5240	0.33	3.33	≤10.00	PASS
	Ant2	5240	0.05	3.05	≤10.00	PASS
	Ant3	5240	0.29	3.29	≤10.00	PASS
	Ant4	5240	0.52	3.52	≤10.00	PASS
total	5240	6.32	9.32	≤10.00	PASS	
11BE20MIMO	Ant1	5180	0.57	3.57	≤10.00	PASS
	Ant2	5180	0.06	3.06	≤10.00	PASS
	Ant3	5180	0.44	3.44	≤10.00	PASS
	Ant4	5180	0.99	3.99	≤10.00	PASS
	total	5180	6.55	9.55	≤10.00	PASS
	Ant1	5200	0.01	3.01	≤10.00	PASS
	Ant2	5200	-0.39	2.61	≤10.00	PASS
	Ant3	5200	0.18	3.18	≤10.00	PASS
	Ant4	5200	0.8	3.80	≤10.00	PASS
	total	5200	6.19	9.19	≤10.00	PASS
	Ant1	5240	1.3	4.30	≤10.00	PASS
	Ant2	5240	-0.17	2.83	≤10.00	PASS
	Ant3	5240	0.38	3.38	≤10.00	PASS
	Ant4	5240	0.95	3.95	≤10.00	PASS
total	5240	6.67	9.67	≤10.00	PASS	


Note: 1. The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
 2. The Duty Cycle Factor and RBW Factor is compensated in the graph.

11.5.5. Test Graphs


For FCC UNII-1&UNII-3; ISED UNII-3 NSS=1 test graphs:




11A-CDD_Ant1_5180




11A-CDD_Ant3_5180




11A-CDD_Ant5_5180




11A-CDD_Ant7_5180




11A-CDD_Ant1_5200




11A-CDD_Ant3_5200




11A-CDD_Ant5_5200




11A-CDD_Ant7_5200




11A-CDD_Ant1_5240




11A-CDD_Ant3_5240




11A-CDD_Ant5_5240




11A-CDD_Ant7_5240




11A-CDD_Ant1_5745




11A-CDD_Ant3_5745




11A-CDD_Ant5_5745




11A-CDD_Ant7_5745




11A-CDD_Ant1_5785




11A-CDD_Ant3_5785




11A-CDD_Ant5_5785




11A-CDD_Ant7_5785




11A-CDD_Ant1_5825






11A-CDD_Ant3_5825







11A-CDD_Ant5_5825




11A-CDD_Ant7_5825









11AX20MIMO_Ant5_5200




11AX20MIMO_Ant7_5200




11AX20MIMO_Ant1_5240









11AX20MIMO_Ant3_5240




11AX20MIMO_Ant5_5240












11AX20MIMO_Ant5_5785




11AX20MIMO_Ant7_5785




11AX20MIMO_Ant1_5825




11AX20MIMO_Ant3_5825




11AX20MIMO_Ant5_5825




11AX20MIMO_Ant7_5825





11AX40MIMO_Ant1_5190




11AX40MIMO_Ant3_5190



11AX40MIMO_Ant5_5190





11AX40MIMO_Ant5_5230



11AX40MIMO_Ant7_5230



11AX40MIMO_Ant1_5755




11AX40MIMO_Ant3_5755




11AX40MIMO_Ant5_5755



11AX40MIMO_Ant7_5755



11AX40MIMO_Ant1_5795



11AX40MIMO_Ant3_5795