


Site: WZ-AC2	Time: 2023/02/13 - 20:45
Limit: FCC_6G_RE(3m)	Engineer: Dick Shen
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: BE24000 Quad-Band Wi-Fi 7 Router	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11ax-HE80 at 7025MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		7014.000	89.690	79.340	N/A	N/A	10.350	AV
2		7125.000	47.939	36.625	-20.261	68.200	11.315	AV
3	*	7156.200	48.282	37.129	-19.918	68.200	11.153	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC2	Time: 2023/02/13 - 20:46
Limit: FCC_6G_RE(3m)	Engineer: Dick Shen
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: BE24000 Quad-Band Wi-Fi 7 Router	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11ax-HE80 at 7025MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		7023.400	110.644	100.188	N/A	N/A	10.456	PK
2		7125.000	59.544	48.230	-28.656	88.200	11.315	PK
3	*	7138.000	61.007	49.647	-27.193	88.200	11.360	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC2	Time: 2023/02/13 - 20:47
Limit: FCC_6G_RE(3m)	Engineer: Dick Shen
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: BE24000 Quad-Band Wi-Fi 7 Router	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11ax-HE80 at 7025MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		7033.600	101.535	90.921	N/A	N/A	10.615	AV
2		7125.000	47.818	36.504	-20.382	68.200	11.315	AV
3	*	7153.600	48.454	37.297	-19.746	68.200	11.157	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC2	Time: 2023/02/13 - 20:49
Limit: FCC_6G_RE(3m)	Engineer: Dick Shen
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: BE24000 Quad-Band Wi-Fi 7 Router	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11ax-HE160 at 6185MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	5889.008	57.059	51.100	-31.141	88.200	5.958	PK
2		5925.000	54.889	48.872	-33.311	88.200	6.016	PK
3		6207.328	94.279	87.385	N/A	N/A	6.894	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC2	Time: 2023/02/13 - 20:52
Limit: FCC_6G_RE(3m)	Engineer: Dick Shen
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: BE24000 Quad-Band Wi-Fi 7 Router	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11ax-HE160 at 6185MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	5906.304	47.204	41.397	-20.996	68.200	5.807	AV
2		5925.000	46.226	40.209	-21.974	68.200	6.016	AV
3		6173.840	85.393	78.174	N/A	N/A	7.220	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC2	Time: 2023/02/13 - 20:54
Limit: FCC_6G_RE(3m)	Engineer: Dick Shen
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: BE24000 Quad-Band Wi-Fi 7 Router	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11ax-HE160 at 6185MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	5908.880	57.606	51.819	-30.594	88.200	5.788	PK
2		5925.000	56.638	50.621	-31.562	88.200	6.016	PK
3		6159.488	108.602	101.438	N/A	N/A	7.164	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC2	Time: 2023/02/13 - 20:55
Limit: FCC_6G_RE(3m)	Engineer: Dick Shen
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: BE24000 Quad-Band Wi-Fi 7 Router	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11ax-HE160 at 6185MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	5900.048	46.928	41.037	-21.272	68.200	5.890	AV
2		5925.000	45.798	39.781	-22.402	68.200	6.016	AV
3		6159.488	100.836	93.672	N/A	N/A	7.164	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC2	Time: 2023/02/13 - 20:56
Limit: FCC_6G_RE(3m)	Engineer: Dick Shen
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: BE24000 Quad-Band Wi-Fi 7 Router	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11ax-HE160 at 6985MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		6990.500	95.907	85.700	N/A	N/A	10.207	PK
2		7125.000	58.222	46.908	-29.978	88.200	11.315	PK
3	*	7189.500	61.051	49.614	-27.149	88.200	11.437	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC2	Time: 2023/02/13 - 20:59
Limit: FCC_6G_RE(3m)	Engineer: Dick Shen
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: BE24000 Quad-Band Wi-Fi 7 Router	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11ax-HE160 at 6985MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		6962.250	88.534	78.720	N/A	N/A	9.814	AV
2		7125.000	49.183	37.869	-19.017	68.200	11.315	AV
3	*	7170.500	50.339	39.201	-17.861	68.200	11.138	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC2	Time: 2023/02/13 - 21:01
Limit: FCC_6G_RE(3m)	Engineer: Dick Shen
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: BE24000 Quad-Band Wi-Fi 7 Router	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11ax-HE160 at 6985MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		6987.000	109.196	99.007	N/A	N/A	10.189	PK
2		7125.000	60.627	49.313	-27.573	88.200	11.315	PK
3	*	7166.250	65.550	54.398	-22.650	88.200	11.152	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC2	Time: 2023/02/13 - 21:02
Limit: FCC_6G_RE(3m)	Engineer: Dick Shen
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: BE24000 Quad-Band Wi-Fi 7 Router	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11ax-HE160 at 6985MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		6953.500	102.452	92.682	N/A	N/A	9.770	AV
2		7125.000	52.251	40.937	-15.949	68.200	11.315	AV
3	*	7167.250	54.150	43.001	-14.050	68.200	11.150	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC2	Time: 2023/02/13 - 21:08
Limit: FCC_6G_RE(3m)	Engineer: Dick Shen
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: BE24000 Quad-Band Wi-Fi 7 Router	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11be-EHT20 at 6115MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	5908.275	56.395	50.603	-31.805	88.200	5.792	PK
2		5925.000	54.302	48.285	-33.898	88.200	6.016	PK
3		6118.625	94.410	87.686	N/A	N/A	6.725	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC2	Time: 2023/02/13 - 21:11
Limit: FCC_6G_RE(3m)	Engineer: Dick Shen
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: BE24000 Quad-Band Wi-Fi 7 Router	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11be-EHT20 at 6115MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	5905.650	44.831	39.016	-23.369	68.200	5.814	AV
2		5925.000	44.480	38.463	-23.720	68.200	6.016	AV
3		6118.625	84.894	78.170	N/A	N/A	6.725	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC2	Time: 2023/02/13 - 21:12
Limit: FCC_6G_RE(3m)	Engineer: Dick Shen
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: BE24000 Quad-Band Wi-Fi 7 Router	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11be-EHT20 at 6115MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	5897.075	57.158	51.227	-31.042	88.200	5.932	PK
2		5925.000	54.039	48.022	-34.161	88.200	6.016	PK
3		6110.925	110.902	104.181	N/A	N/A	6.721	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC2	Time: 2023/02/13 - 21:14
Limit: FCC_6G_RE(3m)	Engineer: Dick Shen
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: BE24000 Quad-Band Wi-Fi 7 Router	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11be-EHT20 at 6115MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1	*	5905.125	44.719	38.897	-23.481	68.200	5.822	AV
2		5925.000	44.472	38.455	-23.728	68.200	6.016	AV
3		6108.650	99.711	92.989	N/A	N/A	6.722	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC2	Time: 2023/02/13 - 21:15
Limit: FCC_6G_RE(3m)	Engineer: Dick Shen
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: BE24000 Quad-Band Wi-Fi 7 Router	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11be-EHT20 at 7095MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		7089.000	96.187	85.304	N/A	N/A	10.882	PK
2		7125.000	58.404	47.090	-29.796	88.200	11.315	PK
3	*	7143.300	61.355	50.063	-26.845	88.200	11.292	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC2	Time: 2023/02/13 - 21:17
Limit: FCC_6G_RE(3m)	Engineer: Dick Shen
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: BE24000 Quad-Band Wi-Fi 7 Router	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11be-EHT20 at 7095MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		7092.300	86.364	75.403	N/A	N/A	10.962	AV
2		7125.000	46.846	35.532	-21.354	68.200	11.315	AV
3	*	7139.700	47.901	36.563	-20.299	68.200	11.338	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC2	Time: 2023/02/13 - 21:18
Limit: FCC_6G_RE(3m)	Engineer: Dick Shen
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: BE24000 Quad-Band Wi-Fi 7 Router	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11be-EHT20 at 7095MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		7093.650	107.014	96.018	N/A	N/A	10.995	PK
2		7125.000	58.033	46.719	-30.167	88.200	11.315	PK
3	*	7152.150	60.524	49.348	-27.676	88.200	11.175	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC2	Time: 2023/02/13 - 21:19
Limit: FCC_6G_RE(3m)	Engineer: Dick Shen
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: BE24000 Quad-Band Wi-Fi 7 Router	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11be-EHT20 at 7095MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		7092.150	97.208	86.250	N/A	N/A	10.957	AV
2		7125.000	47.674	36.360	-20.526	68.200	11.315	AV
3	*	7143.000	48.015	36.719	-20.185	68.200	11.296	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC2	Time: 2023/02/13 - 21:21
Limit: FCC_6G_RE(3m)	Engineer: Dick Shen
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: BE24000 Quad-Band Wi-Fi 7 Router	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11be-EHT40 at 6125MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	5908.625	57.115	51.326	-31.085	88.200	5.789	PK
2		5925.000	54.924	48.907	-33.276	88.200	6.016	PK
3		6133.850	94.068	87.308	N/A	N/A	6.761	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC2	Time: 2023/02/13 - 21:24
Limit: FCC_6G_RE(3m)	Engineer: Dick Shen
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: BE24000 Quad-Band Wi-Fi 7 Router	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11be-EHT40 at 6125MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	5909.500	45.351	39.569	-22.849	68.200	5.783	AV
2		5925.000	44.682	38.665	-23.518	68.200	6.016	AV
3		6126.850	83.999	77.255	N/A	N/A	6.744	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC2	Time: 2023/02/13 - 21:25
Limit: FCC_6G_RE(3m)	Engineer: Dick Shen
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: BE24000 Quad-Band Wi-Fi 7 Router	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11be-EHT40 at 6125MHz	




No	Mark	Frequency (MHz)	Measure Level (dBµV/m)	Reading Level (dBµV)	Margin (dB)	Limit (dBµV/m)	Factor (dB/m)	Type
1	*	5914.225	56.872	51.089	-31.328	88.200	5.783	PK
2		5925.000	54.818	48.801	-33.382	88.200	6.016	PK
3		6121.075	108.979	102.249	N/A	N/A	6.730	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBµV/m) = Reading Level (dBµV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC2	Time: 2023/02/13 - 21:26
Limit: FCC_6G_RE(3m)	Engineer: Dick Shen
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: BE24000 Quad-Band Wi-Fi 7 Router	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11be-EHT40 at 6125MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	5906.875	45.669	39.867	-22.531	68.200	5.803	AV
2		5925.000	45.090	39.073	-23.110	68.200	6.016	AV
3		6118.625	99.248	92.524	N/A	N/A	6.725	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC2	Time: 2023/02/13 - 21:30
Limit: FCC_6G_RE(3m)	Engineer: Dick Shen
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: BE24000 Quad-Band Wi-Fi 7 Router	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11be-EHT40 at 7085MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		7102.800	95.765	84.535	N/A	N/A	11.230	PK
2		7125.000	58.083	46.769	-30.117	88.200	11.315	PK
3	*	7144.000	61.138	49.855	-27.062	88.200	11.282	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC2	Time: 2023/02/13 - 21:31
Limit: FCC_6G_RE(3m)	Engineer: Dick Shen
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: BE24000 Quad-Band Wi-Fi 7 Router	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11be-EHT40 at 7085MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		7102.200	86.750	75.536	N/A	N/A	11.214	AV
2		7125.000	47.567	36.253	-20.633	68.200	11.315	AV
3	*	7137.000	48.957	37.585	-19.243	68.200	11.372	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC2	Time: 2023/02/13 - 21:33
Limit: FCC_6G_RE(3m)	Engineer: Dick Shen
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: BE24000 Quad-Band Wi-Fi 7 Router	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11be-EHT40 at 7085MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		7073.500	108.622	97.815	N/A	N/A	10.807	PK
2		7125.000	57.518	46.204	-30.682	88.200	11.315	PK
3	*	7139.100	60.441	49.096	-27.759	88.200	11.346	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC2	Time: 2023/02/13 - 21:34
Limit: FCC_6G_RE(3m)	Engineer: Dick Shen
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: BE24000 Quad-Band Wi-Fi 7 Router	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11be-EHT40 at 7085MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		7073.800	98.595	87.789	N/A	N/A	10.806	AV
2		7125.000	48.251	36.937	-19.949	68.200	11.315	AV
3	*	7137.100	48.856	37.485	-19.344	68.200	11.371	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC2	Time: 2023/02/13 - 21:35
Limit: FCC_6G_RE(3m)	Engineer: Dick Shen
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: BE24000 Quad-Band Wi-Fi 7 Router	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11be-EHT80 at 6145MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	5898.475	57.526	51.614	-30.674	88.200	5.912	PK
2		5925.000	54.459	48.442	-33.741	88.200	6.016	PK
3		6132.625	93.456	86.699	N/A	N/A	6.758	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC2	Time: 2023/02/13 - 21:38
Limit: FCC_6G_RE(3m)	Engineer: Dick Shen
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: BE24000 Quad-Band Wi-Fi 7 Router	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11be-EHT80 at 6145MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	5913.700	46.426	40.655	-21.774	68.200	5.772	AV
2		5925.000	45.543	39.526	-22.657	68.200	6.016	AV
3		6134.025	84.851	78.090	N/A	N/A	6.761	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC2	Time: 2023/02/13 - 21:40
Limit: FCC_6G_RE(3m)	Engineer: Dick Shen
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: BE24000 Quad-Band Wi-Fi 7 Router	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11be-EHT80 at 6145MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	5904.425	56.696	50.865	-31.504	88.200	5.831	PK
2		5925.000	53.917	47.900	-34.283	88.200	6.016	PK
3		6141.725	109.020	102.088	N/A	N/A	6.933	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC2	Time: 2023/02/13 - 21:41
Limit: FCC_6G_RE(3m)	Engineer: Dick Shen
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: BE24000 Quad-Band Wi-Fi 7 Router	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11be-EHT80 at 6145MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	5901.100	46.571	40.695	-21.629	68.200	5.877	AV
2		5925.000	45.927	39.910	-22.273	68.200	6.016	AV
3		6159.750	101.007	93.839	N/A	N/A	7.168	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC2	Time: 2023/02/13 - 21:43
Limit: FCC_6G_RE(3m)	Engineer: Dick Shen
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: BE24000 Quad-Band Wi-Fi 7 Router	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11be-EHT80 at 7025MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		7021.800	96.836	86.405	N/A	N/A	10.430	PK
2		7125.000	59.265	47.951	-28.935	88.200	11.315	PK
3	*	7143.200	60.682	49.389	-27.518	88.200	11.293	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC2	Time: 2023/02/13 - 21:47
Limit: FCC_6G_RE(3m)	Engineer: Dick Shen
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: BE24000 Quad-Band Wi-Fi 7 Router	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11be-EHT80 at 7025MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		7018.600	88.116	77.733	N/A	N/A	10.383	AV
2		7125.000	49.169	37.855	-19.031	68.200	11.315	AV
3	*	7139.400	49.399	38.057	-18.801	68.200	11.342	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC2	Time: 2023/02/13 - 21:48
Limit: FCC_6G_RE(3m)	Engineer: Dick Shen
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: BE24000 Quad-Band Wi-Fi 7 Router	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11be-EHT80 at 7025MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		7013.600	110.292	99.945	N/A	N/A	10.347	PK
2		7125.000	59.260	47.946	-28.940	88.200	11.315	PK
3	*	7204.200	61.223	49.817	-26.977	88.200	11.405	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC2	Time: 2023/02/13 - 21:49
Limit: FCC_6G_RE(3m)	Engineer: Dick Shen
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: BE24000 Quad-Band Wi-Fi 7 Router	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11be-EHT80 at 7025MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		7013.800	101.570	91.222	N/A	N/A	10.348	AV
2		7125.000	48.751	37.437	-19.449	68.200	11.315	AV
3	*	7160.000	50.170	39.014	-18.030	68.200	11.156	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC2	Time: 2023/02/13 - 21:51
Limit: FCC_6G_RE(3m)	Engineer: Dick Shen
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: BE24000 Quad-Band Wi-Fi 7 Router	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11be-EHT160 at 6185MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	5890.112	56.625	50.668	-31.575	88.200	5.957	PK
2		5925.000	54.860	48.843	-33.340	88.200	6.016	PK
3		6189.664	93.969	86.907	N/A	N/A	7.063	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC2	Time: 2023/02/13 - 21:55
Limit: FCC_6G_RE(3m)	Engineer: Dick Shen
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: BE24000 Quad-Band Wi-Fi 7 Router	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11be-EHT160 at 6185MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	5905.568	46.336	40.520	-21.864	68.200	5.817	AV
2		5925.000	46.318	40.301	-21.882	68.200	6.016	AV
3		6162.064	85.676	78.476	N/A	N/A	7.199	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC2	Time: 2023/02/13 - 21:57
Limit: FCC_6G_RE(3m)	Engineer: Dick Shen
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: BE24000 Quad-Band Wi-Fi 7 Router	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11be-EHT160 at 6185MHz	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Margin (dB)	Limit (dBuV/m)	Factor (dB/m)	Type
1	*	5903.728	55.882	50.041	-32.318	88.200	5.841	PK
2		5925.000	54.748	48.731	-33.452	88.200	6.016	PK
3		6261.056	109.966	102.994	N/A	N/A	6.971	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC2	Time: 2023/02/13 - 21:58
Limit: FCC_6G_RE(3m)	Engineer: Dick Shen
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: BE24000 Quad-Band Wi-Fi 7 Router	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11be-EHT160 at 6185MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	5891.952	46.612	40.659	-21.588	68.200	5.953	AV
2		5925.000	46.609	40.592	-21.591	68.200	6.016	AV
3		6159.856	101.752	94.583	N/A	N/A	7.170	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC2	Time: 2023/02/13 - 22:00
Limit: FCC_6G_RE(3m)	Engineer: Dick Shen
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: BE24000 Quad-Band Wi-Fi 7 Router	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11be-EHT160 at 6985MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		7001.000	96.935	86.674	N/A	N/A	10.261	PK
2		7125.000	59.582	48.268	-28.618	88.200	11.315	PK
3	*	7181.250	60.938	49.621	-27.262	88.200	11.318	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC2	Time: 2023/02/13 - 22:03
Limit: FCC_6G_RE(3m)	Engineer: Dick Shen
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: BE24000 Quad-Band Wi-Fi 7 Router	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11be-EHT160 at 6985MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		7001.000	89.110	78.849	N/A	N/A	10.261	AV
2		7125.000	49.232	37.918	-18.968	68.200	11.315	AV
3	*	7182.250	50.396	39.061	-17.804	68.200	11.335	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC2	Time: 2023/02/13 - 22:04
Limit: FCC_6G_RE(3m)	Engineer: Dick Shen
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: BE24000 Quad-Band Wi-Fi 7 Router	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11be-EHT160 at 6985MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		7009.750	108.794	98.471	N/A	N/A	10.324	PK
2		7125.000	61.044	49.730	-27.156	88.200	11.315	PK
3	*	7157.500	65.805	54.651	-22.395	88.200	11.154	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC2	Time: 2023/02/13 - 22:05
Limit: FCC_6G_RE(3m)	Engineer: Dick Shen
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: BE24000 Quad-Band Wi-Fi 7 Router	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11be-EHT160 at 6985MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		6993.750	101.602	91.378	N/A	N/A	10.224	AV
2		7125.000	52.697	41.383	-15.503	68.200	11.315	AV
3	*	7158.500	54.624	43.469	-13.576	68.200	11.155	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC2	Time: 2023/02/13 - 22:07
Limit: FCC_6G_RE(3m)	Engineer: Dick Shen
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: BE24000 Quad-Band Wi-Fi 7 Router	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11be-EHT320 at 6265MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	5841.500	56.143	50.530	-32.057	88.200	5.614	PK
2		5925.000	54.763	48.746	-33.437	88.200	6.016	PK
3		6321.500	95.572	88.454	N/A	N/A	7.118	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC2	Time: 2023/02/13 - 22:25
Limit: FCC_6G_RE(3m)	Engineer: Dick Shen
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: BE24000 Quad-Band Wi-Fi 7 Router	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11be-EHT320 at 6265MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	5745.500	56.096	50.520	-12.104	68.200	5.576	AV
2		5925.000	45.977	39.960	-22.223	68.200	6.016	AV
3		6235.500	86.341	79.340	N/A	N/A	7.000	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC2	Time: 2023/02/13 - 22:26
Limit: FCC_6G_RE(3m)	Engineer: Dick Shen
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: BE24000 Quad-Band Wi-Fi 7 Router	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11be-EHT320 at 6265MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	5793.500	57.709	51.828	-30.491	88.200	5.882	PK
2		5925.000	55.078	49.061	-33.122	88.200	6.016	PK
3		6301.500	110.245	103.292	N/A	N/A	6.953	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC2	Time: 2023/02/13 - 22:32
Limit: FCC_6G_RE(3m)	Engineer: Dick Shen
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: BE24000 Quad-Band Wi-Fi 7 Router	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11be-EHT320 at 6265MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	5752.000	48.994	43.511	-19.206	68.200	5.484	AV
2		5925.000	46.250	40.233	-21.950	68.200	6.016	AV
3		6282.500	100.926	94.086	N/A	N/A	6.840	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC2	Time: 2023/02/13 - 22:34
Limit: FCC_6G_RE(3m)	Engineer: Dick Shen
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: BE24000 Quad-Band Wi-Fi 7 Router	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11be-EHT320 at 6905MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		6941.000	94.600	85.004	N/A	N/A	9.597	PK
2		7125.000	59.036	47.722	-29.164	88.200	11.315	PK
3	*	7566.600	61.172	49.551	-27.028	88.200	11.621	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC2	Time: 2023/02/13 - 22:35
Limit: FCC_6G_RE(3m)	Engineer: Dick Shen
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: BE24000 Quad-Band Wi-Fi 7 Router	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11be-EHT320 at 6905MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		6942.600	86.749	77.124	N/A	N/A	9.626	AV
2		7125.000	50.124	38.810	-18.076	68.200	11.315	AV
3	*	7238.600	50.771	39.647	-17.429	68.200	11.124	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC2	Time: 2023/02/13 - 22:37
Limit: FCC_6G_RE(3m)	Engineer: Dick Shen
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: BE24000 Quad-Band Wi-Fi 7 Router	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11be-EHT320 at 6905MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		6941.000	108.844	99.248	N/A	N/A	9.597	PK
2		7125.000	62.855	51.541	-25.345	88.200	11.315	PK
3	*	7171.400	65.649	54.505	-22.551	88.200	11.144	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC2	Time: 2023/02/13 - 22:38
Limit: FCC_6G_RE(3m)	Engineer: Dick Shen
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: BE24000 Quad-Band Wi-Fi 7 Router	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11be-EHT320 at 6905MHz	



No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		6931.400	99.979	90.526	N/A	N/A	9.452	AV
2		7125.000	55.873	44.559	-12.327	68.200	11.315	AV
3	*	7165.800	56.693	45.540	-11.507	68.200	11.153	AV


Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

A.10 AC Conducted Emissions Test Result

Site: WZ-SR2	Test Date: 2023-02-22
Limit: FCC_Part15.207_CE_AC Power	Engineer: Helen Han
Probe: ENV216_101683_Filter Off_C	Polarity: Line
EUT: BE24000 Quad-Band Wi-Fi 7 Router	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11be-EHT320 at channel 6585MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV)	Factor (dB)	Type
1		0.158	55.467	45.737	-10.102	65.568	9.730	QP
2		0.158	40.929	31.199	-14.640	55.568	9.730	AV
3		0.206	49.745	40.012	-13.620	63.365	9.733	QP
4		0.206	36.065	26.333	-17.300	53.365	9.733	AV
5		0.462	47.010	37.228	-9.646	56.657	9.782	QP
6		0.462	37.398	27.615	-9.259	46.657	9.782	AV
7		0.578	52.371	42.558	-3.629	56.000	9.813	QP
8	*	0.578	44.602	34.789	-1.398	46.000	9.813	AV
9		0.670	42.872	33.033	-13.128	56.000	9.839	QP
10		0.670	31.425	21.585	-14.575	46.000	9.839	AV
11		2.994	44.704	34.695	-11.296	56.000	10.009	QP
12		2.994	37.423	27.414	-8.577	46.000	10.009	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV) = Reading Level (dBμV) + Factor (dB).

Note 3: Factor (dB) = Cable Loss (dB) + LISN Factor (dB).

Site: WZ-SR2	Test Date: 2023-02-22
Limit: FCC_Part15.207_CE_AC Power	Engineer: Helen Han
Probe: ENV216_101683_Filter Off_C	Polarity: Neutral
EUT: BE24000 Quad-Band Wi-Fi 7 Router	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11be-EHT320 at channel 6585MHz	



No	Mark	Frequency (MHz)	Measure Level (dBμV)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV)	Factor (dB)	Type
1		0.154	57.397	47.636	-8.384	65.781	9.761	QP
2		0.154	41.758	31.997	-14.023	55.781	9.761	AV
3		0.202	52.210	42.439	-11.318	63.528	9.770	QP
4		0.202	38.637	28.866	-14.891	53.528	9.770	AV
5		0.458	46.563	36.741	-10.166	56.729	9.822	QP
6		0.458	37.631	27.809	-9.098	46.729	9.822	AV
7		0.578	52.477	42.640	-3.523	56.000	9.837	QP
8	*	0.578	44.619	34.782	-1.381	46.000	9.837	AV
9		0.742	44.440	34.595	-11.560	56.000	9.845	QP
10		0.742	36.587	26.742	-9.413	46.000	9.845	AV
11		2.994	44.166	34.133	-11.834	56.000	10.033	QP
12		2.994	36.628	26.595	-9.372	46.000	10.033	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV) = Reading Level (dBμV) + Factor (dB).

Note 3: Factor (dB) = Cable Loss (dB) + LISN Factor (dB).

Appendix B – Test Setup Photograph

Refer to “2301RSU047-UT” file.

Appendix C – EUT Photograph

Refer to “2301RSU047-UE” file.

————— The End —————