



802.11be-EHT40 26dB Bandwidth


Channel 35 (6125MHz)




Channel 59 (6245MHz)




Channel 91 (6405MHz)




Channel 99 (6445MHz)




Channel 107 (6485MHz)




Channel 115 (6525MHz)



Channel 123 (6565MHz)




Channel 147 (6685MHz)




802.11be-EHT40 26dB Bandwidth


Channel 179 (6845MHz)




Channel 187 (6885MHz)




Channel 195 (6925MHz)



Channel 211 (7005MHz)




Channel 227 (7085MHz)




802.11be-EHT80 26dB Bandwidth


Channel 39 (6145MHz)




Channel 55 (6225MHz)




Channel 87 (6385MHz)




Channel 103 (6465MHz)




Channel 119 (6545MHz)



Channel 135 (6625MHz)



Channel 151 (6705MHz)




Channel 167 (6785MHz)




802.11be-EHT80 26dB Bandwidth


Channel 183 (6865MHz)



Channel 199 (6945MHz)




Channel 215 (7025MHz)




802.11be-EHT160 26dB Bandwidth


Channel 47 (6185MHz)




Channel 79 (6345MHz)




Channel 111 (6505MHz)




Channel 143 (6665MHz)



Channel 175 (6825MHz)




Channel 207 (6985MHz)




802.11be-EHT320 26dB Bandwidth


Channel 63 (6265MHz)




Channel 95 (6425MHz)




Channel 127 (6585MHz)



Channel 159 (6745MHz)



Channel 191 (6905MHz)



A.3 Output Power Test Result

Test Site	WZ-SR5	Test Engineer	Lynn Yang
Test Date	2023-02-08~2023-02-10	Test Mode	N _{ss} =1

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	Average Power (dBm)				Total AV Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
				Ant 0	Ant 1	Ant 2	Ant 3			
CDD Mode										
11ax-HE20	MCS0	33	6115	1.70	1.56	1.46	1.49	7.57	10.67	≤ 30.00
11ax-HE20	MCS0	61	6255	1.86	1.22	1.89	1.93	7.76	10.86	≤ 30.00
11ax-HE20	MCS0	93	6415	1.43	0.50	1.23	1.16	7.11	10.21	≤ 30.00
11ax-HE20	MCS0	97	6435	1.16	1.66	1.30	1.76	7.50	10.53	≤ 30.00
11ax-HE20	MCS0	105	6475	2.10	1.73	2.32	2.35	8.15	11.18	≤ 30.00
11ax-HE20	MCS0	113	6515	0.25	1.62	1.82	2.25	7.57	10.60	≤ 30.00
11ax-HE20	MCS0	117	6535	1.69	2.25	2.15	1.72	7.98	11.02	≤ 30.00
11ax-HE20	MCS0	149	6695	2.72	0.25	0.70	0.43	7.17	10.21	≤ 30.00
11ax-HE20	MCS0	181	6855	1.60	1.53	1.32	0.15	7.21	10.25	≤ 30.00
11ax-HE20	MCS0	185	6875	1.02	1.35	1.56	1.79	7.46	10.50	≤ 30.00
11ax-HE20	MCS0	189	6895	1.67	1.93	2.00	1.01	7.69	10.62	≤ 30.00
11ax-HE20	MCS0	213	7015	1.69	0.83	0.92	0.73	7.08	10.01	≤ 30.00
11ax-HE20	MCS0	229	7095	0.90	0.50	0.53	2.03	7.06	9.99	≤ 30.00
11ax-HE40	MCS0	35	6125	3.65	3.13	3.25	2.77	9.23	12.33	≤ 30.00
11ax-HE40	MCS0	59	6245	4.35	3.72	3.90	3.95	10.01	13.11	≤ 30.00
11ax-HE40	MCS0	91	6405	4.08	2.35	3.22	3.10	9.25	12.35	≤ 30.00
11ax-HE40	MCS0	99	6445	3.36	2.50	3.93	4.10	9.54	12.57	≤ 30.00
11ax-HE40	MCS0	107	6485	3.45	2.83	4.10	4.29	9.73	12.76	≤ 30.00
11ax-HE40	MCS0	115	6525	4.76	3.86	4.55	3.35	10.19	13.23	≤ 30.00
11ax-HE40	MCS0	123	6565	3.69	3.93	4.66	4.32	10.19	13.23	≤ 30.00
11ax-HE40	MCS0	147	6685	1.93	1.87	2.35	3.89	8.61	11.65	≤ 30.00
11ax-HE40	MCS0	179	6845	3.53	3.51	4.52	3.96	9.92	12.96	≤ 30.00
11ax-HE40	MCS0	187	6885	4.59	3.73	3.86	3.25	9.90	12.94	≤ 30.00
11ax-HE40	MCS0	195	6925	4.53	4.38	4.55	4.33	10.47	13.40	≤ 30.00
11ax-HE40	MCS0	211	7005	3.62	3.13	3.29	3.33	9.37	12.30	≤ 30.00
11ax-HE40	MCS0	227	7085	4.08	2.66	3.45	3.48	9.47	12.40	≤ 30.00

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	Average Power (dBm)				Total AV Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
				Ant 0	Ant 1	Ant 2	Ant 3			
11ax-HE80	MCS0	39	6145	5.35	5.30	6.88	6.06	11.97	15.07	≤ 30.00
11ax-HE80	MCS0	55	6225	5.53	5.95	6.41	5.91	11.98	15.08	≤ 30.00
11ax-HE80	MCS0	87	6385	5.37	4.73	5.61	6.05	11.49	14.59	≤ 30.00
11ax-HE80	MCS0	103	6465	6.39	5.76	6.42	6.02	12.18	15.21	≤ 30.00
11ax-HE80	MCS0	119	6545	7.56	7.16	7.55	6.12	13.16	16.20	≤ 30.00
11ax-HE80	MCS0	135	6625	6.80	6.03	6.56	5.26	12.22	15.26	≤ 30.00
11ax-HE80	MCS0	151	6705	5.21	4.90	5.29	6.13	11.43	14.47	≤ 30.00
11ax-HE80	MCS0	167	6865	6.72	6.02	6.43	6.02	12.33	15.37	≤ 30.00
11ax-HE80	MCS0	183	6865	6.15	6.56	6.80	5.60	12.32	15.36	≤ 30.00
11ax-HE80	MCS0	199	6945	7.10	6.43	6.46	6.35	12.62	15.55	≤ 30.00
11ax-HE80	MCS0	215	7025	6.56	5.01	5.02	5.38	11.56	14.49	≤ 30.00
11ax-HE160	MCS0	47	6185	9.26	8.26	8.68	8.20	14.64	17.74	≤ 30.00
11ax-HE160	MCS0	79	6345	9.15	8.56	9.15	8.13	14.79	17.89	≤ 30.00
11ax-HE160	MCS0	111	6505	9.35	8.42	9.12	8.15	14.81	17.85	≤ 30.00
11ax-HE160	MCS0	143	6665	9.23	9.05	9.20	8.45	15.01	18.05	≤ 30.00
11ax-HE160	MCS0	175	6825	9.23	8.71	8.62	7.82	14.64	17.68	≤ 30.00
11ax-HE160	MCS0	207	6985	9.16	8.21	8.35	8.50	14.59	17.52	≤ 30.00
be-EHT20	MCS0	33	6115	1.20	0.92	1.12	2.43	7.48	10.58	≤ 30.00
be-EHT20	MCS0	61	6255	1.56	0.89	1.35	1.90	7.46	10.56	≤ 30.00
be-EHT20	MCS0	93	6415	0.56	0.62	1.02	1.68	7.01	10.11	≤ 30.00
be-EHT20	MCS0	97	6435	1.78	1.26	1.35	1.82	7.58	10.61	≤ 30.00
be-EHT20	MCS0	105	6475	1.60	1.23	2.03	2.08	7.77	10.80	≤ 30.00
be-EHT20	MCS0	113	6515	0.65	1.52	1.99	2.28	7.67	10.70	≤ 30.00
be-EHT20	MCS0	117	6535	1.93	1.93	1.53	1.45	7.74	10.78	≤ 30.00
be-EHT20	MCS0	149	6695	2.47	0.55	0.69	0.58	7.17	10.21	≤ 30.00
be-EHT20	MCS0	181	6855	1.62	1.29	1.36	0.62	7.26	10.30	≤ 30.00
be-EHT20	MCS0	185	6875	1.89	2.05	1.39	1.56	7.75	10.79	≤ 30.00
be-EHT20	MCS0	189	6895	1.59	1.75	1.78	0.75	7.51	10.44	≤ 30.00
be-EHT20	MCS0	213	7015	1.56	1.16	1.13	1.32	7.32	10.25	≤ 30.00
be-EHT20	MCS0	229	7095	1.05	0.58	0.35	2.12	7.10	10.03	≤ 30.00

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	Average Power (dBm)				Total AV Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
				Ant 0	Ant 1	Ant 2	Ant 3			
be-EHT40	MCS0	35	6125	4.26	3.26	3.58	3.49	9.68	12.78	≤ 30.00
be-EHT40	MCS0	59	6245	4.70	4.16	4.20	3.89	10.27	13.37	≤ 30.00
be-EHT40	MCS0	91	6405	3.92	2.65	3.35	3.43	9.38	12.48	≤ 30.00
be-EHT40	MCS0	99	6445	3.35	2.76	3.73	4.13	9.54	12.57	≤ 30.00
be-EHT40	MCS0	107	6485	3.99	3.60	4.95	4.56	10.33	13.36	≤ 30.00
be-EHT40	MCS0	115	6525	4.65	3.95	4.73	3.45	10.25	13.29	≤ 30.00
be-EHT40	MCS0	123	6565	3.61	3.78	4.73	4.68	10.25	13.29	≤ 30.00
be-EHT40	MCS0	147	6685	2.43	2.34	3.05	4.18	9.09	12.13	≤ 30.00
be-EHT40	MCS0	179	6845	3.82	3.72	4.16	4.01	9.95	12.99	≤ 30.00
be-EHT40	MCS0	187	6885	4.53	4.26	4.02	3.39	10.09	13.13	≤ 30.00
be-EHT40	MCS0	195	6925	4.06	4.22	3.73	4.05	10.04	12.97	≤ 30.00
be-EHT40	MCS0	211	7005	3.82	3.62	3.26	3.92	9.68	12.61	≤ 30.00
be-EHT40	MCS0	227	7085	4.35	3.29	3.26	2.95	9.52	12.45	≤ 30.00
be-EHT80	MCS0	39	6145	7.10	6.70	7.22	7.72	13.22	16.32	≤ 30.00
be-EHT80	MCS0	55	6225	6.61	6.46	6.91	6.99	12.77	15.87	≤ 30.00
be-EHT80	MCS0	87	6385	5.35	5.02	6.18	6.36	11.78	14.88	≤ 30.00
be-EHT80	MCS0	103	6465	7.39	7.19	7.56	7.35	13.40	16.43	≤ 30.00
be-EHT80	MCS0	119	6545	7.55	6.90	7.06	6.23	12.98	16.02	≤ 30.00
be-EHT80	MCS0	135	6625	6.82	6.10	6.89	5.85	12.46	15.50	≤ 30.00
be-EHT80	MCS0	151	6705	5.32	5.12	5.25	6.45	11.59	14.63	≤ 30.00
be-EHT80	MCS0	167	6865	7.12	6.82	6.65	6.26	12.74	15.78	≤ 30.00
be-EHT80	MCS0	183	6865	7.32	6.79	7.15	6.22	12.91	15.95	≤ 30.00
be-EHT80	MCS0	199	6945	7.07	6.35	6.25	6.39	12.55	15.48	≤ 30.00
be-EHT80	MCS0	215	7025	5.96	5.08	5.36	5.82	11.59	14.52	≤ 30.00
be-EHT160	MCS0	47	6185	9.45	8.36	9.15	8.35	14.88	17.98	≤ 30.00
be-EHT160	MCS0	79	6345	9.21	8.53	9.25	8.32	14.87	17.97	≤ 30.00
be-EHT160	MCS0	111	6505	9.35	8.52	8.92	8.33	14.82	17.86	≤ 30.00
be-EHT160	MCS0	143	6665	9.66	9.18	9.21	8.62	15.20	18.24	≤ 30.00
be-EHT160	MCS0	175	6825	9.66	9.26	9.02	7.92	15.03	18.07	≤ 30.00
be-EHT160	MCS0	207	6985	9.20	8.81	8.23	8.35	14.69	17.62	≤ 30.00

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	Average Power (dBm)				Total AV Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
				Ant 0	Ant 1	Ant 2	Ant 3			
be-EHT320	MCS0	63	6265	11.95	11.01	11.12	11.03	17.32	20.42	≤ 30.00
be-EHT320	MCS0	95	6425	11.23	10.68	11.02	10.93	16.99	20.09	≤ 30.00
be-EHT320	MCS0	127	6585	11.59	11.23	11.26	11.23	17.35	20.39	≤ 30.00
be-EHT320	MCS0	159	6745	11.12	10.56	10.72	10.66	16.79	19.83	≤ 30.00
be-EHT320	MCS0	191	6905	11.26	11.32	11.35	11.31	17.33	20.37	≤ 30.00

Note 1: Total Average Power (dBm) = $10 \cdot \log \{10^{(\text{Ant 0 Average Power} / 10)} + 10^{(\text{Ant 1 Average Power} / 10)} + 10^{(\text{Ant 2 Average Power} / 10)} + 10^{(\text{Ant 3 Average Power} / 10)}\}$.

Note 2: EIRP Power (dBm) = Total Average Power (dBm) + Directional Gain (dBi).

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	Average Power (dBm)				Total AV Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
				Ant 0	Ant 1	Ant 2	Ant 3			
Beam-Forming Mode										
11ax-HE20	MCS0	33	6115	1.70	1.56	1.46	1.49	7.57	16.69	≤ 30.00
11ax-HE20	MCS0	61	6255	1.86	1.22	1.89	1.93	7.76	16.88	≤ 30.00
11ax-HE20	MCS0	93	6415	1.43	0.50	1.23	1.16	7.11	16.23	≤ 30.00
11ax-HE20	MCS0	97	6435	1.16	1.66	1.30	1.76	7.50	16.55	≤ 30.00
11ax-HE20	MCS0	105	6475	2.10	1.73	2.32	2.35	8.15	17.20	≤ 30.00
11ax-HE20	MCS0	113	6515	0.25	1.62	1.82	2.25	7.57	16.62	≤ 30.00
11ax-HE20	MCS0	117	6535	1.69	2.25	2.15	1.72	7.98	17.04	≤ 30.00
11ax-HE20	MCS0	149	6695	2.72	0.25	0.70	0.43	7.17	16.23	≤ 30.00
11ax-HE20	MCS0	181	6855	1.60	1.53	1.32	0.15	7.21	16.27	≤ 30.00
11ax-HE20	MCS0	185	6875	1.02	1.35	1.56	1.79	7.46	16.52	≤ 30.00
11ax-HE20	MCS0	189	6895	1.67	1.93	2.00	1.01	7.69	16.64	≤ 30.00
11ax-HE20	MCS0	213	7015	1.69	0.83	0.92	0.73	7.08	16.03	≤ 30.00
11ax-HE20	MCS0	229	7095	0.90	0.50	0.53	2.03	7.06	16.01	≤ 30.00
11ax-HE40	MCS0	35	6125	3.65	3.13	3.25	2.77	9.23	18.35	≤ 30.00
11ax-HE40	MCS0	59	6245	4.35	3.72	3.90	3.95	10.01	19.13	≤ 30.00
11ax-HE40	MCS0	91	6405	4.08	2.35	3.22	3.10	9.25	18.37	≤ 30.00
11ax-HE40	MCS0	99	6445	3.36	2.50	3.93	4.10	9.54	18.59	≤ 30.00
11ax-HE40	MCS0	107	6485	3.45	2.83	4.10	4.29	9.73	18.78	≤ 30.00
11ax-HE40	MCS0	115	6525	4.76	3.86	4.55	3.35	10.19	19.25	≤ 30.00
11ax-HE40	MCS0	123	6565	3.69	3.93	4.66	4.32	10.19	19.25	≤ 30.00
11ax-HE40	MCS0	147	6685	1.93	1.87	2.35	3.89	8.61	17.67	≤ 30.00
11ax-HE40	MCS0	179	6845	3.53	3.51	4.52	3.96	9.92	18.98	≤ 30.00
11ax-HE40	MCS0	187	6885	4.59	3.73	3.86	3.25	9.90	18.97	≤ 30.00
11ax-HE40	MCS0	195	6925	4.53	4.38	4.55	4.33	10.47	19.42	≤ 30.00
11ax-HE40	MCS0	211	7005	3.62	3.13	3.29	3.33	9.37	18.32	≤ 30.00
11ax-HE40	MCS0	227	7085	4.08	2.66	3.45	3.48	9.47	18.42	≤ 30.00

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	Average Power (dBm)				Total AV Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
				Ant 0	Ant 1	Ant 2	Ant 3			
11ax-HE80	MCS0	39	6145	5.35	5.30	6.88	6.06	11.97	21.09	≤ 30.00
11ax-HE80	MCS0	55	6225	5.53	5.95	6.41	5.91	11.98	21.10	≤ 30.00
11ax-HE80	MCS0	87	6385	5.37	4.73	5.61	6.05	11.49	20.61	≤ 30.00
11ax-HE80	MCS0	103	6465	6.39	5.76	6.42	6.02	12.18	21.23	≤ 30.00
11ax-HE80	MCS0	119	6545	7.56	7.16	7.55	6.12	13.16	22.22	≤ 30.00
11ax-HE80	MCS0	135	6625	6.80	6.03	6.56	5.26	12.22	21.28	≤ 30.00
11ax-HE80	MCS0	151	6705	5.21	4.90	5.29	6.13	11.43	20.49	≤ 30.00
11ax-HE80	MCS0	167	6865	6.72	6.02	6.43	6.02	12.33	21.39	≤ 30.00
11ax-HE80	MCS0	183	6865	6.15	6.56	6.80	5.60	12.32	21.38	≤ 30.00
11ax-HE80	MCS0	199	6945	7.10	6.43	6.46	6.35	12.62	21.57	≤ 30.00
11ax-HE80	MCS0	215	7025	6.56	5.01	5.02	5.38	11.56	20.51	≤ 30.00
11ax-HE160	MCS0	47	6185	9.26	8.26	8.68	8.20	14.64	23.76	≤ 30.00
11ax-HE160	MCS0	79	6345	9.15	8.56	9.15	8.13	14.79	23.91	≤ 30.00
11ax-HE160	MCS0	111	6505	9.35	8.42	9.12	8.15	14.81	23.87	≤ 30.00
11ax-HE160	MCS0	143	6665	9.23	9.05	9.20	8.45	15.01	24.07	≤ 30.00
11ax-HE160	MCS0	175	6825	9.23	8.71	8.62	7.82	14.64	23.71	≤ 30.00
11ax-HE160	MCS0	207	6985	9.16	8.21	8.35	8.50	14.59	23.54	≤ 30.00
be-EHT20	MCS0	33	6115	1.20	0.92	1.12	2.43	7.48	16.60	≤ 30.00
be-EHT20	MCS0	61	6255	1.56	0.89	1.35	1.90	7.46	16.58	≤ 30.00
be-EHT20	MCS0	93	6415	0.56	0.62	1.02	1.68	7.01	16.13	≤ 30.00
be-EHT20	MCS0	97	6435	1.78	1.26	1.35	1.82	7.58	16.63	≤ 30.00
be-EHT20	MCS0	105	6475	1.60	1.23	2.03	2.08	7.77	16.82	≤ 30.00
be-EHT20	MCS0	113	6515	0.65	1.52	1.99	2.28	7.67	16.72	≤ 30.00
be-EHT20	MCS0	117	6535	1.93	1.93	1.53	1.45	7.74	16.80	≤ 30.00
be-EHT20	MCS0	149	6695	2.47	0.55	0.69	0.58	7.17	16.23	≤ 30.00
be-EHT20	MCS0	181	6855	1.62	1.29	1.36	0.62	7.26	16.32	≤ 30.00
be-EHT20	MCS0	185	6875	1.89	2.05	1.39	1.56	7.75	16.81	≤ 30.00
be-EHT20	MCS0	189	6895	1.59	1.75	1.78	0.75	7.51	16.46	≤ 30.00
be-EHT20	MCS0	213	7015	1.56	1.16	1.13	1.32	7.32	16.27	≤ 30.00
be-EHT20	MCS0	229	7095	1.05	0.58	0.35	2.12	7.10	16.05	≤ 30.00

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	Average Power (dBm)				Total AV Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
				Ant 0	Ant 1	Ant 2	Ant 3			
be-EHT40	MCS0	35	6125	4.26	3.26	3.58	3.49	9.68	18.81	≤ 30.00
be-EHT40	MCS0	59	6245	4.70	4.16	4.20	3.89	10.27	19.39	≤ 30.00
be-EHT40	MCS0	91	6405	3.92	2.65	3.35	3.43	9.38	18.50	≤ 30.00
be-EHT40	MCS0	99	6445	3.35	2.76	3.73	4.13	9.54	18.59	≤ 30.00
be-EHT40	MCS0	107	6485	3.99	3.60	4.95	4.56	10.33	19.38	≤ 30.00
be-EHT40	MCS0	115	6525	4.65	3.95	4.73	3.45	10.25	19.31	≤ 30.00
be-EHT40	MCS0	123	6565	3.61	3.78	4.73	4.68	10.25	19.31	≤ 30.00
be-EHT40	MCS0	147	6685	2.43	2.34	3.05	4.18	9.09	18.15	≤ 30.00
be-EHT40	MCS0	179	6845	3.82	3.72	4.16	4.01	9.95	19.01	≤ 30.00
be-EHT40	MCS0	187	6885	4.53	4.26	4.02	3.39	10.09	19.15	≤ 30.00
be-EHT40	MCS0	195	6925	4.06	4.22	3.73	4.05	10.04	18.99	≤ 30.00
be-EHT40	MCS0	211	7005	3.82	3.62	3.26	3.92	9.68	18.63	≤ 30.00
be-EHT40	MCS0	227	7085	4.35	3.29	3.26	2.95	9.52	18.47	≤ 30.00
be-EHT80	MCS0	39	6145	7.10	6.70	7.22	7.72	13.22	22.34	≤ 30.00
be-EHT80	MCS0	55	6225	6.61	6.46	6.91	6.99	12.77	21.89	≤ 30.00
be-EHT80	MCS0	87	6385	5.35	5.02	6.18	6.36	11.78	20.90	≤ 30.00
be-EHT80	MCS0	103	6465	7.39	7.19	7.56	7.35	13.40	22.45	≤ 30.00
be-EHT80	MCS0	119	6545	7.55	6.90	7.06	6.23	12.98	22.04	≤ 30.00
be-EHT80	MCS0	135	6625	6.82	6.10	6.89	5.85	12.46	21.52	≤ 30.00
be-EHT80	MCS0	151	6705	5.32	5.12	5.25	6.45	11.59	20.65	≤ 30.00
be-EHT80	MCS0	167	6865	7.12	6.82	6.65	6.26	12.74	21.80	≤ 30.00
be-EHT80	MCS0	183	6865	7.32	6.79	7.15	6.22	12.91	21.97	≤ 30.00
be-EHT80	MCS0	199	6945	7.07	6.35	6.25	6.39	12.55	21.50	≤ 30.00
be-EHT80	MCS0	215	7025	5.96	5.08	5.36	5.82	11.59	20.54	≤ 30.00
be-EHT160	MCS0	47	6185	9.45	8.36	9.15	8.35	14.88	24.00	≤ 30.00
be-EHT160	MCS0	79	6345	9.21	8.53	9.25	8.32	14.87	23.99	≤ 30.00
be-EHT160	MCS0	111	6505	9.35	8.52	8.92	8.33	14.82	23.88	≤ 30.00
be-EHT160	MCS0	143	6665	9.66	9.18	9.21	8.62	15.20	24.26	≤ 30.00
be-EHT160	MCS0	175	6825	9.66	9.26	9.02	7.92	15.03	24.09	≤ 30.00
be-EHT160	MCS0	207	6985	9.20	8.81	8.23	8.35	14.69	23.64	≤ 30.00

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	Average Power (dBm)				Total AV Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
				Ant 0	Ant 1	Ant 2	Ant 3			
be-EHT320	MCS0	63	6265	11.95	11.01	11.12	11.03	17.32	26.44	≤ 30.00
be-EHT320	MCS0	95	6425	11.23	10.68	11.02	10.93	16.99	26.11	≤ 30.00
be-EHT320	MCS0	127	6585	11.59	11.23	11.26	11.23	17.35	26.41	≤ 30.00
be-EHT320	MCS0	159	6745	11.12	10.56	10.72	10.66	16.79	25.85	≤ 30.00
be-EHT320	MCS0	191	6905	11.26	11.32	11.35	11.31	17.33	26.39	≤ 30.00

Note 1: Total Average Power (dBm) = $10 \cdot \log \{10^{(\text{Ant 0 Average Power} / 10)} + 10^{(\text{Ant 1 Average Power} / 10)} + 10^{(\text{Ant 2 Average Power} / 10)} + 10^{(\text{Ant 3 Average Power} / 10)}\}$.

Note 2: EIRP Power (dBm) = Total Average Power (dBm) + Directional Gain (dBi).

Test Site	WZ-SR5	Test Engineer	Lynn Yang
Test Date	2023-02-07~2023-02-08	Test Mode	N _{SS} =4

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	Average Power (dBm)				Total AV Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
				Ant 0	Ant 1	Ant 2	Ant 3			
11ax-HE20	MCS0	33	6115	7.55	6.81	7.31	7.93	13.44	16.54	≤ 30.00
11ax-HE20	MCS0	61	6255	7.68	8.26	7.81	8.03	13.97	17.07	≤ 30.00
11ax-HE20	MCS0	93	6415	8.21	7.34	7.72	7.93	13.83	16.93	≤ 30.00
11ax-HE20	MCS0	97	6435	7.69	7.56	7.82	7.97	13.78	16.81	≤ 30.00
11ax-HE20	MCS0	105	6475	8.01	7.74	7.89	8.04	13.94	16.97	≤ 30.00
11ax-HE20	MCS0	113	6515	8.03	8.16	8.09	8.19	14.14	17.17	≤ 30.00
11ax-HE20	MCS0	117	6535	7.98	8.14	7.92	8.41	14.14	17.18	≤ 30.00
11ax-HE20	MCS0	149	6695	8.65	7.95	8.21	8.29	14.30	17.34	≤ 30.00
11ax-HE20	MCS0	181	6855	7.73	7.67	7.78	7.54	13.70	16.74	≤ 30.00
11ax-HE20	MCS0	185	6875	7.42	7.25	7.66	7.33	13.44	16.48	≤ 30.00
11ax-HE20	MCS0	189	6895	7.31	7.67	7.48	7.57	13.53	16.46	≤ 30.00
11ax-HE20	MCS0	213	7015	8.31	7.89	8.07	7.85	14.05	16.98	≤ 30.00
11ax-HE20	MCS0	229	7095	8.29	7.88	8.51	8.13	14.23	17.16	≤ 30.00
11ax-HE40	MCS0	35	6125	10.54	9.85	10.33	10.29	16.28	19.38	≤ 30.00
11ax-HE40	MCS0	59	6245	10.56	10.31	10.41	10.27	16.41	19.51	≤ 30.00
11ax-HE40	MCS0	91	6405	10.31	9.96	10.47	9.60	16.12	19.22	≤ 30.00
11ax-HE40	MCS0	99	6445	9.98	10.14	10.41	10.37	16.25	19.28	≤ 30.00
11ax-HE40	MCS0	107	6485	10.15	10.32	10.39	10.52	16.37	19.40	≤ 30.00
11ax-HE40	MCS0	115	6525	10.50	10.24	10.28	10.33	16.36	19.40	≤ 30.00
11ax-HE40	MCS0	123	6565	10.22	10.47	10.56	10.54	16.47	19.51	≤ 30.00
11ax-HE40	MCS0	147	6685	10.04	9.91	10.31	9.88	16.06	19.10	≤ 30.00
11ax-HE40	MCS0	179	6845	9.74	9.88	9.70	9.61	15.75	18.79	≤ 30.00
11ax-HE40	MCS0	187	6885	9.74	10.02	9.98	9.58	15.85	18.89	≤ 30.00
11ax-HE40	MCS0	195	6925	10.34	10.21	10.06	10.64	16.34	19.27	≤ 30.00
11ax-HE40	MCS0	211	7005	10.17	9.95	10.01	9.88	16.02	18.95	≤ 30.00
11ax-HE40	MCS0	227	7085	10.13	9.97	10.11	10.01	16.08	19.01	≤ 30.00

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	Average Power (dBm)				Total AV Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
				Ant 0	Ant 1	Ant 2	Ant 3			
11ax-HE80	MCS0	39	6145	13.12	12.75	13.41	13.36	19.19	22.29	≤ 30.00
11ax-HE80	MCS0	55	6225	12.78	12.59	12.96	12.78	18.80	21.90	≤ 30.00
11ax-HE80	MCS0	87	6385	12.41	12.37	12.49	12.41	18.44	21.54	≤ 30.00
11ax-HE80	MCS0	103	6465	12.95	12.44	12.34	12.92	18.69	21.72	≤ 30.00
11ax-HE80	MCS0	119	6545	12.98	12.72	12.49	12.88	18.79	21.83	≤ 30.00
11ax-HE80	MCS0	135	6625	12.70	12.84	13.25	12.47	18.84	21.88	≤ 30.00
11ax-HE80	MCS0	151	6705	12.56	12.54	12.82	12.62	18.66	21.70	≤ 30.00
11ax-HE80	MCS0	167	6865	12.64	12.55	12.81	12.84	18.73	21.77	≤ 30.00
11ax-HE80	MCS0	183	6865	12.88	13.48	13.32	13.13	19.23	22.27	≤ 30.00
11ax-HE80	MCS0	199	6945	13.07	13.33	13.12	13.28	19.22	22.15	≤ 30.00
11ax-HE80	MCS0	215	7025	12.57	12.71	12.72	12.65	18.68	21.61	≤ 30.00
11ax-HE160	MCS0	47	6185	16.38	16.24	16.11	16.18	22.25	25.35	≤ 30.00
11ax-HE160	MCS0	79	6345	15.92	15.75	15.81	15.61	21.79	24.89	≤ 30.00
11ax-HE160	MCS0	111	6505	16.13	15.84	15.93	16.08	22.02	25.06	≤ 30.00
11ax-HE160	MCS0	143	6665	15.87	15.90	15.83	15.78	21.87	24.91	≤ 30.00
11ax-HE160	MCS0	175	6825	15.89	16.07	16.11	16.02	22.04	25.08	≤ 30.00
11ax-HE160	MCS0	207	6985	16.35	16.24	16.21	16.36	22.31	25.24	≤ 30.00
be-EHT20	MCS0	33	6115	8.95	8.21	9.06	8.86	14.80	17.90	≤ 30.00
be-EHT20	MCS0	61	6255	7.66	7.33	8.06	8.33	13.88	16.98	≤ 30.00
be-EHT20	MCS0	93	6415	7.89	7.91	8.27	7.68	13.96	17.06	≤ 30.00
be-EHT20	MCS0	97	6435	8.03	8.31	8.13	8.29	14.21	17.24	≤ 30.00
be-EHT20	MCS0	105	6475	8.19	8.03	8.24	8.70	14.32	17.35	≤ 30.00
be-EHT20	MCS0	113	6515	8.21	8.45	8.34	8.73	14.46	17.49	≤ 30.00
be-EHT20	MCS0	117	6535	8.52	8.45	8.22	8.38	14.41	17.45	≤ 30.00
be-EHT20	MCS0	149	6695	9.28	8.87	8.62	8.54	14.86	17.90	≤ 30.00
be-EHT20	MCS0	181	6855	8.21	7.93	8.16	8.03	14.10	17.14	≤ 30.00
be-EHT20	MCS0	185	6875	7.95	7.63	8.19	8.05	13.98	17.02	≤ 30.00
be-EHT20	MCS0	189	6895	8.12	8.26	7.84	7.92	14.06	16.99	≤ 30.00
be-EHT20	MCS0	213	7015	8.61	8.45	8.58	8.48	14.55	17.48	≤ 30.00
be-EHT20	MCS0	229	7095	8.71	8.62	8.96	8.71	14.77	17.70	≤ 30.00

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	Average Power (dBm)				Total AV Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
				Ant 0	Ant 1	Ant 2	Ant 3			
be-EHT40	MCS0	35	6125	10.59	10.11	10.91	10.77	16.63	19.73	≤ 30.00
be-EHT40	MCS0	59	6245	10.81	10.69	10.42	10.31	16.58	19.68	≤ 30.00
be-EHT40	MCS0	91	6405	10.46	10.81	10.81	10.65	16.71	19.81	≤ 30.00
be-EHT40	MCS0	99	6445	10.39	10.44	10.62	10.84	16.60	19.63	≤ 30.00
be-EHT40	MCS0	107	6485	10.42	10.55	10.18	10.23	16.37	19.40	≤ 30.00
be-EHT40	MCS0	115	6525	10.69	10.55	10.86	11.01	16.80	19.84	≤ 30.00
be-EHT40	MCS0	123	6565	10.98	11.02	10.81	10.87	16.94	19.98	≤ 30.00
be-EHT40	MCS0	147	6685	10.61	10.56	10.93	10.46	16.66	19.70	≤ 30.00
be-EHT40	MCS0	179	6845	10.21	10.28	10.63	10.58	16.45	19.49	≤ 30.00
be-EHT40	MCS0	187	6885	10.12	10.32	10.29	10.02	16.21	19.25	≤ 30.00
be-EHT40	MCS0	195	6925	11.23	10.88	10.95	11.01	17.04	19.97	≤ 30.00
be-EHT40	MCS0	211	7005	10.66	10.33	10.77	10.89	16.69	19.62	≤ 30.00
be-EHT40	MCS0	227	7085	10.53	10.70	10.88	10.69	16.72	19.65	≤ 30.00
be-EHT80	MCS0	39	6145	13.44	13.14	13.75	13.57	19.50	22.60	≤ 30.00
be-EHT80	MCS0	55	6225	13.34	12.92	13.42	13.13	19.23	22.33	≤ 30.00
be-EHT80	MCS0	87	6385	12.83	12.77	13.01	12.67	18.84	21.94	≤ 30.00
be-EHT80	MCS0	103	6465	13.08	13.11	12.93	13.24	19.11	22.14	≤ 30.00
be-EHT80	MCS0	119	6545	13.33	12.86	13.04	13.43	19.19	22.23	≤ 30.00
be-EHT80	MCS0	135	6625	13.31	13.03	13.24	12.97	19.16	22.20	≤ 30.00
be-EHT80	MCS0	151	6705	13.02	12.92	13.17	12.82	19.01	22.05	≤ 30.00
be-EHT80	MCS0	167	6865	12.84	13.02	13.22	13.33	19.13	22.17	≤ 30.00
be-EHT80	MCS0	183	6865	12.78	13.01	13.08	13.11	19.02	22.06	≤ 30.00
be-EHT80	MCS0	199	6945	13.47	13.38	13.66	13.32	19.48	22.41	≤ 30.00
be-EHT80	MCS0	215	7025	12.89	13.02	13.11	13.07	19.04	21.97	≤ 30.00
be-EHT160	MCS0	47	6185	16.55	16.42	16.05	16.32	22.36	25.46	≤ 30.00
be-EHT160	MCS0	79	6345	15.89	15.61	15.75	15.68	21.75	24.85	≤ 30.00
be-EHT160	MCS0	111	6505	16.21	15.93	16.34	16.08	22.16	25.20	≤ 30.00
be-EHT160	MCS0	143	6665	16.05	15.94	15.96	15.74	21.94	24.98	≤ 30.00
be-EHT160	MCS0	175	6825	16.04	16.25	16.12	16.28	22.19	25.23	≤ 30.00
be-EHT160	MCS0	207	6985	16.39	15.92	16.25	16.69	22.34	25.27	≤ 30.00

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	Average Power (dBm)				Total AV Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
				Ant 0	Ant 1	Ant 2	Ant 3			
be-EHT320	MCS0	63	6265	18.78	18.49	18.68	18.84	24.72	27.82	≤ 30.00
be-EHT320	MCS0	95	6425	18.82	18.46	18.87	18.66	24.73	27.83	≤ 30.00
be-EHT320	MCS0	127	6585	18.09	18.13	18.26	18.50	24.27	27.31	≤ 30.00
be-EHT320	MCS0	159	6745	17.96	18.29	18.23	18.15	24.18	27.22	≤ 30.00
be-EHT320	MCS0	191	6905	18.05	18.09	17.89	18.12	24.06	27.10	≤ 30.00

Note 1: Total Average Power (dBm) = $10 \cdot \log \{10^{(\text{Ant 0 Average Power} / 10)} + 10^{(\text{Ant 1 Average Power} / 10)} + 10^{(\text{Ant 2 Average Power} / 10)} + 10^{(\text{Ant 3 Average Power} / 10)}\}$.

Note 2: EIRP Power (dBm) = Total Average Power (dBm) + Directional Gain (dBi).

A.4 Power Spectral Density Test Result

Test Site	WZ-SR5	Test Engineer	Lynn Yang
Test Date	2023-02-08~2023-02-10	Test Mode	N _{SS} =1

Test Mode	Data Rate/MCS	Channel No.	Freq. (MHz)	PSD (dBm/MHz)				Duty Cycle (%)	EIRP PSD (dBm/MHz)	EIRP PSD Limit (dBm/MHz)
				Ant 0	Ant 1	Ant 2	Ant 3			
11ax-HE20	MCS0	33	6115	-10.792	-11.644	-10.535	-10.126	97.83	4.50	≤ 5.00
11ax-HE20	MCS0	61	6255	-10.967	-10.995	-10.714	-10.196	97.83	4.53	≤ 5.00
11ax-HE20	MCS0	93	6415	-11.576	-10.352	-11.036	-10.956	97.83	4.28	≤ 5.00
11ax-HE20	MCS0	97	6435	-10.591	-11.156	-10.450	-9.705	97.83	4.72	≤ 5.00
11ax-HE20	MCS0	105	6475	-10.137	-10.495	-10.017	-10.565	97.83	4.87	≤ 5.00
11ax-HE20	MCS0	113	6515	-10.248	-11.107	-10.194	-10.790	97.83	4.60	≤ 5.00
11ax-HE20	MCS0	117	6535	-11.236	-10.651	-9.813	-9.874	97.83	4.82	≤ 5.00
11ax-HE20	MCS0	149	6695	-10.997	-11.516	-11.092	-9.456	97.83	4.49	≤ 5.00
11ax-HE20	MCS0	181	6855	-11.419	-10.698	-9.932	-11.507	97.83	4.33	≤ 5.00
11ax-HE20	MCS0	185	6875	-11.265	-11.479	-10.545	-10.471	97.83	4.26	≤ 5.00
11ax-HE20	MCS0	189	6895	-10.404	-11.115	-10.144	-11.587	97.83	4.29	≤ 5.00
11ax-HE20	MCS0	213	7015	-11.193	-10.613	-10.547	-10.407	97.83	4.39	≤ 5.00
11ax-HE20	MCS0	229	7095	-11.150	-10.814	-11.310	-10.030	97.83	4.27	≤ 5.00
11ax-HE40	MCS0	35	6125	-11.053	-10.615	-10.660	-11.284	96.03	4.42	≤ 5.00
11ax-HE40	MCS0	59	6245	-10.404	-10.678	-10.523	-10.727	96.03	4.74	≤ 5.00
11ax-HE40	MCS0	91	6405	-10.980	-10.931	-10.974	-10.734	96.03	4.41	≤ 5.00
11ax-HE40	MCS0	99	6445	-10.168	-10.834	-10.697	-11.018	96.03	4.58	≤ 5.00
11ax-HE40	MCS0	107	6485	-11.086	-11.378	-9.902	-10.137	96.03	4.67	≤ 5.00
11ax-HE40	MCS0	115	6525	-11.371	-10.590	-9.884	-10.305	96.03	4.75	≤ 5.00
11ax-HE40	MCS0	123	6565	-10.857	-10.982	-10.219	-11.207	96.03	4.46	≤ 5.00
11ax-HE40	MCS0	147	6685	-10.794	-10.904	-10.330	-10.785	96.03	4.56	≤ 5.00
11ax-HE40	MCS0	179	6845	-10.133	-10.508	-10.827	-10.422	96.03	4.79	≤ 5.00
11ax-HE40	MCS0	187	6885	-10.304	-10.232	-10.049	-11.466	96.03	4.78	≤ 5.00
11ax-HE40	MCS0	195	6925	-10.340	-10.462	-10.274	-10.426	96.03	4.77	≤ 5.00
11ax-HE40	MCS0	211	7005	-10.816	-10.818	-10.637	-11.155	96.03	4.29	≤ 5.00
11ax-HE40	MCS0	227	7085	-10.008	-10.636	-10.082	-10.507	96.03	4.85	≤ 5.00

Test Mode	Data Rate/MCS	Channel No.	Freq. (MHz)	PSD (dBm/MHz)				Duty Cycle (%)	EIRP PSD (dBm/MHz)	EIRP PSD Limit (dBm/MHz)
				Ant 0	Ant 1	Ant 2	Ant 3			
11ax-HE80	MCS0	39	6145	-10.850	-11.442	-11.021	-10.872	93.14	4.41	≤ 5.00
11ax-HE80	MCS0	55	6225	-10.827	-11.234	-11.122	-11.026	93.14	4.40	≤ 5.00
11ax-HE80	MCS0	87	6385	-10.793	-11.523	-10.484	-11.607	93.14	4.37	≤ 5.00
11ax-HE80	MCS0	103	6465	-10.682	-11.133	-10.627	-11.334	93.14	4.45	≤ 5.00
11ax-HE80	MCS0	119	6545	-11.081	-10.254	-10.071	-10.757	93.14	4.87	≤ 5.00
11ax-HE80	MCS0	135	6625	-11.362	-11.444	-10.492	-11.135	93.14	4.30	≤ 5.00
11ax-HE80	MCS0	151	6705	-10.575	-10.922	-11.359	-11.095	93.14	4.41	≤ 5.00
11ax-HE80	MCS0	167	6865	-10.964	-11.309	-10.793	-11.458	93.14	4.27	≤ 5.00
11ax-HE80	MCS0	183	6865	-10.091	-10.731	-9.668	-11.793	93.14	4.89	≤ 5.00
11ax-HE80	MCS0	199	6945	-10.088	-11.424	-10.746	-11.418	93.14	4.40	≤ 5.00
11ax-HE80	MCS0	215	7025	-10.571	-11.655	-10.789	-11.518	93.14	4.17	≤ 5.00
11ax-HE160	MCS0	47	6185	-11.432	-11.227	-10.895	-11.566	88.56	4.40	≤ 5.00
11ax-HE160	MCS0	79	6345	-10.916	-11.494	-11.174	-11.770	88.56	4.34	≤ 5.00
11ax-HE160	MCS0	111	6505	-11.363	-11.246	-10.884	-11.711	88.56	4.32	≤ 5.00
11ax-HE160	MCS0	143	6665	-11.148	-11.347	-11.135	-11.761	88.56	4.27	≤ 5.00
11ax-HE160	MCS0	175	6825	-11.285	-11.142	-10.358	-11.630	88.56	4.53	≤ 5.00
11ax-HE160	MCS0	207	6985	-10.907	-11.119	-11.464	-11.663	88.56	4.22	≤ 5.00
be-EHT20	MCS0	33	6115	-10.594	-11.130	-10.052	-10.956	97.84	4.57	≤ 5.00
be-EHT20	MCS0	61	6255	-10.306	-10.725	-10.720	-10.832	97.84	4.60	≤ 5.00
be-EHT20	MCS0	93	6415	-10.435	-10.970	-10.438	-10.849	97.84	4.57	≤ 5.00
be-EHT20	MCS0	97	6435	-10.884	-10.902	-10.580	-9.850	97.84	4.63	≤ 5.00
be-EHT20	MCS0	105	6475	-10.390	-10.568	-10.027	-10.205	97.84	4.87	≤ 5.00
be-EHT20	MCS0	113	6515	-11.450	-10.211	-10.234	-9.932	97.84	4.75	≤ 5.00
be-EHT20	MCS0	117	6535	-10.395	-11.278	-10.228	-9.584	97.84	4.85	≤ 5.00
be-EHT20	MCS0	149	6695	-9.747	-9.915	-10.575	-11.432	97.84	4.81	≤ 5.00
be-EHT20	MCS0	181	6855	-10.274	-10.261	-10.257	-11.674	97.84	4.60	≤ 5.00
be-EHT20	MCS0	185	6875	-10.988	-10.384	-10.341	-10.236	97.84	4.70	≤ 5.00
be-EHT20	MCS0	189	6895	-9.884	-10.163	-10.199	-11.442	97.84	4.68	≤ 5.00
be-EHT20	MCS0	213	7015	-10.103	-10.541	-10.558	-10.587	97.84	4.62	≤ 5.00
be-EHT20	MCS0	229	7095	-9.779	-10.531	-10.516	-11.417	97.84	4.54	≤ 5.00


Test Mode	Data Rate/MCS	Channel No.	Freq. (MHz)	PSD (dBm/MHz)				Duty Cycle (%)	EIRP PSD (dBm/MHz)	EIRP PSD Limit (dBm/MHz)
				Ant 0	Ant 1	Ant 2	Ant 3			
be-EHT40	MCS0	35	6125	-11.120	-10.524	-10.817	-11.428	95.84	4.37	≤ 5.00
be-EHT40	MCS0	59	6245	-10.406	-10.749	-10.650	-11.365	95.84	4.55	≤ 5.00
be-EHT40	MCS0	91	6405	-10.792	-11.045	-11.115	-10.868	95.84	4.37	≤ 5.00
be-EHT40	MCS0	99	6445	-10.128	-11.206	-10.354	-10.874	95.84	4.64	≤ 5.00
be-EHT40	MCS0	107	6485	-10.457	-11.548	-10.022	-11.011	95.84	4.53	≤ 5.00
be-EHT40	MCS0	115	6525	-10.337	-10.671	-9.759	-11.490	95.84	4.75	≤ 5.00
be-EHT40	MCS0	123	6565	-11.826	-10.757	-9.987	-10.781	95.84	4.48	≤ 5.00
be-EHT40	MCS0	147	6685	-10.763	-10.512	-9.792	-10.492	95.84	4.89	≤ 5.00
be-EHT40	MCS0	179	6845	-11.174	-10.822	-9.967	-10.737	95.84	4.61	≤ 5.00
be-EHT40	MCS0	187	6885	-10.383	-10.349	-10.135	-11.468	95.84	4.71	≤ 5.00
be-EHT40	MCS0	195	6925	-9.976	-10.240	-10.027	-11.267	95.84	4.81	≤ 5.00
be-EHT40	MCS0	211	7005	-10.346	-10.908	-10.790	-10.891	95.84	4.43	≤ 5.00
be-EHT40	MCS0	227	7085	-10.852	-10.697	-11.135	-10.949	95.84	4.25	≤ 5.00
be-EHT80	MCS0	39	6145	-11.142	-11.318	-10.981	-10.446	92.41	4.52	≤ 5.00
be-EHT80	MCS0	55	6225	-11.387	-10.740	-10.677	-10.557	92.41	4.66	≤ 5.00
be-EHT80	MCS0	87	6385	-11.402	-11.350	-10.593	-11.258	92.41	4.35	≤ 5.00
be-EHT80	MCS0	103	6465	-10.942	-11.451	-10.641	-11.375	92.41	4.32	≤ 5.00
be-EHT80	MCS0	119	6545	-10.090	-10.401	-10.335	-11.716	92.41	4.83	≤ 5.00
be-EHT80	MCS0	135	6625	-10.772	-11.257	-10.540	-11.971	92.41	4.32	≤ 5.00
be-EHT80	MCS0	151	6705	-11.240	-10.465	-10.120	-11.265	92.41	4.68	≤ 5.00
be-EHT80	MCS0	167	6865	-11.044	-11.524	-11.072	-11.213	92.41	4.21	≤ 5.00
be-EHT80	MCS0	183	6865	-10.099	-10.449	-10.344	-11.432	92.41	4.87	≤ 5.00
be-EHT80	MCS0	199	6945	-10.446	-11.365	-10.962	-11.412	92.41	4.29	≤ 5.00
be-EHT80	MCS0	215	7025	-10.461	-11.380	-11.021	-11.638	92.41	4.21	≤ 5.00
be-EHT160	MCS0	47	6185	-11.131	-11.166	-10.996	-11.629	88.24	4.46	≤ 5.00
be-EHT160	MCS0	79	6345	-10.755	-11.531	-11.097	-11.759	88.24	4.42	≤ 5.00
be-EHT160	MCS0	111	6505	-11.423	-11.314	-11.134	-11.628	88.24	4.25	≤ 5.00
be-EHT160	MCS0	143	6665	-10.724	-11.095	-10.886	-11.690	88.24	4.54	≤ 5.00
be-EHT160	MCS0	175	6825	-10.603	-11.053	-10.546	-11.604	88.24	4.69	≤ 5.00
be-EHT160	MCS0	207	6985	-10.756	-11.373	-11.053	-11.271	88.24	4.41	≤ 5.00

Test Mode	Data Rate/MCS	Channel No.	Freq. (MHz)	PSD (dBm/MHz)				Duty Cycle (%)	EIRP PSD (dBm/MHz)	EIRP PSD Limit (dBm/MHz)
				Ant 0	Ant 1	Ant 2	Ant 3			
be-EHT320	MCS0	63	6265	-11.155	-11.878	-11.532	-12.444	82.41	4.25	≤ 5.00
be-EHT320	MCS0	95	6425	-11.172	-12.043	-10.920	-12.417	82.41	4.39	≤ 5.00
be-EHT320	MCS0	127	6585	-11.054	-11.174	-10.968	-11.872	82.41	4.67	≤ 5.00
be-EHT320	MCS0	159	6745	-11.089	-12.066	-11.620	-12.140	82.41	4.21	≤ 5.00
be-EHT320	MCS0	191	6905	-11.549	-11.714	-10.995	-11.803	82.41	4.42	≤ 5.00

Note: When EUT duty cycle < 98%, EIRP PSD (dBm/MHz) = $10 \cdot \log \{10^{(\text{Ant 0 PSD}/10)} + 10^{(\text{Ant 1 PSD}/10)} + 10^{(\text{Ant 2 PSD}/10)} + 10^{(\text{Ant 3 PSD}/10)}\}$ (dBm/MHz) + $10 \cdot \log (1/\text{Duty Cycle})$ + Directional Gain (dBi).

802.11ax-HE20 Power Spectral Density- Ant 0 (Nss = 1)


Channel 33 (6115MHz)




Channel 61 (6255MHz)




Channel 93 (6415MHz)



Channel 97 (6435MHz)



Channel 105 (6475MHz)



Channel 113 (6515MHz)



Channel 117 (6535MHz)




Channel 149 (6695MHz)




802.11ax-HE20 Power Spectral Density- Ant 0 (Nss = 1)

Channel 181 (6855MHz)



Channel 185 (6875MHz)




Channel 189 (6895MHz)



Channel 213 (7015MHz)




Channel 229 (7095MHz)




802.11ax-HE40 Power Spectral Density- Ant 0 (Nss = 1)


Channel 35 (6125MHz)



Channel 59 (6245MHz)




Channel 91 (6405MHz)



Channel 99 (6445MHz)




Channel 107 (6485MHz)




Channel 115 (6525MHz)



Channel 123 (6565MHz)




Channel 147 (6685MHz)



802.11ax-HE40 Power Spectral Density- Ant 0 (N_{ss} = 1)


Channel 179 (6845MHz)



Channel 187 (6885MHz)




Channel 195 (6925MHz)



Channel 211 (7005MHz)




Channel 227 (7085MHz)



802.11ax-HE80 Power Spectral Density- Ant 0 (Nss = 1)

Channel 39 (6145MHz)



Channel 55 (6225MHz)




Channel 87 (6385MHz)



Channel 103 (6465MHz)



Channel 119 (6545MHz)




Channel 135 (6625MHz)



Channel 151 (6705MHz)




Channel 167 (6785MHz)




802.11ax-HE80 Power Spectral Density- Ant 0 (Nss = 1)

Channel 183 (6865MHz)



Channel 199 (6945MHz)




Channel 215 (7025MHz)




802.11ax-HE160 Power Spectral Density- Ant 0 (Nss = 1)


Channel 47 (6185MHz)




Channel 79 (6345MHz)




Channel 111 (6505MHz)



Channel 143 (6665MHz)



Channel 175 (6825MHz)



Channel 207 (6985MHz)

