


Site: WZ-AC1	Time: 2023/01/16 - 21:14
Limit: FCC_5G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1167_1-18GHz	Polarity: Horizontal
EUT: BE33000 Whole Home Mesh Wi-Fi 7 System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11BE-EHT40 at 5670MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		5671.900	109.159	105.217	N/A	N/A	3.942	PK
2		5725.000	56.906	52.963	-11.294	68.200	3.943	PK
3	*	5741.350	61.367	57.228	-6.833	68.200	4.139	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC1	Time: 2023/01/16 - 21:19
Limit: FCC_5G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1167_1-18GHz	Polarity: Vertical
EUT: BE33000 Whole Home Mesh Wi-Fi 7 System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11BE-EHT40 at 5670MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		5666.950	116.971	112.998	N/A	N/A	3.973	PK
2		5725.000	58.661	54.718	-9.539	68.200	3.943	PK
3	*	5727.700	60.356	56.390	-7.844	68.200	3.967	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC1	Time: 2023/01/16 - 22:10
Limit: FCC_5G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1167_1-18GHz	Polarity: Horizontal
EUT: BE33000 Whole Home Mesh Wi-Fi 7 System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11BE-EHT80 at 5290MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		5290.820	102.878	99.643	N/A	N/A	3.234	PK
2		5350.000	54.998	51.653	-19.002	74.000	3.344	PK
3	*	5364.850	58.570	55.297	-15.430	74.000	3.273	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC1	Time: 2023/01/16 - 22:13
Limit: FCC_5G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1167_1-18GHz	Polarity: Horizontal
EUT: BE33000 Whole Home Mesh Wi-Fi 7 System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11BE-EHT80 at 5290MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		5290.710	91.890	88.657	N/A	N/A	3.233	AV
2		5350.000	41.545	38.200	-12.455	54.000	3.344	AV
3	*	5352.090	42.027	38.716	-11.973	54.000	3.310	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC1	Time: 2023/01/16 - 22:14
Limit: FCC_5G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1167_1-18GHz	Polarity: Vertical
EUT: BE33000 Whole Home Mesh Wi-Fi 7 System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11BE-EHT80 at 5290MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		5264.860	114.878	111.684	N/A	N/A	3.195	PK
2		5350.000	58.113	54.768	-15.887	74.000	3.344	PK
3	*	5357.700	61.115	57.821	-12.885	74.000	3.294	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC1	Time: 2023/01/16 - 22:15
Limit: FCC_5G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1167_1-18GHz	Polarity: Vertical
EUT: BE33000 Whole Home Mesh Wi-Fi 7 System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11BE-EHT80 at 5290MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		5275.090	104.330	101.213	N/A	N/A	3.117	AV
2		5350.000	49.568	46.223	-4.432	54.000	3.344	AV
3	*	5350.330	49.630	46.291	-4.370	54.000	3.340	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC1	Time: 2023/01/16 - 22:20
Limit: FCC_5G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1167_1-18GHz	Polarity: Horizontal
EUT: BE33000 Whole Home Mesh Wi-Fi 7 System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11BE-EHT80 at 5530MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		5429.465	59.125	55.563	-14.875	74.000	3.561	PK
2		5460.000	56.442	52.812	-17.558	74.000	3.630	PK
3	*	5463.620	59.587	55.935	-8.613	68.200	3.652	PK
4		5470.000	56.535	52.844	-11.665	68.200	3.691	PK
5		5510.425	104.524	100.736	N/A	N/A	3.788	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC1	Time: 2023/01/16 - 22:22
Limit: FCC_5G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1167_1-18GHz	Polarity: Horizontal
EUT: BE33000 Whole Home Mesh Wi-Fi 7 System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11BE-EHT80 at 5530MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1	*	5449.360	44.133	40.580	-9.867	54.000	3.553	AV
2		5460.000	43.486	39.856	-10.514	54.000	3.630	AV
3		5530.780	93.313	89.719	N/A	N/A	3.593	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC1	Time: 2023/01/16 - 22:25
Limit: FCC_5G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1167_1-18GHz	Polarity: Vertical
EUT: BE33000 Whole Home Mesh Wi-Fi 7 System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11BE-EHT80 at 5530MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		5454.535	63.493	59.925	-10.507	74.000	3.568	PK
2		5460.000	60.496	56.866	-13.504	74.000	3.630	PK
3	*	5466.495	63.392	59.722	-4.808	68.200	3.670	PK
4		5470.000	61.476	57.785	-6.724	68.200	3.691	PK
5		5535.495	115.146	111.542	N/A	N/A	3.603	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC1	Time: 2023/01/16 - 22:26
Limit: FCC_5G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1167_1-18GHz	Polarity: Vertical
EUT: BE33000 Whole Home Mesh Wi-Fi 7 System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11BE-EHT80 at 5530MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	5455.915	50.428	46.835	-3.572	54.000	3.593	AV
2		5460.000	49.259	45.629	-4.741	54.000	3.630	AV
3		5536.185	104.396	100.791	N/A	N/A	3.605	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC1	Time: 2023/01/16 - 22:31
Limit: FCC_5G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1167_1-18GHz	Polarity: Horizontal
EUT: BE33000 Whole Home Mesh Wi-Fi 7 System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11BE-EHT80 at 5610MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		5611.300	106.943	103.156	N/A	N/A	3.786	PK
2		5725.000	57.419	53.476	-10.781	68.200	3.943	PK
3	*	5731.095	59.454	55.445	-8.746	68.200	4.009	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC1	Time: 2023/01/16 - 22:33
Limit: FCC_5G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1167_1-18GHz	Polarity: Vertical
EUT: BE33000 Whole Home Mesh Wi-Fi 7 System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11BE-EHT80 at 5610MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		5627.165	114.515	110.837	N/A	N/A	3.678	PK
2		5725.000	57.868	53.925	-10.332	68.200	3.943	PK
3	*	5728.910	60.782	56.800	-7.418	68.200	3.982	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC1	Time: 2023/01/11 - 00:11
Limit: FCC_5G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1167_1-18GHz	Polarity: Horizontal
EUT: BE33000 Whole Home Mesh Wi-Fi 7 System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11BE-EHT160 at 5250MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	5131.420	57.934	54.349	-16.066	74.000	3.585	PK
2		5150.000	55.912	52.271	-18.088	74.000	3.641	PK
3		5258.260	98.792	95.533	N/A	N/A	3.258	PK
4		5350.000	56.075	52.730	-17.925	74.000	3.344	PK
5		5366.480	56.602	53.333	-17.398	74.000	3.269	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC1	Time: 2023/01/11 - 00:13
Limit: FCC_5G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1167_1-18GHz	Polarity: Horizontal
EUT: BE33000 Whole Home Mesh Wi-Fi 7 System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11BE-EHT160 at 5250MHz	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Margin (dB)	Limit (dBuV/m)	Factor (dB/m)	Type
1		5147.940	45.486	41.837	-8.514	54.000	3.649	AV
2		5150.000	44.953	41.312	-9.047	54.000	3.641	AV
3		5263.720	88.596	85.390	N/A	N/A	3.207	AV
4		5350.000	45.547	42.202	-8.453	54.000	3.344	AV
5	*	5350.660	45.944	42.610	-8.056	54.000	3.335	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC1	Time: 2023/01/11 - 00:07
Limit: FCC_5G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1167_1-18GHz	Polarity: Vertical
EUT: BE33000 Whole Home Mesh Wi-Fi 7 System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11BE-EHT160 at 5250MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		5126.380	63.041	59.518	-10.959	74.000	3.523	PK
2		5150.000	59.516	55.875	-14.484	74.000	3.641	PK
3		5274.360	111.598	108.476	N/A	N/A	3.122	PK
4		5350.000	62.354	59.009	-11.646	74.000	3.344	PK
5	*	5381.880	65.092	61.551	-8.908	74.000	3.541	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC1	Time: 2023/01/11 - 00:05
Limit: FCC_5G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1167_1-18GHz	Polarity: Vertical
EUT: BE33000 Whole Home Mesh Wi-Fi 7 System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11BE-EHT160 at 5250MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		5135.480	51.613	48.001	-2.387	54.000	3.612	AV
2		5150.000	49.809	46.168	-4.191	54.000	3.641	AV
3		5255.320	101.028	97.752	N/A	N/A	3.277	AV
4		5350.000	52.170	48.825	-1.830	54.000	3.344	AV
5	*	5388.600	53.814	50.187	-0.186	54.000	3.627	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC1	Time: 2023/01/11 - 00:28
Limit: FCC_5G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1167_1-18GHz	Polarity: Horizontal
EUT: BE33000 Whole Home Mesh Wi-Fi 7 System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11BE-EHT160 at 5570MHz	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Margin (dB)	Limit (dBuV/m)	Factor (dB/m)	Type
1		5398.400	57.512	53.848	-16.488	74.000	3.664	PK
2		5460.000	55.157	51.527	-18.843	74.000	3.630	PK
3		5463.800	57.293	53.640	-10.907	68.200	3.653	PK
4		5470.000	55.465	51.774	-12.735	68.200	3.691	PK
5		5578.000	99.831	95.991	N/A	N/A	3.840	PK
6		5725.000	56.248	52.305	-11.952	68.200	3.943	PK
7	*	5736.600	57.796	53.717	-10.404	68.200	4.079	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC1	Time: 2023/01/11 - 00:31
Limit: FCC_5G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1167_1-18GHz	Polarity: Horizontal
EUT: BE33000 Whole Home Mesh Wi-Fi 7 System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11BE-EHT160 at 5570MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1	*	5410.000	45.906	42.258	-8.094	54.000	3.647	AV
2		5460.000	44.508	40.878	-9.492	54.000	3.630	AV
3		5624.400	88.028	84.342	N/A	N/A	3.685	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC1	Time: 2023/01/11 - 00:26
Limit: FCC_5G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1167_1-18GHz	Polarity: Vertical
EUT: BE33000 Whole Home Mesh Wi-Fi 7 System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11BE-EHT160 at 5570MHz	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Margin (dB)	Limit (dBuV/m)	Factor (dB/m)	Type
1		5405.200	66.852	63.182	-7.148	74.000	3.671	PK
2		5460.000	60.040	56.410	-13.960	74.000	3.630	PK
3		5464.800	62.490	58.831	-5.710	68.200	3.659	PK
4		5470.000	61.618	57.927	-6.582	68.200	3.691	PK
5		5589.000	110.371	106.492	N/A	N/A	3.879	PK
6		5725.000	62.034	58.091	-6.166	68.200	3.943	PK
7	*	5729.600	63.704	59.714	-4.496	68.200	3.990	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC1	Time: 2023/01/11 - 00:24
Limit: FCC_5G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1167_1-18GHz	Polarity: Vertical
EUT: BE33000 Whole Home Mesh Wi-Fi 7 System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11BE-EHT160 at 5570MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	5406.400	52.993	49.328	-1.007	54.000	3.664	AV
2		5460.000	50.120	46.490	-3.880	54.000	3.630	AV
3		5575.600	99.136	95.293	N/A	N/A	3.844	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC1	Time: 2023/01/11 - 01:02
Limit: FCC_5G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1167_1-18GHz	Polarity: Horizontal
EUT: BE33000 Whole Home Mesh Wi-Fi 7 System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11BE-EHT240 at 5650MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		5408.200	58.254	54.598	-15.746	74.000	3.656	PK
2		5460.000	54.859	51.229	-19.141	74.000	3.630	PK
3	*	5464.600	56.041	52.383	-12.159	68.200	3.658	PK
4		5470.000	55.173	51.482	-13.027	68.200	3.691	PK
5		5641.600	94.567	90.847	N/A	N/A	3.720	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC1	Time: 2023/01/11 - 01:05
Limit: FCC_5G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1167_1-18GHz	Polarity: Horizontal
EUT: BE33000 Whole Home Mesh Wi-Fi 7 System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11BE-EHT240 at 5650MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	5449.200	44.468	40.916	-9.532	54.000	3.553	AV
2		5460.000	43.820	40.190	-10.180	54.000	3.630	AV
3		5644.000	83.594	79.819	N/A	N/A	3.776	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC1	Time: 2023/01/11 - 00:55
Limit: FCC_5G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1167_1-18GHz	Polarity: Vertical
EUT: BE33000 Whole Home Mesh Wi-Fi 7 System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11BE-EHT240 at 5650MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		5396.200	66.152	62.497	-7.848	74.000	3.656	PK
2		5460.000	60.872	57.242	-13.128	74.000	3.630	PK
3	*	5469.800	67.696	64.006	-0.504	68.200	3.690	PK
4		5470.000	65.552	61.861	-2.648	68.200	3.691	PK
5		5606.400	106.192	102.373	N/A	N/A	3.819	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: WZ-AC1	Time: 2023/01/11 - 00:57
Limit: FCC_5G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1167_1-18GHz	Polarity: Vertical
EUT: BE33000 Whole Home Mesh Wi-Fi 7 System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11BE-EHT240 at 5650MHz	



No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1	*	5414.400	51.085	47.458	-2.915	54.000	3.627	AV
2		5460.000	48.629	44.999	-5.371	54.000	3.630	AV
3		5648.000	94.756	90.888	N/A	N/A	3.868	AV


Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Test mode – N_{ss} = 4

Site: SIP-AC1	Time: 2023/02/13 - 21:51
Limit: FCC_5G_RE(3m)	Engineer: Wayne Wang
Probe: HF907_102862_1-18GHz	Polarity: Horizontal
EUT: BE33000 Whole Home Mesh Wi-Fi 7 System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11ax-HE20 at 5320MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		5326.800	111.025	72.855	N/A	N/A	38.170	PK
2		5350.000	48.294	51.513	-25.706	74.000	-3.219	PK
3	*	5350.520	49.264	52.728	-24.736	74.000	-3.464	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: SIP-AC1	Time: 2023/02/13 - 22:16
Limit: FCC_5G_RE(3m)	Engineer: Wayne Wang
Probe: HF907_102862_1-18GHz	Polarity: Horizontal
EUT: BE33000 Whole Home Mesh Wi-Fi 7 System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11ax-HE20 at 5320MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		5327.240	99.410	60.878	N/A	N/A	38.533	AV
2	*	5350.000	38.625	41.844	-15.375	54.000	-3.219	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: SIP-AC1	Time: 2023/02/13 - 21:57
Limit: FCC_5G_RE(3m)	Engineer: Wayne Wang
Probe: HF907_102862_1-18GHz	Polarity: Vertical
EUT: BE33000 Whole Home Mesh Wi-Fi 7 System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11ax-HE20 at 5320MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		5326.000	123.380	85.638	N/A	N/A	37.743	PK
2		5350.000	57.075	60.294	-16.925	74.000	-3.219	PK
3	*	5351.720	58.775	62.695	-15.225	74.000	-3.920	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: SIP-AC1	Time: 2023/02/13 - 22:12
Limit: FCC_5G_RE(3m)	Engineer: Wayne Wang
Probe: HF907_102862_1-18GHz	Polarity: Vertical
EUT: BE33000 Whole Home Mesh Wi-Fi 7 System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11ax-HE20 at 5320MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		5325.000	111.071	73.068	N/A	N/A	38.003	AV
2	*	5350.000	46.797	50.016	-7.203	54.000	-3.219	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: SIP-AC1	Time: 2023/02/13 - 23:00
Limit: FCC_5G_RE(3m)	Engineer: Wayne Wang
Probe: HF907_102862_1-18GHz	Polarity: Horizontal
EUT: BE33000 Whole Home Mesh Wi-Fi 7 System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11ax-HE20 at 5500MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		5458.920	48.686	54.468	-25.314	74.000	-5.782	PK
2		5460.000	46.366	52.027	-21.834	68.200	-5.661	PK
3	*	5469.040	53.970	58.321	-14.230	68.200	-4.351	PK
4		5470.000	52.704	56.833	-15.496	68.200	-4.129	PK
5		5495.040	107.609	67.932	N/A	N/A	39.677	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: SIP-AC1	Time: 2023/02/13 - 23:02
Limit: FCC_5G_RE(3m)	Engineer: Wayne Wang
Probe: HF907_102862_1-18GHz	Polarity: Horizontal
EUT: BE33000 Whole Home Mesh Wi-Fi 7 System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11ax-HE20 at 5500MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1	*	5460.000	37.403	43.064	-16.597	54.000	-5.661	AV
2		5494.040	95.701	54.156	N/A	N/A	41.544	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: SIP-AC1	Time: 2023/02/13 - 22:57
Limit: FCC_5G_RE(3m)	Engineer: Wayne Wang
Probe: HF907_102862_1-18GHz	Polarity: Vertical
EUT: BE33000 Whole Home Mesh Wi-Fi 7 System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11ax-HE20 at 5500MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		5459.440	59.554	65.284	-14.446	74.000	-5.730	PK
2		5460.000	59.139	64.800	-9.061	68.200	-5.661	PK
3	*	5468.000	63.234	67.827	-4.966	68.200	-4.593	PK
4		5470.000	59.926	64.055	-8.274	68.200	-4.129	PK
5		5493.800	119.418	77.397	N/A	N/A	42.020	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: SIP-AC1	Time: 2023/02/13 - 22:50
Limit: FCC_5G_RE(3m)	Engineer: Wayne Wang
Probe: HF907_102862_1-18GHz	Polarity: Vertical
EUT: BE33000 Whole Home Mesh Wi-Fi 7 System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11ax-HE20 at 5500MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1	*	5457.640	46.617	52.496	-7.383	54.000	-5.879	AV
2		5460.000	46.609	52.270	-7.391	54.000	-5.661	AV
3		5493.120	107.812	64.853	N/A	N/A	42.959	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: SIP-AC1	Time: 2023/02/14 - 10:00
Limit: FCC_5G_RE(3m)	Engineer: Wayne Wang
Probe: HF907_102862_1-18GHz	Polarity: Horizontal
EUT: BE33000 Whole Home Mesh Wi-Fi 7 System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11ax-HE20 at 5700MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		5695.370	111.185	71.333	N/A	N/A	39.852	PK
2		5725.000	50.429	53.300	-17.771	68.200	-2.871	PK
3	*	5726.390	51.282	54.918	-16.918	68.200	-3.636	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: SIP-AC1	Time: 2023/02/14 - 10:12
Limit: FCC_5G_RE(3m)	Engineer: Wayne Wang
Probe: HF907_102862_1-18GHz	Polarity: Vertical
EUT: BE33000 Whole Home Mesh Wi-Fi 7 System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11ax-HE20 at 5700MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		5694.620	121.216	80.907	N/A	N/A	40.309	PK
2		5725.000	62.540	65.411	-5.660	68.200	-2.871	PK
3	*	5725.760	63.327	66.654	-4.873	68.200	-3.327	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: SIP-AC1	Time: 2023/02/13 - 22:40
Limit: FCC_5G_RE(3m)	Engineer: Wayne Wang
Probe: HF907_102862_1-18GHz	Polarity: Horizontal
EUT: BE33000 Whole Home Mesh Wi-Fi 7 System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11be-HE20 at 5320MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		5324.880	110.333	72.237	N/A	N/A	38.096	PK
2		5350.000	48.146	51.365	-25.854	74.000	-3.219	PK
3	*	5352.760	49.578	53.805	-24.422	74.000	-4.228	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: SIP-AC1	Time: 2023/02/13 - 22:45
Limit: FCC_5G_RE(3m)	Engineer: Wayne Wang
Probe: HF907_102862_1-18GHz	Polarity: Horizontal
EUT: BE33000 Whole Home Mesh Wi-Fi 7 System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11be-HE20 at 5320MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		5325.520	99.123	61.361	N/A	N/A	37.762	AV
2	*	5350.000	38.591	41.810	-15.409	54.000	-3.219	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: SIP-AC1	Time: 2023/02/13 - 22:38
Limit: FCC_5G_RE(3m)	Engineer: Wayne Wang
Probe: HF907_102862_1-18GHz	Polarity: Vertical
EUT: BE33000 Whole Home Mesh Wi-Fi 7 System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11be-HE20 at 5320MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		5326.560	122.020	84.024	N/A	N/A	37.996	PK
2		5350.000	58.076	61.295	-15.924	74.000	-3.219	PK
3	*	5350.640	60.600	64.114	-13.400	74.000	-3.514	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: SIP-AC1	Time: 2023/02/13 - 22:30
Limit: FCC_5G_RE(3m)	Engineer: Wayne Wang
Probe: HF907_102862_1-18GHz	Polarity: Vertical
EUT: BE33000 Whole Home Mesh Wi-Fi 7 System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11be-HE20 at 5320MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		5325.760	110.309	72.557	N/A	N/A	37.752	AV
2		5350.000	47.109	50.328	-6.891	54.000	-3.219	AV
3	*	5350.840	47.250	50.848	-6.750	54.000	-3.598	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: SIP-AC1	Time: 2023/02/13 - 23:08
Limit: FCC_5G_RE(3m)	Engineer: Wayne Wang
Probe: HF907_102862_1-18GHz	Polarity: Horizontal
EUT: BE33000 Whole Home Mesh Wi-Fi 7 System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11be-HE20 at 5500MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		5454.480	48.483	54.544	-25.517	74.000	-6.062	PK
2		5460.000	47.552	53.213	-20.648	68.200	-5.661	PK
3	*	5469.040	53.271	57.622	-14.929	68.200	-4.351	PK
4		5470.000	51.017	55.146	-17.183	68.200	-4.129	PK
5		5494.320	107.654	66.662	N/A	N/A	40.992	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: SIP-AC1	Time: 2023/02/13 - 23:10
Limit: FCC_5G_RE(3m)	Engineer: Wayne Wang
Probe: HF907_102862_1-18GHz	Polarity: Horizontal
EUT: BE33000 Whole Home Mesh Wi-Fi 7 System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11be-HE20 at 5500MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1	*	5460.000	37.364	43.025	-16.636	54.000	-5.661	AV
2		5494.640	95.421	55.027	N/A	N/A	40.394	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: SIP-AC1	Time: 2023/02/13 - 23:06
Limit: FCC_5G_RE(3m)	Engineer: Wayne Wang
Probe: HF907_102862_1-18GHz	Polarity: Vertical
EUT: BE33000 Whole Home Mesh Wi-Fi 7 System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11be-HE20 at 5500MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		5458.640	59.513	65.292	-14.487	74.000	-5.779	PK
2		5460.000	58.838	64.499	-9.362	68.200	-5.661	PK
3	*	5469.160	62.658	66.962	-5.542	68.200	-4.304	PK
4		5470.000	59.874	64.003	-8.326	68.200	-4.129	PK
5		5495.720	118.814	80.222	N/A	N/A	38.592	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: SIP-AC1	Time: 2023/02/13 - 23:04
Limit: FCC_5G_RE(3m)	Engineer: Wayne Wang
Probe: HF907_102862_1-18GHz	Polarity: Vertical
EUT: BE33000 Whole Home Mesh Wi-Fi 7 System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11be-HE20 at 5500MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1	*	5457.840	46.620	52.464	-7.380	54.000	-5.844	AV
2		5460.000	46.280	51.941	-7.720	54.000	-5.661	AV
3		5494.360	105.936	65.023	N/A	N/A	40.912	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: SIP-AC1	Time: 2023/02/14 - 10:20
Limit: FCC_5G_RE(3m)	Engineer: Wayne Wang
Probe: HF907_102862_1-18GHz	Polarity: Horizontal
EUT: BE33000 Whole Home Mesh Wi-Fi 7 System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11be-HE20 at 5700MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		5695.850	111.646	72.304	N/A	N/A	39.342	PK
2		5725.000	49.583	52.454	-18.617	68.200	-2.871	PK
3	*	5726.780	50.295	54.111	-17.905	68.200	-3.816	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Site: SIP-AC1	Time: 2023/02/14 - 10:41
Limit: FCC_5G_RE(3m)	Engineer: Wayne Wang
Probe: HF907_102862_1-18GHz	Polarity: Vertical
EUT: BE33000 Whole Home Mesh Wi-Fi 7 System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11be-HE20 at 5700MHz	



No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		5695.880	123.510	84.202	N/A	N/A	39.308	PK
2		5725.000	60.043	62.914	-8.157	68.200	-2.871	PK
3	*	5725.850	60.943	64.325	-7.257	68.200	-3.382	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB).

Appendix B – Test Setup Photograph

Refer to “2212RSU044-UT” file.

Appendix C – EUT Photograph

Refer to “2212RSU044-UE” file.

————— The End —————