



Test Mode	UNII-3_TX AX (HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.43	0.19	8.62	30.00	Complies
157	5785	8.35	0.19	8.54	30.00	Complies
165	5825	8.68	0.19	8.87	30.00	Complies



Test Mode	UNII-3_TX AX (HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.38	0.19	8.57	30.00	Complies
157	5785	8.48	0.19	8.67	30.00	Complies
165	5825	8.91	0.19	9.10	30.00	Complies




Test Mode	UNII-3_TX AX (HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	11.60	29.99	Complies
157	5785	11.61	29.99	Complies
165	5825	11.99	29.99	Complies


Test Mode	UNII-3_TX AX (HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	5.87	0.25	6.12	30.00	Complies
159	5795	5.67	0.25	5.92	30.00	Complies



Test Mode	UNII-3_TX AX (HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	6.06	0.25	6.31	30.00	Complies
159	5795	5.78	0.25	6.03	30.00	Complies




Test Mode	UNII-3_TX AX (HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	9.23	29.99	Complies
159	5795	8.99	29.99	Complies


Test Mode	UNII-3_TX AX (HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.71	0.22	2.93	30.00	Complies



Test Mode	UNII-3_TX AX (HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.44	0.22	2.66	30.00	Complies



Test Mode	UNII-3_TX AX (HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	5.81	29.99	Complies

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
138	5180.0000
120	5180.0000
102	5180.0000
Maximum Deviation (MHz)	0.0000
Maximum Deviation (ppm)	0.0024

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
0	5180.0000
10	5179.9999
20	5180.0000
30	5180.0000
40	5179.9950
Maximum Deviation (MHz)	0.0050
Maximum Deviation (ppm)	0.9653

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
138	5745.0000
120	5745.0000
102	5745.0000
Maximum Deviation (MHz)	0.0000
Maximum Deviation (ppm)	0.0022

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
0	5745.0000
10	5744.9950
20	5744.9999
30	5744.9950
40	5745.0000
Maximum Deviation (MHz)	0.0050
Maximum Deviation (ppm)	0.8681

End of Test Report