



Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	5.97	0.22	6.19	29.99	Complies
159	5795	6.32	0.22	6.54	29.99	Complies

**CH151**




**CH159**




Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	6.76	0.22	6.98	29.99	Complies
159	5795	6.31	0.22	6.53	29.99	Complies

**CH151**



**CH159**




Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	9.61	29.99	Complies
159	5795	9.54	29.99	Complies


Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	3.24	0.23	3.47	29.99	Complies



Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	3.69	0.23	3.92	29.99	Complies



Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	6.71	29.99	Complies

## **APPENDIX H - FREQUENCY STABILITY**

Test Mode	UNII-1
-----------	--------

**Voltage vs. Frequency Stability**

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5180.0000
138	5179.9884
120	5179.9880
102	5179.9880
Maximum Deviation (MHz)	0.0120
Maximum Deviation (ppm)	2.3166

**Temperature vs. Frequency Stability**

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5180.0000
0	5179.9880
10	5179.9880
20	5179.9880
30	5179.9880
40	5179.9880
Maximum Deviation (MHz)	0.0120
Maximum Deviation (ppm)	2.3166

Test Mode	UNII-3
-----------	--------

**Voltage vs. Frequency Stability**

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5745.0000
138	5744.9860
120	5744.9860
102	5744.9864
Maximum Deviation (MHz)	0.0140
Maximum Deviation (ppm)	2.4369

**Temperature vs. Frequency Stability**

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5745.0000
0	5744.9860
10	5744.9860
20	5744.9860
30	5744.9856
40	5744.9860
Maximum Deviation (MHz)	0.0144
Maximum Deviation (ppm)	2.5065

**End of Test Report**