



Test Mode:	802.11ax HE80	Frequency(MHz):	5775
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	38.26	6.57	44.83	74.00	-29.17	peak
2	9332.000	37.02	10.54	47.56	74.00	-26.44	peak
3	11004.000	35.43	14.74	50.17	74.00	-23.83	peak
4	11840.000	31.92	17.40	49.32	74.00	-24.68	peak
5	13919.000	27.98	21.68	49.66	74.00	-24.34	peak
6	17978.000	23.34	25.97	49.31	74.00	-24.69	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5775
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	36.61	10.48	47.09	74.00	-26.91	peak
2	11026.000	34.44	14.82	49.26	74.00	-24.74	peak
3	11686.000	32.99	17.12	50.11	74.00	-23.89	peak
4	12621.000	31.87	17.98	49.85	74.00	-24.15	peak
5	13864.000	28.62	21.53	50.15	74.00	-23.85	peak
6	17978.000	24.24	25.97	50.21	74.00	-23.79	peak

Test Mode:	802.11ax HE160	Frequency(MHz):	5250
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9079.000	36.38	10.39	46.77	74.00	-27.23	peak
2	10894.000	35.03	14.32	49.35	74.00	-24.65	peak
3	11400.000	34.51	16.36	50.87	74.00	-23.13	peak
4	12698.000	32.47	18.08	50.55	74.00	-23.45	peak
5	13413.000	28.81	20.26	49.07	74.00	-24.93	peak
6	17956.000	24.06	25.82	49.88	74.00	-24.12	peak

Test Mode:	802.11ax HE160	Frequency(MHz):	5250
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9343.000	36.89	10.55	47.44	74.00	-26.56	peak
2	11070.000	34.71	15.01	49.72	74.00	-24.28	peak
3	11752.000	32.82	17.24	50.06	74.00	-23.94	peak
4	12676.000	32.11	18.05	50.16	74.00	-23.84	peak
5	13149.000	30.42	19.10	49.52	74.00	-24.48	peak
6	17747.000	25.11	24.39	49.50	74.00	-24.50	peak

Test Mode:	802.11ax HE160	Frequency(MHz):	5570
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9354.000	36.41	10.56	46.97	74.00	-27.03	peak
2	10751.000	34.54	13.78	48.32	74.00	-25.68	peak
3	11400.000	32.73	16.36	49.09	74.00	-24.91	peak
4	12698.000	31.30	18.08	49.38	74.00	-24.62	peak
5	13919.000	27.98	21.68	49.66	74.00	-24.34	peak
6	17956.000	23.55	25.82	49.37	74.00	-24.63	peak

Test Mode:	802.11ax HE160	Frequency(MHz):	5570
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	36.81	10.54	47.35	74.00	-26.65	peak
2	11059.000	35.44	14.96	50.40	74.00	-23.60	peak
3	11774.000	33.42	17.28	50.70	74.00	-23.30	peak
4	12632.000	32.26	17.99	50.25	74.00	-23.75	peak
5	13919.000	28.42	21.68	50.10	74.00	-23.90	peak
6	17967.000	23.69	25.89	49.58	74.00	-24.42	peak

Test Mode:	802.11be EHT20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9112.000	36.56	10.41	46.97	74.00	-27.03	peak
2	10916.000	34.03	14.39	48.42	74.00	-25.58	peak
3	11818.000	31.99	17.36	49.35	74.00	-24.65	peak
4	12258.000	31.34	17.77	49.11	74.00	-24.89	peak
5	13402.000	28.81	20.20	49.01	74.00	-24.99	peak
6	17989.000	23.37	26.04	49.41	74.00	-24.59	peak


Test Mode:	802.11be EHT20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9343.000	36.64	10.55	47.19	74.00	-26.81	peak
2	11048.000	34.18	14.91	49.09	74.00	-24.91	peak
3	11653.000	32.40	17.05	49.45	74.00	-24.55	peak
4	12687.000	31.97	18.05	50.02	74.00	-23.98	peak
5	13842.000	27.92	21.49	49.41	74.00	-24.59	peak
6	17945.000	24.55	25.75	50.30	74.00	-23.70	peak




Test Mode:	802.11be EHT20	Frequency(MHz):	5200
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7715.000	38.46	6.68	45.14	74.00	-28.86	peak
2	9233.000	36.48	10.48	46.96	74.00	-27.04	peak
3	11015.000	35.12	14.79	49.91	74.00	-24.09	peak
4	11884.000	32.29	17.48	49.77	74.00	-24.23	peak
5	13919.000	27.40	21.68	49.08	74.00	-24.92	peak
6	17967.000	23.66	25.89	49.55	74.00	-24.45	peak

Test Mode:	802.11be EHT20	Frequency(MHz):	5200
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7704.000	38.10	6.69	44.79	74.00	-29.21	peak
2	9343.000	36.17	10.55	46.72	74.00	-27.28	peak
3	11048.000	34.99	14.91	49.90	74.00	-24.10	peak
4	12654.000	32.25	18.01	50.26	74.00	-23.74	peak
5	13501.000	29.29	20.64	49.93	74.00	-24.07	peak
6	17989.000	24.67	26.04	50.71	74.00	-23.29	peak

Test Mode:	802.11be EHT20	Frequency(MHz):	5240
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8001.000	38.96	6.43	45.39	74.00	-28.61	peak
2	9233.000	35.76	10.48	46.24	74.00	-27.76	peak
3	11059.000	33.68	14.96	48.64	74.00	-25.36	peak
4	12632.000	31.61	17.99	49.60	74.00	-24.40	peak
5	13930.000	27.29	21.71	49.00	74.00	-25.00	peak
6	17945.000	23.72	25.75	49.47	74.00	-24.53	peak

Test Mode:	802.11be EHT20	Frequency(MHz):	5240
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	36.35	10.48	46.83	74.00	-27.17	peak
2	11202.000	33.57	15.55	49.12	74.00	-24.88	peak
3	11664.000	32.25	17.08	49.33	74.00	-24.67	peak
4	12687.000	31.26	18.05	49.31	74.00	-24.69	peak
5	13919.000	27.91	21.68	49.59	74.00	-24.41	peak
6	17978.000	23.74	25.97	49.71	74.00	-24.29	peak

Test Mode:	802.11be EHT20	Frequency(MHz):	5260
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9310.000	36.30	10.54	46.84	74.00	-27.16	peak
2	11290.000	33.95	15.90	49.85	74.00	-24.15	peak
3	11697.000	32.99	17.13	50.12	74.00	-23.88	peak
4	12698.000	31.36	18.08	49.44	74.00	-24.56	peak
5	13435.000	28.89	20.35	49.24	74.00	-24.76	peak
6	18000.000	23.73	26.12	49.85	74.00	-24.15	peak

Test Mode:	802.11be EHT20	Frequency(MHz):	5260
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	36.39	10.46	46.85	74.00	-27.15	peak
2	11059.000	34.51	14.96	49.47	74.00	-24.53	peak
3	11884.000	32.25	17.48	49.73	74.00	-24.27	peak
4	12654.000	31.65	18.01	49.66	74.00	-24.34	peak
5	13424.000	29.25	20.30	49.55	74.00	-24.45	peak
6	18000.000	23.76	26.12	49.88	74.00	-24.12	peak

Test Mode:	802.11be EHT20	Frequency(MHz):	5280
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7891.000	37.70	6.52	44.22	74.00	-29.78	peak
2	9255.000	36.66	10.51	47.17	74.00	-26.83	peak
3	11004.000	34.88	14.74	49.62	74.00	-24.38	peak
4	12665.000	32.00	18.04	50.04	74.00	-23.96	peak
5	13919.000	27.71	21.68	49.39	74.00	-24.61	peak
6	17967.000	24.08	25.89	49.97	74.00	-24.03	peak


Test Mode:	802.11be EHT20	Frequency(MHz):	5280
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7935.000	38.00	6.49	44.49	74.00	-29.51	peak
2	9343.000	37.08	10.55	47.63	74.00	-26.37	peak
3	11048.000	34.62	14.91	49.53	74.00	-24.47	peak
4	11719.000	32.91	17.18	50.09	74.00	-23.91	peak
5	13864.000	28.28	21.53	49.81	74.00	-24.19	peak
6	17923.000	23.96	25.60	49.56	74.00	-24.44	peak




Test Mode:	802.11be EHT20	Frequency(MHz):	5320
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9343.000	36.43	10.55	46.98	74.00	-27.02	peak
2	10300.000	35.16	12.40	47.56	74.00	-26.44	peak
3	10938.000	34.78	14.48	49.26	74.00	-24.74	peak
4	12676.000	31.44	18.05	49.49	74.00	-24.51	peak
5	13116.000	30.12	18.96	49.08	74.00	-24.92	peak
6	17956.000	24.13	25.82	49.95	74.00	-24.05	peak

Test Mode:	802.11be EHT20	Frequency(MHz):	5320
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7561.000	37.70	6.82	44.52	74.00	-29.48	peak
2	9145.000	36.62	10.43	47.05	74.00	-26.95	peak
3	11279.000	34.19	15.86	50.05	74.00	-23.95	peak
4	12665.000	31.93	18.04	49.97	74.00	-24.03	peak
5	13864.000	28.87	21.53	50.40	74.00	-23.60	peak
6	17747.000	25.06	24.39	49.45	74.00	-24.55	peak

Test Mode:	802.11be EHT20	Frequency(MHz):	5500
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7715.000	37.73	6.68	44.41	74.00	-29.59	peak
2	9178.000	36.53	10.45	46.98	74.00	-27.02	peak
3	11070.000	34.60	15.01	49.61	74.00	-24.39	peak
4	11917.000	31.77	17.54	49.31	74.00	-24.69	peak
5	13435.000	29.38	20.35	49.73	74.00	-24.27	peak
6	17978.000	23.59	25.97	49.56	74.00	-24.44	peak

Test Mode:	802.11be EHT20	Frequency(MHz):	5500
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8859.000	37.41	9.36	46.77	74.00	-27.23	peak
2	11048.000	34.79	14.91	49.70	74.00	-24.30	peak
3	11411.000	32.97	16.41	49.38	74.00	-24.62	peak
4	12665.000	32.07	18.04	50.11	74.00	-23.89	peak
5	13809.000	27.49	21.41	48.90	74.00	-25.10	peak
6	17934.000	22.97	25.67	48.64	74.00	-25.36	peak

Test Mode:	802.11be EHT20	Frequency(MHz):	5580
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7803.000	37.52	6.60	44.12	74.00	-29.88	peak
2	9277.000	35.75	10.51	46.26	74.00	-27.74	peak
3	11455.000	32.93	16.58	49.51	74.00	-24.49	peak
4	12258.000	31.94	17.77	49.71	74.00	-24.29	peak
5	13930.000	27.55	21.71	49.26	74.00	-24.74	peak
6	17714.000	24.98	24.16	49.14	74.00	-24.86	peak

Test Mode:	802.11be EHT20	Frequency(MHz):	5580
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7176.000	37.62	6.98	44.60	74.00	-29.40	peak
2	9365.000	36.21	10.57	46.78	74.00	-27.22	peak
3	11059.000	35.00	14.96	49.96	74.00	-24.04	peak
4	12698.000	31.93	18.08	50.01	74.00	-23.99	peak
5	13919.000	28.69	21.68	50.37	74.00	-23.63	peak
6	17934.000	23.96	25.67	49.63	74.00	-24.37	peak

Test Mode:	802.11be EHT20	Frequency(MHz):	5700
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7759.000	37.57	6.64	44.21	74.00	-29.79	peak
2	9211.000	36.35	10.47	46.82	74.00	-27.18	peak
3	11345.000	33.16	16.14	49.30	74.00	-24.70	peak
4	12643.000	31.68	18.01	49.69	74.00	-24.31	peak
5	13864.000	27.65	21.53	49.18	74.00	-24.82	peak
6	17967.000	23.20	25.89	49.09	74.00	-24.91	peak


Test Mode:	802.11be EHT20	Frequency(MHz):	5700
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	35.30	10.46	45.76	74.00	-28.24	peak
2	11004.000	34.13	14.74	48.87	74.00	-25.13	peak
3	11708.000	32.92	17.16	50.08	74.00	-23.92	peak
4	13116.000	30.20	18.96	49.16	74.00	-24.84	peak
5	13644.000	28.01	20.99	49.00	74.00	-25.00	peak
6	17945.000	23.56	25.75	49.31	74.00	-24.69	peak




Test Mode:	802.11be EHT20	Frequency(MHz):	5720
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9222.000	35.25	10.48	45.73	74.00	-28.27	peak
2	10289.000	34.05	12.38	46.43	74.00	-27.57	peak
3	11433.000	33.00	16.50	49.50	74.00	-24.50	peak
4	12665.000	32.46	18.04	50.50	74.00	-23.50	peak
5	13622.000	29.10	20.95	50.05	74.00	-23.95	peak
6	17912.000	24.85	25.52	50.37	74.00	-23.63	peak

Test Mode:	802.11be EHT20	Frequency(MHz):	5720
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	36.51	10.49	47.00	74.00	-27.00	peak
2	11059.000	33.79	14.96	48.75	74.00	-25.25	peak
3	11664.000	32.28	17.08	49.36	74.00	-24.64	peak
4	12610.000	31.82	17.97	49.79	74.00	-24.21	peak
5	13600.000	27.77	20.89	48.66	74.00	-25.34	peak
6	17956.000	23.66	25.82	49.48	74.00	-24.52	peak

Test Mode:	802.11be EHT20	Frequency(MHz):	5745
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9299.000	35.71	10.53	46.24	74.00	-27.76	peak
2	10223.000	34.73	12.24	46.97	74.00	-27.03	peak
3	11301.000	33.87	15.95	49.82	74.00	-24.18	peak
4	12621.000	31.63	17.98	49.61	74.00	-24.39	peak
5	13930.000	29.19	21.71	50.90	74.00	-23.10	peak
6	17967.000	25.11	25.89	51.00	74.00	-23.00	peak

Test Mode:	802.11be EHT20	Frequency(MHz):	5745
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7594.000	37.34	6.79	44.13	74.00	-29.87	peak
2	9112.000	36.19	10.41	46.60	74.00	-27.40	peak
3	11323.000	34.14	16.05	50.19	74.00	-23.81	peak
4	12632.000	32.08	17.99	50.07	74.00	-23.93	peak
5	13468.000	29.53	20.50	50.03	74.00	-23.97	peak
6	17967.000	23.84	25.89	49.73	74.00	-24.27	peak

Test Mode:	802.11be EHT20	Frequency(MHz):	5785
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7704.000	37.42	6.69	44.11	74.00	-29.89	peak
2	9233.000	36.07	10.48	46.55	74.00	-27.45	peak
3	11895.000	31.86	17.51	49.37	74.00	-24.63	peak
4	12665.000	31.59	18.04	49.63	74.00	-24.37	peak
5	13127.000	30.12	19.01	49.13	74.00	-24.87	peak
6	17945.000	23.90	25.75	49.65	74.00	-24.35	peak

Test Mode:	802.11be EHT20	Frequency(MHz):	5785
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9178.000	35.98	10.45	46.43	74.00	-27.57	peak
2	10212.000	35.96	12.21	48.17	74.00	-25.83	peak
3	11686.000	32.28	17.12	49.40	74.00	-24.60	peak
4	13446.000	29.34	20.41	49.75	74.00	-24.25	peak
5	13919.000	28.25	21.68	49.93	74.00	-24.07	peak
6	18000.000	24.02	26.12	50.14	74.00	-23.86	peak

Test Mode:	802.11be EHT20	Frequency(MHz):	5825
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	36.46	10.41	46.87	74.00	-27.13	peak
2	11015.000	34.79	14.79	49.58	74.00	-24.42	peak
3	11785.000	32.52	17.30	49.82	74.00	-24.18	peak
4	12676.000	31.91	18.05	49.96	74.00	-24.04	peak
5	13985.000	27.45	21.85	49.30	74.00	-24.70	peak
6	17989.000	23.41	26.04	49.45	74.00	-24.55	peak


Test Mode:	802.11be EHT20	Frequency(MHz):	5825
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	36.07	10.49	46.56	74.00	-27.44	peak
2	11279.000	34.40	15.86	50.26	74.00	-23.74	peak
3	12236.000	32.83	17.76	50.59	74.00	-23.41	peak
4	13567.000	29.72	20.80	50.52	74.00	-23.48	peak
5	13963.000	29.07	21.78	50.85	74.00	-23.15	peak
6	17967.000	24.12	25.89	50.01	74.00	-23.99	peak




Test Mode:	802.11be EHT40	Frequency(MHz):	5190
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	35.94	10.49	46.43	74.00	-27.57	peak
2	11312.000	32.87	16.00	48.87	74.00	-25.13	peak
3	11906.000	32.17	17.52	49.69	74.00	-24.31	peak
4	12665.000	31.37	18.04	49.41	74.00	-24.59	peak
5	13820.000	27.56	21.43	48.99	74.00	-25.01	peak
6	17615.000	26.00	23.49	49.49	74.00	-24.51	peak

Test Mode:	802.11be EHT40	Frequency(MHz):	5190
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7880.000	37.88	6.54	44.42	74.00	-29.58	peak
2	9134.000	35.91	10.41	46.32	74.00	-27.68	peak
3	11015.000	34.41	14.79	49.20	74.00	-24.80	peak
4	12610.000	31.01	17.97	48.98	74.00	-25.02	peak
5	13864.000	27.22	21.53	48.75	74.00	-25.25	peak
6	17967.000	23.58	25.89	49.47	74.00	-24.53	peak

Test Mode:	802.11be EHT40	Frequency(MHz):	5230
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7737.000	38.05	6.66	44.71	74.00	-29.29	peak
2	9222.000	36.75	10.48	47.23	74.00	-26.77	peak
3	11048.000	35.53	14.91	50.44	74.00	-23.56	peak
4	11796.000	33.11	17.32	50.43	74.00	-23.57	peak
5	13611.000	29.38	20.92	50.30	74.00	-23.70	peak
6	17978.000	24.11	25.97	50.08	74.00	-23.92	peak

Test Mode:	802.11be EHT40	Frequency(MHz):	5230
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9057.000	36.96	10.38	47.34	74.00	-26.66	peak
2	10223.000	35.32	12.24	47.56	74.00	-26.44	peak
3	11510.000	33.86	16.79	50.65	74.00	-23.35	peak
4	12258.000	32.72	17.77	50.49	74.00	-23.51	peak
5	13952.000	28.40	21.76	50.16	74.00	-23.84	peak
6	17978.000	24.36	25.97	50.33	74.00	-23.67	peak

Test Mode:	802.11be EHT40	Frequency(MHz):	5270
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7682.000	37.37	6.71	44.08	74.00	-29.92	peak
2	9189.000	36.34	10.46	46.80	74.00	-27.20	peak
3	11026.000	34.88	14.82	49.70	74.00	-24.30	peak
4	12566.000	32.52	17.91	50.43	74.00	-23.57	peak
5	13919.000	27.82	21.68	49.50	74.00	-24.50	peak
6	17868.000	25.51	25.22	50.73	74.00	-23.27	peak

Test Mode:	802.11be EHT40	Frequency(MHz):	5270
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	36.55	10.46	47.01	74.00	-26.99	peak
2	11037.000	33.91	14.87	48.78	74.00	-25.22	peak
3	11697.000	32.24	17.13	49.37	74.00	-24.63	peak
4	12654.000	31.66	18.01	49.67	74.00	-24.33	peak
5	13754.000	28.42	21.27	49.69	74.00	-24.31	peak
6	17989.000	23.90	26.04	49.94	74.00	-24.06	peak

Test Mode:	802.11be EHT40	Frequency(MHz):	5310
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	35.61	10.41	46.02	74.00	-27.98	peak
2	11004.000	33.95	14.74	48.69	74.00	-25.31	peak
3	11730.000	31.66	17.19	48.85	74.00	-25.15	peak
4	12643.000	31.47	18.01	49.48	74.00	-24.52	peak
5	14183.000	27.94	21.11	49.05	74.00	-24.95	peak
6	17934.000	24.75	25.67	50.42	74.00	-23.58	peak


Test Mode:	802.11be EHT40	Frequency(MHz):	5310
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7902.000	37.53	6.52	44.05	74.00	-29.95	peak
2	9233.000	36.18	10.48	46.66	74.00	-27.34	peak
3	11026.000	33.74	14.82	48.56	74.00	-25.44	peak
4	11862.000	32.19	17.45	49.64	74.00	-24.36	peak
5	13050.000	29.76	18.66	48.42	74.00	-25.58	peak
6	17967.000	23.30	25.89	49.19	74.00	-24.81	peak




Test Mode:	802.11be EHT40	Frequency(MHz):	5510
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7715.000	38.15	6.68	44.83	74.00	-29.17	peak
2	9123.000	36.19	10.42	46.61	74.00	-27.39	peak
3	11059.000	34.52	14.96	49.48	74.00	-24.52	peak
4	12632.000	31.30	17.99	49.29	74.00	-24.71	peak
5	14227.000	29.05	20.93	49.98	74.00	-24.02	peak
6	17978.000	23.95	25.97	49.92	74.00	-24.08	peak

Test Mode:	802.11be EHT40	Frequency(MHz):	5510
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7935.000	37.77	6.49	44.26	74.00	-29.74	peak
2	9365.000	35.89	10.57	46.46	74.00	-27.54	peak
3	11268.000	33.44	15.83	49.27	74.00	-24.73	peak
4	12654.000	31.84	18.01	49.85	74.00	-24.15	peak
5	13831.000	27.43	21.47	48.90	74.00	-25.10	peak
6	17934.000	22.84	25.67	48.51	74.00	-25.49	peak

Test Mode:	802.11be EHT40	Frequency(MHz):	5550
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8023.000	37.75	6.45	44.20	74.00	-29.80	peak
2	9343.000	36.33	10.55	46.88	74.00	-27.12	peak
3	11389.000	32.49	16.31	48.80	74.00	-25.20	peak
4	12610.000	31.85	17.97	49.82	74.00	-24.18	peak
5	13853.000	27.53	21.52	49.05	74.00	-24.95	peak
6	17978.000	22.90	25.97	48.87	74.00	-25.13	peak

Test Mode:	802.11be EHT40	Frequency(MHz):	5550
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9057.000	35.72	10.38	46.10	74.00	-27.90	peak
2	11048.000	34.91	14.91	49.82	74.00	-24.18	peak
3	11510.000	33.38	16.79	50.17	74.00	-23.83	peak
4	12687.000	32.21	18.05	50.26	74.00	-23.74	peak
5	13963.000	28.13	21.78	49.91	74.00	-24.09	peak
6	17923.000	24.13	25.60	49.73	74.00	-24.27	peak

Test Mode:	802.11be EHT40	Frequency(MHz):	5670
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	36.76	10.46	47.22	74.00	-26.78	peak
2	11048.000	35.04	14.91	49.95	74.00	-24.05	peak
3	11862.000	32.81	17.45	50.26	74.00	-23.74	peak
4	12632.000	31.97	17.99	49.96	74.00	-24.04	peak
5	13633.000	29.07	20.97	50.04	74.00	-23.96	peak
6	17923.000	24.43	25.60	50.03	74.00	-23.97	peak

Test Mode:	802.11be EHT40	Frequency(MHz):	5670
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7935.000	38.82	6.49	45.31	74.00	-28.69	peak
2	9233.000	36.30	10.48	46.78	74.00	-27.22	peak
3	11004.000	34.94	14.74	49.68	74.00	-24.32	peak
4	12698.000	31.37	18.08	49.45	74.00	-24.55	peak
5	13853.000	27.82	21.52	49.34	74.00	-24.66	peak
6	18000.000	23.80	26.12	49.92	74.00	-24.08	peak

Test Mode:	802.11be EHT40	Frequency(MHz):	5710
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	35.79	10.48	46.27	74.00	-27.73	peak
2	11015.000	34.06	14.79	48.85	74.00	-25.15	peak
3	11774.000	32.03	17.28	49.31	74.00	-24.69	peak
4	12632.000	31.32	17.99	49.31	74.00	-24.69	peak
5	13600.000	28.55	20.89	49.44	74.00	-24.56	peak
6	17989.000	23.46	26.04	49.50	74.00	-24.50	peak


Test Mode:	802.11be EHT40	Frequency(MHz):	5710
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	36.87	10.46	47.33	74.00	-26.67	peak
2	11048.000	35.22	14.91	50.13	74.00	-23.87	peak
3	11554.000	33.83	16.87	50.70	74.00	-23.30	peak
4	12632.000	32.44	17.99	50.43	74.00	-23.57	peak
5	13919.000	28.05	21.68	49.73	74.00	-24.27	peak
6	17989.000	23.82	26.04	49.86	74.00	-24.14	peak




Test Mode:	802.11be EHT40	Frequency(MHz):	5755
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7880.000	37.25	6.54	43.79	74.00	-30.21	peak
2	9255.000	36.54	10.51	47.05	74.00	-26.95	peak
3	10883.000	36.17	14.27	50.44	74.00	-23.56	peak
4	12720.000	32.33	18.09	50.42	74.00	-23.58	peak
5	13919.000	28.62	21.68	50.30	74.00	-23.70	peak
6	17989.000	24.18	26.04	50.22	74.00	-23.78	peak

Test Mode:	802.11be EHT40	Frequency(MHz):	5755
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8870.000	36.62	9.44	46.06	74.00	-27.94	peak
2	9563.000	36.26	10.79	47.05	74.00	-26.95	peak
3	11026.000	34.79	14.82	49.61	74.00	-24.39	peak
4	11697.000	33.44	17.13	50.57	74.00	-23.43	peak
5	13919.000	28.55	21.68	50.23	74.00	-23.77	peak
6	17648.000	25.40	23.72	49.12	74.00	-24.88	peak

Test Mode:	802.11be EHT40	Frequency(MHz):	5795
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	36.11	10.46	46.57	74.00	-27.43	peak
2	11048.000	34.75	14.91	49.66	74.00	-24.34	peak
3	11796.000	32.55	17.32	49.87	74.00	-24.13	peak
4	12665.000	32.35	18.04	50.39	74.00	-23.61	peak
5	13941.000	27.37	21.73	49.10	74.00	-24.90	peak
6	17967.000	24.17	25.89	50.06	74.00	-23.94	peak

Test Mode:	802.11be EHT40	Frequency(MHz):	5795
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9057.000	35.72	10.38	46.10	74.00	-27.90	peak
2	10212.000	35.34	12.21	47.55	74.00	-26.45	peak
3	11521.000	32.80	16.82	49.62	74.00	-24.38	peak
4	13116.000	30.66	18.96	49.62	74.00	-24.38	peak
5	13952.000	28.58	21.76	50.34	74.00	-23.66	peak
6	17978.000	24.00	25.97	49.97	74.00	-24.03	peak

Test Mode:	802.11be EHT80	Frequency(MHz):	5210
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8012.000	38.80	6.44	45.24	74.00	-28.76	peak
2	9299.000	36.51	10.53	47.04	74.00	-26.96	peak
3	11015.000	34.25	14.79	49.04	74.00	-24.96	peak
4	12676.000	30.61	18.05	48.66	74.00	-25.34	peak
5	13864.000	27.05	21.53	48.58	74.00	-25.42	peak
6	17725.000	23.77	24.24	48.01	74.00	-25.99	peak

Test Mode:	802.11be EHT80	Frequency(MHz):	5210
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	35.71	10.49	46.20	74.00	-27.80	peak
2	10212.000	34.31	12.21	46.52	74.00	-27.48	peak
3	11015.000	34.44	14.79	49.23	74.00	-24.77	peak
4	12698.000	31.92	18.08	50.00	74.00	-24.00	peak
5	13809.000	28.82	21.41	50.23	74.00	-23.77	peak
6	18000.000	24.14	26.12	50.26	74.00	-23.74	peak

Test Mode:	802.11be EHT80	Frequency(MHz):	5290
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9123.000	36.73	10.42	47.15	74.00	-26.85	peak
2	11466.000	32.76	16.63	49.39	74.00	-24.61	peak
3	12698.000	32.25	18.08	50.33	74.00	-23.67	peak
4	13908.000	28.60	21.66	50.26	74.00	-23.74	peak
5	17714.000	25.31	24.16	49.47	74.00	-24.53	peak
6	17978.000	23.86	25.97	49.83	74.00	-24.17	peak


Test Mode:	802.11be EHT80	Frequency(MHz):	5290
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8023.000	38.31	6.45	44.76	74.00	-29.24	peak
2	9057.000	36.09	10.38	46.47	74.00	-27.53	peak
3	11268.000	34.09	15.83	49.92	74.00	-24.08	peak
4	12632.000	32.03	17.99	50.02	74.00	-23.98	peak
5	13864.000	29.40	21.53	50.93	74.00	-23.07	peak
6	17670.000	26.34	23.86	50.20	74.00	-23.80	peak




Test Mode:	802.11be EHT80	Frequency(MHz):	5530
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7627.000	37.74	6.76	44.50	74.00	-29.50	peak
2	9200.000	35.49	10.46	45.95	74.00	-28.05	peak
3	11202.000	33.60	15.55	49.15	74.00	-24.85	peak
4	12258.000	31.87	17.77	49.64	74.00	-24.36	peak
5	13985.000	27.50	21.85	49.35	74.00	-24.65	peak
6	17692.000	25.47	24.01	49.48	74.00	-24.52	peak

Test Mode:	802.11be EHT80	Frequency(MHz):	5530
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7891.000	37.80	6.52	44.32	74.00	-29.68	peak
2	9244.000	35.93	10.49	46.42	74.00	-27.58	peak
3	11015.000	34.01	14.79	48.80	74.00	-25.20	peak
4	12676.000	30.76	18.05	48.81	74.00	-25.19	peak
5	13369.000	28.05	20.06	48.11	74.00	-25.89	peak
6	17967.000	23.71	25.89	49.60	74.00	-24.40	peak

Test Mode:	802.11be EHT80	Frequency(MHz):	5610
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8661.000	36.51	8.00	44.51	74.00	-29.49	peak
2	9233.000	36.51	10.48	46.99	74.00	-27.01	peak
3	11048.000	35.51	14.91	50.42	74.00	-23.58	peak
4	12709.000	31.77	18.09	49.86	74.00	-24.14	peak
5	13622.000	28.66	20.95	49.61	74.00	-24.39	peak
6	18000.000	24.56	26.12	50.68	74.00	-23.32	peak

Test Mode:	802.11be EHT80	Frequency(MHz):	5610
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9299.000	35.46	10.53	45.99	74.00	-28.01	peak
2	10421.000	33.68	12.66	46.34	74.00	-27.66	peak
3	11884.000	31.71	17.48	49.19	74.00	-24.81	peak
4	12643.000	31.89	18.01	49.90	74.00	-24.10	peak
5	13941.000	28.13	21.73	49.86	74.00	-24.14	peak
6	17978.000	24.48	25.97	50.45	74.00	-23.55	peak

Test Mode:	802.11be EHT80	Frequency(MHz):	5690
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9266.000	35.94	10.51	46.45	74.00	-27.55	peak
2	11048.000	35.00	14.91	49.91	74.00	-24.09	peak
3	11829.000	32.53	17.38	49.91	74.00	-24.09	peak
4	12687.000	31.64	18.05	49.69	74.00	-24.31	peak
5	13996.000	27.94	21.87	49.81	74.00	-24.19	peak
6	17923.000	23.82	25.60	49.42	74.00	-24.58	peak

Test Mode:	802.11be EHT80	Frequency(MHz):	5690
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	35.69	10.51	46.20	74.00	-27.80	peak
2	10201.000	34.26	12.19	46.45	74.00	-27.55	peak
3	11246.000	33.55	15.73	49.28	74.00	-24.72	peak
4	11840.000	32.16	17.40	49.56	74.00	-24.44	peak
5	13875.000	27.86	21.57	49.43	74.00	-24.57	peak
6	18000.000	23.39	26.12	49.51	74.00	-24.49	peak

Test Mode:	802.11be EHT80	Frequency(MHz):	5775
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9563.000	35.64	10.79	46.43	74.00	-27.57	peak
2	10564.000	35.04	13.06	48.10	74.00	-25.90	peak
3	11807.000	32.44	17.34	49.78	74.00	-24.22	peak
4	12665.000	31.68	18.04	49.72	74.00	-24.28	peak
5	13138.000	29.86	19.05	48.91	74.00	-25.09	peak
6	17956.000	23.06	25.82	48.88	74.00	-25.12	peak


Test Mode:	802.11be EHT80	Frequency(MHz):	5775
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8969.000	36.22	10.13	46.35	74.00	-27.65	peak
2	11026.000	34.47	14.82	49.29	74.00	-24.71	peak
3	11323.000	33.95	16.05	50.00	74.00	-24.00	peak
4	12643.000	32.25	18.01	50.26	74.00	-23.74	peak
5	13589.000	28.97	20.86	49.83	74.00	-24.17	peak
6	17967.000	23.71	25.89	49.60	74.00	-24.40	peak




Test Mode:	802.11be EHT160	Frequency(MHz):	5250
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	36.94	10.49	47.43	74.00	-26.57	peak
2	10575.000	34.69	13.10	47.79	74.00	-26.21	peak
3	11664.000	32.14	17.08	49.22	74.00	-24.78	peak
4	12555.000	31.46	17.90	49.36	74.00	-24.64	peak
5	13985.000	27.35	21.85	49.20	74.00	-24.80	peak
6	17989.000	23.36	26.04	49.40	74.00	-24.60	peak

Test Mode:	802.11be EHT160	Frequency(MHz):	5250
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8001.000	38.87	6.43	45.30	74.00	-28.70	peak
2	9343.000	36.29	10.55	46.84	74.00	-27.16	peak
3	11290.000	33.03	15.90	48.93	74.00	-25.07	peak
4	12643.000	30.57	18.01	48.58	74.00	-25.42	peak
5	14161.000	27.75	21.20	48.95	74.00	-25.05	peak
6	17956.000	23.17	25.82	48.99	74.00	-25.01	peak

Test Mode:	802.11be EHT160	Frequency(MHz):	5570
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	36.58	10.51	47.09	74.00	-26.91	peak
2	10201.000	34.62	12.19	46.81	74.00	-27.19	peak
3	11642.000	33.78	17.03	50.81	74.00	-23.19	peak
4	12676.000	31.72	18.05	49.77	74.00	-24.23	peak
5	13743.000	27.98	21.24	49.22	74.00	-24.78	peak
6	17879.000	23.95	25.29	49.24	74.00	-24.76	peak

Test Mode:	802.11be EHT160	Frequency(MHz):	5570
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7748.000	37.27	6.66	43.93	74.00	-30.07	peak
2	9233.000	36.38	10.48	46.86	74.00	-27.14	peak
3	11356.000	33.77	16.19	49.96	74.00	-24.04	peak
4	12247.000	32.30	17.77	50.07	74.00	-23.93	peak
5	13600.000	29.22	20.89	50.11	74.00	-23.89	peak
6	17967.000	22.81	25.89	48.70	74.00	-25.30	peak

Test Mode:	802.11be EHT240	Frequency(MHz):	5610
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	36.44	10.41	46.85	74.00	-27.15	peak
2	11059.000	35.21	14.96	50.17	74.00	-23.83	peak
3	11884.000	32.71	17.48	50.19	74.00	-23.81	peak
4	12709.000	32.21	18.09	50.30	74.00	-23.70	peak
5	13974.000	28.39	21.82	50.21	74.00	-23.79	peak
6	17703.000	25.34	24.09	49.43	74.00	-24.57	peak

Test Mode:	802.11be EHT240	Frequency(MHz):	5610
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8991.000	36.18	10.28	46.46	74.00	-27.54	peak
2	11048.000	34.49	14.91	49.40	74.00	-24.60	peak
3	11752.000	32.28	17.24	49.52	74.00	-24.48	peak
4	13182.000	30.92	19.24	50.16	74.00	-23.84	peak
5	13820.000	27.72	21.43	49.15	74.00	-24.85	peak
6	17989.000	23.29	26.04	49.33	74.00	-24.67	peak

## 8.6. SPURIOUS EMISSIONS(7 GHZ~18 GHZ)


For ISED UNII-1 test data:

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9112.000	36.55	10.41	46.96	74.00	-27.04	peak
2	10168.000	36.13	12.13	48.26	74.00	-25.74	peak
3	11015.000	34.82	14.79	49.61	74.00	-24.39	peak
4	12247.000	31.71	17.77	49.48	74.00	-24.52	peak
5	13930.000	27.62	21.71	49.33	74.00	-24.67	peak
6	17989.000	23.25	26.04	49.29	74.00	-24.71	peak


Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	35.84	10.46	46.30	74.00	-27.70	peak
2	10938.000	33.84	14.48	48.32	74.00	-25.68	peak
3	11785.000	32.02	17.30	49.32	74.00	-24.68	peak
4	12709.000	30.63	18.09	48.72	74.00	-25.28	peak
5	13996.000	26.53	21.87	48.40	74.00	-25.60	peak
6	17978.000	22.80	25.97	48.77	74.00	-25.23	peak




Test Mode:	802.11a 20	Frequency(MHz):	5200
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	35.75	10.51	46.26	74.00	-27.74	peak
2	10421.000	35.34	12.66	48.00	74.00	-26.00	peak
3	10872.000	35.00	14.23	49.23	74.00	-24.77	peak
4	11851.000	31.99	17.43	49.42	74.00	-24.58	peak
5	13534.000	27.99	20.73	48.72	74.00	-25.28	peak
6	17989.000	22.81	26.04	48.85	74.00	-25.15	peak

Test Mode:	802.11a 20	Frequency(MHz):	5200
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	36.60	10.49	47.09	74.00	-26.91	peak
2	10916.000	34.92	14.39	49.31	74.00	-24.69	peak
3	11741.000	31.73	17.22	48.95	74.00	-25.05	peak
4	12643.000	31.40	18.01	49.41	74.00	-24.59	peak
5	13985.000	27.37	21.85	49.22	74.00	-24.78	peak
6	17978.000	24.35	25.97	50.32	74.00	-23.68	peak

Test Mode:	802.11a 20	Frequency(MHz):	5240
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	36.58	10.49	47.07	74.00	-26.93	peak
2	10245.000	36.09	12.28	48.37	74.00	-25.63	peak
3	11026.000	34.56	14.82	49.38	74.00	-24.62	peak
4	12687.000	31.18	18.05	49.23	74.00	-24.77	peak
5	14007.000	27.71	21.85	49.56	74.00	-24.44	peak
6	17989.000	21.93	26.04	47.97	74.00	-26.03	peak

Test Mode:	802.11a 20	Frequency(MHz):	5240
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8991.000	36.11	10.28	46.39	74.00	-27.61	peak
2	10168.000	36.06	12.13	48.19	74.00	-25.81	peak
3	10916.000	35.07	14.39	49.46	74.00	-24.54	peak
4	12687.000	30.33	18.05	48.38	74.00	-25.62	peak
5	14007.000	27.98	21.85	49.83	74.00	-24.17	peak
6	17989.000	23.22	26.04	49.26	74.00	-24.74	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9266.000	35.96	10.51	46.47	74.00	-27.53	peak
2	10597.000	35.70	13.19	48.89	74.00	-25.11	peak
3	11037.000	34.05	14.87	48.92	74.00	-25.08	peak
4	12665.000	31.33	18.04	49.37	74.00	-24.63	peak
5	14007.000	28.23	21.85	50.08	74.00	-23.92	peak
6	17813.000	23.64	24.84	48.48	74.00	-25.52	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8958.000	37.49	10.05	47.54	74.00	-26.46	peak
2	10993.000	34.11	14.70	48.81	74.00	-25.19	peak
3	11686.000	32.16	17.12	49.28	74.00	-24.72	peak
4	12698.000	31.24	18.08	49.32	74.00	-24.68	peak
5	14007.000	27.12	21.85	48.97	74.00	-25.03	peak
6	17956.000	22.47	25.82	48.29	74.00	-25.71	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5200
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	36.29	10.49	46.78	74.00	-27.22	peak
2	10223.000	35.11	12.24	47.35	74.00	-26.65	peak
3	11059.000	34.59	14.96	49.55	74.00	-24.45	peak
4	12665.000	30.35	18.04	48.39	74.00	-25.61	peak
5	13765.000	28.00	21.30	49.30	74.00	-24.70	peak
6	17978.000	23.32	25.97	49.29	74.00	-24.71	peak


Test Mode:	802.11ax HE20	Frequency(MHz):	5200
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9112.000	35.82	10.41	46.23	74.00	-27.77	peak
2	11070.000	34.06	15.01	49.07	74.00	-24.93	peak
3	11873.000	31.39	17.46	48.85	74.00	-25.15	peak
4	12489.000	30.77	17.83	48.60	74.00	-25.40	peak
5	13578.000	27.61	20.83	48.44	74.00	-25.56	peak
6	17692.000	24.02	24.01	48.03	74.00	-25.97	peak




Test Mode:	802.11ax HE20	Frequency(MHz):	5240
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7627.000	38.21	6.76	44.97	74.00	-29.03	peak
2	8991.000	36.50	10.28	46.78	74.00	-27.22	peak
3	11070.000	34.10	15.01	49.11	74.00	-24.89	peak
4	12654.000	30.81	18.01	48.82	74.00	-25.18	peak
5	13974.000	27.77	21.82	49.59	74.00	-24.41	peak
6	17934.000	23.69	25.67	49.36	74.00	-24.64	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5240
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7935.000	38.96	6.49	45.45	74.00	-28.55	peak
2	9255.000	37.77	10.51	48.28	74.00	-25.72	peak
3	11147.000	34.38	15.32	49.70	74.00	-24.30	peak
4	12720.000	31.57	18.09	49.66	74.00	-24.34	peak
5	13996.000	28.10	21.87	49.97	74.00	-24.03	peak
6	17923.000	23.60	25.60	49.20	74.00	-24.80	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5190
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	36.52	10.48	47.00	74.00	-27.00	peak
2	10190.000	35.88	12.18	48.06	74.00	-25.94	peak
3	11004.000	34.96	14.74	49.70	74.00	-24.30	peak
4	12665.000	30.79	18.04	48.83	74.00	-25.17	peak
5	13600.000	28.16	20.89	49.05	74.00	-24.95	peak
6	17989.000	22.66	26.04	48.70	74.00	-25.30	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5190
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7935.000	39.91	6.49	46.40	74.00	-27.60	peak
2	9233.000	36.83	10.48	47.31	74.00	-26.69	peak
3	11246.000	33.80	15.73	49.53	74.00	-24.47	peak
4	12676.000	31.73	18.05	49.78	74.00	-24.22	peak
5	13226.000	30.12	19.44	49.56	74.00	-24.44	peak
6	18000.000	23.37	26.12	49.49	74.00	-24.51	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5230
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	35.77	10.54	46.31	74.00	-27.69	peak
2	11015.000	33.75	14.79	48.54	74.00	-25.46	peak
3	11455.000	32.73	16.58	49.31	74.00	-24.69	peak
4	12104.000	31.97	17.73	49.70	74.00	-24.30	peak
5	13633.000	28.61	20.97	49.58	74.00	-24.42	peak
6	17967.000	23.90	25.89	49.79	74.00	-24.21	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5230
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	36.77	10.48	47.25	74.00	-26.75	peak
2	10685.000	35.32	13.53	48.85	74.00	-25.15	peak
3	11741.000	31.98	17.22	49.20	74.00	-24.80	peak
4	12709.000	31.04	18.09	49.13	74.00	-24.87	peak
5	13633.000	29.17	20.97	50.14	74.00	-23.86	peak
6	17989.000	23.20	26.04	49.24	74.00	-24.76	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5210
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9123.000	37.07	10.42	47.49	74.00	-26.51	peak
2	10564.000	36.48	13.06	49.54	74.00	-24.46	peak
3	11301.000	33.84	15.95	49.79	74.00	-24.21	peak
4	12676.000	31.42	18.05	49.47	74.00	-24.53	peak
5	13996.000	27.99	21.87	49.86	74.00	-24.14	peak
6	17989.000	23.71	26.04	49.75	74.00	-24.25	peak


Test Mode:	802.11ax HE80	Frequency(MHz):	5210
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	38.93	6.57	45.50	74.00	-28.50	peak
2	9354.000	36.17	10.56	46.73	74.00	-27.27	peak
3	11059.000	34.28	14.96	49.24	74.00	-24.76	peak
4	11884.000	31.94	17.48	49.42	74.00	-24.58	peak
5	14029.000	27.89	21.76	49.65	74.00	-24.35	peak
6	17989.000	24.34	26.04	50.38	74.00	-23.62	peak




Test Mode:	802.11ax HE160	Frequency(MHz):	5250
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	35.96	10.48	46.44	74.00	-27.56	peak
2	10861.000	34.86	14.20	49.06	74.00	-24.94	peak
3	11873.000	31.94	17.46	49.40	74.00	-24.60	peak
4	12665.000	31.05	18.04	49.09	74.00	-24.91	peak
5	13622.000	28.61	20.95	49.56	74.00	-24.44	peak
6	18000.000	24.37	26.12	50.49	74.00	-23.51	peak

Test Mode:	802.11ax HE160	Frequency(MHz):	5250
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	36.38	10.54	46.92	74.00	-27.08	peak
2	11015.000	33.94	14.79	48.73	74.00	-25.27	peak
3	11873.000	32.53	17.46	49.99	74.00	-24.01	peak
4	12247.000	31.80	17.77	49.57	74.00	-24.43	peak
5	13875.000	28.59	21.57	50.16	74.00	-23.84	peak
6	17967.000	24.08	25.89	49.97	74.00	-24.03	peak

Test Mode:	802.11be EHT20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9310.000	36.49	10.54	47.03	74.00	-26.97	peak
2	10872.000	35.23	14.23	49.46	74.00	-24.54	peak
3	11785.000	32.44	17.30	49.74	74.00	-24.26	peak
4	12632.000	31.31	17.99	49.30	74.00	-24.70	peak
5	13974.000	27.25	21.82	49.07	74.00	-24.93	peak
6	17967.000	23.00	25.89	48.89	74.00	-25.11	peak

Test Mode:	802.11be EHT20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	36.80	10.46	47.26	74.00	-26.74	peak
2	11059.000	34.16	14.96	49.12	74.00	-24.88	peak
3	11279.000	33.18	15.86	49.04	74.00	-24.96	peak
4	12687.000	30.85	18.05	48.90	74.00	-25.10	peak
5	14018.000	27.53	21.80	49.33	74.00	-24.67	peak
6	17967.000	23.28	25.89	49.17	74.00	-24.83	peak

Test Mode:	802.11be EHT20	Frequency(MHz):	5200
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8947.000	37.57	9.98	47.55	74.00	-26.45	peak
2	10278.000	37.96	12.35	50.31	74.00	-23.69	peak
3	11411.000	34.04	16.41	50.45	74.00	-23.55	peak
4	12753.000	31.57	18.14	49.71	74.00	-24.29	peak
5	13611.000	28.85	20.92	49.77	74.00	-24.23	peak
6	18000.000	23.04	26.12	49.16	74.00	-24.84	peak

Test Mode:	802.11be EHT20	Frequency(MHz):	5200
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9145.000	36.62	10.43	47.05	74.00	-26.95	peak
2	11048.000	33.94	14.91	48.85	74.00	-25.15	peak
3	11510.000	32.59	16.79	49.38	74.00	-24.62	peak
4	13446.000	29.35	20.41	49.76	74.00	-24.24	peak
5	13908.000	28.57	21.66	50.23	74.00	-23.77	peak
6	17956.000	24.24	25.82	50.06	74.00	-23.94	peak

Test Mode:	802.11be EHT20	Frequency(MHz):	5240
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9178.000	37.38	10.45	47.83	74.00	-26.17	peak
2	11004.000	35.36	14.74	50.10	74.00	-23.90	peak
3	11477.000	33.53	16.67	50.20	74.00	-23.80	peak
4	12676.000	31.79	18.05	49.84	74.00	-24.16	peak
5	13919.000	28.36	21.68	50.04	74.00	-23.96	peak
6	17703.000	25.72	24.09	49.81	74.00	-24.19	peak


Test Mode:	802.11be EHT20	Frequency(MHz):	5240
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7880.000	38.43	6.54	44.97	74.00	-29.03	peak
2	9068.000	36.16	10.39	46.55	74.00	-27.45	peak
3	11026.000	34.82	14.82	49.64	74.00	-24.36	peak
4	12632.000	31.91	17.99	49.90	74.00	-24.10	peak
5	13798.000	28.57	21.38	49.95	74.00	-24.05	peak
6	17989.000	23.74	26.04	49.78	74.00	-24.22	peak




Test Mode:	802.11be EHT40	Frequency(MHz):	5190
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	36.28	10.48	46.76	74.00	-27.24	peak
2	11059.000	34.39	14.96	49.35	74.00	-24.65	peak
3	11752.000	31.96	17.24	49.20	74.00	-24.80	peak
4	12632.000	31.37	17.99	49.36	74.00	-24.64	peak
5	13996.000	28.37	21.87	50.24	74.00	-23.76	peak
6	17989.000	23.19	26.04	49.23	74.00	-24.77	peak

Test Mode:	802.11be EHT40	Frequency(MHz):	5190
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	36.37	10.41	46.78	74.00	-27.22	peak
2	11048.000	34.83	14.91	49.74	74.00	-24.26	peak
3	11796.000	33.45	17.32	50.77	74.00	-23.23	peak
4	12676.000	32.56	18.05	50.61	74.00	-23.39	peak
5	13864.000	28.72	21.53	50.25	74.00	-23.75	peak
6	18000.000	23.95	26.12	50.07	74.00	-23.93	peak

Test Mode:	802.11be EHT40	Frequency(MHz):	5230
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	36.04	10.48	46.52	74.00	-27.48	peak
2	10883.000	35.00	14.27	49.27	74.00	-24.73	peak
3	11697.000	32.22	17.13	49.35	74.00	-24.65	peak
4	12698.000	30.96	18.08	49.04	74.00	-24.96	peak
5	13842.000	28.67	21.49	50.16	74.00	-23.84	peak
6	18000.000	23.13	26.12	49.25	74.00	-24.75	peak

Test Mode:	802.11be EHT40	Frequency(MHz):	5230
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	36.87	10.41	47.28	74.00	-26.72	peak
2	11026.000	34.34	14.82	49.16	74.00	-24.84	peak
3	11851.000	32.57	17.43	50.00	74.00	-24.00	peak
4	12687.000	32.07	18.05	50.12	74.00	-23.88	peak
5	13600.000	28.54	20.89	49.43	74.00	-24.57	peak
6	18000.000	22.43	26.12	48.55	74.00	-25.45	peak

Test Mode:	802.11be EHT80	Frequency(MHz):	5210
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9343.000	36.28	10.55	46.83	74.00	-27.17	peak
2	10223.000	35.64	12.24	47.88	74.00	-26.12	peak
3	10883.000	34.98	14.27	49.25	74.00	-24.75	peak
4	12698.000	30.32	18.08	48.40	74.00	-25.60	peak
5	13578.000	29.12	20.83	49.95	74.00	-24.05	peak
6	17989.000	24.26	26.04	50.30	74.00	-23.70	peak

Test Mode:	802.11be EHT80	Frequency(MHz):	5210
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	36.31	10.41	46.72	74.00	-27.28	peak
2	11059.000	34.07	14.96	49.03	74.00	-24.97	peak
3	11752.000	32.38	17.24	49.62	74.00	-24.38	peak
4	12698.000	31.12	18.08	49.20	74.00	-24.80	peak
5	13633.000	28.76	20.97	49.73	74.00	-24.27	peak
6	18000.000	24.38	26.12	50.50	74.00	-23.50	peak

Test Mode:	802.11be EHT160	Frequency(MHz):	5250
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	36.99	10.41	47.40	74.00	-26.60	peak
2	10157.000	35.93	12.10	48.03	74.00	-25.97	peak
3	11620.000	33.59	16.99	50.58	74.00	-23.42	peak
4	11884.000	33.11	17.48	50.59	74.00	-23.41	peak
5	13545.000	29.37	20.74	50.11	74.00	-23.89	peak
6	18000.000	24.67	26.12	50.79	74.00	-23.21	peak

Test Mode:	802.11be EHT160	Frequency(MHz):	5250
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10223.000	36.32	12.24	48.56	74.00	-25.44	peak
2	11059.000	34.73	14.96	49.69	74.00	-24.31	peak
3	11719.000	32.81	17.18	49.99	74.00	-24.01	peak
4	12643.000	32.46	18.01	50.47	74.00	-23.53	peak
5	13985.000	28.23	21.85	50.08	74.00	-23.92	peak
6	17989.000	23.54	26.04	49.58	74.00	-24.42	peak




### 8.7. SPURIOUS EMISSIONS(9 KHZ~30 MHZ)

Test Mode:	802.11a20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	0.0100	77.22	-101.40	-24.18	47.60	-71.78	peak
2	0.0131	74.47	-101.38	-26.91	45.25	-72.16	peak
3	0.0221	71.63	-101.35	-29.72	40.71	-70.43	peak
4	0.0279	69.17	-101.38	-32.21	38.69	-70.90	peak
5	0.0589	62.81	-101.52	-38.71	32.20	-70.91	peak
6	0.0981	60.27	-101.78	-41.51	27.77	-69.28	peak

Test Mode:	802.11a20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	0.1554	76.27	-101.65	-25.38	23.77	-49.15	peak
2	0.1794	72.77	-101.68	-28.91	22.53	-51.44	peak
3	0.2058	69.26	-101.73	-32.47	21.33	-53.80	peak
4	0.2442	67.53	-101.79	-34.26	19.85	-54.11	peak
5	0.3163	63.70	-101.87	-38.17	17.60	-55.77	peak
6	0.3684	60.48	-101.93	-41.45	16.27	-57.72	peak


Test Mode:	802.11a20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	0.5039	63.93	-62.07	1.86	33.56	-31.70	peak
2	0.7861	62.83	-62.14	0.69	29.69	-29.00	peak
3	1.5564	58.18	-62.02	-3.84	23.76	-27.60	peak
4	3.1598	56.23	-61.53	-5.30	29.54	-34.84	peak
5	10.4054	54.84	-60.82	-5.98	29.54	-35.52	peak
6	18.2545	54.93	-60.90	-5.97	29.54	-35.51	peak


### 8.8. SPURIOUS EMISSIONS(18 GHZ~26 GHZ)

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	18144.000	50.27	-5.48	44.79	74.00	-29.21	peak
2	19392.000	50.62	-5.57	45.05	74.00	-28.95	peak
3	20016.000	50.56	-5.47	45.09	74.00	-28.91	peak
4	22160.000	49.08	-4.31	44.77	74.00	-29.23	peak
5	23480.000	48.04	-3.16	44.88	74.00	-29.12	peak
6	25000.000	46.86	-2.10	44.76	74.00	-29.24	peak


Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	18616.000	51.39	-5.34	46.05	74.00	-27.95	peak
2	18960.000	50.51	-5.25	45.26	74.00	-28.74	peak
3	19984.000	51.21	-5.44	45.77	74.00	-28.23	peak
4	21928.000	49.05	-4.43	44.62	74.00	-29.38	peak
5	24568.000	47.10	-2.33	44.77	74.00	-29.23	peak
6	25632.000	46.06	-1.16	44.90	74.00	-29.10	peak


### 8.9. SPURIOUS EMISSIONS(26 GHZ~40 GHZ)

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	26490.000	52.79	-4.74	48.05	74.00	-25.95	peak
2	28786.000	47.99	-0.64	47.35	74.00	-26.65	peak
3	32762.000	48.45	-1.21	47.24	74.00	-26.76	peak
4	35366.000	45.40	2.59	47.99	74.00	-26.01	peak
5	37228.000	44.73	3.14	47.87	74.00	-26.13	peak
6	38320.000	44.06	3.77	47.83	74.00	-26.17	peak


Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	28828.000	47.13	-0.79	46.34	74.00	-27.66	peak
2	31320.000	48.11	-0.93	47.18	74.00	-26.82	peak
3	33602.000	46.51	0.46	46.97	74.00	-27.03	peak
4	34302.000	45.95	1.10	47.05	74.00	-26.95	peak
5	35828.000	44.25	3.67	47.92	74.00	-26.08	peak
6	38278.000	43.32	3.82	47.14	74.00	-26.86	peak

### 8.10. SPURIOUS EMISSIONS(30 MHZ~1 GHZ)


Test Mode:	802.11a 20	Channel:	5180
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	223.0300	48.10	-17.63	30.47	46.00	-15.53	QP
2	349.1300	46.00	-13.00	33.00	46.00	-13.00	QP
3	427.7000	48.30	-12.24	36.06	46.00	-9.94	QP
4	489.7800	45.94	-10.94	35.00	46.00	-11.00	QP
5	538.2800	43.24	-10.40	32.84	46.00	-13.16	QP
6	800.1800	48.24	-6.63	41.61	46.00	-4.39	QP



Test Mode:	802.11a 20	Channel:	5180
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	50.3700	50.17	-20.56	29.61	40.00	-10.39	QP
2	139.6100	48.13	-18.87	29.26	43.50	-14.24	QP
3	293.8400	47.28	-15.66	31.62	46.00	-14.38	QP
4	348.1600	47.96	-13.04	34.92	46.00	-11.08	QP
5	429.6400	48.43	-12.18	36.25	46.00	-9.75	QP
6	800.1800	47.73	-6.63	41.10	46.00	-4.90	QP

## 9. AC POWER LINE CONDUCTED EMISSION

### LIMITS

Please refer to CFR 47 FCC §15.207 (a) and ISED RSS-Gen Clause 8.8

FREQUENCY (MHz)	Quasi-peak	Average
0.15 -0.5	66 - 56 *	56 - 46 *
0.50 -5.0	56.00	46.00
5.0 -30.0	60.00	50.00


### TEST PROCEDURE

Refer to ANSI C63.10-2013 clause 6.2.

The EUT is put on a table of non-conducting material that is 80 cm high. The vertical conducting wall of shielding is located 40 cm to the rear of the EUT. The power line of the EUT is connected to the AC mains through a Artificial Mains Network (A.M.N.). A EMI Measurement Receiver (R&S Test Receiver ESR3) is used to test the emissions from both sides of AC line. According to the requirements in Section 6.2 of ANSI C63.10-2013. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30 MHz using CISPR Quasi-Peak and average detector mode. The bandwidth of EMI test receiver is set at 9 kHz.

The arrangement of the equipment is installed to meet the standards and operating in a manner, which tends to maximize its emission characteristics in a normal application.

### TEST SETUP



**TEST ENVIRONMENT**


Temperature	24.5°C	Relative Humidity	55%
Atmosphere Pressure	101kPa	Test Voltage	AC 120 V, 60 Hz

**TEST DATE / ENGINEER**

Test Date	July 18, 2023	Test By	Wite Chen
-----------	---------------	---------	-----------

**TEST RESULTS**

Test Mode:	802.11a20	Frequency(MHz):	5180
Line:	Line	Test Voltage:	AC 120 V, 60 Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB)	Result (dBuV)	Limit (dBuV)	Margin (dB)	Remark
1	0.1589	41.57	9.51	51.08	65.52	-14.44	QP
2	0.1589	24.53	9.51	34.04	55.52	-21.48	AVG
3	0.3642	30.90	9.54	40.44	58.63	-18.19	QP
4	0.3642	17.04	9.54	26.58	48.63	-22.05	AVG
5	6.6235	38.14	9.63	47.77	60.00	-12.23	QP
6	6.6235	30.88	9.63	40.51	50.00	-9.49	AVG
7	7.9954	32.60	9.61	42.21	60.00	-17.79	QP
8	7.9954	25.68	9.61	35.29	50.00	-14.71	AVG
9	9.0647	29.57	9.61	39.18	60.00	-20.82	QP
10	9.0647	22.52	9.61	32.13	50.00	-17.87	AVG
11	11.9523	27.44	9.66	37.10	60.00	-22.90	QP
12	11.9523	20.48	9.66	30.14	50.00	-19.86	AVG

Note:

1. Result = Reading + Correct Factor.
2. If QP Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 200 Hz (9 kHz ~ 150 kHz), 9 kHz (150 kHz ~ 30 MHz).
4. Step size: 80 Hz (0.009 MHz ~ 0.15 MHz), 4 kHz (0.15 MHz ~ 30 MHz), Scan time: auto.

Note: All the modes have been tested, only the worst data was recorded in the report.

Test Mode:	802.11a20	Frequency(MHz):	5180
Line:	Neutral	Test Voltage:	AC 120 V, 60 Hz



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB)	Result (dBuV)	Limit (dBuV)	Margin (dB)	Remark
1	0.1569	41.31	9.50	50.81	65.63	-14.82	QP
2	0.1569	24.50	9.50	34.00	55.63	-21.63	AVG
3	0.3689	31.50	9.53	41.03	58.53	-17.50	QP
4	0.3689	15.37	9.53	24.90	48.53	-23.63	AVG
5	6.5892	38.96	9.63	48.59	60.00	-11.41	QP
6	6.5892	32.08	9.63	41.71	50.00	-8.29	AVG
7	7.7069	35.38	9.62	45.00	60.00	-15.00	QP
8	7.7069	28.62	9.62	38.24	50.00	-11.76	AVG
9	8.7624	30.63	9.61	40.24	60.00	-19.76	QP
10	8.7624	23.87	9.61	33.48	50.00	-16.52	AVG
11	9.8615	29.58	9.62	39.20	60.00	-20.80	QP
12	9.8615	22.77	9.62	32.39	50.00	-17.61	AVG

Note:

1. Result = Reading + Correct Factor.
2. If QP Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 200 Hz (9 kHz ~ 150 kHz), 9 kHz (150 kHz ~ 30 MHz).
4. Step size: 80 Hz (0.009 MHz ~ 0.15 MHz), 4 kHz (0.15 MHz ~ 30 MHz), Scan time: auto.

Note: All the modes have been tested, only the worst data was recorded in the report.

## 10. ANTENNA REQUIREMENT

### REQUIREMENT

Please refer to FCC part 15.203

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section. The manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

Please refer to FCC part 15.407(a)

For an indoor access point operating in the band 5.15-5.25 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W provided the maximum antenna gain does not exceed 6 dBi. In addition, the maximum power spectral density shall not exceed 17 dBm in any 1 megahertz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

### DESCRIPTION

Pass

## 11. TEST DATA

### 11.1. APPENDIX A1: EMISSION BANDWIDTH

For FCC UNII-1&UNII-2A&UNII-2C&UNII-3; ISSED UNII-2A&UNII-2C&UNII-3 test data:

#### 11.1.1. Test Result

Test Mode	Antenna	Channel	26db EBW [MHz]	FL[MHz]	FH[MHz]	Verdict
11A-CDD	Ant1	5180	20.12	5170.28	5190.40	PASS
	Ant2	5180	21.36	5169.28	5190.64	PASS
	Ant1	5200	20.76	5189.68	5210.44	PASS
	Ant2	5200	21.20	5189.40	5210.60	PASS
	Ant1	5240	20.36	5230.32	5250.68	PASS
	Ant2	5240	21.24	5229.20	5250.44	PASS
	Ant1	5260	20.12	5250.20	5270.32	PASS
	Ant2	5260	19.96	5250.16	5270.12	PASS
	Ant1	5280	20.40	5269.96	5290.36	PASS
	Ant2	5280	19.44	5270.16	5289.60	PASS
	Ant1	5320	19.72	5309.92	5329.64	PASS
	Ant2	5320	20.20	5309.60	5329.80	PASS
	Ant1	5500	20.32	5489.76	5510.08	PASS
	Ant2	5500	21.80	5488.52	5510.32	PASS
	Ant1	5580	20.20	5570.20	5590.40	PASS
	Ant2	5580	20.76	5569.72	5590.48	PASS
	Ant1	5700	20.36	5689.84	5710.20	PASS
	Ant2	5700	20.28	5689.76	5710.04	PASS
	Ant1	5720	22.28	5708.36	5730.64	PASS
	Ant2	5720	20.56	5709.36	5729.92	PASS
	Ant1	5720_UNII-2C	16.64	5708.36	5725	PASS
	Ant2	5720_UNII-2C	15.64	5709.36	5725	PASS
	Ant1	5720_UNII-3	5.64	5725	5730.64	PASS
	Ant2	5720_UNII-3	4.92	5725	5729.92	PASS
	Ant1	5745	20.72	5734.84	5755.56	PASS
	Ant2	5745	19.92	5734.68	5754.60	PASS
	Ant1	5785	21.24	5773.96	5795.20	PASS
	Ant2	5785	21.80	5774.24	5796.04	PASS
	Ant1	5825	20.68	5814.24	5834.92	PASS
	Ant2	5825	22.84	5814.68	5837.52	PASS
11AX20MIMO	Ant1	5180	21.28	5169.56	5190.84	PASS
	Ant2	5180	21.28	5169.44	5190.72	PASS
	Ant1	5200	21.64	5189.08	5210.72	PASS
	Ant2	5200	21.72	5189.28	5211.00	PASS
	Ant1	5240	21.00	5229.48	5250.48	PASS
	Ant2	5240	21.40	5229.44	5250.84	PASS
	Ant1	5260	21.56	5249.24	5270.80	PASS
	Ant2	5260	20.92	5249.72	5270.64	PASS
	Ant1	5280	21.60	5269.12	5290.72	PASS
	Ant2	5280	21.40	5269.40	5290.80	PASS
	Ant1	5320	21.04	5309.68	5330.72	PASS
	Ant2	5320	21.32	5309.24	5330.56	PASS
	Ant1	5500	21.12	5489.56	5510.68	PASS
	Ant2	5500	21.16	5489.64	5510.80	PASS
	Ant1	5580	21.28	5569.48	5590.76	PASS
	Ant2	5580	20.96	5569.36	5590.32	PASS
	Ant1	5700	21.84	5689.08	5710.92	PASS
	Ant2	5700	21.40	5689.36	5710.76	PASS
	Ant1	5720	21.24	5709.52	5730.76	PASS
	Ant2	5720	21.80	5708.92	5730.72	PASS
Ant1	5720_UNII-2C	15.48	5709.52	5725	PASS	


	Ant2	5720_UNII-2C	16.08	5708.92	5725	PASS	
	Ant1	5720_UNII-3	5.76	5725	5730.76	PASS	
	Ant2	5720_UNII-3	5.72	5725	5730.72	PASS	
	Ant1	5745	21.36	5734.00	5755.36	PASS	
	Ant2	5745	21.72	5734.24	5755.96	PASS	
	Ant1	5785	22.32	5774.04	5796.36	PASS	
	Ant2	5785	20.28	5774.68	5794.96	PASS	
	Ant1	5825	20.96	5814.88	5835.84	PASS	
	Ant2	5825	21.08	5814.52	5835.60	PASS	
11AX40MIMO	Ant1	5190	41.84	5169.28	5211.12	PASS	
	Ant2	5190	41.44	5169.44	5210.88	PASS	
	Ant1	5230	41.52	5208.96	5250.48	PASS	
	Ant2	5230	41.12	5209.68	5250.80	PASS	
	Ant1	5270	41.84	5248.32	5290.16	PASS	
	Ant2	5270	42.88	5248.64	5291.52	PASS	
	Ant1	5310	42.00	5289.04	5331.04	PASS	
	Ant2	5310	41.28	5289.36	5330.64	PASS	
	Ant1	5510	41.92	5488.96	5530.88	PASS	
	Ant2	5510	41.84	5488.72	5530.56	PASS	
	Ant1	5550	43.04	5528.72	5571.76	PASS	
	Ant2	5550	40.00	5530.16	5570.16	PASS	
	Ant1	5670	42.88	5648.64	5691.52	PASS	
	Ant2	5670	43.04	5647.68	5690.72	PASS	
	Ant1	5710	42.08	5688.40	5730.48	PASS	
	Ant2	5710	42.64	5689.04	5731.68	PASS	
	Ant1	5710_UNII-2C	36.6	5688.40	5725	PASS	
	Ant2	5710_UNII-2C	35.96	5689.04	5725	PASS	
	Ant1	5710_UNII-3	5.48	5725	5730.48	PASS	
	Ant2	5710_UNII-3	6.68	5725	5731.68	PASS	
	Ant1	5755	41.60	5734.20	5775.80	PASS	
	Ant2	5755	41.68	5733.48	5775.16	PASS	
	Ant1	5795	41.60	5774.20	5815.80	PASS	
	Ant2	5795	42.56	5774.12	5816.68	PASS	
11AX80MIMO	Ant1	5210	85.92	5167.60	5253.52	PASS	
	Ant2	5210	85.12	5169.04	5254.16	PASS	
	Ant1	5290	81.76	5249.52	5331.28	PASS	
	Ant2	5290	84.32	5248.56	5332.88	PASS	
	Ant1	5530	85.12	5487.60	5572.72	PASS	
	Ant2	5530	84.80	5487.92	5572.72	PASS	
	Ant1	5610	84.32	5567.92	5652.24	PASS	
	Ant2	5610	84.32	5566.32	5650.64	PASS	
	Ant1	5690	85.28	5647.28	5732.56	PASS	
	Ant2	5690	84.32	5646.64	5730.96	PASS	
	Ant1	5690_UNII-2C	77.72	5647.28	5725	PASS	
	Ant2	5690_UNII-2C	78.36	5646.64	5725	PASS	
	Ant1	5690_UNII-3	7.56	5725	5732.56	PASS	
	Ant2	5690_UNII-3	5.96	5725	5730.96	PASS	
	Ant1	5775	84.16	5733.56	5817.72	PASS	
	Ant2	5775	86.40	5732.28	5818.68	PASS	
	11AX160MIMO	Ant1	5250	169.60	5165.84	5335.44	PASS
		Ant2	5250	171.84	5163.60	5335.44	PASS
Ant1		5250_UNII-1	84.16	5165.84	5250	PASS	
Ant2		5250_UNII-1	86.4	5163.60	5250	PASS	
Ant1		5250_UNII-2A	85.44	5250	5335.44	PASS	
Ant2		5250_UNII-2A	85.44	5250	5335.44	PASS	
Ant1		5570	171.84	5483.60	5655.44	PASS	
Ant2		5570	170.24	5484.24	5654.48	PASS	
11BE20MIMO	Ant1	5180	20.76	5169.52	5190.28	PASS	
	Ant2	5180	21.36	5169.48	5190.84	PASS	
	Ant1	5200	21.00	5189.32	5210.32	PASS	
	Ant2	5200	21.52	5189.28	5210.80	PASS	




	Ant1	5240	21.48	5229.28	5250.76	PASS
	Ant2	5240	20.88	5229.56	5250.44	PASS
	Ant1	5260	21.44	5249.16	5270.60	PASS
	Ant2	5260	21.88	5248.68	5270.56	PASS
	Ant1	5280	21.12	5269.32	5290.44	PASS
	Ant2	5280	21.12	5269.16	5290.28	PASS
	Ant1	5320	21.48	5309.28	5330.76	PASS
	Ant2	5320	21.48	5309.32	5330.80	PASS
	Ant1	5500	21.44	5489.08	5510.52	PASS
	Ant2	5500	23.28	5487.36	5510.64	PASS
	Ant1	5580	21.48	5569.52	5591.00	PASS
	Ant2	5580	21.12	5569.48	5590.60	PASS
	Ant1	5700	20.88	5689.64	5710.52	PASS
	Ant2	5700	20.72	5689.48	5710.20	PASS
	Ant1	5720	21.40	5709.44	5730.84	PASS
	Ant2	5720	21.92	5708.72	5730.64	PASS
	Ant1	5720_UNII-2C	15.56	5709.44	5725	PASS
	Ant2	5720_UNII-2C	16.28	5708.72	5725	PASS
	Ant1	5720_UNII-3	5.84	5725	5730.84	PASS
	Ant2	5720_UNII-3	5.64	5725	5730.64	PASS
	Ant1	5745	22.12	5734.08	5756.20	PASS
	Ant2	5745	21.40	5734.32	5755.72	PASS
	Ant1	5785	21.16	5774.52	5795.68	PASS
	Ant2	5785	20.40	5774.96	5795.36	PASS
Ant1	5825	20.96	5814.64	5835.60	PASS	
Ant2	5825	21.44	5814.36	5835.80	PASS	
11BE40MIMO	Ant1	5190	41.76	5168.72	5210.48	PASS
	Ant2	5190	41.36	5169.36	5210.72	PASS
	Ant1	5230	41.76	5209.12	5250.88	PASS
	Ant2	5230	41.60	5209.12	5250.72	PASS
	Ant1	5270	42.24	5248.32	5290.56	PASS
	Ant2	5270	42.96	5248.80	5291.76	PASS
	Ant1	5310	42.08	5289.20	5331.28	PASS
	Ant2	5310	43.04	5288.80	5331.84	PASS
	Ant1	5510	42.16	5488.48	5530.64	PASS
	Ant2	5510	41.76	5489.20	5530.96	PASS
	Ant1	5550	43.04	5528.56	5571.60	PASS
	Ant2	5550	43.44	5529.52	5572.96	PASS
	Ant1	5670	43.12	5648.80	5691.92	PASS
	Ant2	5670	42.64	5648.56	5691.20	PASS
	Ant1	5710	42.72	5688.00	5730.72	PASS
	Ant2	5710	43.36	5687.60	5730.96	PASS
	Ant1	5710_UNII-2C	37	5688.00	5725	PASS
	Ant2	5710_UNII-2C	37.4	5687.60	5725	PASS
	Ant1	5710_UNII-3	5.72	5725	5730.72	PASS
	Ant2	5710_UNII-3	5.96	5725	5730.96	PASS
	Ant1	5755	41.60	5734.12	5775.72	PASS
	Ant2	5755	42.48	5733.72	5776.20	PASS
	Ant1	5795	41.28	5774.60	5815.88	PASS
	Ant2	5795	41.44	5774.04	5815.48	PASS
11BE80MIMO	Ant1	5210	82.72	5168.56	5251.28	PASS
	Ant2	5210	84.32	5167.60	5251.92	PASS
	Ant1	5290	83.36	5246.80	5330.16	PASS
	Ant2	5290	83.68	5248.40	5332.08	PASS
	Ant1	5530	84.16	5487.60	5571.76	PASS
	Ant2	5530	85.12	5487.44	5572.56	PASS
	Ant1	5610	84.32	5568.40	5652.72	PASS
	Ant2	5610	84.32	5567.92	5652.24	PASS
	Ant1	5690	84.96	5647.60	5732.56	PASS
	Ant2	5690	84.16	5647.92	5732.08	PASS
	Ant1	5690_UNII-2C	77.4	5647.60	5725	PASS


	Ant2	5690_UNII-2C	77.08	5647.92	5725	PASS
	Ant1	5690_UNII-3	7.56	5725	5732.56	PASS
	Ant2	5690_UNII-3	7.08	5725	5732.08	PASS
	Ant1	5775	84.16	5733.40	5817.56	PASS
	Ant2	5775	84.64	5732.92	5817.56	PASS
11BE160MIMO	Ant1	5250	165.12	5168.72	5333.84	PASS
	Ant2	5250	168.32	5166.48	5334.80	PASS
	Ant1	5250_UNII-1	81.28	5168.72	5250	PASS
	Ant2	5250_UNII-1	83.52	5166.48	5250	PASS
	Ant1	5250_UNII-2A	83.84	5250	5333.84	PASS
	Ant2	5250_UNII-2A	84.8	5250	5334.80	PASS
	Ant1	5570	167.04	5486.16	5653.20	PASS
	Ant2	5570	164.80	5487.76	5652.56	PASS
11BE240MIMO	Ant1	5610	259.20	5484.56	5743.76	PASS
	Ant2	5610	256.64	5480.08	5736.72	PASS
	Ant1	5610_UNII-2C	240.44	5484.56	5725	PASS
	Ant2	5610_UNII-2C	244.92	5480.08	5725	PASS
	Ant1	5610_UNII-3	18.76	5725	5743.76	PASS
	Ant2	5610_UNII-3	11.72	5725	5736.72	PASS

### 11.1.2. Test Graphs









11A-CDD\_Ant2\_5200







11A-CDD\_Ant1\_5240




11A-CDD\_Ant2\_5240











11A-CDD\_Ant1\_5500




11A-CDD\_Ant2\_5500




11A-CDD\_Ant1\_5580









11A-CDD\_Ant1\_5720




11A-CDD\_Ant2\_5720




11A-CDD\_Ant1\_5745






11A-CDD\_Ant2\_5745









11A-CDD\_Ant1\_5785







11A-CDD\_Ant2\_5785














11AX20MIMO\_Ant1\_5320




11AX20MIMO\_Ant2\_5320




11AX20MIMO\_Ant1\_5500



11AX20MIMO\_Ant2\_5500







11AX20MIMO\_Ant1\_5580




11AX20MIMO\_Ant2\_5580









11AX20MIMO\_Ant2\_5720




11AX20MIMO\_Ant1\_5745




11AX20MIMO\_Ant2\_5745



11AX20MIMO\_Ant1\_5785



11AX20MIMO\_Ant2\_5785



11AX20MIMO\_Ant1\_5825

