





11AX20MIMO_Ant1_5180






11AX20MIMO_Ant2_5180






11AX20MIMO_Ant1_5200






11AX40MIMO_Ant1_5230







11AX160MIMO_Ant1_5250




11AX160MIMO_Ant2_5250




11BE20MIMO_Ant1_5180




11BE20MIMO_Ant2_5180




11BE20MIMO_Ant1_5200




11BE20MIMO_Ant2_5200





11BE20MIMO_Ant1_5240






11BE20MIMO_Ant2_5240






11BE40MIMO_Ant1_5190







Test Mode	Antenna	Channel	Test Result [dBm]	Limit [dBm]	Verdict
11BE20MIMO	Ant1	5240	-5.52	-0.87	PASS
11BE40MIMO	Ant1	5230	-7.38	-2.41	PASS
11BE80MIMO	Ant1	5210	-6.89	-5.38	PASS



Note: All the modes and antennas have been tested, only the worst data were recorded in the report.


11.5. APPENDIX C: MIN EMISSION BANDWIDTH




11.5.1. Test Result




Test Mode	Antenna	Channel	6db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A-CDD	Ant1	5720	16.40	5711.80	5728.20	≥ 0.5	PASS
	Ant2	5720	16.40	5711.80	5728.20	≥ 0.5	PASS
	Ant1	5720_UNII-3	3.2	5725	5728.20	≥ 0.5	PASS
	Ant2	5720_UNII-3	3.2	5725	5728.20	≥ 0.5	PASS
	Ant1	5745	16.36	5736.80	5753.16	≥ 0.5	PASS
	Ant2	5745	16.36	5736.84	5753.20	≥ 0.5	PASS
	Ant1	5785	16.32	5776.84	5793.16	≥ 0.5	PASS
	Ant2	5785	16.40	5776.80	5793.20	≥ 0.5	PASS
	Ant1	5825	16.36	5816.80	5833.16	≥ 0.5	PASS
	Ant2	5825	16.32	5816.84	5833.16	≥ 0.5	PASS
11AX20MIMO	Ant1	5720	18.92	5710.48	5729.40	≥ 0.5	PASS
	Ant2	5720	19.04	5710.44	5729.48	≥ 0.5	PASS
	Ant1	5720_UNII-3	4.4	5725	5729.40	≥ 0.5	PASS
	Ant2	5720_UNII-3	4.48	5725	5729.48	≥ 0.5	PASS
	Ant1	5745	19.12	5735.44	5754.56	≥ 0.5	PASS
	Ant2	5745	19.16	5735.40	5754.56	≥ 0.5	PASS
	Ant1	5785	19.04	5775.48	5794.52	≥ 0.5	PASS
	Ant2	5785	19.00	5775.52	5794.52	≥ 0.5	PASS
	Ant1	5825	19.12	5815.44	5834.56	≥ 0.5	PASS
	Ant2	5825	18.96	5815.56	5834.52	≥ 0.5	PASS
11AX40MIMO	Ant1	5710	38.08	5690.88	5728.96	≥ 0.5	PASS
	Ant2	5710	38.00	5690.96	5728.96	≥ 0.5	PASS
	Ant1	5710_UNII-3	3.96	5725	5728.96	≥ 0.5	PASS
	Ant2	5710_UNII-3	3.96	5725	5728.96	≥ 0.5	PASS
	Ant1	5755	38.16	5735.88	5774.04	≥ 0.5	PASS
	Ant2	5755	38.24	5735.88	5774.12	≥ 0.5	PASS
	Ant1	5795	38.08	5775.96	5814.04	≥ 0.5	PASS
	Ant2	5795	38.08	5775.96	5814.04	≥ 0.5	PASS
11AX80MIMO	Ant1	5690	78.08	5650.80	5728.88	≥ 0.5	PASS
	Ant2	5690	77.28	5650.96	5728.24	≥ 0.5	PASS
	Ant1	5690_UNII-3	3.88	5725	5728.88	≥ 0.5	PASS
	Ant2	5690_UNII-3	3.24	5725	5728.24	≥ 0.5	PASS
	Ant1	5775	78.08	5735.80	5813.88	≥ 0.5	PASS
	Ant2	5775	78.24	5735.80	5814.04	≥ 0.5	PASS
11BE20MIMO	Ant1	5720	19.04	5710.48	5729.52	≥ 0.5	PASS
	Ant2	5720	19.08	5710.44	5729.52	≥ 0.5	PASS
	Ant1	5720_UNII-3	4.52	5725	5729.52	≥ 0.5	PASS
	Ant2	5720_UNII-3	4.52	5725	5729.52	≥ 0.5	PASS
	Ant1	5745	19.08	5735.44	5754.52	≥ 0.5	PASS
	Ant2	5745	19.12	5735.44	5754.56	≥ 0.5	PASS
	Ant1	5785	19.00	5775.48	5794.48	≥ 0.5	PASS
	Ant2	5785	19.12	5775.44	5794.56	≥ 0.5	PASS
	Ant1	5825	19.16	5815.40	5834.56	≥ 0.5	PASS
	Ant2	5825	19.08	5815.44	5834.52	≥ 0.5	PASS
11BE40MIMO	Ant1	5710	38.00	5690.96	5728.96	≥ 0.5	PASS
	Ant2	5710	37.92	5690.96	5728.88	≥ 0.5	PASS
	Ant1	5710_UNII-3	3.96	5725	5728.96	≥ 0.5	PASS




	Ant2	5710_UNII-3	3.88	5725	5728.88	≥ 0.5	PASS
	Ant1	5755	38.16	5735.88	5774.04	≥ 0.5	PASS
	Ant2	5755	38.24	5735.80	5774.04	≥ 0.5	PASS
	Ant1	5795	38.08	5775.88	5813.96	≥ 0.5	PASS
	Ant2	5795	38.08	5775.96	5814.04	≥ 0.5	PASS
11BE80MIMO	Ant1	5690	78.24	5650.80	5729.04	≥ 0.5	PASS
	Ant2	5690	78.08	5650.96	5729.04	≥ 0.5	PASS
	Ant1	5690_UNII-3	4.04	5725	5729.04	≥ 0.5	PASS
	Ant2	5690_UNII-3	4.04	5725	5729.04	≥ 0.5	PASS
	Ant1	5775	77.92	5735.96	5813.88	≥ 0.5	PASS
	Ant2	5775	78.08	5735.96	5814.04	≥ 0.5	PASS
11BE240MIMO	Ant1	5610	238.08	5490.96	5729.04	≥ 0.5	PASS
	Ant2	5610	237.44	5490.96	5728.40	≥ 0.5	PASS
	Ant1	5610_UNII-3	4.04	5725	5729.04	≥ 0.5	PASS
	Ant2	5610_UNII-3	3.4	5725	5728.40	≥ 0.5	PASS




11.5.2. Test Graphs



















11AX20MIMO_Ant1_5825




11AX20MIMO_Ant2_5825




11AX40MIMO_Ant1_5710







11AX40MIMO_Ant1_5795




11AX40MIMO_Ant2_5795




11AX80MIMO_Ant1_5690






11AX80MIMO_Ant2_5690




11AX80MIMO_Ant1_5775




11AX80MIMO_Ant2_5775







11BE20MIMO_Ant2_5745




11BE20MIMO_Ant1_5785




11BE20MIMO_Ant2_5785






11BE20MIMO_Ant1_5825




11BE20MIMO_Ant2_5825




11BE40MIMO_Ant1_5710







11BE40MIMO_Ant1_5795




11BE40MIMO_Ant2_5795




11BE80MIMO_Ant1_5690




11BE80MIMO_Ant2_5690




11BE80MIMO_Ant1_5775



11BE80MIMO_Ant2_5775



11BE240MIMO_Ant1_5610



11BE240MIMO_Ant2_5610

11.6. APPENDIX D: MAXIMUM CONDUCTED OUTPUT POWER

11.6.1. Test Result For FCC CDD Mode

Test Mode	Antenna	Channel	Power [dBm]	FCC Limit [dBm]	Verdict
11A-CDD	Ant1	5180	21.49	≤30.00	PASS
	Ant2	5180	20.17	≤30.00	PASS
	total	5180	23.89	≤30.00	PASS
	Ant1	5200	23.84	≤30.00	PASS
	Ant2	5200	24.24	≤30.00	PASS
	total	5200	27.05	≤30.00	PASS
	Ant1	5240	24.80	≤30.00	PASS
	Ant2	5240	24.26	≤30.00	PASS
	total	5240	27.55	≤30.00	PASS
	Ant1	5260	19.30	≤23.98	PASS
	Ant2	5260	18.50	≤23.98	PASS
	total	5260	21.93	≤23.98	PASS
	Ant1	5280	19.45	≤23.98	PASS
	Ant2	5280	18.75	≤23.98	PASS
	total	5280	22.12	≤23.98	PASS
	Ant1	5320	18.69	≤23.95	PASS
	Ant2	5320	18.41	≤23.98	PASS
	total	5320	21.56	≤23.98	PASS
	Ant1	5500	18.70	≤23.98	PASS
	Ant2	5500	18.66	≤23.98	PASS
	total	5500	21.69	≤23.98	PASS
	Ant1	5580	18.62	≤23.98	PASS
	Ant2	5580	19.28	≤23.98	PASS
	total	5580	21.97	≤23.98	PASS
	Ant1	5700	18.30	≤23.98	PASS
	Ant2	5700	18.92	≤23.98	PASS
	total	5700	21.63	≤23.98	PASS
	Ant1	5720_UNII-2C	17.58	≤23.21	PASS
	Ant2	5720_UNII-2C	17.66	≤22.94	PASS
	total	5720_UNII-2C	20.63	≤23.98	PASS
	Ant1	5720_UNII-3	11.08	≤30.00	PASS
	Ant2	5720_UNII-3	11.11	≤30.00	PASS
	total	5720_UNII-3	14.11	≤30.00	PASS
Ant1	5745	22.84	≤30.00	PASS	
Ant2	5745	23.21	≤30.00	PASS	
total	5745	26.04	≤30.00	PASS	
Ant1	5785	23.32	≤30.00	PASS	
Ant2	5785	22.59	≤30.00	PASS	
total	5785	25.98	≤30.00	PASS	
Ant1	5825	23.17	≤30.00	PASS	
Ant2	5825	22.97	≤30.00	PASS	
total	5825	26.08	≤30.00	PASS	
11AX20MIMO	Ant1	5180	21.45	≤30.00	PASS
	Ant2	5180	20.24	≤30.00	PASS
	total	5180	23.90	≤30.00	PASS
	Ant1	5200	23.53	≤30.00	PASS
	Ant2	5200	24.20	≤30.00	PASS
	total	5200	26.89	≤30.00	PASS
	Ant1	5240	24.42	≤30.00	PASS
	Ant2	5240	24.06	≤30.00	PASS
	total	5240	27.25	≤30.00	PASS
	Ant1	5260	19.35	≤23.98	PASS
	Ant2	5260	18.64	≤23.98	PASS
	total	5260	22.02	≤23.98	PASS
Ant1	5280	19.54	≤23.98	PASS	

	Ant2	5280	18.92	≤23.98	PASS
	total	5280	22.25	≤23.98	PASS
	Ant1	5320	18.80	≤23.98	PASS
	Ant2	5320	18.65	≤23.98	PASS
	total	5320	21.74	≤23.98	PASS
	Ant1	5500	18.75	≤23.98	PASS
	Ant2	5500	18.91	≤23.98	PASS
	total	5500	21.84	≤23.98	PASS
	Ant1	5580	18.43	≤23.98	PASS
	Ant2	5580	19.14	≤23.98	PASS
	total	5580	21.81	≤23.98	PASS
	Ant1	5700	18.66	≤23.98	PASS
	Ant2	5700	19.02	≤23.98	PASS
	total	5700	21.85	≤23.98	PASS
	Ant1	5720_UNII-2C	17.63	≤22.90	PASS
	Ant2	5720_UNII-2C	17.69	≤23.06	PASS
	total	5720_UNII-2C	20.67	≤23.98	PASS
	Ant1	5720_UNII-3	11.70	≤30.00	PASS
	Ant2	5720_UNII-3	11.74	≤30.00	PASS
	total	5720_UNII-3	14.73	≤30.00	PASS
	Ant1	5745	22.88	≤30.00	PASS
	Ant2	5745	23.74	≤30.00	PASS
	total	5745	26.34	≤30.00	PASS
	Ant1	5785	23.04	≤30.00	PASS
	Ant2	5785	22.42	≤30.00	PASS
	total	5785	25.75	≤30.00	PASS
	Ant1	5825	22.98	≤30.00	PASS
	Ant2	5825	23.02	≤30.00	PASS
	total	5825	26.01	≤30.00	PASS
11AX40MIMO	Ant1	5190	20.58	≤30.00	PASS
	Ant2	5190	19.38	≤30.00	PASS
	total	5190	23.03	≤30.00	PASS
	Ant1	5230	22.99	≤30.00	PASS
	Ant2	5230	22.58	≤30.00	PASS
	total	5230	25.80	≤30.00	PASS
	Ant1	5270	20.69	≤23.98	PASS
	Ant2	5270	20.18	≤23.98	PASS
	total	5270	23.45	≤23.98	PASS
	Ant1	5310	20.28	≤23.98	PASS
	Ant2	5310	20.10	≤23.98	PASS
	total	5310	23.20	≤23.98	PASS
	Ant1	5510	20.62	≤23.98	PASS
	Ant2	5510	20.93	≤23.98	PASS
	total	5510	23.79	≤23.98	PASS
	Ant1	5550	20.18	≤23.98	PASS
	Ant2	5550	21.26	≤23.98	PASS
	total	5550	23.76	≤23.98	PASS
	Ant1	5670	20.62	≤23.98	PASS
	Ant2	5670	20.91	≤23.98	PASS
	total	5670	23.78	≤23.98	PASS
	Ant1	5710_UNII-2C	19.14	≤23.98	PASS
	Ant2	5710_UNII-2C	19.49	≤23.98	PASS
	total	5710_UNII-2C	22.33	≤23.98	PASS
	Ant1	5710_UNII-3	8.99	≤30.00	PASS
	Ant2	5710_UNII-3	9.35	≤30.00	PASS
	total	5710_UNII-3	12.18	≤30.00	PASS
	Ant1	5755	20.01	≤30.00	PASS
	Ant2	5755	20.45	≤30.00	PASS
	total	5755	23.25	≤30.00	PASS
	Ant1	5795	23.63	≤30.00	PASS
	Ant2	5795	22.65	≤30.00	PASS

	total	5795	26.18	≤30.00	PASS
11AX80MIMO	Ant1	5210	19.12	≤30.00	PASS
	Ant2	5210	18.38	≤30.00	PASS
	total	5210	21.78	≤30.00	PASS
	Ant1	5290	20.74	≤23.98	PASS
	Ant2	5290	20.31	≤23.98	PASS
	total	5290	23.54	≤23.98	PASS
	Ant1	5530	19.78	≤23.98	PASS
	Ant2	5530	20.61	≤23.98	PASS
	total	5530	23.23	≤23.98	PASS
	Ant1	5610	20.27	≤23.98	PASS
	Ant2	5610	20.37	≤23.98	PASS
	total	5610	23.33	≤23.98	PASS
	Ant1	5690_UNII-2C	18.27	≤23.98	PASS
	Ant2	5690_UNII-2C	18.69	≤23.98	PASS
	total	5690_UNII-2C	21.50	≤23.98	PASS
	Ant1	5690_UNII-3	4.41	≤30.00	PASS
	Ant2	5690_UNII-3	4.72	≤30.00	PASS
	total	5690_UNII-3	7.58	≤30.00	PASS
	Ant1	5775	20.60	≤30.00	PASS
	Ant2	5775	20.34	≤30.00	PASS
	total	5775	23.48	≤30.00	PASS
11AX160MIMO	Ant1	5250_UNII-1	16.78	≤23.98	PASS
	Ant2	5250_UNII-1	16.31	≤23.98	PASS
	total	5250_UNII-1	19.56	≤23.98	PASS
	Ant1	5250_UNII-2A	13.02	≤23.98	PASS
	Ant2	5250_UNII-2A	13.34	≤23.98	PASS
	total	5250_UNII-2A	16.19	≤23.98	PASS
	Ant1	5570	20.17	≤23.98	PASS
	Ant2	5570	20.91	≤23.98	PASS
	total	5570	23.57	≤23.98	PASS
11BE20MIMO	Ant1	5180	21.56	≤30.00	PASS
	Ant2	5180	20.11	≤30.00	PASS
	total	5180	23.91	≤30.00	PASS
	Ant1	5200	25.05	≤30.00	PASS
	Ant2	5200	25.08	≤30.00	PASS
	total	5200	28.08	≤30.00	PASS
	Ant1	5240	25.13	≤30.00	PASS
	Ant2	5240	24.58	≤30.00	PASS
	total	5240	27.87	≤30.00	PASS
	Ant1	5260	19.75	≤23.98	PASS
	Ant2	5260	19.02	≤23.98	PASS
	total	5260	22.41	≤23.98	PASS
	Ant1	5280	19.52	≤23.98	PASS
	Ant2	5280	18.76	≤23.98	PASS
	total	5280	22.17	≤23.98	PASS
	Ant1	5320	19.21	≤23.98	PASS
	Ant2	5320	19.10	≤23.98	PASS
	total	5320	22.17	≤23.98	PASS
	Ant1	5500	19.49	≤23.98	PASS
	Ant2	5500	19.50	≤23.98	PASS
	total	5500	22.51	≤23.98	PASS
	Ant1	5580	19.10	≤23.98	PASS
	Ant2	5580	19.79	≤23.98	PASS
	total	5580	22.47	≤23.98	PASS
	Ant1	5700	18.45	≤23.98	PASS
	Ant2	5700	19.13	≤23.98	PASS
	total	5700	21.81	≤23.98	PASS
	Ant1	5720_UNII-2C	17.20	≤22.92	PASS
	Ant2	5720_UNII-2C	17.63	≤23.12	PASS
	total	5720_UNII-2C	20.43	≤23.98	PASS


	Ant1	5720_UNII-3	11.42	≤30.00	PASS
	Ant2	5720_UNII-3	11.74	≤30.00	PASS
	total	5720_UNII-3	14.59	≤30.00	PASS
	Ant1	5745	23.02	≤30.00	PASS
	Ant2	5745	24.27	≤30.00	PASS
	total	5745	26.70	≤30.00	PASS
	Ant1	5785	23.29	≤30.00	PASS
	Ant2	5785	22.70	≤30.00	PASS
	total	5785	26.02	≤30.00	PASS
	Ant1	5825	23.31	≤30.00	PASS
	Ant2	5825	23.41	≤30.00	PASS
	total	5825	26.37	≤30.00	PASS
11BE40MIMO	Ant1	5190	20.66	≤30.00	PASS
	Ant2	5190	19.33	≤30.00	PASS
	total	5190	23.06	≤30.00	PASS
	Ant1	5230	23.59	≤30.00	PASS
	Ant2	5230	23.10	≤30.00	PASS
	total	5230	26.36	≤30.00	PASS
	Ant1	5270	20.97	≤23.98	PASS
	Ant2	5270	20.38	≤23.98	PASS
	total	5270	23.70	≤23.98	PASS
	Ant1	5310	20.50	≤23.98	PASS
	Ant2	5310	20.30	≤23.98	PASS
	total	5310	23.41	≤23.98	PASS
	Ant1	5510	20.47	≤23.98	PASS
	Ant2	5510	20.98	≤23.98	PASS
	total	5510	23.74	≤23.98	PASS
	Ant1	5550	19.89	≤23.98	PASS
	Ant2	5550	21.11	≤23.98	PASS
	total	5550	23.55	≤23.98	PASS
	Ant1	5670	20.36	≤23.98	PASS
	Ant2	5670	20.81	≤23.98	PASS
	total	5670	23.60	≤23.98	PASS
	Ant1	5710_UNII-2C	19.12	≤23.98	PASS
	Ant2	5710_UNII-2C	19.38	≤23.98	PASS
	total	5710_UNII-2C	22.26	≤23.98	PASS
	Ant1	5710_UNII-3	8.95	≤30.00	PASS
	Ant2	5710_UNII-3	9.25	≤30.00	PASS
	total	5710_UNII-3	12.11	≤30.00	PASS
	Ant1	5755	22.18	≤30.00	PASS
Ant2	5755	22.63	≤30.00	PASS	
total	5755	25.42	≤30.00	PASS	
Ant1	5795	23.59	≤30.00	PASS	
Ant2	5795	22.61	≤30.00	PASS	
total	5795	26.14	≤30.00	PASS	
11BE80MIMO	Ant1	5210	20.62	≤30.00	PASS
	Ant2	5210	19.80	≤30.00	PASS
	total	5210	23.24	≤30.00	PASS
	Ant1	5290	20.70	≤23.98	PASS
	Ant2	5290	20.29	≤23.98	PASS
	total	5290	23.51	≤23.98	PASS
	Ant1	5530	19.71	≤23.98	PASS
	Ant2	5530	20.60	≤23.98	PASS
	total	5530	23.19	≤23.98	PASS
	Ant1	5610	20.17	≤23.98	PASS
	Ant2	5610	20.30	≤23.98	PASS
	total	5610	23.25	≤23.98	PASS
	Ant1	5690_UNII-2C	18.06	≤23.98	PASS
	Ant2	5690_UNII-2C	18.63	≤23.98	PASS
	total	5690_UNII-2C	21.36	≤23.98	PASS
Ant1	5690_UNII-3	4.25	≤30.00	PASS	




	Ant2	5690_UNII-3	4.67	≤30.00	PASS
	total	5690_UNII-3	7.48	≤30.00	PASS
	Ant1	5775	20.56	≤30.00	PASS
	Ant2	5775	20.34	≤30.00	PASS
	total	5775	23.46	≤30.00	PASS
11BE160MIMO	Ant1	5250_UNII-1	16.51	≤23.98	PASS
	Ant2	5250_UNII-1	15.89	≤23.98	PASS
	total	5250_UNII-1	19.22	≤23.98	PASS
	Ant1	5250_UNII-2A	15.69	≤23.98	PASS
	Ant2	5250_UNII-2A	16.03	≤23.98	PASS
	total	5250_UNII-2A	18.87	≤23.98	PASS
	Ant1	5570	20.07	≤23.98	PASS
	Ant2	5570	20.83	≤23.98	PASS
	total	5570	23.48	≤23.98	PASS
11BE240MIMO	Ant1	5610_UNII-2C	14.99	≤23.98	PASS
	Ant2	5610_UNII-2C	14.66	≤23.98	PASS
	total	5610_UNII-2C	17.84	≤23.98	PASS
	Ant1	5610_UNII-3	-5.05	≤30.00	PASS
	Ant2	5610_UNII-3	-4.69	≤30.00	PASS
	total	5610_UNII-3	-1.86	≤30.00	PASS


Note: 1. Conducted Power=Meas. Level+ Correction Factor

2. The Duty Cycle Factor (refer to section 7.1) had already compensated to the test data.


11.6.2. Test Graphs For FCC CDD Mode











11AX20MIMO_Ant1_5720_UNII-3




11AX20MIMO_Ant2_5720_UNII-3




11AX40MIMO_Ant1_5710_UNII-2C






11AX80MIMO_Ant1_5690_UNII-2C



11AX80MIMO_Ant2_5690_UNII-2C



11AX80MIMO_Ant1_5690_UNII-3

