



Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9167.000	36.23	10.45	46.68	74.00	-27.32	peak
2	10872.000	34.42	14.23	48.65	74.00	-25.35	peak
3	11631.000	33.19	17.01	50.20	74.00	-23.80	peak
4	12676.000	31.20	18.05	49.25	74.00	-24.75	peak
5	13908.000	26.98	21.66	48.64	74.00	-25.36	peak
6	17978.000	23.63	25.97	49.60	74.00	-24.40	peak

Test Mode:	802.11a 20	Frequency(MHz):	5200
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9145.000	36.69	10.43	47.12	74.00	-26.88	peak
2	10564.000	34.90	13.06	47.96	74.00	-26.04	peak
3	11026.000	34.33	14.82	49.15	74.00	-24.85	peak
4	11862.000	31.82	17.45	49.27	74.00	-24.73	peak
5	13897.000	28.95	21.62	50.57	74.00	-23.43	peak
6	17967.000	23.90	25.89	49.79	74.00	-24.21	peak

Test Mode:	802.11a 20	Frequency(MHz):	5200
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	36.44	10.41	46.85	74.00	-27.15	peak
2	11686.000	33.13	17.12	50.25	74.00	-23.75	peak
3	11840.000	33.05	17.40	50.45	74.00	-23.55	peak
4	12654.000	32.33	18.01	50.34	74.00	-23.66	peak
5	13930.000	29.11	21.71	50.82	74.00	-23.18	peak
6	18000.000	23.09	26.12	49.21	74.00	-24.79	peak

Test Mode:	802.11a 20	Frequency(MHz):	5240
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	37.02	10.41	47.43	74.00	-26.57	peak
2	10564.000	35.55	13.06	48.61	74.00	-25.39	peak
3	11004.000	34.53	14.74	49.27	74.00	-24.73	peak
4	13479.000	29.23	20.55	49.78	74.00	-24.22	peak
5	13908.000	28.76	21.66	50.42	74.00	-23.58	peak
6	17923.000	24.28	25.60	49.88	74.00	-24.12	peak

Test Mode:	802.11a 20	Frequency(MHz):	5240
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9266.000	36.16	10.51	46.67	74.00	-27.33	peak
2	11070.000	34.36	15.01	49.37	74.00	-24.63	peak
3	11697.000	32.30	17.13	49.43	74.00	-24.57	peak
4	12698.000	31.59	18.08	49.67	74.00	-24.33	peak
5	13809.000	28.19	21.41	49.60	74.00	-24.40	peak
6	17989.000	24.33	26.04	50.37	74.00	-23.63	peak

Test Mode:	802.11a 20	Frequency(MHz):	5260
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	37.28	10.41	47.69	74.00	-26.31	peak
2	11048.000	35.21	14.91	50.12	74.00	-23.88	peak
3	11917.000	31.91	17.54	49.45	74.00	-24.55	peak
4	12907.000	30.94	18.34	49.28	74.00	-24.72	peak
5	13864.000	28.54	21.53	50.07	74.00	-23.93	peak
6	17989.000	24.23	26.04	50.27	74.00	-23.73	peak

Test Mode:	802.11a 20	Frequency(MHz):	5260
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	36.29	10.49	46.78	74.00	-27.22	peak
2	11158.000	34.72	15.37	50.09	74.00	-23.91	peak
3	11818.000	32.95	17.36	50.31	74.00	-23.69	peak
4	12709.000	32.14	18.09	50.23	74.00	-23.77	peak
5	13523.000	29.52	20.70	50.22	74.00	-23.78	peak
6	17945.000	24.34	25.75	50.09	74.00	-23.91	peak

Test Mode:	802.11a 20	Frequency(MHz):	5280
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9123.000	36.40	10.42	46.82	74.00	-27.18	peak
2	11048.000	35.44	14.91	50.35	74.00	-23.65	peak
3	11884.000	33.14	17.48	50.62	74.00	-23.38	peak
4	12555.000	32.38	17.90	50.28	74.00	-23.72	peak
5	13919.000	28.36	21.68	50.04	74.00	-23.96	peak
6	17923.000	23.96	25.60	49.56	74.00	-24.44	peak

Test Mode:	802.11a 20	Frequency(MHz):	5280
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9365.000	36.33	10.57	46.90	74.00	-27.10	peak
2	10784.000	34.62	13.91	48.53	74.00	-25.47	peak
3	11697.000	32.61	17.13	49.74	74.00	-24.26	peak
4	12698.000	31.43	18.08	49.51	74.00	-24.49	peak
5	13952.000	27.86	21.76	49.62	74.00	-24.38	peak
6	18000.000	22.98	26.12	49.10	74.00	-24.90	peak

Test Mode:	802.11a 20	Frequency(MHz):	5320
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7715.000	37.89	6.68	44.57	74.00	-29.43	peak
2	9178.000	37.46	10.45	47.91	74.00	-26.09	peak
3	11004.000	33.40	14.74	48.14	74.00	-25.86	peak
4	13380.000	27.74	20.12	47.86	74.00	-26.14	peak
5	13864.000	28.10	21.53	49.63	74.00	-24.37	peak
6	17714.000	24.73	24.16	48.89	74.00	-25.11	peak

Test Mode:	802.11a 20	Frequency(MHz):	5320
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	36.49	10.51	47.00	74.00	-27.00	peak
2	11048.000	34.26	14.91	49.17	74.00	-24.83	peak
3	11818.000	32.31	17.36	49.67	74.00	-24.33	peak
4	12665.000	32.19	18.04	50.23	74.00	-23.77	peak
5	13633.000	28.93	20.97	49.90	74.00	-24.10	peak
6	17989.000	24.19	26.04	50.23	74.00	-23.77	peak

Test Mode:	802.11a 20	Frequency(MHz):	5500
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	36.08	10.51	46.59	74.00	-27.41	peak
2	10168.000	34.77	12.13	46.90	74.00	-27.10	peak
3	11004.000	34.35	14.74	49.09	74.00	-24.91	peak
4	11906.000	30.83	17.52	48.35	74.00	-25.65	peak
5	13908.000	27.72	21.66	49.38	74.00	-24.62	peak
6	18000.000	23.27	26.12	49.39	74.00	-24.61	peak

Test Mode:	802.11a 20	Frequency(MHz):	5500
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8958.000	36.91	10.05	46.96	74.00	-27.04	peak
2	11048.000	34.26	14.91	49.17	74.00	-24.83	peak
3	11609.000	32.21	16.98	49.19	74.00	-24.81	peak
4	12610.000	31.06	17.97	49.03	74.00	-24.97	peak
5	13919.000	28.71	21.68	50.39	74.00	-23.61	peak
6	17989.000	23.84	26.04	49.88	74.00	-24.12	peak

Test Mode:	802.11a 20	Frequency(MHz):	5580
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9145.000	37.87	10.43	48.30	74.00	-25.70	peak
2	11048.000	34.56	14.91	49.47	74.00	-24.53	peak
3	11851.000	31.09	17.43	48.52	74.00	-25.48	peak
4	12555.000	31.01	17.90	48.91	74.00	-25.09	peak
5	13919.000	28.41	21.68	50.09	74.00	-23.91	peak
6	17802.000	23.91	24.76	48.67	74.00	-25.33	peak

Test Mode:	802.11a 20	Frequency(MHz):	5580
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8958.000	36.83	10.05	46.88	74.00	-27.12	peak
2	10916.000	34.03	14.39	48.42	74.00	-25.58	peak
3	11400.000	33.15	16.36	49.51	74.00	-24.49	peak
4	12687.000	31.01	18.05	49.06	74.00	-24.94	peak
5	13908.000	27.52	21.66	49.18	74.00	-24.82	peak
6	17967.000	23.23	25.89	49.12	74.00	-24.88	peak

Test Mode:	802.11a 20	Frequency(MHz):	5700
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7704.000	38.62	6.69	45.31	74.00	-28.69	peak
2	9189.000	36.77	10.46	47.23	74.00	-26.77	peak
3	11048.000	33.93	14.91	48.84	74.00	-25.16	peak
4	11873.000	31.92	17.46	49.38	74.00	-24.62	peak
5	13875.000	28.21	21.57	49.78	74.00	-24.22	peak
6	18000.000	23.60	26.12	49.72	74.00	-24.28	peak

Test Mode:	802.11a 20	Frequency(MHz):	5700
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9354.000	36.71	10.56	47.27	74.00	-26.73	peak
2	11059.000	33.54	14.96	48.50	74.00	-25.50	peak
3	11752.000	32.07	17.24	49.31	74.00	-24.69	peak
4	12709.000	31.39	18.09	49.48	74.00	-24.52	peak
5	13930.000	27.56	21.71	49.27	74.00	-24.73	peak
6	17989.000	23.33	26.04	49.37	74.00	-24.63	peak

Test Mode:	802.11a 20	Frequency(MHz):	5720
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	36.65	10.41	47.06	74.00	-26.94	peak
2	11048.000	33.95	14.91	48.86	74.00	-25.14	peak
3	11510.000	32.74	16.79	49.53	74.00	-24.47	peak
4	11884.000	31.79	17.48	49.27	74.00	-24.73	peak
5	13919.000	29.05	21.68	50.73	74.00	-23.27	peak
6	18000.000	24.07	26.12	50.19	74.00	-23.81	peak

Test Mode:	802.11a 20	Frequency(MHz):	5720
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	37.40	10.49	47.89	74.00	-26.11	peak
2	11015.000	34.60	14.79	49.39	74.00	-24.61	peak
3	11840.000	32.28	17.40	49.68	74.00	-24.32	peak
4	12698.000	31.91	18.08	49.99	74.00	-24.01	peak
5	13050.000	30.85	18.66	49.51	74.00	-24.49	peak
6	17978.000	23.68	25.97	49.65	74.00	-24.35	peak

Test Mode:	802.11a 20	Frequency(MHz):	5745
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7803.000	37.89	6.60	44.49	74.00	-29.51	peak
2	9200.000	36.92	10.46	47.38	74.00	-26.62	peak
3	11048.000	34.23	14.91	49.14	74.00	-24.86	peak
4	11796.000	31.83	17.32	49.15	74.00	-24.85	peak
5	13875.000	29.24	21.57	50.81	74.00	-23.19	peak
6	17956.000	24.74	25.82	50.56	74.00	-23.44	peak

Test Mode:	802.11a 20	Frequency(MHz):	5745
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9101.000	36.02	10.40	46.42	74.00	-27.58	peak
2	11059.000	33.82	14.96	48.78	74.00	-25.22	peak
3	12170.000	32.39	17.75	50.14	74.00	-23.86	peak
4	12709.000	32.16	18.09	50.25	74.00	-23.75	peak
5	13754.000	28.46	21.27	49.73	74.00	-24.27	peak
6	17956.000	23.95	25.82	49.77	74.00	-24.23	peak

Test Mode:	802.11a 20	Frequency(MHz):	5785
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7715.000	38.05	6.68	44.73	74.00	-29.27	peak
2	9189.000	37.16	10.46	47.62	74.00	-26.38	peak
3	11015.000	34.95	14.79	49.74	74.00	-24.26	peak
4	12698.000	31.57	18.08	49.65	74.00	-24.35	peak
5	13864.000	28.68	21.53	50.21	74.00	-23.79	peak
6	17725.000	25.45	24.24	49.69	74.00	-24.31	peak

Test Mode:	802.11a 20	Frequency(MHz):	5785
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9211.000	36.44	10.47	46.91	74.00	-27.09	peak
2	11015.000	35.09	14.79	49.88	74.00	-24.12	peak
3	11818.000	32.61	17.36	49.97	74.00	-24.03	peak
4	12698.000	31.64	18.08	49.72	74.00	-24.28	peak
5	13963.000	27.97	21.78	49.75	74.00	-24.25	peak
6	17989.000	24.12	26.04	50.16	74.00	-23.84	peak

Test Mode:	802.11a 20	Frequency(MHz):	5825
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9068.000	36.66	10.39	47.05	74.00	-26.95	peak
2	11026.000	33.90	14.82	48.72	74.00	-25.28	peak
3	11884.000	31.60	17.48	49.08	74.00	-24.92	peak
4	12676.000	30.59	18.05	48.64	74.00	-25.36	peak
5	13908.000	28.18	21.66	49.84	74.00	-24.16	peak
6	17989.000	23.45	26.04	49.49	74.00	-24.51	peak

Test Mode:	802.11a 20	Frequency(MHz):	5825
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7594.000	37.75	6.79	44.54	74.00	-29.46	peak
2	9354.000	36.42	10.56	46.98	74.00	-27.02	peak
3	11048.000	35.05	14.91	49.96	74.00	-24.04	peak
4	11785.000	32.57	17.30	49.87	74.00	-24.13	peak
5	13908.000	28.04	21.66	49.70	74.00	-24.30	peak
6	17615.000	26.32	23.49	49.81	74.00	-24.19	peak

Test Mode:	802.11ac VHT20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9167.000	36.93	10.45	47.38	74.00	-26.62	peak
2	11037.000	33.73	14.87	48.60	74.00	-25.40	peak
3	11411.000	32.63	16.41	49.04	74.00	-24.96	peak
4	12753.000	31.37	18.14	49.51	74.00	-24.49	peak
5	13853.000	28.52	21.52	50.04	74.00	-23.96	peak
6	17978.000	23.72	25.97	49.69	74.00	-24.31	peak

Test Mode:	802.11ac VHT20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9200.000	36.62	10.46	47.08	74.00	-26.92	peak
2	10366.000	37.48	12.54	50.02	74.00	-23.98	peak
3	11708.000	32.37	17.16	49.53	74.00	-24.47	peak
4	12632.000	32.35	17.99	50.34	74.00	-23.66	peak
5	13919.000	27.92	21.68	49.60	74.00	-24.40	peak
6	17989.000	24.60	26.04	50.64	74.00	-23.36	peak

Test Mode:	802.11ac VHT20	Frequency(MHz):	5200
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	36.29	10.41	46.70	74.00	-27.30	peak
2	10102.000	35.74	11.98	47.72	74.00	-26.28	peak
3	11048.000	35.50	14.91	50.41	74.00	-23.59	peak
4	11807.000	32.23	17.34	49.57	74.00	-24.43	peak
5	13853.000	28.72	21.52	50.24	74.00	-23.76	peak
6	17978.000	23.81	25.97	49.78	74.00	-24.22	peak

Test Mode:	802.11ac VHT20	Frequency(MHz):	5200
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	36.82	10.41	47.23	74.00	-26.77	peak
2	11048.000	34.71	14.91	49.62	74.00	-24.38	peak
3	11675.000	32.77	17.10	49.87	74.00	-24.13	peak
4	12687.000	31.40	18.05	49.45	74.00	-24.55	peak
5	13875.000	27.29	21.57	48.86	74.00	-25.14	peak
6	17978.000	23.47	25.97	49.44	74.00	-24.56	peak

Test Mode:	802.11ac VHT20	Frequency(MHz):	5240
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	36.42	10.41	46.83	74.00	-27.17	peak
2	11048.000	34.19	14.91	49.10	74.00	-24.90	peak
3	11444.000	33.01	16.53	49.54	74.00	-24.46	peak
4	11840.000	32.74	17.40	50.14	74.00	-23.86	peak
5	13864.000	28.18	21.53	49.71	74.00	-24.29	peak
6	17714.000	25.07	24.16	49.23	74.00	-24.77	peak

Test Mode:	802.11ac VHT20	Frequency(MHz):	5240
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9200.000	36.47	10.46	46.93	74.00	-27.07	peak
2	11213.000	33.15	15.59	48.74	74.00	-25.26	peak
3	11774.000	32.59	17.28	49.87	74.00	-24.13	peak
4	12698.000	31.44	18.08	49.52	74.00	-24.48	peak
5	13600.000	29.32	20.89	50.21	74.00	-23.79	peak
6	17989.000	24.65	26.04	50.69	74.00	-23.31	peak

Test Mode:	802.11ac VHT20	Frequency(MHz):	5260
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7748.000	38.66	6.66	45.32	74.00	-28.68	peak
2	9167.000	36.57	10.45	47.02	74.00	-26.98	peak
3	11059.000	33.82	14.96	48.78	74.00	-25.22	peak
4	11884.000	31.58	17.48	49.06	74.00	-24.94	peak
5	13886.000	28.15	21.60	49.75	74.00	-24.25	peak
6	17989.000	23.43	26.04	49.47	74.00	-24.53	peak

Test Mode:	802.11ac VHT20	Frequency(MHz):	5260
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9200.000	37.09	10.46	47.55	74.00	-26.45	peak
2	11026.000	33.83	14.82	48.65	74.00	-25.35	peak
3	11708.000	31.90	17.16	49.06	74.00	-24.94	peak
4	12643.000	30.42	18.01	48.43	74.00	-25.57	peak
5	13864.000	27.82	21.53	49.35	74.00	-24.65	peak
6	17989.000	24.27	26.04	50.31	74.00	-23.69	peak

Test Mode:	802.11ac VHT20	Frequency(MHz):	5280
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7748.000	38.84	6.66	45.50	74.00	-28.50	peak
2	9112.000	36.60	10.41	47.01	74.00	-26.99	peak
3	11015.000	34.97	14.79	49.76	74.00	-24.24	peak
4	11884.000	31.82	17.48	49.30	74.00	-24.70	peak
5	13864.000	28.94	21.53	50.47	74.00	-23.53	peak
6	18000.000	24.06	26.12	50.18	74.00	-23.82	peak

Test Mode:	802.11ac VHT20	Frequency(MHz):	5280
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9376.000	36.19	10.58	46.77	74.00	-27.23	peak
2	11048.000	35.05	14.91	49.96	74.00	-24.04	peak
3	11785.000	33.01	17.30	50.31	74.00	-23.69	peak
4	12676.000	31.94	18.05	49.99	74.00	-24.01	peak
5	13930.000	27.88	21.71	49.59	74.00	-24.41	peak
6	17989.000	23.60	26.04	49.64	74.00	-24.36	peak

Test Mode:	802.11ac VHT20	Frequency(MHz):	5320
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9013.000	35.92	10.34	46.26	74.00	-27.74	peak
2	10564.000	34.02	13.06	47.08	74.00	-26.92	peak
3	11059.000	34.29	14.96	49.25	74.00	-24.75	peak
4	12687.000	30.80	18.05	48.85	74.00	-25.15	peak
5	13864.000	27.74	21.53	49.27	74.00	-24.73	peak
6	17659.000	24.56	23.78	48.34	74.00	-25.66	peak

Test Mode:	802.11ac VHT20	Frequency(MHz):	5320
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9200.000	36.54	10.46	47.00	74.00	-27.00	peak
2	11147.000	33.39	15.32	48.71	74.00	-25.29	peak
3	11752.000	32.57	17.24	49.81	74.00	-24.19	peak
4	12225.000	31.63	17.75	49.38	74.00	-24.62	peak
5	13523.000	27.98	20.70	48.68	74.00	-25.32	peak
6	17989.000	22.75	26.04	48.79	74.00	-25.21	peak

Test Mode:	802.11ac VHT20	Frequency(MHz):	5500
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	36.92	10.49	47.41	74.00	-26.59	peak
2	11070.000	33.66	15.01	48.67	74.00	-25.33	peak
3	11840.000	32.04	17.40	49.44	74.00	-24.56	peak
4	12687.000	32.17	18.05	50.22	74.00	-23.78	peak
5	13919.000	28.28	21.68	49.96	74.00	-24.04	peak
6	17989.000	23.04	26.04	49.08	74.00	-24.92	peak

Test Mode:	802.11ac VHT20	Frequency(MHz):	5500
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	36.56	10.46	47.02	74.00	-26.98	peak
2	11070.000	32.50	15.01	47.51	74.00	-26.49	peak
3	11807.000	30.80	17.34	48.14	74.00	-25.86	peak
4	12665.000	30.68	18.04	48.72	74.00	-25.28	peak
5	13919.000	26.61	21.68	48.29	74.00	-25.71	peak
6	17978.000	22.93	25.97	48.90	74.00	-25.10	peak

Test Mode:	802.11ac VHT20	Frequency(MHz):	5580
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	36.54	10.50	47.04	74.00	-26.96	peak
2	10850.000	34.19	14.15	48.34	74.00	-25.66	peak
3	11851.000	31.52	17.43	48.95	74.00	-25.05	peak
4	12698.000	30.76	18.08	48.84	74.00	-25.16	peak
5	13589.000	27.58	20.86	48.44	74.00	-25.56	peak
6	17967.000	23.11	25.89	49.00	74.00	-25.00	peak

Test Mode:	802.11ac VHT20	Frequency(MHz):	5580
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	36.96	10.49	47.45	74.00	-26.55	peak
2	10883.000	33.65	14.27	47.92	74.00	-26.08	peak
3	11532.000	32.27	16.83	49.10	74.00	-24.90	peak
4	12709.000	31.46	18.09	49.55	74.00	-24.45	peak
5	13061.000	29.51	18.71	48.22	74.00	-25.78	peak
6	17989.000	21.97	26.04	48.01	74.00	-25.99	peak

Test Mode:	802.11ac VHT20	Frequency(MHz):	5700
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8914.000	37.88	9.75	47.63	74.00	-26.37	peak
2	10201.000	35.31	12.19	47.50	74.00	-26.50	peak
3	11829.000	31.93	17.38	49.31	74.00	-24.69	peak
4	12665.000	31.28	18.04	49.32	74.00	-24.68	peak
5	13611.000	27.74	20.92	48.66	74.00	-25.34	peak
6	17989.000	21.91	26.04	47.95	74.00	-26.05	peak

Test Mode:	802.11ac VHT20	Frequency(MHz):	5700
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9376.000	36.02	10.58	46.60	74.00	-27.40	peak
2	11004.000	33.38	14.74	48.12	74.00	-25.88	peak
3	11906.000	31.36	17.52	48.88	74.00	-25.12	peak
4	12610.000	31.15	17.97	49.12	74.00	-24.88	peak
5	13919.000	27.72	21.68	49.40	74.00	-24.60	peak
6	18000.000	22.26	26.12	48.38	74.00	-25.62	peak

Test Mode:	802.11ac VHT20	Frequency(MHz):	5720
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	36.33	10.48	46.81	74.00	-27.19	peak
2	10289.000	35.31	12.38	47.69	74.00	-26.31	peak
3	11059.000	33.20	14.96	48.16	74.00	-25.84	peak
4	11785.000	30.90	17.30	48.20	74.00	-25.80	peak
5	13952.000	27.41	21.76	49.17	74.00	-24.83	peak
6	18000.000	22.55	26.12	48.67	74.00	-25.33	peak

Test Mode:	802.11ac VHT20	Frequency(MHz):	5720
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	36.69	10.49	47.18	74.00	-26.82	peak
2	10223.000	35.77	12.24	48.01	74.00	-25.99	peak
3	11059.000	32.88	14.96	47.84	74.00	-26.16	peak
4	12643.000	30.76	18.01	48.77	74.00	-25.23	peak
5	13985.000	28.02	21.85	49.87	74.00	-24.13	peak
6	17967.000	23.36	25.89	49.25	74.00	-24.75	peak

Test Mode:	802.11ac VHT20	Frequency(MHz):	5745
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9343.000	36.25	10.55	46.80	74.00	-27.20	peak
2	11070.000	33.99	15.01	49.00	74.00	-25.00	peak
3	11620.000	32.42	16.99	49.41	74.00	-24.59	peak
4	12687.000	31.58	18.05	49.63	74.00	-24.37	peak
5	13864.000	28.18	21.53	49.71	74.00	-24.29	peak
6	18000.000	24.68	26.12	50.80	74.00	-23.20	peak

Test Mode:	802.11ac VHT20	Frequency(MHz):	5745
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9079.000	36.71	10.39	47.10	74.00	-26.90	peak
2	11048.000	34.04	14.91	48.95	74.00	-25.05	peak
3	11400.000	32.92	16.36	49.28	74.00	-24.72	peak
4	12621.000	31.50	17.98	49.48	74.00	-24.52	peak
5	13457.000	29.29	20.46	49.75	74.00	-24.25	peak
6	17989.000	23.90	26.04	49.94	74.00	-24.06	peak

Test Mode:	802.11ac VHT20	Frequency(MHz):	5785
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	36.20	10.49	46.69	74.00	-27.31	peak
2	11059.000	33.86	14.96	48.82	74.00	-25.18	peak
3	11895.000	31.31	17.51	48.82	74.00	-25.18	peak
4	12698.000	30.76	18.08	48.84	74.00	-25.16	peak
5	13897.000	28.22	21.62	49.84	74.00	-24.16	peak
6	17989.000	23.08	26.04	49.12	74.00	-24.88	peak

Test Mode:	802.11ac VHT20	Frequency(MHz):	5785
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	36.28	10.51	46.79	74.00	-27.21	peak
2	11268.000	33.80	15.83	49.63	74.00	-24.37	peak
3	11697.000	33.20	17.13	50.33	74.00	-23.67	peak
4	12687.000	32.16	18.05	50.21	74.00	-23.79	peak
5	14007.000	28.35	21.85	50.20	74.00	-23.80	peak
6	17978.000	23.34	25.97	49.31	74.00	-24.69	peak

Test Mode:	802.11ac VHT20	Frequency(MHz):	5825
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	37.07	10.48	47.55	74.00	-26.45	peak
2	10894.000	34.48	14.32	48.80	74.00	-25.20	peak
3	11763.000	32.90	17.26	50.16	74.00	-23.84	peak
4	12665.000	31.37	18.04	49.41	74.00	-24.59	peak
5	13644.000	29.15	20.99	50.14	74.00	-23.86	peak
6	18000.000	23.50	26.12	49.62	74.00	-24.38	peak

Test Mode:	802.11ac VHT20	Frequency(MHz):	5825
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	36.78	10.41	47.19	74.00	-26.81	peak
2	9596.000	35.50	10.87	46.37	74.00	-27.63	peak
3	11070.000	33.50	15.01	48.51	74.00	-25.49	peak
4	12632.000	31.66	17.99	49.65	74.00	-24.35	peak
5	13919.000	28.26	21.68	49.94	74.00	-24.06	peak
6	17978.000	24.37	25.97	50.34	74.00	-23.66	peak

Test Mode:	802.11ac VHT40	Frequency(MHz):	5190
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7880.000	38.02	6.54	44.56	74.00	-29.44	peak
2	9244.000	35.71	10.49	46.20	74.00	-27.80	peak
3	11686.000	31.70	17.12	48.82	74.00	-25.18	peak
4	12632.000	30.77	17.99	48.76	74.00	-25.24	peak
5	13930.000	27.33	21.71	49.04	74.00	-24.96	peak
6	17945.000	22.94	25.75	48.69	74.00	-25.31	peak

Test Mode:	802.11ac VHT40	Frequency(MHz):	5190
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	36.16	10.54	46.70	74.00	-27.30	peak
2	11048.000	33.59	14.91	48.50	74.00	-25.50	peak
3	11400.000	32.25	16.36	48.61	74.00	-25.39	peak
4	12687.000	31.67	18.05	49.72	74.00	-24.28	peak
5	13930.000	27.95	21.71	49.66	74.00	-24.34	peak
6	17945.000	23.91	25.75	49.66	74.00	-24.34	peak

Test Mode:	802.11ac VHT40	Frequency(MHz):	5230
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	37.35	10.46	47.81	74.00	-26.19	peak
2	11059.000	34.24	14.96	49.20	74.00	-24.80	peak
3	11642.000	32.71	17.03	49.74	74.00	-24.26	peak
4	12698.000	31.94	18.08	50.02	74.00	-23.98	peak
5	13534.000	28.76	20.73	49.49	74.00	-24.51	peak
6	17989.000	24.12	26.04	50.16	74.00	-23.84	peak

Test Mode:	802.11ac VHT40	Frequency(MHz):	5230
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8958.000	36.98	10.05	47.03	74.00	-26.97	peak
2	10366.000	36.18	12.54	48.72	74.00	-25.28	peak
3	10894.000	34.87	14.32	49.19	74.00	-24.81	peak
4	11873.000	32.00	17.46	49.46	74.00	-24.54	peak
5	13919.000	27.80	21.68	49.48	74.00	-24.52	peak
6	17989.000	23.38	26.04	49.42	74.00	-24.58	peak

Test Mode:	802.11ac VHT40	Frequency(MHz):	5270
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	36.46	10.49	46.95	74.00	-27.05	peak
2	10212.000	35.81	12.21	48.02	74.00	-25.98	peak
3	11246.000	33.47	15.73	49.20	74.00	-24.80	peak
4	12269.000	31.34	17.77	49.11	74.00	-24.89	peak
5	13545.000	28.84	20.75	49.59	74.00	-24.41	peak
6	17989.000	23.45	26.04	49.49	74.00	-24.51	peak

Test Mode:	802.11ac VHT40	Frequency(MHz):	5270
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9200.000	35.92	10.46	46.38	74.00	-27.62	peak
2	10212.000	35.50	12.21	47.71	74.00	-26.29	peak
3	10795.000	34.61	13.94	48.55	74.00	-25.45	peak
4	11873.000	32.09	17.46	49.55	74.00	-24.45	peak
5	13083.000	30.43	18.81	49.24	74.00	-24.76	peak
6	17989.000	23.24	26.04	49.28	74.00	-24.72	peak

Test Mode:	802.11ac VHT40	Frequency(MHz):	5310
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7682.000	38.65	6.71	45.36	74.00	-28.64	peak
2	8936.000	36.81	9.90	46.71	74.00	-27.29	peak
3	11070.000	33.19	15.01	48.20	74.00	-25.80	peak
4	12709.000	31.00	18.09	49.09	74.00	-24.91	peak
5	13886.000	28.09	21.60	49.69	74.00	-24.31	peak
6	17978.000	23.42	25.97	49.39	74.00	-24.61	peak

Test Mode:	802.11ac VHT40	Frequency(MHz):	5310
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8969.000	37.34	10.13	47.47	74.00	-26.53	peak
2	11048.000	34.23	14.91	49.14	74.00	-24.86	peak
3	11323.000	33.11	16.05	49.16	74.00	-24.84	peak
4	12709.000	31.08	18.09	49.17	74.00	-24.83	peak
5	13864.000	28.43	21.53	49.96	74.00	-24.04	peak
6	18000.000	22.77	26.12	48.89	74.00	-25.11	peak

Test Mode:	802.11ac VHT40	Frequency(MHz):	5510
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	36.71	10.48	47.19	74.00	-26.81	peak
2	10080.000	35.52	11.93	47.45	74.00	-26.55	peak
3	11774.000	31.83	17.28	49.11	74.00	-24.89	peak
4	12698.000	31.51	18.08	49.59	74.00	-24.41	peak
5	13930.000	27.97	21.71	49.68	74.00	-24.32	peak
6	18000.000	23.86	26.12	49.98	74.00	-24.02	peak

Test Mode:	802.11ac VHT40	Frequency(MHz):	5510
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7759.000	37.89	6.64	44.53	74.00	-29.47	peak
2	8991.000	36.74	10.28	47.02	74.00	-26.98	peak
3	11059.000	33.68	14.96	48.64	74.00	-25.36	peak
4	12698.000	30.98	18.08	49.06	74.00	-24.94	peak
5	13974.000	27.76	21.82	49.58	74.00	-24.42	peak
6	17956.000	23.65	25.82	49.47	74.00	-24.53	peak

Test Mode:	802.11ac VHT40	Frequency(MHz):	5550
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	36.57	10.48	47.05	74.00	-26.95	peak
2	11059.000	34.17	14.96	49.13	74.00	-24.87	peak
3	11400.000	32.84	16.36	49.20	74.00	-24.80	peak
4	12676.000	31.90	18.05	49.95	74.00	-24.05	peak
5	13919.000	28.61	21.68	50.29	74.00	-23.71	peak
6	17989.000	24.06	26.04	50.10	74.00	-23.90	peak

Test Mode:	802.11ac VHT40	Frequency(MHz):	5550
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9057.000	36.16	10.38	46.54	74.00	-27.46	peak
2	11037.000	33.20	14.87	48.07	74.00	-25.93	peak
3	11675.000	31.50	17.10	48.60	74.00	-25.40	peak
4	12687.000	30.75	18.05	48.80	74.00	-25.20	peak
5	13853.000	27.91	21.52	49.43	74.00	-24.57	peak
6	17934.000	23.49	25.67	49.16	74.00	-24.84	peak

Test Mode:	802.11ac VHT40	Frequency(MHz):	5670
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9145.000	36.16	10.43	46.59	74.00	-27.41	peak
2	10751.000	34.40	13.78	48.18	74.00	-25.82	peak
3	11884.000	31.52	17.48	49.00	74.00	-25.00	peak
4	12687.000	30.40	18.05	48.45	74.00	-25.55	peak
5	13919.000	27.98	21.68	49.66	74.00	-24.34	peak
6	18000.000	21.96	26.12	48.08	74.00	-25.92	peak

Test Mode:	802.11ac VHT40	Frequency(MHz):	5670
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9343.000	36.97	10.55	47.52	74.00	-26.48	peak
2	10883.000	34.22	14.27	48.49	74.00	-25.51	peak
3	12720.000	30.21	18.09	48.30	74.00	-25.70	peak
4	13127.000	29.60	19.01	48.61	74.00	-25.39	peak
5	13853.000	28.70	21.52	50.22	74.00	-23.78	peak
6	17989.000	23.56	26.04	49.60	74.00	-24.40	peak

Test Mode:	802.11ac VHT40	Frequency(MHz):	5710
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	36.26	10.21	46.47	74.00	-27.53	peak
2	10223.000	34.95	12.24	47.19	74.00	-26.81	peak
3	11334.000	32.98	16.09	49.07	74.00	-24.93	peak
4	12676.000	31.89	18.05	49.94	74.00	-24.06	peak
5	13589.000	29.56	20.86	50.42	74.00	-23.58	peak
6	17989.000	23.05	26.04	49.09	74.00	-24.91	peak

Test Mode:	802.11ac VHT40	Frequency(MHz):	5710
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	36.40	10.46	46.86	74.00	-27.14	peak
2	10916.000	35.01	14.39	49.40	74.00	-24.60	peak
3	11477.000	32.61	16.67	49.28	74.00	-24.72	peak
4	12709.000	31.45	18.09	49.54	74.00	-24.46	peak
5	13611.000	29.22	20.92	50.14	74.00	-23.86	peak
6	18000.000	23.45	26.12	49.57	74.00	-24.43	peak

Test Mode:	802.11ac VHT40	Frequency(MHz):	5755
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	37.31	10.21	47.52	74.00	-26.48	peak
2	11081.000	34.24	15.05	49.29	74.00	-24.71	peak
3	11906.000	31.52	17.52	49.04	74.00	-24.96	peak
4	12709.000	31.07	18.09	49.16	74.00	-24.84	peak
5	13611.000	28.72	20.92	49.64	74.00	-24.36	peak
6	18000.000	23.38	26.12	49.50	74.00	-24.50	peak

Test Mode:	802.11ac VHT40	Frequency(MHz):	5755
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7825.000	37.36	6.58	43.94	74.00	-30.06	peak
2	9332.000	36.21	10.54	46.75	74.00	-27.25	peak
3	11048.000	33.52	14.91	48.43	74.00	-25.57	peak
4	12687.000	29.79	18.05	47.84	74.00	-26.16	peak
5	13534.000	28.38	20.73	49.11	74.00	-24.89	peak
6	17989.000	21.94	26.04	47.98	74.00	-26.02	peak

Test Mode:	802.11ac VHT40	Frequency(MHz):	5795
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	36.53	10.21	46.74	74.00	-27.26	peak
2	9563.000	35.96	10.79	46.75	74.00	-27.25	peak
3	11048.000	34.77	14.91	49.68	74.00	-24.32	peak
4	12632.000	31.56	17.99	49.55	74.00	-24.45	peak
5	13864.000	28.84	21.53	50.37	74.00	-23.63	peak
6	17978.000	23.88	25.97	49.85	74.00	-24.15	peak

Test Mode:	802.11ac VHT40	Frequency(MHz):	5795
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	36.19	10.51	46.70	74.00	-27.30	peak
2	11059.000	34.69	14.96	49.65	74.00	-24.35	peak
3	11763.000	32.53	17.26	49.79	74.00	-24.21	peak
4	12687.000	31.95	18.05	50.00	74.00	-24.00	peak
5	13523.000	29.77	20.70	50.47	74.00	-23.53	peak
6	17967.000	24.06	25.89	49.95	74.00	-24.05	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5210
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7880.000	37.96	6.54	44.50	74.00	-29.50	peak
2	9233.000	36.21	10.48	46.69	74.00	-27.31	peak
3	11279.000	32.77	15.86	48.63	74.00	-25.37	peak
4	12632.000	31.41	17.99	49.40	74.00	-24.60	peak
5	13534.000	28.98	20.73	49.71	74.00	-24.29	peak
6	18000.000	23.54	26.12	49.66	74.00	-24.34	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5210
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	36.22	10.49	46.71	74.00	-27.29	peak
2	11059.000	34.28	14.96	49.24	74.00	-24.76	peak
3	11884.000	32.81	17.48	50.29	74.00	-23.71	peak
4	12621.000	32.09	17.98	50.07	74.00	-23.93	peak
5	13589.000	29.85	20.86	50.71	74.00	-23.29	peak
6	17967.000	24.59	25.89	50.48	74.00	-23.52	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5290
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	37.34	10.49	47.83	74.00	-26.17	peak
2	11059.000	34.31	14.96	49.27	74.00	-24.73	peak
3	11785.000	32.51	17.30	49.81	74.00	-24.19	peak
4	12698.000	31.97	18.08	50.05	74.00	-23.95	peak
5	13875.000	28.38	21.57	49.95	74.00	-24.05	peak
6	18000.000	23.15	26.12	49.27	74.00	-24.73	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5290
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	36.26	10.49	46.75	74.00	-27.25	peak
2	10718.000	34.20	13.66	47.86	74.00	-26.14	peak
3	11213.000	33.53	15.59	49.12	74.00	-24.88	peak
4	12698.000	31.75	18.08	49.83	74.00	-24.17	peak
5	13985.000	27.58	21.85	49.43	74.00	-24.57	peak
6	17945.000	23.88	25.75	49.63	74.00	-24.37	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5530
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8991.000	35.74	10.28	46.02	74.00	-27.98	peak
2	10223.000	36.36	12.24	48.60	74.00	-25.40	peak
3	11862.000	31.93	17.45	49.38	74.00	-24.62	peak
4	12687.000	31.40	18.05	49.45	74.00	-24.55	peak
5	13919.000	27.15	21.68	48.83	74.00	-25.17	peak
6	17989.000	22.79	26.04	48.83	74.00	-25.17	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5530
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7814.000	38.12	6.60	44.72	74.00	-29.28	peak
2	9332.000	36.34	10.54	46.88	74.00	-27.12	peak
3	10850.000	35.03	14.15	49.18	74.00	-24.82	peak
4	12236.000	31.13	17.76	48.89	74.00	-25.11	peak
5	13952.000	28.29	21.76	50.05	74.00	-23.95	peak
6	18000.000	23.08	26.12	49.20	74.00	-24.80	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5610
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9365.000	36.49	10.57	47.06	74.00	-26.94	peak
2	11059.000	34.49	14.96	49.45	74.00	-24.55	peak
3	11697.000	32.95	17.13	50.08	74.00	-23.92	peak
4	12698.000	31.74	18.08	49.82	74.00	-24.18	peak
5	13864.000	28.30	21.53	49.83	74.00	-24.17	peak
6	17978.000	24.31	25.97	50.28	74.00	-23.72	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5610
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9145.000	36.05	10.43	46.48	74.00	-27.52	peak
2	10234.000	34.82	12.26	47.08	74.00	-26.92	peak
3	11235.000	33.24	15.68	48.92	74.00	-25.08	peak
4	12687.000	31.26	18.05	49.31	74.00	-24.69	peak
5	13996.000	28.07	21.87	49.94	74.00	-24.06	peak
6	17989.000	23.48	26.04	49.52	74.00	-24.48	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5690
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	36.16	10.51	46.67	74.00	-27.33	peak
2	11026.000	33.84	14.82	48.66	74.00	-25.34	peak
3	11873.000	32.17	17.46	49.63	74.00	-24.37	peak
4	12698.000	31.79	18.08	49.87	74.00	-24.13	peak
5	13864.000	28.13	21.53	49.66	74.00	-24.34	peak
6	17967.000	23.36	25.89	49.25	74.00	-24.75	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5690
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9079.000	36.68	10.39	47.07	74.00	-26.93	peak
2	10894.000	33.71	14.32	48.03	74.00	-25.97	peak
3	11785.000	31.29	17.30	48.59	74.00	-25.41	peak
4	12643.000	30.80	18.01	48.81	74.00	-25.19	peak
5	13875.000	27.74	21.57	49.31	74.00	-24.69	peak
6	17989.000	22.73	26.04	48.77	74.00	-25.23	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5775
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	36.86	10.51	47.37	74.00	-26.63	peak
2	11708.000	33.17	17.16	50.33	74.00	-23.67	peak
3	12247.000	32.61	17.77	50.38	74.00	-23.62	peak
4	12698.000	32.17	18.08	50.25	74.00	-23.75	peak
5	13611.000	28.71	20.92	49.63	74.00	-24.37	peak
6	17989.000	23.32	26.04	49.36	74.00	-24.64	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5775
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7715.000	38.56	6.68	45.24	74.00	-28.76	peak
2	9266.000	36.15	10.51	46.66	74.00	-27.34	peak
3	11092.000	34.02	15.10	49.12	74.00	-24.88	peak
4	12687.000	30.91	18.05	48.96	74.00	-25.04	peak
5	13963.000	27.52	21.78	49.30	74.00	-24.70	peak
6	18000.000	22.54	26.12	48.66	74.00	-25.34	peak

Test Mode:	802.11ac VHT160	Frequency(MHz):	5250
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7715.000	37.54	6.68	44.22	74.00	-29.78	peak
2	9123.000	35.56	10.42	45.98	74.00	-28.02	peak
3	10762.000	34.57	13.82	48.39	74.00	-25.61	peak
4	11752.000	31.75	17.24	48.99	74.00	-25.01	peak
5	13622.000	28.32	20.95	49.27	74.00	-24.73	peak
6	17659.000	24.71	23.78	48.49	74.00	-25.51	peak

Test Mode:	802.11ac VHT160	Frequency(MHz):	5250
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8870.000	37.72	9.44	47.16	74.00	-26.84	peak
2	11202.000	33.31	15.55	48.86	74.00	-25.14	peak
3	11411.000	32.74	16.41	49.15	74.00	-24.85	peak
4	12687.000	31.20	18.05	49.25	74.00	-24.75	peak
5	13985.000	28.08	21.85	49.93	74.00	-24.07	peak
6	18000.000	23.29	26.12	49.41	74.00	-24.59	peak

Test Mode:	802.11ac VHT160	Frequency(MHz):	5570
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9343.000	36.09	10.55	46.64	74.00	-27.36	peak
2	11015.000	33.61	14.79	48.40	74.00	-25.60	peak
3	11774.000	31.15	17.28	48.43	74.00	-25.57	peak
4	12654.000	30.89	18.01	48.90	74.00	-25.10	peak
5	13875.000	28.21	21.57	49.78	74.00	-24.22	peak
6	17692.000	25.44	24.01	49.45	74.00	-24.55	peak

Test Mode:	802.11ac VHT160	Frequency(MHz):	5570
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7715.000	38.54	6.68	45.22	74.00	-28.78	peak
2	9233.000	36.08	10.48	46.56	74.00	-27.44	peak
3	11059.000	33.86	14.96	48.82	74.00	-25.18	peak
4	12698.000	31.02	18.08	49.10	74.00	-24.90	peak
5	13963.000	28.00	21.78	49.78	74.00	-24.22	peak
6	17956.000	23.88	25.82	49.70	74.00	-24.30	peak

Test Mode:	802.11be EHT20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	35.81	10.49	46.30	74.00	-27.70	peak
2	11147.000	33.27	15.32	48.59	74.00	-25.41	peak
3	12181.000	31.09	17.75	48.84	74.00	-25.16	peak
4	13127.000	30.23	19.01	49.24	74.00	-24.76	peak
5	13908.000	28.31	21.66	49.97	74.00	-24.03	peak
6	17725.000	25.57	24.24	49.81	74.00	-24.19	peak

Test Mode:	802.11be EHT20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9343.000	36.17	10.55	46.72	74.00	-27.28	peak
2	10344.000	36.78	12.49	49.27	74.00	-24.73	peak
3	11400.000	32.30	16.36	48.66	74.00	-25.34	peak
4	12632.000	31.34	17.99	49.33	74.00	-24.67	peak
5	13919.000	28.57	21.68	50.25	74.00	-23.75	peak
6	17967.000	23.77	25.89	49.66	74.00	-24.34	peak

Test Mode:	802.11be EHT20	Frequency(MHz):	5200
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	36.22	10.51	46.73	74.00	-27.27	peak
2	10366.000	34.94	12.54	47.48	74.00	-26.52	peak
3	11642.000	31.25	17.03	48.28	74.00	-25.72	peak
4	12665.000	30.73	18.04	48.77	74.00	-25.23	peak
5	13864.000	28.17	21.53	49.70	74.00	-24.30	peak
6	17637.000	24.89	23.64	48.53	74.00	-25.47	peak

Test Mode:	802.11be EHT20	Frequency(MHz):	5200
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9343.000	35.39	10.55	45.94	74.00	-28.06	peak
2	10905.000	34.30	14.36	48.66	74.00	-25.34	peak
3	11444.000	32.27	16.53	48.80	74.00	-25.20	peak
4	13523.000	29.24	20.70	49.94	74.00	-24.06	peak
5	13996.000	28.06	21.87	49.93	74.00	-24.07	peak
6	17956.000	23.61	25.82	49.43	74.00	-24.57	peak

Test Mode:	802.11be EHT20	Frequency(MHz):	5240
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	35.44	10.48	45.92	74.00	-28.08	peak
2	11048.000	33.74	14.91	48.65	74.00	-25.35	peak
3	12687.000	30.97	18.05	49.02	74.00	-24.98	peak
4	13534.000	28.47	20.73	49.20	74.00	-24.80	peak
5	13919.000	27.90	21.68	49.58	74.00	-24.42	peak
6	17989.000	23.89	26.04	49.93	74.00	-24.07	peak

Test Mode:	802.11be EHT20	Frequency(MHz):	5240
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8958.000	37.42	10.05	47.47	74.00	-26.53	peak
2	10366.000	35.53	12.54	48.07	74.00	-25.93	peak
3	11587.000	31.95	16.93	48.88	74.00	-25.12	peak
4	12621.000	31.63	17.98	49.61	74.00	-24.39	peak
5	13919.000	28.65	21.68	50.33	74.00	-23.67	peak
6	17934.000	23.98	25.67	49.65	74.00	-24.35	peak

Test Mode:	802.11be EHT20	Frequency(MHz):	5260
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	36.53	10.46	46.99	74.00	-27.01	peak
2	11059.000	33.51	14.96	48.47	74.00	-25.53	peak
3	11796.000	31.37	17.32	48.69	74.00	-25.31	peak
4	12632.000	31.14	17.99	49.13	74.00	-24.87	peak
5	13919.000	27.85	21.68	49.53	74.00	-24.47	peak
6	17989.000	22.98	26.04	49.02	74.00	-24.98	peak

Test Mode:	802.11be EHT20	Frequency(MHz):	5260
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	35.94	10.48	46.42	74.00	-27.58	peak
2	11070.000	33.13	15.01	48.14	74.00	-25.86	peak
3	11730.000	31.86	17.19	49.05	74.00	-24.95	peak
4	12775.000	31.02	18.17	49.19	74.00	-24.81	peak
5	14018.000	27.87	21.80	49.67	74.00	-24.33	peak
6	17989.000	23.61	26.04	49.65	74.00	-24.35	peak

Test Mode:	802.11be EHT20	Frequency(MHz):	5280
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9156.000	35.97	10.44	46.41	74.00	-27.59	peak
2	11059.000	33.77	14.96	48.73	74.00	-25.27	peak
3	11829.000	31.89	17.38	49.27	74.00	-24.73	peak
4	12698.000	31.88	18.08	49.96	74.00	-24.04	peak
5	13985.000	28.39	21.85	50.24	74.00	-23.76	peak
6	17978.000	24.18	25.97	50.15	74.00	-23.85	peak

Test Mode:	802.11be EHT20	Frequency(MHz):	5280
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9266.000	36.10	10.51	46.61	74.00	-27.39	peak
2	10883.000	34.46	14.27	48.73	74.00	-25.27	peak
3	11884.000	32.12	17.48	49.60	74.00	-24.40	peak
4	12632.000	31.92	17.99	49.91	74.00	-24.09	peak
5	13908.000	27.87	21.66	49.53	74.00	-24.47	peak
6	17978.000	24.77	25.97	50.74	74.00	-23.26	peak

Test Mode:	802.11be EHT20	Frequency(MHz):	5320
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	36.62	10.49	47.11	74.00	-26.89	peak
2	10168.000	34.82	12.13	46.95	74.00	-27.05	peak
3	11785.000	31.75	17.30	49.05	74.00	-24.95	peak
4	12643.000	30.70	18.01	48.71	74.00	-25.29	peak
5	13853.000	28.18	21.52	49.70	74.00	-24.30	peak
6	17989.000	24.07	26.04	50.11	74.00	-23.89	peak

Test Mode:	802.11be EHT20	Frequency(MHz):	5320
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	35.56	10.46	46.02	74.00	-27.98	peak
2	11059.000	33.56	14.96	48.52	74.00	-25.48	peak
3	11697.000	32.69	17.13	49.82	74.00	-24.18	peak
4	12555.000	31.64	17.90	49.54	74.00	-24.46	peak
5	13611.000	28.78	20.92	49.70	74.00	-24.30	peak
6	18000.000	23.38	26.12	49.50	74.00	-24.50	peak

Test Mode:	802.11be EHT20	Frequency(MHz):	5500
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	36.87	10.48	47.35	74.00	-26.65	peak
2	11048.000	33.94	14.91	48.85	74.00	-25.15	peak
3	11829.000	31.93	17.38	49.31	74.00	-24.69	peak
4	12621.000	31.25	17.98	49.23	74.00	-24.77	peak
5	14051.000	26.83	21.67	48.50	74.00	-25.50	peak
6	17978.000	23.17	25.97	49.14	74.00	-24.86	peak

Test Mode:	802.11be EHT20	Frequency(MHz):	5500
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9112.000	37.07	10.41	47.48	74.00	-26.52	peak
2	10905.000	34.25	14.36	48.61	74.00	-25.39	peak
3	11400.000	33.14	16.36	49.50	74.00	-24.50	peak
4	11686.000	33.09	17.12	50.21	74.00	-23.79	peak
5	13985.000	27.11	21.85	48.96	74.00	-25.04	peak
6	17989.000	22.96	26.04	49.00	74.00	-25.00	peak

Test Mode:	802.11be EHT20	Frequency(MHz):	5580
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	36.10	10.51	46.61	74.00	-27.39	peak
2	11048.000	32.57	14.91	47.48	74.00	-26.52	peak
3	12665.000	29.66	18.04	47.70	74.00	-26.30	peak
4	13127.000	29.07	19.01	48.08	74.00	-25.92	peak
5	13974.000	28.08	21.82	49.90	74.00	-24.10	peak
6	17967.000	22.84	25.89	48.73	74.00	-25.27	peak

Test Mode:	802.11be EHT20	Frequency(MHz):	5580
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9563.000	35.38	10.79	46.17	74.00	-27.83	peak
2	10883.000	34.87	14.27	49.14	74.00	-24.86	peak
3	11521.000	31.65	16.82	48.47	74.00	-25.53	peak
4	13402.000	29.00	20.20	49.20	74.00	-24.80	peak
5	13919.000	27.19	21.68	48.87	74.00	-25.13	peak
6	17714.000	24.58	24.16	48.74	74.00	-25.26	peak

Test Mode:	802.11be EHT20	Frequency(MHz):	5700
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	37.15	10.48	47.63	74.00	-26.37	peak
2	10795.000	35.14	13.94	49.08	74.00	-24.92	peak
3	11411.000	32.98	16.41	49.39	74.00	-24.61	peak
4	12742.000	31.40	18.13	49.53	74.00	-24.47	peak
5	13908.000	28.22	21.66	49.88	74.00	-24.12	peak
6	17956.000	22.99	25.82	48.81	74.00	-25.19	peak

Test Mode:	802.11be EHT20	Frequency(MHz):	5700
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9299.000	35.89	10.53	46.42	74.00	-27.58	peak
2	10245.000	34.93	12.28	47.21	74.00	-26.79	peak
3	11048.000	34.03	14.91	48.94	74.00	-25.06	peak
4	12621.000	30.61	17.98	48.59	74.00	-25.41	peak
5	13919.000	27.38	21.68	49.06	74.00	-24.94	peak
6	17967.000	24.06	25.89	49.95	74.00	-24.05	peak

Test Mode:	802.11be EHT20	Frequency(MHz):	5720
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9200.000	36.89	10.46	47.35	74.00	-26.65	peak
2	10795.000	34.55	13.94	48.49	74.00	-25.51	peak
3	11884.000	30.70	17.48	48.18	74.00	-25.82	peak
4	12687.000	30.15	18.05	48.20	74.00	-25.80	peak
5	13886.000	27.63	21.60	49.23	74.00	-24.77	peak
6	17956.000	23.88	25.82	49.70	74.00	-24.30	peak

Test Mode:	802.11be EHT20	Frequency(MHz):	5720
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	36.88	10.54	47.42	74.00	-26.58	peak
2	10883.000	35.25	14.27	49.52	74.00	-24.48	peak
3	11510.000	32.89	16.79	49.68	74.00	-24.32	peak
4	12665.000	31.41	18.04	49.45	74.00	-24.55	peak
5	13864.000	28.05	21.53	49.58	74.00	-24.42	peak
6	17945.000	23.47	25.75	49.22	74.00	-24.78	peak

Test Mode:	802.11be EHT20	Frequency(MHz):	5745
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9321.000	36.66	10.53	47.19	74.00	-26.81	peak
2	11059.000	34.12	14.96	49.08	74.00	-24.92	peak
3	11785.000	32.89	17.30	50.19	74.00	-23.81	peak
4	12687.000	32.25	18.05	50.30	74.00	-23.70	peak
5	13611.000	28.80	20.92	49.72	74.00	-24.28	peak
6	17945.000	23.63	25.75	49.38	74.00	-24.62	peak

Test Mode:	802.11be EHT20	Frequency(MHz):	5745
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9145.000	36.41	10.43	46.84	74.00	-27.16	peak
2	11070.000	34.15	15.01	49.16	74.00	-24.84	peak
3	11488.000	33.95	16.72	50.67	74.00	-23.33	peak
4	14128.000	28.14	21.34	49.48	74.00	-24.52	peak
5	17219.000	27.53	21.52	49.05	74.00	-24.95	peak
6	17934.000	24.07	25.67	49.74	74.00	-24.26	peak

Test Mode:	802.11be EHT20	Frequency(MHz):	5785
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8958.000	36.40	10.05	46.45	74.00	-27.55	peak
2	11070.000	34.86	15.01	49.87	74.00	-24.13	peak
3	11752.000	32.96	17.24	50.20	74.00	-23.80	peak
4	12665.000	31.82	18.04	49.86	74.00	-24.14	peak
5	13919.000	28.71	21.68	50.39	74.00	-23.61	peak
6	18000.000	23.70	26.12	49.82	74.00	-24.18	peak

Test Mode:	802.11be EHT20	Frequency(MHz):	5785
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8903.000	36.96	9.66	46.62	74.00	-27.38	peak
2	10773.000	33.81	13.85	47.66	74.00	-26.34	peak
3	11686.000	32.08	17.12	49.20	74.00	-24.80	peak
4	12665.000	31.15	18.04	49.19	74.00	-24.81	peak
5	13677.000	28.76	21.08	49.84	74.00	-24.16	peak
6	18000.000	23.04	26.12	49.16	74.00	-24.84	peak

Test Mode:	802.11be EHT20	Frequency(MHz):	5825
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9079.000	36.03	10.39	46.42	74.00	-27.58	peak
2	11059.000	33.54	14.96	48.50	74.00	-25.50	peak
3	11884.000	31.39	17.48	48.87	74.00	-25.13	peak
4	12676.000	30.84	18.05	48.89	74.00	-25.11	peak
5	13732.000	28.18	21.22	49.40	74.00	-24.60	peak
6	17989.000	23.28	26.04	49.32	74.00	-24.68	peak

Test Mode:	802.11be EHT20	Frequency(MHz):	5825
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9211.000	36.60	10.47	47.07	74.00	-26.93	peak
2	11048.000	34.65	14.91	49.56	74.00	-24.44	peak
3	11488.000	33.44	16.72	50.16	74.00	-23.84	peak
4	12698.000	31.44	18.08	49.52	74.00	-24.48	peak
5	13864.000	28.02	21.53	49.55	74.00	-24.45	peak
6	17967.000	23.21	25.89	49.10	74.00	-24.90	peak

Test Mode:	802.11be EHT40	Frequency(MHz):	5190
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9145.000	37.26	10.43	47.69	74.00	-26.31	peak
2	10883.000	34.25	14.27	48.52	74.00	-25.48	peak
3	11675.000	32.41	17.10	49.51	74.00	-24.49	peak
4	12643.000	31.53	18.01	49.54	74.00	-24.46	peak
5	13633.000	28.37	20.97	49.34	74.00	-24.66	peak
6	17989.000	23.22	26.04	49.26	74.00	-24.74	peak

Test Mode:	802.11be EHT40	Frequency(MHz):	5190
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	35.97	10.48	46.45	74.00	-27.55	peak
2	11059.000	33.76	14.96	48.72	74.00	-25.28	peak
3	11873.000	31.63	17.46	49.09	74.00	-24.91	peak
4	12698.000	31.13	18.08	49.21	74.00	-24.79	peak
5	13875.000	27.58	21.57	49.15	74.00	-24.85	peak
6	18000.000	23.41	26.12	49.53	74.00	-24.47	peak

Test Mode:	802.11be EHT40	Frequency(MHz):	5230
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	36.58	10.51	47.09	74.00	-26.91	peak
2	10245.000	35.07	12.28	47.35	74.00	-26.65	peak
3	11059.000	33.59	14.96	48.55	74.00	-25.45	peak
4	12742.000	30.53	18.13	48.66	74.00	-25.34	peak
5	13853.000	27.85	21.52	49.37	74.00	-24.63	peak
6	17989.000	22.54	26.04	48.58	74.00	-25.42	peak

Test Mode:	802.11be EHT40	Frequency(MHz):	5230
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	36.50	10.54	47.04	74.00	-26.96	peak
2	10597.000	35.23	13.19	48.42	74.00	-25.58	peak
3	11642.000	32.46	17.03	49.49	74.00	-24.51	peak
4	12698.000	30.93	18.08	49.01	74.00	-24.99	peak
5	13985.000	26.84	21.85	48.69	74.00	-25.31	peak
6	17978.000	23.25	25.97	49.22	74.00	-24.78	peak

Test Mode:	802.11be EHT40	Frequency(MHz):	5270
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	35.71	10.48	46.19	74.00	-27.81	peak
2	10806.000	34.28	13.98	48.26	74.00	-25.74	peak
3	11609.000	31.59	16.98	48.57	74.00	-25.43	peak
4	12698.000	31.88	18.08	49.96	74.00	-24.04	peak
5	13919.000	27.66	21.68	49.34	74.00	-24.66	peak
6	17868.000	24.45	25.22	49.67	74.00	-24.33	peak

Test Mode:	802.11be EHT40	Frequency(MHz):	5270
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9068.000	36.51	10.39	46.90	74.00	-27.10	peak
2	10795.000	34.45	13.94	48.39	74.00	-25.61	peak
3	11906.000	31.70	17.52	49.22	74.00	-24.78	peak
4	12698.000	31.18	18.08	49.26	74.00	-24.74	peak
5	13875.000	27.36	21.57	48.93	74.00	-25.07	peak
6	17989.000	24.15	26.04	50.19	74.00	-23.81	peak

Test Mode:	802.11be EHT40	Frequency(MHz):	5310
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8848.000	37.48	9.29	46.77	74.00	-27.23	peak
2	10861.000	34.04	14.20	48.24	74.00	-25.76	peak
3	11884.000	31.90	17.48	49.38	74.00	-24.62	peak
4	12258.000	31.65	17.77	49.42	74.00	-24.58	peak
5	13919.000	28.27	21.68	49.95	74.00	-24.05	peak
6	18000.000	23.26	26.12	49.38	74.00	-24.62	peak

Test Mode:	802.11be EHT40	Frequency(MHz):	5310
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9222.000	36.96	10.48	47.44	74.00	-26.56	peak
2	11059.000	33.98	14.96	48.94	74.00	-25.06	peak
3	11829.000	32.20	17.38	49.58	74.00	-24.42	peak
4	12225.000	32.03	17.75	49.78	74.00	-24.22	peak
5	13919.000	28.41	21.68	50.09	74.00	-23.91	peak
6	17989.000	24.79	26.04	50.83	74.00	-23.17	peak

Test Mode:	802.11be EHT40	Frequency(MHz):	5510
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7583.000	37.74	6.80	44.54	74.00	-29.46	peak
2	9255.000	36.55	10.51	47.06	74.00	-26.94	peak
3	11015.000	34.19	14.79	48.98	74.00	-25.02	peak
4	12698.000	30.91	18.08	48.99	74.00	-25.01	peak
5	13864.000	27.80	21.53	49.33	74.00	-24.67	peak
6	17978.000	23.01	25.97	48.98	74.00	-25.02	peak

Test Mode:	802.11be EHT40	Frequency(MHz):	5510
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	36.18	10.48	46.66	74.00	-27.34	peak
2	10531.000	34.74	12.94	47.68	74.00	-26.32	peak
3	11543.000	32.41	16.84	49.25	74.00	-24.75	peak
4	11928.000	31.51	17.57	49.08	74.00	-24.92	peak
5	13919.000	28.70	21.68	50.38	74.00	-23.62	peak
6	18000.000	24.86	26.12	50.98	74.00	-23.02	peak

Test Mode:	802.11be EHT40	Frequency(MHz):	5550
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	36.40	10.41	46.81	74.00	-27.19	peak
2	11048.000	34.41	14.91	49.32	74.00	-24.68	peak
3	11686.000	33.46	17.12	50.58	74.00	-23.42	peak
4	12643.000	31.81	18.01	49.82	74.00	-24.18	peak
5	13908.000	28.54	21.66	50.20	74.00	-23.80	peak
6	18000.000	24.10	26.12	50.22	74.00	-23.78	peak

Test Mode:	802.11be EHT40	Frequency(MHz):	5550
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	36.44	10.49	46.93	74.00	-27.07	peak
2	11026.000	33.75	14.82	48.57	74.00	-25.43	peak
3	11334.000	32.54	16.09	48.63	74.00	-25.37	peak
4	12643.000	31.49	18.01	49.50	74.00	-24.50	peak
5	13974.000	27.33	21.82	49.15	74.00	-24.85	peak
6	17989.000	24.43	26.04	50.47	74.00	-23.53	peak

Test Mode:	802.11be EHT40	Frequency(MHz):	5670
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	37.06	10.51	47.57	74.00	-26.43	peak
2	11004.000	34.25	14.74	48.99	74.00	-25.01	peak
3	11521.000	33.05	16.82	49.87	74.00	-24.13	peak
4	12687.000	32.16	18.05	50.21	74.00	-23.79	peak
5	14007.000	28.58	21.85	50.43	74.00	-23.57	peak
6	17967.000	24.30	25.89	50.19	74.00	-23.81	peak

Test Mode:	802.11be EHT40	Frequency(MHz):	5670
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	36.76	10.46	47.22	74.00	-26.78	peak
2	11081.000	34.36	15.05	49.41	74.00	-24.59	peak
3	11785.000	32.58	17.30	49.88	74.00	-24.12	peak
4	12720.000	32.44	18.09	50.53	74.00	-23.47	peak
5	13974.000	27.88	21.82	49.70	74.00	-24.30	peak
6	17967.000	24.59	25.89	50.48	74.00	-23.52	peak

Test Mode:	802.11be EHT40	Frequency(MHz):	5710
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7484.000	38.06	6.87	44.93	74.00	-29.07	peak
2	9211.000	36.54	10.47	47.01	74.00	-26.99	peak
3	11345.000	32.89	16.14	49.03	74.00	-24.97	peak
4	12632.000	31.46	17.99	49.45	74.00	-24.55	peak
5	13897.000	27.72	21.62	49.34	74.00	-24.66	peak
6	18000.000	23.08	26.12	49.20	74.00	-24.80	peak

Test Mode:	802.11be EHT40	Frequency(MHz):	5710
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7726.000	37.41	6.68	44.09	74.00	-29.91	peak
2	9233.000	36.27	10.48	46.75	74.00	-27.25	peak
3	11026.000	33.48	14.82	48.30	74.00	-25.70	peak
4	11840.000	30.61	17.40	48.01	74.00	-25.99	peak
5	13908.000	27.11	21.66	48.77	74.00	-25.23	peak
6	17989.000	22.73	26.04	48.77	74.00	-25.23	peak

Test Mode:	802.11be EHT40	Frequency(MHz):	5755
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7627.000	38.08	6.76	44.84	74.00	-29.16	peak
2	9134.000	36.48	10.41	46.89	74.00	-27.11	peak
3	11059.000	33.85	14.96	48.81	74.00	-25.19	peak
4	12225.000	31.27	17.75	49.02	74.00	-24.98	peak
5	13985.000	28.40	21.85	50.25	74.00	-23.75	peak
6	17967.000	24.28	25.89	50.17	74.00	-23.83	peak

Test Mode:	802.11be EHT40	Frequency(MHz):	5755
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	35.95	10.51	46.46	74.00	-27.54	peak
2	10872.000	34.76	14.23	48.99	74.00	-25.01	peak
3	11785.000	31.47	17.30	48.77	74.00	-25.23	peak
4	12643.000	30.72	18.01	48.73	74.00	-25.27	peak
5	13963.000	27.33	21.78	49.11	74.00	-24.89	peak
6	17978.000	23.92	25.97	49.89	74.00	-24.11	peak

Test Mode:	802.11be EHT40	Frequency(MHz):	5795
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	36.29	10.48	46.77	74.00	-27.23	peak
2	11070.000	32.80	15.01	47.81	74.00	-26.19	peak
3	11752.000	31.63	17.24	48.87	74.00	-25.13	peak
4	12522.000	30.82	17.86	48.68	74.00	-25.32	peak
5	13974.000	28.14	21.82	49.96	74.00	-24.04	peak
6	17967.000	24.07	25.89	49.96	74.00	-24.04	peak

Test Mode:	802.11be EHT40	Frequency(MHz):	5795
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9057.000	37.18	10.38	47.56	74.00	-26.44	peak
2	10861.000	34.10	14.20	48.30	74.00	-25.70	peak
3	11851.000	31.60	17.43	49.03	74.00	-24.97	peak
4	12687.000	31.62	18.05	49.67	74.00	-24.33	peak
5	13908.000	27.46	21.66	49.12	74.00	-24.88	peak
6	17626.000	25.63	23.57	49.20	74.00	-24.80	peak

Test Mode:	802.11be EHT80	Frequency(MHz):	5210
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9563.000	36.72	10.79	47.51	74.00	-26.49	peak
2	11048.000	34.20	14.91	49.11	74.00	-24.89	peak
3	11719.000	32.59	17.18	49.77	74.00	-24.23	peak
4	12654.000	32.40	18.01	50.41	74.00	-23.59	peak
5	13853.000	28.55	21.52	50.07	74.00	-23.93	peak
6	17989.000	23.97	26.04	50.01	74.00	-23.99	peak

Test Mode:	802.11be EHT80	Frequency(MHz):	5210
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	36.53	10.49	47.02	74.00	-26.98	peak
2	11004.000	34.21	14.74	48.95	74.00	-25.05	peak
3	11697.000	31.42	17.13	48.55	74.00	-25.45	peak
4	13655.000	28.13	21.03	49.16	74.00	-24.84	peak
5	14238.000	28.84	20.88	49.72	74.00	-24.28	peak
6	17802.000	24.88	24.76	49.64	74.00	-24.36	peak

Test Mode:	802.11be EHT80	Frequency(MHz):	5290
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	35.96	10.46	46.42	74.00	-27.58	peak
2	11059.000	34.18	14.96	49.14	74.00	-24.86	peak
3	11785.000	32.13	17.30	49.43	74.00	-24.57	peak
4	12236.000	31.99	17.76	49.75	74.00	-24.25	peak
5	13886.000	28.28	21.60	49.88	74.00	-24.12	peak
6	17978.000	24.49	25.97	50.46	74.00	-23.54	peak

Test Mode:	802.11be EHT80	Frequency(MHz):	5290
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9057.000	36.07	10.38	46.45	74.00	-27.55	peak
2	10883.000	33.97	14.27	48.24	74.00	-25.76	peak
3	11741.000	31.68	17.22	48.90	74.00	-25.10	peak
4	12258.000	30.13	17.77	47.90	74.00	-26.10	peak
5	13897.000	28.36	21.62	49.98	74.00	-24.02	peak
6	17967.000	24.21	25.89	50.10	74.00	-23.90	peak

Test Mode:	802.11be EHT80	Frequency(MHz):	5530
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9112.000	35.67	10.41	46.08	74.00	-27.92	peak
2	11070.000	33.91	15.01	48.92	74.00	-25.08	peak
3	11752.000	33.35	17.24	50.59	74.00	-23.41	peak
4	12588.000	32.34	17.94	50.28	74.00	-23.72	peak
5	13138.000	31.20	19.05	50.25	74.00	-23.75	peak
6	17978.000	23.47	25.97	49.44	74.00	-24.56	peak

Test Mode:	802.11be EHT80	Frequency(MHz):	5530
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	36.60	10.48	47.08	74.00	-26.92	peak
2	11004.000	34.07	14.74	48.81	74.00	-25.19	peak
3	11851.000	31.95	17.43	49.38	74.00	-24.62	peak
4	12511.000	31.68	17.84	49.52	74.00	-24.48	peak
5	13875.000	27.22	21.57	48.79	74.00	-25.21	peak
6	17967.000	22.48	25.89	48.37	74.00	-25.63	peak

Test Mode:	802.11be EHT80	Frequency(MHz):	5610
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9079.000	36.21	10.39	46.60	74.00	-27.40	peak
2	10872.000	34.45	14.23	48.68	74.00	-25.32	peak
3	11697.000	32.05	17.13	49.18	74.00	-24.82	peak
4	12555.000	31.37	17.90	49.27	74.00	-24.73	peak
5	13908.000	27.95	21.66	49.61	74.00	-24.39	peak
6	17967.000	23.78	25.89	49.67	74.00	-24.33	peak

Test Mode:	802.11be EHT80	Frequency(MHz):	5610
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	35.94	10.46	46.40	74.00	-27.60	peak
2	10036.000	35.00	11.84	46.84	74.00	-27.16	peak
3	11521.000	31.99	16.82	48.81	74.00	-25.19	peak
4	12654.000	30.25	18.01	48.26	74.00	-25.74	peak
5	13897.000	27.61	21.62	49.23	74.00	-24.77	peak
6	18000.000	23.94	26.12	50.06	74.00	-23.94	peak

Test Mode:	802.11be EHT80	Frequency(MHz):	5690
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	36.29	10.48	46.77	74.00	-27.23	peak
2	10916.000	34.41	14.39	48.80	74.00	-25.20	peak
3	11400.000	33.22	16.36	49.58	74.00	-24.42	peak
4	12709.000	31.32	18.09	49.41	74.00	-24.59	peak
5	13875.000	28.50	21.57	50.07	74.00	-23.93	peak
6	17989.000	23.52	26.04	49.56	74.00	-24.44	peak

Test Mode:	802.11be EHT80	Frequency(MHz):	5690
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9101.000	36.09	10.40	46.49	74.00	-27.51	peak
2	11004.000	33.46	14.74	48.20	74.00	-25.80	peak
3	11686.000	31.72	17.12	48.84	74.00	-25.16	peak
4	12720.000	30.33	18.09	48.42	74.00	-25.58	peak
5	13985.000	26.19	21.85	48.04	74.00	-25.96	peak
6	17989.000	22.60	26.04	48.64	74.00	-25.36	peak

Test Mode:	802.11be EHT80	Frequency(MHz):	5775
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	36.44	10.48	46.92	74.00	-27.08	peak
2	11026.000	34.68	14.82	49.50	74.00	-24.50	peak
3	11686.000	33.54	17.12	50.66	74.00	-23.34	peak
4	12676.000	32.30	18.05	50.35	74.00	-23.65	peak
5	13875.000	28.98	21.57	50.55	74.00	-23.45	peak
6	18000.000	24.41	26.12	50.53	74.00	-23.47	peak

Test Mode:	802.11be EHT80	Frequency(MHz):	5775
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	35.43	10.51	45.94	74.00	-28.06	peak
2	11026.000	34.07	14.82	48.89	74.00	-25.11	peak
3	11774.000	31.89	17.28	49.17	74.00	-24.83	peak
4	13512.000	29.19	20.68	49.87	74.00	-24.13	peak
5	13864.000	28.23	21.53	49.76	74.00	-24.24	peak
6	17956.000	23.92	25.82	49.74	74.00	-24.26	peak

Test Mode:	802.11be EHT160	Frequency(MHz):	5250
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9343.000	36.59	10.55	47.14	74.00	-26.86	peak
2	10894.000	35.24	14.32	49.56	74.00	-24.44	peak
3	11697.000	32.85	17.13	49.98	74.00	-24.02	peak
4	12599.000	32.01	17.95	49.96	74.00	-24.04	peak
5	13424.000	29.74	20.30	50.04	74.00	-23.96	peak
6	17989.000	24.37	26.04	50.41	74.00	-23.59	peak

Test Mode:	802.11be EHT160	Frequency(MHz):	5250
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	36.45	10.48	46.93	74.00	-27.07	peak
2	11048.000	33.85	14.91	48.76	74.00	-25.24	peak
3	11818.000	32.21	17.36	49.57	74.00	-24.43	peak
4	12698.000	30.90	18.08	48.98	74.00	-25.02	peak
5	13974.000	28.18	21.82	50.00	74.00	-24.00	peak
6	17956.000	23.59	25.82	49.41	74.00	-24.59	peak

Test Mode:	802.11be EHT160	Frequency(MHz):	5570
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9057.000	36.02	10.38	46.40	74.00	-27.60	peak
2	11037.000	33.90	14.87	48.77	74.00	-25.23	peak
3	11411.000	32.50	16.41	48.91	74.00	-25.09	peak
4	12621.000	31.34	17.98	49.32	74.00	-24.68	peak
5	13842.000	27.33	21.49	48.82	74.00	-25.18	peak
6	17923.000	23.82	25.60	49.42	74.00	-24.58	peak

Test Mode:	802.11be EHT160	Frequency(MHz):	5570
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9222.000	36.37	10.48	46.85	74.00	-27.15	peak
2	11037.000	33.85	14.87	48.72	74.00	-25.28	peak
3	11708.000	32.51	17.16	49.67	74.00	-24.33	peak
4	12709.000	32.45	18.09	50.54	74.00	-23.46	peak
5	13853.000	28.46	21.52	49.98	74.00	-24.02	peak
6	17989.000	24.51	26.04	50.55	74.00	-23.45	peak

Test Mode:	802.11be EHT240	Frequency(MHz):	5610
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	37.04	10.49	47.53	74.00	-26.47	peak
2	11466.000	32.27	16.63	48.90	74.00	-25.10	peak
3	11796.000	32.04	17.32	49.36	74.00	-24.64	peak
4	12720.000	31.02	18.09	49.11	74.00	-24.89	peak
5	13908.000	27.06	21.66	48.72	74.00	-25.28	peak
6	17802.000	23.70	24.76	48.46	74.00	-25.54	peak

Test Mode:	802.11be EHT240	Frequency(MHz):	5610
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9101.000	36.76	10.40	47.16	74.00	-26.84	peak
2	11059.000	34.14	14.96	49.10	74.00	-24.90	peak
3	11752.000	32.33	17.24	49.57	74.00	-24.43	peak
4	12698.000	31.85	18.08	49.93	74.00	-24.07	peak
5	13633.000	28.26	20.97	49.23	74.00	-24.77	peak
6	17967.000	23.30	25.89	49.19	74.00	-24.81	peak

8.6. SPURIOUS EMISSIONS(7 GHZ~18 GHZ)


For ISED UNII-1 test data:

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9299.000	37.53	10.53	48.06	74.00	-25.94	peak
2	10289.000	36.55	12.38	48.93	74.00	-25.07	peak
3	11059.000	35.39	14.96	50.35	74.00	-23.65	peak
4	12313.000	32.50	17.78	50.28	74.00	-23.72	peak
5	13567.000	29.33	20.80	50.13	74.00	-23.87	peak
6	17670.000	25.53	23.86	49.39	74.00	-24.61	peak

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	36.93	10.51	47.44	74.00	-26.56	peak
2	10795.000	35.95	13.94	49.89	74.00	-24.11	peak
3	11532.000	33.80	16.83	50.63	74.00	-23.37	peak
4	12698.000	32.33	18.08	50.41	74.00	-23.59	peak
5	14018.000	29.10	21.80	50.90	74.00	-23.10	peak
6	17989.000	24.65	26.04	50.69	74.00	-23.31	peak

Test Mode:	802.11a 20	Frequency(MHz):	5200
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9266.000	37.05	10.51	47.56	74.00	-26.44	peak
2	11048.000	35.41	14.91	50.32	74.00	-23.68	peak
3	11697.000	33.21	17.13	50.34	74.00	-23.66	peak
4	12698.000	32.71	18.08	50.79	74.00	-23.21	peak
5	14007.000	29.15	21.85	51.00	74.00	-23.00	peak
6	17967.000	24.56	25.89	50.45	74.00	-23.55	peak

Test Mode:	802.11a 20	Frequency(MHz):	5200
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	38.24	10.41	48.65	74.00	-25.35	peak
2	10289.000	35.85	12.38	48.23	74.00	-25.77	peak
3	11521.000	32.76	16.82	49.58	74.00	-24.42	peak
4	12786.000	32.29	18.18	50.47	74.00	-23.53	peak
5	13985.000	29.05	21.85	50.90	74.00	-23.10	peak
6	18000.000	24.32	26.12	50.44	74.00	-23.56	peak

Test Mode:	802.11a 20	Frequency(MHz):	5240
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9068.000	37.32	10.39	47.71	74.00	-26.29	peak
2	10729.000	35.63	13.69	49.32	74.00	-24.68	peak
3	11763.000	32.85	17.26	50.11	74.00	-23.89	peak
4	12665.000	31.68	18.04	49.72	74.00	-24.28	peak
5	17714.000	25.16	24.16	49.32	74.00	-24.68	peak
6	18000.000	24.72	26.12	50.84	74.00	-23.16	peak

Test Mode:	802.11a 20	Frequency(MHz):	5240
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9068.000	37.35	10.39	47.74	74.00	-26.26	peak
2	10168.000	36.26	12.13	48.39	74.00	-25.61	peak
3	10806.000	34.71	13.98	48.69	74.00	-25.31	peak
4	11730.000	32.96	17.19	50.15	74.00	-23.85	peak
5	12676.000	32.08	18.05	50.13	74.00	-23.87	peak
6	18000.000	23.08	26.12	49.20	74.00	-24.80	peak

Test Mode:	802.11ac VHT20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9343.000	37.15	10.55	47.70	74.00	-26.30	peak
2	10300.000	36.13	12.40	48.53	74.00	-25.47	peak
3	11323.000	33.95	16.05	50.00	74.00	-24.00	peak
4	12698.000	32.62	18.08	50.70	74.00	-23.30	peak
5	13996.000	29.00	21.87	50.87	74.00	-23.13	peak
6	18000.000	24.44	26.12	50.56	74.00	-23.44	peak

Test Mode:	802.11ac VHT20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8870.000	38.61	9.44	48.05	74.00	-25.95	peak
2	9299.000	37.66	10.53	48.19	74.00	-25.81	peak
3	10696.000	36.00	13.56	49.56	74.00	-24.44	peak
4	11829.000	32.51	17.38	49.89	74.00	-24.11	peak
5	13567.000	29.95	20.80	50.75	74.00	-23.25	peak
6	17549.000	26.46	23.04	49.50	74.00	-24.50	peak

Test Mode:	802.11ac VHT20	Frequency(MHz):	5200
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8914.000	38.28	9.75	48.03	74.00	-25.97	peak
2	10157.000	37.11	12.10	49.21	74.00	-24.79	peak
3	11411.000	34.40	16.41	50.81	74.00	-23.19	peak
4	12632.000	32.12	17.99	50.11	74.00	-23.89	peak
5	14007.000	28.37	21.85	50.22	74.00	-23.78	peak
6	17967.000	24.62	25.89	50.51	74.00	-23.49	peak

Test Mode:	802.11ac VHT20	Frequency(MHz):	5200
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8936.000	38.05	9.90	47.95	74.00	-26.05	peak
2	11268.000	33.62	15.83	49.45	74.00	-24.55	peak
3	11884.000	32.62	17.48	50.10	74.00	-23.90	peak
4	12159.000	31.75	17.73	49.48	74.00	-24.52	peak
5	13589.000	29.26	20.86	50.12	74.00	-23.88	peak
6	17912.000	24.63	25.52	50.15	74.00	-23.85	peak