




11G Ant2 2437



11G Ant1 2462



11G Ant2 2462




11AX20MIMO Ant1\_2412



11AX20MIMO Ant2\_2412



11AX20MIMO Ant1\_2417



11AX20MIMO Ant2 2417




11AX20MIMO Ant1 2437



11AX20MIMO Ant2 2437




11AX20MIMO Ant1\_2457




11AX20MIMO Ant2\_2457



11AX20MIMO Ant1\_2462




11AX20MIMO Ant2 2462




11AX40MIMO Ant1 2422



11AX40MIMO Ant2 2422



11AX40MIMO Ant1\_2427



11AX40MIMO Ant2\_2427



11AX40MIMO Ant1\_2437




11AX40MIMO Ant2 2437



11AX40MIMO Ant1 2447



11AX40MIMO Ant2 2447







## 11.5. APPENDIX E: BAND EDGE MEASUREMENTS

### 11.5.1. Test Result

Test Mode	Antenna	ChName	Channel	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
11B	Ant1	Low	2412	15.11	-34.75	≤-14.9	PASS
	Ant2	Low	2412	16.12	-34.68	≤-13.88	PASS
	Ant1	High	2462	15.30	-37.39	≤-14.7	PASS
	Ant2	High	2462	16.34	-37.73	≤-13.66	PASS
11G	Ant1	Low	2412	13.05	-31.54	≤-16.95	PASS
	Ant2	Low	2412	14.21	-28.81	≤-15.79	PASS
	Ant1	High	2462	13.57	-37.68	≤-16.43	PASS
	Ant2	High	2462	14.60	-36.56	≤-15.4	PASS
11AX20MIMO	Ant1	Low	2412	12.92	-31.91	≤-17.08	PASS
	Ant2	Low	2412	14.33	-28.78	≤-15.67	PASS
	Ant1	Low	2417	13.18	-35.12	≤-16.82	PASS
	Ant2	Low	2417	14.53	-36.92	≤-15.47	PASS
	Ant1	High	2457	13.51	-37.06	≤-16.49	PASS
	Ant2	High	2457	14.72	-37.35	≤-15.28	PASS
	Ant1	High	2462	13.24	-38.03	≤-16.76	PASS
	Ant2	High	2462	14.53	-35.5	≤-15.47	PASS
11AX40MIMO	Ant1	Low	2422	10.29	-26.19	≤-19.71	PASS
	Ant2	Low	2422	11.81	-26.36	≤-18.2	PASS
	Ant1	Low	2427	10.37	-25.83	≤-19.63	PASS
	Ant2	Low	2427	11.94	-26.5	≤-18.06	PASS
	Ant1	High	2447	10.31	-37.48	≤-19.69	PASS
	Ant2	High	2447	11.76	-33.47	≤-18.25	PASS
	Ant1	High	2452	10.47	-31.61	≤-19.53	PASS
	Ant2	High	2452	11.61	-28.09	≤-18.39	PASS

### 11.5.2. Test Graphs





11B Ant2 High 2462



11G Ant1 Low 2412



11G Ant2 Low 2412



11G Ant1 High 2462




11G Ant2 High 2462




11AX20MIMO Ant1 Low 2412



11AX20MIMO Ant2 Low 2412



11AX20MIMO Ant1 Low 2417



11AX20MIMO Ant2 Low 2417




11AX20MIMO Ant1 High 2457




11AX20MIMO Ant2 High 2457




11AX20MIMO Ant1 High 2462



11AX20MIMO Ant2 High 2462



11AX40MIMO Ant1 Low 2422



11AX40MIMO Ant2 Low 2422




11AX40MIMO Ant1 Low 2427




11AX40MIMO Ant2 Low 2427



11AX40MIMO Ant1 High 2447



11AX40MIMO Ant2 High 2447



11AX40MIMO Ant1 High 2452



11AX40MIMO Ant2 High 2452


**11.6. APPENDIX F: CONDUCTED SPURIOUS EMISSION****11.6.1. Test Result**

Test Mode	Antenna	Channel	FreqRange [Mhz]	Result [dBm]	Limit [dBm]	Verdict	
11B	Ant1	2412	Reference	15.11	---	PASS	
			30~1000	-49.81	≤-14.89	PASS	
			1000~26500	-40.59	≤-14.89	PASS	
	Ant2	2412	Reference	16.57	---	PASS	
			30~1000	-49.75	≤-13.43	PASS	
			1000~26500	-42.18	≤-13.43	PASS	
	Ant1	2437	Reference	15.30	---	PASS	
			30~1000	-49.74	≤-14.7	PASS	
			1000~26500	-41.6	≤-14.7	PASS	
	Ant2	2437	Reference	16.43	---	PASS	
			30~1000	-50.13	≤-13.57	PASS	
			1000~26500	-41.36	≤-13.57	PASS	
	Ant1	2462	Reference	15.28	---	PASS	
			30~1000	-49.57	≤-14.72	PASS	
			1000~26500	-41.26	≤-14.72	PASS	
	Ant2	2462	Reference	16.19	---	PASS	
			30~1000	-49.74	≤-13.81	PASS	
			1000~26500	-41.37	≤-13.81	PASS	
	11G	Ant1	2412	Reference	13.16	---	PASS
				30~1000	-49.74	≤-16.84	PASS
				1000~26500	-41.91	≤-16.84	PASS
		Ant2	2412	Reference	14.10	---	PASS
				30~1000	-49.95	≤-15.9	PASS
				1000~26500	-41.89	≤-15.9	PASS
Ant1		2437	Reference	13.46	---	PASS	
			30~1000	-49.76	≤-16.54	PASS	
			1000~26500	-41.75	≤-16.54	PASS	
Ant2		2437	Reference	14.26	---	PASS	
			30~1000	-50.15	≤-15.74	PASS	
			1000~26500	-41.63	≤-15.74	PASS	
Ant1		2462	Reference	13.48	---	PASS	
			30~1000	-49.97	≤-16.52	PASS	
			1000~26500	-41	≤-16.52	PASS	
Ant2		2462	Reference	14.43	---	PASS	
			30~1000	-49.98	≤-15.57	PASS	
			1000~26500	-41.32	≤-15.57	PASS	
11AX20MIMO		Ant1	2412	Reference	13.05	---	PASS
				30~1000	-50.1	≤-16.95	PASS
				1000~26500	-41.03	≤-16.95	PASS
		Ant2	2412	Reference	14.30	---	PASS
				30~1000	-49.91	≤-15.7	PASS
				1000~26500	-41.38	≤-15.7	PASS
	Ant1	2417	Reference	13.17	---	PASS	
			30~1000	-49.61	≤-16.83	PASS	
			1000~26500	-41.43	≤-16.83	PASS	
	Ant2	2417	Reference	14.53	---	PASS	
			30~1000	-49.09	≤-15.47	PASS	
			1000~26500	-41.82	≤-15.47	PASS	
	Ant1	2437	Reference	13.31	---	PASS	
			30~1000	-48.96	≤-16.69	PASS	
			1000~26500	-42.01	≤-16.69	PASS	
	Ant2	2437	Reference	14.53	---	PASS	
			30~1000	-48.83	≤-15.47	PASS	
			1000~26500	-41.26	≤-15.47	PASS	
	Ant1	2457	Reference	13.27	---	PASS	




	Ant2	2457	30~1000	-48.93	$\leq -16.73$	PASS
			1000~26500	-41.41	$\leq -16.73$	PASS
			Reference	14.72	---	PASS
			30~1000	-49.77	$\leq -15.28$	PASS
			1000~26500	-40.95	$\leq -15.28$	PASS
			Reference	13.40	---	PASS
	Ant1	2462	30~1000	-49.11	$\leq -16.6$	PASS
			1000~26500	-41.65	$\leq -16.6$	PASS
			Reference	14.54	---	PASS
	Ant2	2462	30~1000	-49.99	$\leq -15.46$	PASS
			1000~26500	-40.85	$\leq -15.46$	PASS
			Reference	10.27	---	PASS
11AX40MIMO	Ant1	2422	30~1000	-50.08	$\leq -19.73$	PASS
			1000~26500	-41.77	$\leq -19.73$	PASS
			Reference	11.81	---	PASS
	Ant2	2422	30~1000	-49.7	$\leq -18.19$	PASS
			1000~26500	-40.83	$\leq -18.19$	PASS
			Reference	10.36	---	PASS
	Ant1	2427	30~1000	-49.53	$\leq -19.64$	PASS
			1000~26500	-41.41	$\leq -19.64$	PASS
			Reference	11.98	---	PASS
	Ant2	2427	30~1000	-49.41	$\leq -18.02$	PASS
			1000~26500	-41.38	$\leq -18.02$	PASS
			Reference	10.10	---	PASS
	Ant1	2437	30~1000	-49.74	$\leq -19.9$	PASS
			1000~26500	-41.36	$\leq -19.9$	PASS
			Reference	11.69	---	PASS
	Ant2	2437	30~1000	-50.35	$\leq -18.31$	PASS
			1000~26500	-42.07	$\leq -18.31$	PASS
			Reference	10.33	---	PASS
	Ant1	2447	30~1000	-49.26	$\leq -19.67$	PASS
			1000~26500	-41.94	$\leq -19.67$	PASS
			Reference	11.76	---	PASS
	Ant2	2447	30~1000	-48.88	$\leq -18.24$	PASS
			1000~26500	-41.28	$\leq -18.24$	PASS
			Reference	10.47	---	PASS
	Ant1	2452	30~1000	-49.9	$\leq -19.53$	PASS
			1000~26500	-41.65	$\leq -19.53$	PASS
			Reference	11.62	---	PASS
	Ant2	2452	30~1000	-49.26	$\leq -18.38$	PASS
			1000~26500	-41.88	$\leq -18.38$	PASS

### 11.6.2. Test Graphs






11B Ant2 2412 0~Reference




11B Ant2 2412 30~1000




11B Ant2 2412 1000~26500



11B Ant1 2437 0~Reference




11B Ant1 2437 30~1000




11B\_Ant1\_2437\_1000~26500



11B Ant2 2437 0~Reference




11B Ant2 2437 30~1000




11B Ant2 2437 1000~26500





11B Ant1 2462 0~Reference




11B Ant1 2462 30~1000




11B\_Ant1\_2462\_1000~26500









11G Ant1 2412 0~Reference



11G Ant1 2412 30~1000




11G Ant1 2412 1000~26500







11G Ant1 2437 0~Reference




11G Ant1 2437 30~1000




11G Ant1 2437 1000~26500



11G Ant2 2437 0~Reference




11G Ant2 2437 30~1000




11G Ant2 2437 1000~26500



11G Ant1 2462 0~Reference




11G Ant1 2462 30~1000




11G Ant1 2462 1000~26500



11G Ant2 2462 0~Reference




11G Ant2 2462 30~1000




11G Ant2 2462 1000~26500



11AX20MIMO Ant1 2412 0~Reference




11AX20MIMO Ant1 2412 30~1000




11AX20MIMO Ant1 2412 1000~26500



11AX20MIMO Ant2 2412 0~Reference




11AX20MIMO Ant2 2412 30~1000




11AX20MIMO Ant2 2412 1000~26500



11AX20MIMO Ant1 2417 0~Reference




11AX20MIMO Ant1 2417 30~1000




11AX20MIMO Ant1 2417 1000~26500



11AX20MIMO Ant2 2417 0~Reference




11AX20MIMO Ant2 2417 30~1000




11AX20MIMO Ant2 2417 1000~26500



11AX20MIMO Ant1 2437 0~Reference




11AX20MIMO Ant1 2437 30~1000




11AX20MIMO Ant1 2437 1000~26500



11AX20MIMO Ant2 2437 0~Reference




11AX20MIMO Ant2 2437 30~1000




11AX20MIMO Ant2 2437 1000~26500



11AX20MIMO Ant1 2457 0~Reference




11AX20MIMO Ant1 2457 30~1000




11AX20MIMO Ant1 2457 1000~26500



11AX20MIMO Ant2 2457 0~Reference




11AX20MIMO Ant2 2457 30~1000




11AX20MIMO Ant2 2457 1000~26500



11AX20MIMO Ant1 2462 0~Reference




11AX20MIMO Ant1 2462 30~1000




11AX20MIMO Ant1 2462 1000~26500




11AX20MIMO Ant2 2462 0~Reference




11AX20MIMO Ant2 2462 30~1000




11AX20MIMO Ant2 2462 1000~26500





11AX40MIMO Ant1 2422 0~Reference




11AX40MIMO Ant1 2422 30~1000




11AX40MIMO Ant1 2422 1000~26500







11AX40MIMO Ant1 2427 0~Reference




11AX40MIMO Ant1 2427 30~1000




11AX40MIMO Ant1 2427 1000~26500




11AX40MIMO Ant2 2427 0~Reference




11AX40MIMO Ant2 2427 30~1000




11AX40MIMO Ant2 2427 1000~26500



11AX40MIMO Ant1 2437 0~Reference




11AX40MIMO Ant1 2437 30~1000




11AX40MIMO Ant1 2437 1000~26500




11AX40MIMO Ant2 2437 0~Reference




11AX40MIMO Ant2 2437 30~1000




11AX40MIMO Ant2 2437 1000~26500




11AX40MIMO Ant1 2447 0~Reference




11AX40MIMO Ant1 2447 30~1000




11AX40MIMO Ant1 2447 1000~26500



11AX40MIMO Ant2 2447 0~Reference




11AX40MIMO Ant2 2447 30~1000




11AX40MIMO Ant2 2447 1000~26500



11AX40MIMO Ant1 2452 0~Reference




11AX40MIMO Ant1 2452 30~1000




11AX40MIMO Ant1 2452 1000~26500



11AX40MIMO Ant2 2452 0~Reference



11AX40MIMO Ant2 2452 30~1000



11AX40MIMO Ant2 2452 1000~26500



## 11.7. APPENDIX G: DUTY CYCLE

### 11.7.1. Test Result

Test Mode	On Time (msec)	Period (msec)	Duty Cycle x (Linear)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	1/T Minimum VBW (kHz)	Final setting For VBW (kHz)
802.11b	8.42	8.47	0.9941	99.41	0.03	0.12	0.01
802.11g	1.39	1.45	0.9586	95.86	0.18	0.72	1
802.11ax HE20	0.2	0.26	0.7692	76.92	1.14	5.00	6
802.11ax HE40	0.2	0.26	0.7692	76.92	1.14	5.00	6

Note:

Duty Cycle Correction Factor= $10\log(1/x)$ .


Where: x is Duty Cycle (Linear)

Where: T is On Time

If that calculated VBW is not available on the analyzer then the next higher value should be used.

### 11.7.2. Test Graphs





11AX40MIMO\_Ant1\_2422

END OF REPORT