


Test Mode	UNII-3_TX AC(VHT40) Mode 5795 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11590.9330	33.50	19.88	53.38	54.00	-0.62	AVG	
2	11590.9420	47.05	19.88	66.93	74.00	-7.07	Peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5795 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5799.2000	83.25	16.84	100.09	122.20	-22.11	Peak	No Limit
2	5850.0000	51.29	16.87	68.16	122.20	-54.04	Peak	
3	5860.0000	45.47	16.88	62.35	109.40	-47.05	Peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5795 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11588.7000	47.08	14.73	61.81	74.00	-12.19	Peak	
2 *	11591.4000	36.21	14.73	50.94	54.00	-3.06	AVG	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT80) Mode 5775 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5621.8000	51.22	16.74	67.96	68.20	-0.24	Peak	
2	5715.0000	67.58	16.79	84.37	109.40	-25.03	Peak	
3	5725.0000	67.87	16.80	84.67	122.20	-37.53	Peak	
4	5771.4000	93.18	16.83	110.01	122.20	-12.19	Peak	No Limit
5	5850.0000	65.50	16.87	82.37	122.20	-39.83	Peak	
6	5860.0000	59.96	16.88	76.84	109.40	-32.56	Peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT80) Mode 5775 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11549.0000	36.99	14.70	51.69	54.00	-2.31	AVG	
2	11549.4000	47.30	14.70	62.00	74.00	-12.00	Peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT80) Mode 5775 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	55.17	16.79	71.96	109.40	-37.44	Peak	
2	5725.0000	55.65	16.80	72.45	122.20	-49.75	Peak	
3 *	5772.2000	78.54	16.83	95.37	122.20	-26.83	Peak	No Limit
4	5850.0000	49.40	16.87	66.27	122.20	-55.93	Peak	
5	5860.0000	45.84	16.88	62.72	109.40	-46.68	Peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT80) Mode 5775 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11548.9000	43.05	14.70	57.75	74.00	-16.25	Peak	
2 *	11556.5000	32.48	14.70	47.18	54.00	-6.82	AVG	

**REMARKS:**


- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

## APPENDIX E - BANDWIDTH

Test Mode	UNII-1_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	33.05	17.10
40	5200	30.40	17.00
48	5240	23.39	16.90

### CH36




Date: 12.AUG.2021 16:54:20

### CH40 26 dB Bandwidth




Date: 12.AUG.2021 16:55:09

### CH48




Date: 12.AUG.2021 16:56:01


### 99 % Occupied Bandwidth



Date: 12.AUG.2021 16:54:05



Date: 12.AUG.2021 16:54:50




Date: 12.AUG.2021 16:55:35

Test Mode	UNII-1_TX AC(VHT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	24.80	17.90
40	5200	25.86	17.90
48	5240	25.09	17.90

### CH36




### CH40




26 dB Bandwidth



### CH48




### 99 % Occupied Bandwidth



Test Mode	UNII-1_TX AC(VHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	45.19	37.20
46	5230	40.40	37.00

### CH38




Date: 12.AUG.2021 17:05:17

### CH46 26 dB Bandwidth




Date: 12.AUG.2021 17:05:52



Date: 12.AUG.2021 17:06:43

### 99 % Occupied Bandwidth




Date: 12.AUG.2021 17:05:32

Test Mode	UNII-1_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	115.18	76.80

### CH42 26 dB Bandwidth



Date: 12.AUG.2021 16:51:20

### 99 % Occupied Bandwidth




Date: 12.AUG.2021 16:50:23

Test Mode	UNII-2A_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	23.35	17.00
60	5300	20.09	16.70
64	5320	20.10	16.70

### CH52




Date: 23.SEP.2021 15:19:28

### CH60 26 dB Bandwidth




Date: 23.SEP.2021 15:08:24

### CH64




Date: 23.SEP.2021 15:09:07


### 99 % Occupied Bandwidth



Date: 23.SEP.2021 15:19:02



Date: 23.SEP.2021 15:08:03




Date: 23.SEP.2021 15:08:47



Test Mode	UNII-2A_TX AC(VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	49.00	37.20
62	5310	49.40	37.20

### CH54




Date: 23.SEP.2021 15:22:14

### CH62 26 dB Bandwidth




Date: 23.SEP.2021 15:22:57



Date: 23.SEP.2021 15:20:59

### 99 % Occupied Bandwidth




Date: 23.SEP.2021 15:22:13

Test Mode	UNII-2A_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	160.79	76.80

### CH58 26 dB Bandwidth



Date: 23.SEP.2021 15:36:44

### 99 % Occupied Bandwidth




Date: 23.SEP.2021 15:36:28

Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	22.69	16.80
116	5580	21.30	16.90
140	5700	21.30	16.90

### CH100




Date: 23.SEP.2021 15:09:15Z

### CH116 26 dB Bandwidth




Date: 23.SEP.2021 15:10:50

### CH140




Date: 23.SEP.2021 15:11:50


### 99 % Occupied Bandwidth



Date: 23.SEP.2021 15:09:13



Date: 23.SEP.2021 15:10:28




Date: 23.SEP.2021 15:11:15

Test Mode	UNII-2C_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	21.69	17.80
116	5580	20.45	17.80
140	5700	21.89	17.80

### CH100




Date: 23.SEP.2021 15:16:12

### CH116 26 dB Bandwidth




Date: 23.SEP.2021 15:16:55

### CH140



Date: 23.SEP.2021 15:17:47


### 99 % Occupied Bandwidth



Date: 23.SEP.2021 15:16:12



Date: 23.SEP.2021 15:16:34




Date: 23.SEP.2021 15:17:26

Test Mode	UNII-2C_TX AC(VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	49.30	37.20
110	5550	40.60	37.00
134	5670	55.80	37.40

**CH102**




Date: 23.SEP.2021 15:12:156

**CH110**  
26 dB Bandwidth




Date: 23.SEP.2021 15:29:115

**CH134**




Date: 23.SEP.2021 15:30:101


**99 % Occupied Bandwidth**



Date: 23.SEP.2021 15:12:117



Date: 23.SEP.2021 15:28:41




Date: 23.SEP.2021 15:29:38

Test Mode	UNII-2C_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	122.79	76.00
122	5610	108.80	76.00

### CH106




Date: 23\_SEP\_2021 15:38:27

### CH122 26 dB Bandwidth




Date: 23\_SEP\_2021 15:39:14

### 99 % Occupied Bandwidth



Date: 23\_SEP\_2021 15:37:46




Date: 23\_SEP\_2021 15:38:45

Test Mode	UNII-3_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	15.20	16.90	0.50	Complies
157	5785	15.29	16.90	0.50	Complies
165	5825	15.20	16.90	0.50	Complies

**CH149**




Date: 12.AUG.2021 16:15:43

**CH157**  
6 dB Bandwidth




Date: 12.AUG.2021 16:17:24

**CH165**




Date: 12.AUG.2021 16:18:24


**99 % Occupied Bandwidth**



Date: 12.AUG.2021 16:15:18



Date: 12.AUG.2021 16:15:58




Date: 12.AUG.2021 16:15:00

Test Mode UNII-3\_TX AC(VHT20) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	16.09	17.90	0.50	Complies
157	5785	16.10	17.90	0.50	Complies
165	5825	15.50	17.90	0.50	Complies


**CH149**



Date: 12.AUG.2021 17:02:23


**CH157**

**6 dB Bandwidth**



Date: 12.AUG.2021 17:03:21

**CH165**




Date: 12.AUG.2021 17:04:16


**99 % Occupied Bandwidth**



Date: 12.AUG.2021 17:02:00



Date: 12.AUG.2021 17:02:57




Date: 12.AUG.2021 17:03:53

Test Mode	UNII-3_TX AC(VHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	35.40	37.00	0.50	Complies
159	5795	35.40	37.20	0.50	Complies

### CH151




Date: 12.AUG.2021 17:06:41

### CH159 6 dB Bandwidth



Date: 12.AUG.2021 17:07:30

### 99 % Occupied Bandwidth



Date: 12.AUG.2021 17:06:12




Date: 12.AUG.2021 17:07:02

Test Mode	UNII-3_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	75.40	76.80	0.50	Complies

### CH155 6 dB Bandwidth



Date: 12.AUG.2021 16:49:46

### 99 % Occupied Bandwidth



Date: 12.AUG.2021 16:49:19

## **APPENDIX F - MAXIMUM OUTPUT POWER**

**Non Beamforming**

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.84	0.18	16.02	30.00	1.0000	Complies
40	5200	19.11	0.18	19.29	30.00	1.0000	Complies
48	5240	19.15	0.18	19.33	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.97	0.18	16.15	30.00	1.0000	Complies
40	5200	18.99	0.18	19.17	30.00	1.0000	Complies
48	5240	19.02	0.18	19.20	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.10	30.00	1.0000	Complies
40	5200	22.24	30.00	1.0000	Complies
48	5240	22.28	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.11	0.18	15.29	30.00	1.0000	Complies
40	5200	18.33	0.18	18.51	30.00	1.0000	Complies
48	5240	18.75	0.18	18.93	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.91	0.18	15.09	30.00	1.0000	Complies
40	5200	17.86	0.18	18.04	30.00	1.0000	Complies
48	5240	18.36	0.18	18.54	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.20	30.00	1.0000	Complies
40	5200	21.29	30.00	1.0000	Complies
48	5240	21.75	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.22	0.10	15.32	30.00	1.0000	Complies
46	5230	19.04	0.10	19.14	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.07	0.10	15.17	30.00	1.0000	Complies
46	5230	18.88	0.10	18.98	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.25	30.00	1.0000	Complies
46	5230	22.07	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	14.12	0.14	14.26	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.85	0.14	13.99	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	17.14	30.00	1.0000	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.85	0.18	19.03	23.98	0.2500	Complies
60	5300	19.38	0.18	19.56	23.98	0.2500	Complies
64	5320	19.23	0.18	19.41	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.22	0.18	18.40	23.98	0.2500	Complies
60	5300	18.84	0.18	19.02	23.98	0.2500	Complies
64	5320	19.37	0.18	19.55	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	21.74	23.98	0.2500	Complies
60	5300	22.31	23.98	0.2500	Complies
64	5320	22.49	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	19.59	0.18	19.77	23.98	0.2500	Complies
60	5300	20.31	0.18	20.49	23.98	0.2500	Complies
64	5320	18.57	0.18	18.75	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	19.18	0.18	19.36	23.98	0.2500	Complies
60	5300	19.75	0.18	19.93	23.98	0.2500	Complies
64	5320	18.76	0.18	18.94	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	22.58	23.98	0.2500	Complies
60	5300	23.23	23.98	0.2500	Complies
64	5320	21.86	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.62	0.10	20.72	23.98	0.2500	Complies
62	5310	15.69	0.10	15.79	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.08	0.10	20.18	23.98	0.2500	Complies
62	5310	15.73	0.10	15.83	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	23.47	23.98	0.2500	Complies
62	5310	18.82	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.98	0.14	14.12	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.64	0.14	13.78	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.96	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.45	0.18	15.63	23.98	0.2500	Complies
116	5580	18.32	0.18	18.50	23.98	0.2500	Complies
140	5700	16.33	0.18	16.51	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.05	0.18	15.23	23.98	0.2500	Complies
116	5580	17.81	0.18	17.99	23.98	0.2500	Complies
140	5700	16.82	0.18	17.00	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.45	23.98	0.2500	Complies
116	5580	21.26	23.98	0.2500	Complies
140	5700	19.77	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.48	0.18	18.66	23.98	0.2500	Complies
116	5580	19.11	0.18	19.29	23.98	0.2500	Complies
140	5700	15.85	0.18	16.03	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.84	0.18	19.02	23.98	0.2500	Complies
116	5580	18.37	0.18	18.55	23.98	0.2500	Complies
140	5700	15.74	0.18	15.92	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	21.85	23.98	0.2500	Complies
116	5580	21.95	23.98	0.2500	Complies
140	5700	18.99	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.42	0.10	16.52	23.98	0.2500	Complies
110	5550	19.59	0.10	19.69	23.98	0.2500	Complies
134	5670	16.61	0.10	16.71	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.55	0.10	16.65	23.98	0.2500	Complies
110	5550	19.44	0.10	19.54	23.98	0.2500	Complies
134	5670	16.54	0.10	16.64	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	19.59	23.98	0.2500	Complies
110	5550	22.62	23.98	0.2500	Complies
134	5670	19.68	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	12.99	0.14	13.13	23.98	0.2500	Complies
122	5610	17.77	0.14	17.91	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	12.96	0.14	13.10	23.98	0.2500	Complies
122	5610	17.62	0.14	17.76	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.13	23.98	0.2500	Complies
122	5610	20.85	23.98	0.2500	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	17.14	0.18	17.32	30.00	1.0000	Complies
157	5785	16.43	0.18	16.61	30.00	1.0000	Complies
165	5825	16.49	0.18	16.67	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	17.21	0.18	17.39	30.00	1.0000	Complies
157	5785	16.11	0.18	16.29	30.00	1.0000	Complies
165	5825	16.31	0.18	16.49	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.37	30.00	1.0000	Complies
157	5785	19.46	30.00	1.0000	Complies
165	5825	19.59	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.13	0.18	20.31	30.00	1.0000	Complies
157	5785	19.35	0.18	19.53	30.00	1.0000	Complies
165	5825	17.72	0.18	17.90	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.43	0.18	19.61	30.00	1.0000	Complies
157	5785	19.89	0.18	20.07	30.00	1.0000	Complies
165	5825	17.47	0.18	17.65	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.98	30.00	1.0000	Complies
157	5785	22.82	30.00	1.0000	Complies
165	5825	20.79	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.17	0.10	19.27	30.00	1.0000	Complies
159	5795	20.17	0.10	20.27	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.64	0.10	19.74	30.00	1.0000	Complies
159	5795	19.38	0.10	19.48	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.52	30.00	1.0000	Complies
159	5795	22.90	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	18.03	0.14	18.17	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	17.94	0.14	18.08	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.14	30.00	1.0000	Complies

**Beamforming**

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.96	0.18	15.14	30.00	1.0000	Complies
40	5200	17.89	0.18	18.07	30.00	1.0000	Complies
48	5240	18.53	0.18	18.71	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.80	0.18	14.98	30.00	1.0000	Complies
40	5200	17.33	0.18	17.51	30.00	1.0000	Complies
48	5240	18.08	0.18	18.26	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.07	30.00	1.0000	Complies
40	5200	20.81	30.00	1.0000	Complies
48	5240	21.50	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.86	0.10	14.96	30.00	1.0000	Complies
46	5230	18.68	0.10	18.78	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.62	0.10	14.72	30.00	1.0000	Complies
46	5230	18.63	0.10	18.73	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.85	30.00	1.0000	Complies
46	5230	21.76	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.57	0.14	13.71	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.54	0.14	13.68	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.71	30.00	1.0000	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	19.46	0.18	19.64	23.98	0.2500	Complies
60	5300	19.94	0.18	20.12	23.98	0.2500	Complies
64	5320	18.30	0.18	18.48	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.70	0.18	18.88	23.98	0.2500	Complies
60	5300	19.53	0.18	19.71	23.98	0.2500	Complies
64	5320	18.34	0.18	18.52	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	22.29	23.98	0.2500	Complies
60	5300	22.93	23.98	0.2500	Complies
64	5320	21.51	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.46	0.10	20.56	23.98	0.2500	Complies
62	5310	15.39	0.10	15.49	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.93	0.10	20.03	23.98	0.2500	Complies
62	5310	15.30	0.10	15.40	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	23.31	23.98	0.2500	Complies
62	5310	18.45	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.81	0.14	13.95	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.28	0.14	13.42	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.70	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.31	0.18	18.49	23.98	0.2500	Complies
116	5580	18.61	0.18	18.79	23.98	0.2500	Complies
140	5700	15.43	0.18	15.61	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.37	0.18	18.55	23.98	0.2500	Complies
116	5580	17.93	0.18	18.11	23.98	0.2500	Complies
140	5700	15.31	0.18	15.49	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	21.53	23.98	0.2500	Complies
116	5580	21.47	23.98	0.2500	Complies
140	5700	18.56	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.28	0.10	16.38	23.98	0.2500	Complies
110	5550	19.40	0.10	19.50	23.98	0.2500	Complies
134	5670	16.49	0.10	16.59	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.12	0.10	16.22	23.98	0.2500	Complies
110	5550	18.92	0.10	19.02	23.98	0.2500	Complies
134	5670	16.13	0.10	16.23	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	19.31	23.98	0.2500	Complies
110	5550	22.27	23.98	0.2500	Complies
134	5670	19.42	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	12.67	0.14	12.81	23.98	0.2500	Complies
122	5610	17.28	0.14	17.42	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	12.58	0.14	12.72	23.98	0.2500	Complies
122	5610	17.21	0.14	17.35	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	15.78	23.98	0.2500	Complies
122	5610	20.40	23.98	0.2500	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.73	0.18	19.91	30.00	1.0000	Complies
157	5785	19.05	0.18	19.23	30.00	1.0000	Complies
165	5825	17.54	0.18	17.72	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.95	0.18	19.13	30.00	1.0000	Complies
157	5785	19.78	0.18	19.96	30.00	1.0000	Complies
165	5825	17.09	0.18	17.27	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.55	30.00	1.0000	Complies
157	5785	22.62	30.00	1.0000	Complies
165	5825	20.51	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.90	0.10	19.00	30.00	1.0000	Complies
159	5795	19.87	0.10	19.97	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.11	0.10	19.21	30.00	1.0000	Complies
159	5795	18.92	0.10	19.02	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.11	30.00	1.0000	Complies
159	5795	22.53	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	17.72	0.14	17.86	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	17.41	0.14	17.55	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.72	30.00	1.0000	Complies

## **APPENDIX G - POWER SPECTRAL DENSITY**

Test Mode UNII-1\_TX A Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	12.28	0.18	12.46	17.00	Complies
40	5200	12.51	0.18	12.69	17.00	Complies
48	5240	11.64	0.18	11.82	17.00	Complies



Test Mode UNII-1\_TX A Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.67	0.18	10.85	17.00	Complies
40	5200	10.85	0.18	11.03	17.00	Complies
48	5240	10.64	0.18	10.82	17.00	Complies




Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	14.74	17.00	Complies
40	5200	14.95	17.00	Complies
48	5240	14.36	17.00	Complies


Test Mode UNII-1\_TX AC(VHT20) Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	11.36	0.18	11.54	17.00	Complies
40	5200	12.17	0.18	12.35	17.00	Complies
48	5240	11.45	0.18	11.63	17.00	Complies



Test Mode UNII-1\_TX AC(VHT20) Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.43	0.18	10.61	17.00	Complies
40	5200	11.59	0.18	11.77	17.00	Complies
48	5240	10.17	0.18	10.35	17.00	Complies




Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	14.11	17.00	Complies
40	5200	15.08	17.00	Complies
48	5240	14.05	17.00	Complies


Test Mode UNII-1\_TX AC(VHT40) Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	8.23	0.10	8.33	17.00	Complies
46	5230	7.93	0.10	8.03	17.00	Complies

CH38




CH46




Test Mode UNII-1\_TX AC(VHT40) Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.66	0.10	6.76	17.00	Complies
46	5230	6.77	0.10	6.87	17.00	Complies

CH38



CH46




Test Mode UNII-1\_TX AC(VHT40) Mode\_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	10.62	17.00	Complies
46	5230	10.50	17.00	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	5.61	0.14	5.75	17.00	Complies


**CH42**



Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	3.79	0.14	3.93	17.00	Complies

**CH42**




Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	7.95	17.00	Complies


Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.06	0.18	7.24	11.00	Complies
60	5300	7.62	0.18	7.80	11.00	Complies
64	5320	7.40	0.18	7.58	11.00	Complies



Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.45	0.18	7.63	11.00	Complies
60	5300	7.22	0.18	7.40	11.00	Complies
64	5320	7.00	0.18	7.18	11.00	Complies



Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	10.45	11.00	Complies
60	5300	10.62	11.00	Complies
64	5320	10.40	11.00	Complies