


Test Mode	UNII-2C_TX AX(HE20) Mode 5720 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5721.600	62.59	19.88	82.47	68.20	14.27	AVG	No Limit
2	*	5723.700	72.31	19.88	92.19	68.20	23.99	peak	No Limit

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.
- (3) Straddle channels 138, 142 and 144 are considered to be operating in both U-NII-2C and U-NII-3.  
 The worst case out-of-band emission limit, i.e., -27 dBm/MHz peak EIRP, applies at the band edges.  
 The band edges are considered to be 5.47 GHz and 5.85 GHz. In addition, the actual limit of the U-NII-3's band edge 5.850GHz is 122.20dBuV/m, so the result of this item should be pass.

Test Mode	UNII-2C_TX AX(HE40) Mode 5710 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	5706.900	84.98	19.84	104.82	68.20	36.62	peak	No Limit
2	X	5708.900	71.37	19.84	91.21	68.20	23.01	AVG	No Limit

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.
- (3) Straddle channels 138, 142 and 144 are considered to be operating in both U-NII-2C and U-NII-3.  
 The worst case out-of-band emission limit, i.e., -27 dBm/MHz peak EIRP, applies at the band edges.  
 The band edges are considered to be 5.47 GHz and 5.85 GHz. In addition, the actual limit of the U-NII-3's band edge 5.850GHz is 122.20dBuV/m, so the result of this item should be pass.

Test Mode	UNII-2C_TX AX(HE40) Mode 5710 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5711.700	68.79	19.85	88.64	68.20	20.44	peak	No Limit
2	X	5711.900	58.82	19.85	78.67	68.20	10.47	AVG	No Limit

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.
- (3) Straddle channels 138, 142 and 144 are considered to be operating in both U-NII-2C and U-NII-3.  
The worst case out-of-band emission limit, i.e., -27 dBm/MHz peak EIRP, applies at the band edges.  
The band edges are considered to be 5.47 GHz and 5.85 GHz. In addition, the actual limit of the U-NII-3's band edge 5.850GHz is 122.20dBuV/m, so the result of this item should be pass.

Test Mode	UNII-2C_TX AX(HE80) Mode 5690 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5687.200	68.31	19.77	88.08	68.20	19.88	AVG	No Limit
2	*	5697.200	81.04	19.80	100.84	68.20	32.64	peak	No Limit

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.
- (3) Straddle channels 138, 142 and 144 are considered to be operating in both U-NII-2C and U-NII-3.  
 The worst case out-of-band emission limit, i.e., -27 dBm/MHz peak EIRP, applies at the band edges.  
 The band edges are considered to be 5.47 GHz and 5.85 GHz. In addition, the actual limit of the U-NII-3's band edge 5.850GHz is 122.20dBuV/m, so the result of this item should be pass.

Test Mode	UNII-2C_TX AX(HE80) Mode 5690 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5695.000	56.68	19.80	76.48	68.20	8.28	AVG	No Limit
2	*	5698.200	68.87	19.81	88.68	68.20	20.48	peak	No Limit

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.
- (3) Straddle channels 138, 142 and 144 are considered to be operating in both U-NII-2C and U-NII-3.  
The worst case out-of-band emission limit, i.e., -27 dBm/MHz peak EIRP, applies at the band edges.  
The band edges are considered to be 5.47 GHz and 5.85 GHz. In addition, the actual limit of the U-NII-3's band edge 5.850GHz is 122.20dBuV/m, so the result of this item should be pass.

Test Mode	TX A Mode 5720 MHz	Polarization	Vertical
-----------	--------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11438.13	34.48	16.59	51.07	74.00	-22.93	peak	
2	*	11441.61	21.88	16.59	38.47	54.00	-15.53	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX A Mode 5720 MHz	Polarization	Horizontal
-----------	--------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11439.08	21.89	16.59	38.48	54.00	-15.52	AVG	
2		11439.60	33.99	16.59	50.58	74.00	-23.42	peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX AC(VHT20) Mode 5720 MHz	Polarization	Vertical
-----------	----------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11436.39	34.18	16.59	50.77	74.00	-23.23	peak	
2	*	11440.13	21.84	16.59	38.43	54.00	-15.57	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.



Test Mode	TX AC(VHT20) Mode 5720 MHz	Polarization	Horizontal
-----------	----------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11436.23	33.23	16.59	49.82	74.00	-24.18	peak	
2	*	11441.18	21.71	16.59	38.30	54.00	-15.70	AVG	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX AC(VHT40) Mode 5710 MHz	Polarization	Vertical
-----------	----------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11421.86	20.56	16.57	37.13	54.00	-16.87	AVG	
2		11424.96	32.55	16.58	49.13	74.00	-24.87	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX AC(VHT40) Mode 5710 MHz	Polarization	Horizontal
-----------	----------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11421.58	33.75	16.57	50.32	74.00	-23.68	peak	
2	*	11424.76	20.68	16.58	37.26	54.00	-16.74	AVG	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX AC(VHT80) Mode 5690 MHz	Polarization	Vertical
-----------	----------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11376.63	20.53	16.51	37.04	54.00	-16.96	AVG	
2		11381.37	32.43	16.53	48.96	74.00	-25.04	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX AC(VHT80) Mode 5690 MHz	Polarization	Horizontal
-----------	----------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11381.90	20.22	16.53	36.75	54.00	-17.25	AVG	
2		11383.46	32.35	16.53	48.88	74.00	-25.12	peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX AX(HE20) Mode 5720 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11440.84	21.60	16.59	38.19	54.00	-15.81	AVG	
2		11443.54	33.78	16.59	50.37	74.00	-23.63	peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX AX(HE20) Mode 5720 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11439.60	33.19	16.59	49.78	74.00	-24.22	peak	
2	*	11440.08	21.77	16.59	38.36	54.00	-15.64	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX AX(HE40) Mode 5710 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11422.97	20.57	16.57	37.14	54.00	-16.86	AVG	
2		11423.14	32.10	16.57	48.67	74.00	-25.33	peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.



Test Mode	TX AX(HE40) Mode 5710 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11421.04	20.52	16.57	37.09	54.00	-16.91	AVG	
2		11421.67	31.50	16.57	48.07	74.00	-25.93	peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX AX(HE80) Mode 5690 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11377.37	20.40	16.51	36.91	54.00	-17.09	AVG	
2		11384.43	31.52	16.53	48.05	74.00	-25.95	peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX AX(HE80) Mode 5690 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11377.71	20.30	16.51	36.81	54.00	-17.19	AVG	
2		11377.79	31.48	16.51	47.99	74.00	-26.01	peak	

**REMARKS:**


- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

## APPENDIX E - BANDWIDTH

Test Mode	UNII-2A_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	23.59	17.10
60	5300	20.39	17.10
64	5320	22.40	17.10

### CH52




Date: 15.FEB.2022 13:58:57

### CH60 26 dB Bandwidth




Date: 15.FEB.2022 13:59:44

### CH64




Date: 15.FEB.2022 14:00:21


### 99 % Occupied Bandwidth



Date: 15.FEB.2022 13:58:33



Date: 15.FEB.2022 13:59:21




Date: 15.FEB.2022 14:00:02

Test Mode	UNII-2A_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	20.75	17.90
60	5300	20.65	17.90
64	5320	20.79	17.90

### CH52




Date: 15.FEB.2022 14:05:12

### CH60 26 dB Bandwidth




Date: 15.FEB.2022 14:06:32

### CH64




Date: 15.FEB.2022 14:07:00


### 99 % Occupied Bandwidth



Date: 15.FEB.2022 14:05:31



Date: 15.FEB.2022 14:06:08




Date: 15.FEB.2022 14:06:40

Test Mode	UNII-2A_TX AC(VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	50.70	36.80
62	5310	54.90	37.00


### CH54




Date: 15.FEB.2022 14:10:55

### CH62

#### 26 dB Bandwidth




Date: 15.FEB.2022 14:12:17



Date: 15.FEB.2022 14:10:33

#### 99 % Occupied Bandwidth




Date: 15.FEB.2022 14:11:54

Test Mode	UNII-2A_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	151.59	76.80

### CH58 26 dB Bandwidth



Date: 15.FEB.2022 14:19:36

### 99 % Occupied Bandwidth




Date: 15.FEB.2022 14:19:10



Test Mode	UNII-2A_TX AX(HE20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	25.00	19.30
60	5300	29.45	19.20
64	5320	27.29	19.30

### CH52




Date: 15.FEB.2022 14:26:40

### CH60 26 dB Bandwidth




Date: 15.FEB.2022 14:27:48

### CH64




Date: 15.FEB.2022 14:28:37


### 99 % Occupied Bandwidth



Date: 15.FEB.2022 14:24:52



Date: 15.FEB.2022 14:27:08




Date: 15.FEB.2022 14:28:18



Test Mode	UNII-2A_TX AX(HE80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	139.21	78.80

### CH58 26 dB Bandwidth



Date: 15.FEB.2022 14:41:23

### 99 % Occupied Bandwidth




Date: 15.FEB.2022 14:41:04

Test Mode	UNII-2C_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	22.55	17.20
116	5580	22.39	17.00
140	5700	20.19	17.00
144	5720	14.90	17.10


**CH100**



Date: 15.FEB.2022 14:02:19


**CH116**

**26 dB Bandwidth**




Date: 15.FEB.2022 14:03:52

**CH140**




Date: 15.FEB.2022 14:04:33


**99 % Occupied Bandwidth**



Date: 15.FEB.2022 14:01:06




Date: 15.FEB.2022 14:03:28




Date: 15.FEB.2022 14:04:12

**26 dB Bandwidth**



Date: 15.FEB.2022 15:04:57

**99 % Occupied Bandwidth**




Date: 15.FEB.2022 14:40:11

Test Mode	UNII-2C_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	20.65	17.80
116	5580	20.70	17.90
140	5700	20.60	17.90
144	5720	15.20	17.90

**CH100**




Date: 15.FEB.2022 14:07:38

**CH116**  
26 dB Bandwidth




Date: 15.FEB.2022 14:08:27

**CH140**




Date: 15.FEB.2022 14:09:05




Date: 15.FEB.2022 14:07:18

**99 % Occupied Bandwidth**




Date: 15.FEB.2022 14:08:06




Date: 15.FEB.2022 14:08:45

**26 dB Bandwidth**



Date: 15.FEB.2022 15:06:28

**CH144**  
99 % Occupied Bandwidth




Date: 15.FEB.2022 14:49:19

Test Mode	UNII-2C_TX AC(VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	56.79	37.00
110	5550	42.30	36.80
134	5670	54.90	37.20
142	5710	35.20	36.60

**CH102**




Date: 15.FEB.2022 14:11:24

**CH110**  
26 dB Bandwidth




Date: 15.FEB.2022 14:17:35

**CH134**




Date: 15.FEB.2022 14:18:11


**99 % Occupied Bandwidth**



Date: 15.FEB.2022 14:11:25




Date: 15.FEB.2022 14:16:49




Date: 15.FEB.2022 14:17:43

**26 dB Bandwidth**



Date: 15.FEB.2022 15:08:41

**CH142**  
99 % Occupied Bandwidth




Date: 15.FEB.2022 14:50:31

Test Mode	UNII-2C_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	130.79	76.40
122	5610	129.60	76.40
138	5690	75.00	76.40

**CH106**




Date: 15\_FEB.2022 14:20:34

**CH122**  
26 dB Bandwidth




Date: 15\_FEB.2022 14:22:55

**CH138**




Date: 15\_FEB.2022 15:11:07


**99 % Occupied Bandwidth**



Date: 15\_FEB.2022 14:20:08



Date: 15\_FEB.2022 14:21:52




Date: 15\_FEB.2022 14:51:57

Test Mode	UNII-2C_TX AX(HE20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	25.09	19.30
116	5580	25.00	19.30
140	5700	25.49	19.30
144	5720	16.70	19.20


**CH100**



Date: 15.FEB.2022 14:29:18


**CH116**

**26 dB Bandwidth**




Date: 15.FEB.2022 14:30:44

**CH140**




Date: 15.FEB.2022 14:31:29


**99 % Occupied Bandwidth**



Date: 15.FEB.2022 14:28:57




Date: 15.FEB.2022 14:29:33



Date: 15.FEB.2022 14:31:10


**26 dB Bandwidth**



Date: 15.FEB.2022 15:20:15

**CH144**

**99 % Occupied Bandwidth**




Date: 15.FEB.2022 14:53:10



Test Mode	UNII-2C_TX AX(HE40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	74.71	38.60
110	5550	39.30	38.00
134	5670	66.80	38.20
142	5710	34.60	38.40


**CH102**



Date: 15.FEB.2022 14:37:21


**CH110**

**26 dB Bandwidth**




Date: 15.FEB.2022 14:38:30

**CH134**




Date: 15.FEB.2022 14:40:03


**99 % Occupied Bandwidth**



Date: 15.FEB.2022 14:36:32




Date: 15.FEB.2022 14:38:02



Date: 15.FEB.2022 14:38:49


**26 dB Bandwidth**



Date: 15.FEB.2022 15:21:48

**CH142**

**99 % Occupied Bandwidth**




Date: 15.FEB.2022 14:56:23

Test Mode	UNII-2C_TX AX(HE80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	132.80	78.00
122	5610	128.00	78.00
138	5690	75.60	78.40

### CH106




Date: 15\_FEB.2022 14:42:17

### CH122 26 dB Bandwidth




Date: 15\_FEB.2022 14:43:03

### CH138




Date: 15\_FEB.2022 15:24:45


### 99 % Occupied Bandwidth



Date: 15\_FEB.2022 14:41:51




Date: 15\_FEB.2022 14:42:24



Date: 15\_FEB.2022 14:57:38


Test Mode	UNII-2C_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
144	5720	15.50	17.10	0.50	Complies




Test Mode	UNII-2C_TX AC(VHT20) Mode
-----------	---------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
144	5720	15.80	17.90	0.50	Complies




Test Mode	UNII-2C_TX AC(VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
142	5710	33.90	36.80	0.50	Complies




Test Mode	UNII-2C_TX AC(VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
138	5690	72.50	76.40	0.50	Complies




Test Mode	UNII-2C_TX AX(HE20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
144	5720	18.60	19.20	0.50	Complies




Test Mode	UNII-2C_TX AX(HE40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
142	5710	35.40	36.40	0.50	Complies




Test Mode	UNII-2C_TX AX(HE80) Mode
-----------	--------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
138	5690	74.00	76.40	0.50	Complies



Date: 15.FEB.2022 15:27:34



Date: 15.FEB.2022 14:57:26

## **APPENDIX F - MAXIMUM OUTPUT POWER**

**Non Beamforming**

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.93	0.18	19.11	23.98	0.2500	Complies
60	5300	18.64	0.18	18.82	23.98	0.2500	Complies
64	5320	18.74	0.18	18.92	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	19.05	0.18	19.23	23.98	0.2500	Complies
60	5300	18.71	0.18	18.89	23.98	0.2500	Complies
64	5320	18.71	0.18	18.89	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	22.18	23.98	0.2500	Complies
60	5300	21.87	23.98	0.2500	Complies
64	5320	21.92	23.98	0.2500	Complies



Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.45	0.19	18.64	23.98	0.2500	Complies
60	5300	18.52	0.19	18.71	23.98	0.2500	Complies
64	5320	18.57	0.19	18.76	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.76	0.19	18.95	23.98	0.2500	Complies
60	5300	18.81	0.19	19.00	23.98	0.2500	Complies
64	5320	18.86	0.19	19.05	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	21.81	23.98	0.2500	Complies
60	5300	21.87	23.98	0.2500	Complies
64	5320	21.92	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.01	0.38	20.39	23.98	0.2500	Complies
62	5310	20.12	0.38	20.50	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.11	0.38	20.49	23.98	0.2500	Complies
62	5310	20.02	0.38	20.40	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	23.45	23.98	0.2500	Complies
62	5310	23.46	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	19.91	0.67	20.58	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	19.89	0.67	20.56	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	23.58	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.03	0.23	18.26	23.98	0.2500	Complies
60	5300	17.81	0.23	18.04	23.98	0.2500	Complies
64	5320	17.85	0.23	18.08	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.47	0.23	18.70	23.98	0.2500	Complies
60	5300	17.90	0.23	18.13	23.98	0.2500	Complies
64	5320	17.98	0.23	18.21	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	21.49	23.98	0.2500	Complies
60	5300	21.09	23.98	0.2500	Complies
64	5320	21.15	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.30	0.46	20.76	23.98	0.2500	Complies
62	5310	20.16	0.46	20.62	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.34	0.46	20.80	23.98	0.2500	Complies
62	5310	19.76	0.46	20.22	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	23.79	23.98	0.2500	Complies
62	5310	23.43	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	19.94	0.82	20.76	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	19.86	0.82	20.68	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	23.73	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.05	0.18	20.23	23.98	0.2500	Complies
116	5580	19.09	0.18	19.27	23.98	0.2500	Complies
140	5700	18.88	0.18	19.06	23.98	0.2500	Complies
144	5720	16.87	0.18	17.05	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	19.24	0.18	19.42	23.98	0.2500	Complies
116	5580	18.71	0.18	18.89	23.98	0.2500	Complies
140	5700	18.53	0.18	18.71	23.98	0.2500	Complies
144	5720	16.73	0.18	16.91	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	22.86	23.98	0.2500	Complies
116	5580	22.10	23.98	0.2500	Complies
140	5700	21.90	23.98	0.2500	Complies
144	5720	19.99	22.81	0.1910	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.82	0.19	19.01	23.98	0.2500	Complies
116	5580	18.54	0.19	18.73	23.98	0.2500	Complies
140	5700	18.15	0.19	18.34	23.98	0.2500	Complies
144	5720	16.43	0.19	16.62	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.31	0.19	18.50	23.98	0.2500	Complies
116	5580	17.98	0.19	18.17	23.98	0.2500	Complies
140	5700	17.56	0.19	17.75	23.98	0.2500	Complies
144	5720	16.35	0.19	16.54	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	21.78	23.98	0.2500	Complies
116	5580	21.47	23.98	0.2500	Complies
140	5700	21.07	23.98	0.2500	Complies
144	5720	19.59	22.81	0.1910	Complies



Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	20.74	0.38	21.12	23.98	0.2500	Complies
110	5550	20.67	0.38	21.05	23.98	0.2500	Complies
134	5670	20.61	0.38	20.99	23.98	0.2500	Complies
142	5710	19.54	0.38	19.92	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	20.28	0.38	20.66	23.98	0.2500	Complies
110	5550	20.08	0.38	20.46	23.98	0.2500	Complies
134	5670	20.23	0.38	20.61	23.98	0.2500	Complies
142	5710	19.40	0.38	19.78	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	23.90	23.98	0.2500	Complies
110	5550	23.77	23.98	0.2500	Complies
134	5670	23.81	23.98	0.2500	Complies
142	5710	22.86	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	19.86	0.67	20.53	23.98	0.2500	Complies
122	5610	19.83	0.67	20.50	23.98	0.2500	Complies
142	5690	19.96	0.67	20.63	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	19.82	0.67	20.49	23.98	0.2500	Complies
122	5610	19.72	0.67	20.39	23.98	0.2500	Complies
142	5690	20.01	0.67	20.68	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	23.52	23.98	0.2500	Complies
122	5610	23.46	23.98	0.2500	Complies
142	5690	23.67	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.68	0.23	18.91	23.98	0.2500	Complies
116	5580	18.26	0.23	18.49	23.98	0.2500	Complies
140	5700	18.14	0.23	18.37	23.98	0.2500	Complies
144	5720	17.06	0.23	17.29	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.03	0.23	18.26	23.98	0.2500	Complies
116	5580	17.93	0.23	18.16	23.98	0.2500	Complies
140	5700	17.68	0.23	17.91	23.98	0.2500	Complies
144	5720	17.15	0.23	17.38	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	21.60	23.98	0.2500	Complies
116	5580	21.34	23.98	0.2500	Complies
140	5700	21.15	23.98	0.2500	Complies
144	5720	20.35	22.90	0.1950	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	20.52	0.46	20.98	23.98	0.2500	Complies
110	5550	20.43	0.46	20.89	23.98	0.2500	Complies
134	5670	20.55	0.46	21.01	23.98	0.2500	Complies
142	5710	19.59	0.46	20.05	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	19.93	0.46	20.39	23.98	0.2500	Complies
110	5550	19.95	0.46	20.41	23.98	0.2500	Complies
134	5670	20.20	0.46	20.66	23.98	0.2500	Complies
142	5710	19.44	0.46	19.90	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	23.70	23.98	0.2500	Complies
110	5550	23.66	23.98	0.2500	Complies
134	5670	23.85	23.98	0.2500	Complies
142	5710	22.99	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	19.89	0.82	20.71	23.98	0.2500	Complies
122	5610	19.59	0.82	20.41	23.98	0.2500	Complies
138	5690	19.72	0.82	20.52	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	19.82	0.82	20.64	23.98	0.2500	Complies
122	5610	19.43	0.82	20.25	23.98	0.2500	Complies
138	5690	19.32	0.82	20.14	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	23.68	23.98	0.2500	Complies
122	5610	23.34	23.98	0.2500	Complies
138	5690	23.34	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
144	5720	10.34	0.18	10.52	30.00	1.0000	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
144	5720	10.29	0.18	10.47	30.00	1.0000	Complies

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
144	5720	13.51	30.00	1.0000	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
144	5720	10.75	0.19	10.94	30.00	1.0000	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
144	5720	9.89	0.19	10.08	30.00	1.0000	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
144	5720	13.54	30.00	1.0000	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
142	5710	7.06	0.38	7.44	30.00	1.0000	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
142	5710	6.89	0.38	7.27	30.00	1.0000	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
142	5710	10.37	30.00	1.0000	Complies



Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
138	5690	3.62	0.67	4.29	30.00	1.0000	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
138	5690	3.38	0.67	4.05	30.00	1.0000	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
138	5690	7.18	30.00	1.0000	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
144	5720	11.34	0.23	11.57	30.00	1.0000	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
144	5720	11.67	0.23	11.90	30.00	1.0000	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
144	5720	14.75	30.00	1.0000	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
142	5710	8.39	0.46	8.85	30.00	1.0000	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
142	5710	8.29	0.46	8.75	30.00	1.0000	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
142	5710	11.81	30.00	1.0000	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
138	5690	4.62	0.82	5.44	30.00	1.0000	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
138	5690	5.07	0.82	5.89	30.00	1.0000	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
138	5690	8.68	30.00	1.0000	Complies

### Beamforming

<b>Test Mode</b>	UNII-2A_TX AC(VHT20) Mode_Ant. 1
------------------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.97	0.19	18.16	23.98	0.2500	Complies
60	5300	18.02	0.19	18.21	23.98	0.2500	Complies
64	5320	18.08	0.19	18.27	23.98	0.2500	Complies

<b>Test Mode</b>	UNII-2A_TX AC(VHT20) Mode_Ant. 2
------------------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.31	0.19	18.50	23.98	0.2500	Complies
60	5300	18.32	0.19	18.51	23.98	0.2500	Complies
64	5320	18.28	0.19	18.47	23.98	0.2500	Complies

<b>Test Mode</b>	UNII-2A_TX AC(VHT20) Mode_Total
------------------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	21.35	23.98	0.2500	Complies
60	5300	21.38	23.98	0.2500	Complies
64	5320	21.38	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.57	0.38	19.95	23.98	0.2500	Complies
62	5310	19.59	0.38	19.97	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.70	0.38	20.08	23.98	0.2500	Complies
62	5310	19.60	0.38	19.98	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	23.02	23.98	0.2500	Complies
62	5310	22.98	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	19.47	0.67	20.14	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	19.41	0.67	20.08	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	23.12	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.54	0.23	17.77	23.98	0.2500	Complies
60	5300	17.26	0.23	17.49	23.98	0.2500	Complies
64	5320	17.35	0.23	17.58	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.98	0.23	18.21	23.98	0.2500	Complies
60	5300	17.34	0.23	17.57	23.98	0.2500	Complies
64	5320	17.39	0.23	17.62	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	21.00	23.98	0.2500	Complies
60	5300	20.54	23.98	0.2500	Complies
64	5320	20.61	23.98	0.2500	Complies



Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.85	0.46	20.31	23.98	0.2500	Complies
62	5310	19.74	0.46	20.20	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.90	0.46	20.36	23.98	0.2500	Complies
62	5310	19.32	0.46	19.78	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	23.34	23.98	0.2500	Complies
62	5310	23.00	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	19.44	0.82	20.26	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	19.39	0.82	20.21	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	23.24	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.29	0.19	18.48	23.98	0.2500	Complies
116	5580	17.96	0.19	18.15	23.98	0.2500	Complies
140	5700	17.67	0.19	17.86	23.98	0.2500	Complies
144	5720	16.39	0.19	16.58	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.84	0.19	18.03	23.98	0.2500	Complies
116	5580	17.55	0.19	17.74	23.98	0.2500	Complies
140	5700	17.05	0.19	17.24	23.98	0.2500	Complies
144	5720	16.20	0.19	16.39	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	21.27	23.98	0.2500	Complies
116	5580	20.96	23.98	0.2500	Complies
140	5700	20.57	23.98	0.2500	Complies
144	5720	19.50	22.81	0.1910	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	20.20	0.38	20.58	23.98	0.2500	Complies
110	5550	20.13	0.38	20.51	23.98	0.2500	Complies
134	5670	20.14	0.38	20.52	23.98	0.2500	Complies
142	5710	18.90	0.38	19.28	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	19.70	0.38	20.08	23.98	0.2500	Complies
110	5550	19.59	0.38	19.97	23.98	0.2500	Complies
134	5670	19.79	0.38	20.17	23.98	0.2500	Complies
142	5710	19.34	0.38	19.72	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	23.35	23.98	0.2500	Complies
110	5550	23.26	23.98	0.2500	Complies
134	5670	23.36	23.98	0.2500	Complies
142	5710	22.52	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	19.41	0.67	20.08	23.98	0.2500	Complies
122	5610	19.32	0.67	19.99	23.98	0.2500	Complies
138	5690	19.54	0.67	20.21	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	19.39	0.67	20.06	23.98	0.2500	Complies
122	5610	19.29	0.67	19.96	23.98	0.2500	Complies
138	5690	19.29	0.67	19.96	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	23.08	23.98	0.2500	Complies
122	5610	22.98	23.98	0.2500	Complies
138	5690	23.10	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.10	0.23	18.33	23.98	0.2500	Complies
116	5580	17.77	0.23	18.00	23.98	0.2500	Complies
140	5700	17.57	0.23	17.80	23.98	0.2500	Complies
144	5720	16.90	0.23	17.13	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.47	0.23	17.70	23.98	0.2500	Complies
116	5580	17.42	0.23	17.65	23.98	0.2500	Complies
140	5700	17.21	0.23	17.44	23.98	0.2500	Complies
144	5720	16.96	0.23	17.19	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	21.03	23.98	0.2500	Complies
116	5580	20.84	23.98	0.2500	Complies
140	5700	20.63	23.98	0.2500	Complies
144	5720	20.17	22.90	0.1950	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	20.01	0.46	20.47	23.98	0.2500	Complies
110	5550	19.85	0.46	20.31	23.98	0.2500	Complies
134	5670	20.14	0.46	20.60	23.98	0.2500	Complies
142	5710	19.16	0.46	19.62	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	19.40	0.46	19.86	23.98	0.2500	Complies
110	5550	19.38	0.46	19.84	23.98	0.2500	Complies
134	5670	19.63	0.46	20.09	23.98	0.2500	Complies
142	5710	18.81	0.46	19.27	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	23.18	23.98	0.2500	Complies
110	5550	23.09	23.98	0.2500	Complies
134	5670	23.36	23.98	0.2500	Complies
142	5710	22.46	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	19.37	0.82	20.19	23.98	0.2500	Complies
122	5610	19.19	0.82	20.01	23.98	0.2500	Complies
138	5690	18.75	0.82	19.57	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	19.34	0.82	20.16	23.98	0.2500	Complies
122	5610	18.93	0.82	19.75	23.98	0.2500	Complies
138	5690	19.12	0.82	19.94	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	23.18	23.98	0.2500	Complies
122	5610	22.89	23.98	0.2500	Complies
138	5690	22.77	23.98	0.2500	Complies



Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
144	5720	8.39	0.19	8.58	30.00	1.0000	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
144	5720	9.24	0.19	9.43	30.00	1.0000	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
144	5720	12.04	30.00	1.0000	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
142	5710	6.27	0.38	6.65	30.00	1.0000	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
142	5710	6.10	0.38	6.48	30.00	1.0000	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
142	5710	9.58	30.00	1.0000	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
138	5690	3.57	0.67	4.24	30.00	1.0000	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
138	5690	2.89	0.67	3.56	30.00	1.0000	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
138	5690	6.92	30.00	1.0000	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
144	5720	11.47	0.23	11.70	30.00	1.0000	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
144	5720	11.16	0.23	11.39	30.00	1.0000	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
144	5720	14.56	30.00	1.0000	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
142	5710	7.63	0.46	8.09	30.00	1.0000	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
142	5710	7.57	0.46	8.03	30.00	1.0000	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
142	5710	11.07	30.00	1.0000	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
138	5690	4.01	0.82	4.83	30.00	1.0000	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
138	5690	4.15	0.82	4.97	30.00	1.0000	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
138	5690	7.91	30.00	1.0000	Complies

## **APPENDIX G - POWER SPECTRAL DENSITY**