



























Appendix G: Conducted RF Spurious Emission

Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict	
b	2412	Ant1	-54.47	≤-30	Pass	
		Ant3	-53.64	≤-30	Pass	
	2417	Ant1	-54.64	≤-30	Pass	
		Ant3	-54.5	≤-30	Pass	
	2437	Ant1	-54.21	≤-30	Pass	
		Ant3	-53.61	≤-30	Pass	
	2457	Ant1	-54.58	≤-30	Pass	
		Ant3	-54.65	≤-30	Pass	
	2462	Ant1	-53.48	≤-30	Pass	
		Ant3	-55.63	≤-30	Pass	
	g	2412	Ant1	-50.44	≤-30	Pass
			Ant3	-50.48	≤-30	Pass
2417		Ant1	-51.78	≤-30	Pass	
		Ant3	-51.8	≤-30	Pass	
2437		Ant1	-52.18	≤-30	Pass	
		Ant3	-51.92	≤-30	Pass	
2457		Ant1	-52.05	≤-30	Pass	
		Ant3	-50.75	≤-30	Pass	
2462		Ant1	-50.37	≤-30	Pass	
		Ant3	-50.34	≤-30	Pass	
n20		2412	Ant1	-48.86	≤-30	Pass
			Ant3	-50.68	≤-30	Pass
	2417	Ant1	-52.43	≤-30	Pass	
		Ant3	-51.57	≤-30	Pass	
	2437	Ant1	-51.28	≤-30	Pass	
		Ant3	-50.71	≤-30	Pass	
	2457	Ant1	-50.3	≤-30	Pass	
		Ant3	-50.35	≤-30	Pass	
	2462	Ant1	-47.72	≤-30	Pass	
		Ant3	-47.2	≤-30	Pass	
	n40	2422	Ant1	-41.31	≤-30	Pass
			Ant3	-42.93	≤-30	Pass
2427		Ant1	-47.07	≤-30	Pass	
		Ant3	-47.94	≤-30	Pass	
2437		Ant1	-47.86	≤-30	Pass	
		Ant3	-47.9	≤-30	Pass	
2447		Ant1	-43.85	≤-30	Pass	
		Ant3	-44.13	≤-30	Pass	
2452		Ant1	-42.09	≤-30	Pass	
		Ant3	-43.63	≤-30	Pass	
ax20		2412	Ant1	-46.3	≤-30	Pass
			Ant3	-48.85	≤-30	Pass
	2417	Ant1	-52.61	≤-30	Pass	
		Ant3	-50.75	≤-30	Pass	
	2437	Ant1	-52.54	≤-30	Pass	
		Ant3	-52.59	≤-30	Pass	
	2457	Ant1	-48.93	≤-30	Pass	
		Ant3	-50.27	≤-30	Pass	
	2462	Ant1	-48.18	≤-30	Pass	
		Ant3	-46.72	≤-30	Pass	
	ax40	2422	Ant1	-43.33	≤-30	Pass

		Ant3	-42.83	≤ -30	Pass
	2427	Ant1	-48.32	≤ -30	Pass
		Ant3	-49.4	≤ -30	Pass
	2437	Ant1	-48.62	≤ -30	Pass
		Ant3	-48.71	≤ -30	Pass
	2447	Ant1	-42.98	≤ -30	Pass
		Ant3	-44.59	≤ -30	Pass
	2452	Ant1	-44.4	≤ -30	Pass
		Ant3	-43	≤ -30	Pass



















