



Test Mode	UNII-7+UNII-8_TX AX(HE20) Mode
-----------	--------------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
185	6875	21.24	19.08	320	Complies

CH185 26 dB Bandwidth




99 % Occupied Bandwidth




Test Mode	UNII-7+UNII-8_TX AX(HE40) Mode
-----------	--------------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
187	6885	39.78	37.68	320	Complies

CH187 26 dB Bandwidth




99 % Occupied Bandwidth




Test Mode	UNII-7+UNII-8_TX AX(HE80) Mode
-----------	--------------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
183	6865	80.95	77.50	320	Complies

CH183 26 dB Bandwidth




99 % Occupied Bandwidth




Test Mode	UNII-7+UNII-8_TX AX(HE160) Mode
-----------	---------------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
175	6825	315.10	158.00	320	Complies

CH175 26 dB Bandwidth



99 % Occupied Bandwidth



APPENDIX F - MAXIMUM E.I.R.P.

**Non Beamforming
NSS1**

Test Mode	UNII-5_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	5955	7.78	0.00	10.78	30.00	1.0000	Complies
45	6175	8.49	0.00	11.49	30.00	1.0000	Complies
93	6415	8.74	0.00	11.74	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	5955	10.12	0.00	13.12	30.00	1.0000	Complies
45	6175	10.76	0.00	13.76	30.00	1.0000	Complies
93	6415	10.35	0.00	13.35	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	5955	15.12	30.00	1.0000	Complies
45	6175	15.78	30.00	1.0000	Complies
93	6415	15.63	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	5965	10.12	0.10	13.22	30.00	1.0000	Complies
43	6165	11.07	0.10	14.17	30.00	1.0000	Complies
91	6405	10.82	0.10	13.92	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	5965	12.38	0.10	15.48	30.00	1.0000	Complies
43	6165	13.33	0.10	16.43	30.00	1.0000	Complies
91	6405	12.42	0.10	15.52	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	5965	17.50	30.00	1.0000	Complies
43	6165	18.45	30.00	1.0000	Complies
91	6405	17.80	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
07	5985	12.56	0.00	15.56	30.00	1.0000	Complies
39	6145	13.02	0.00	16.02	30.00	1.0000	Complies
87	6385	13.27	0.00	16.27	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
07	5985	15.32	0.00	18.32	30.00	1.0000	Complies
39	6145	15.39	0.00	18.39	30.00	1.0000	Complies
87	6385	15.02	0.00	18.02	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
07	5985	20.17	30.00	1.0000	Complies
39	6145	20.38	30.00	1.0000	Complies
87	6385	20.24	30.00	1.0000	Complies

Test Mode	UNII-5_TX AC(HE160) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
15	6025	15.67	0.00	18.67	30.00	1.0000	Complies
47	6185	16.73	0.00	19.73	30.00	1.0000	Complies
79	6345	17.44	0.00	20.44	30.00	1.0000	Complies

Test Mode	UNII-5_TX AC(HE160) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
15	6025	18.66	0.00	21.66	30.00	1.0000	Complies
47	6185	18.75	0.00	21.75	30.00	1.0000	Complies
79	6345	19.14	0.00	22.14	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE160) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
15	6025	23.43	30.00	1.0000	Complies
47	6185	23.87	30.00	1.0000	Complies
79	6345	24.38	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	8.85	0.00	11.85	30.00	1.0000	Complies
105	6475	8.35	0.00	11.35	30.00	1.0000	Complies
113	6515	8.68	0.00	11.68	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	10.45	0.00	13.45	30.00	1.0000	Complies
105	6475	10.17	0.00	13.17	30.00	1.0000	Complies
113	6515	10.18	0.00	13.18	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	15.73	30.00	1.0000	Complies
105	6475	15.36	30.00	1.0000	Complies
113	6515	15.50	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	10.34	0.10	13.44	30.00	1.0000	Complies
107	6485	10.65	0.10	13.75	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	12.15	0.10	15.25	30.00	1.0000	Complies
107	6485	12.23	0.10	15.33	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	17.44	30.00	1.0000	Complies
107	6485	17.62	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	13.61	0.00	16.61	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	15.28	0.00	18.28	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	20.54	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	8.71	0.00	11.71	30.00	1.0000	Complies
149	6695	8.51	0.00	11.51	30.00	1.0000	Complies
181	6855	8.44	0.00	11.44	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	10.24	0.00	13.24	30.00	1.0000	Complies
149	6695	9.59	0.00	12.59	30.00	1.0000	Complies
181	6855	9.51	0.00	12.51	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	15.55	30.00	1.0000	Complies
149	6695	15.09	30.00	1.0000	Complies
181	6855	15.02	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	11.48	0.10	14.58	30.00	1.0000	Complies
147	6685	11.19	0.10	14.29	30.00	1.0000	Complies
179	6845	11.42	0.10	14.52	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	12.87	0.10	15.97	30.00	1.0000	Complies
147	6685	12.62	0.10	15.72	30.00	1.0000	Complies
179	6845	12.43	0.10	15.53	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	18.34	30.00	1.0000	Complies
147	6685	18.07	30.00	1.0000	Complies
179	6845	18.06	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	13.87	0.00	16.87	30.00	1.0000	Complies
151	6705	14.12	0.00	17.12	30.00	1.0000	Complies
167	6785	14.01	0.00	17.01	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	15.34	0.00	18.34	30.00	1.0000	Complies
151	6705	15.28	0.00	18.28	30.00	1.0000	Complies
167	6785	15.17	0.00	18.17	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	20.68	30.00	1.0000	Complies
151	6705	20.75	30.00	1.0000	Complies
167	6785	20.64	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE160) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	17.57	0.00	20.57	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE160) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	19.02	0.00	22.02	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE160) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	24.37	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	10.71	0.10	13.81	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	12.41	0.10	15.51	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE40) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	17.75	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	14.11	0.00	17.11	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	15.67	0.00	18.67	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE80) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	20.97	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	17.42	0.00	20.42	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	18.84	0.00	21.84	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE160) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	24.20	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	8.35	0.00	11.35	30.00	1.0000	Complies
213	7015	8.86	0.00	11.86	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	9.46	0.00	12.46	30.00	1.0000	Complies
213	7015	9.89	0.00	12.89	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	14.95	30.00	1.0000	Complies
213	7015	15.42	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	11.25	0.10	14.35	30.00	1.0000	Complies
211	7005	11.21	0.10	14.31	30.00	1.0000	Complies
227	7085	11.65	0.10	14.75	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	12.32	0.10	15.42	30.00	1.0000	Complies
211	7005	12.51	0.10	15.61	30.00	1.0000	Complies
227	7085	12.57	0.10	15.67	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	17.92	30.00	1.0000	Complies
211	7005	18.01	30.00	1.0000	Complies
227	7085	18.24	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	14.28	0.00	17.28	30.00	1.0000	Complies
215	7025	14.32	0.00	17.32	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	15.27	0.00	18.27	30.00	1.0000	Complies
215	7025	15.24	0.00	18.24	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	20.81	30.00	1.0000	Complies
215	7025	20.81	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE160) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	17.41	0.00	20.41	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE160) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	18.42	0.00	21.42	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE160) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	23.95	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	8.61	0.00	11.61	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	9.43	0.00	12.43	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE20) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	15.05	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	11.27	0.10	14.37	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	12.41	0.10	15.51	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE40) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	17.98	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	14.46	0.00	17.46	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	15.43	0.00	18.43	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE80) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	20.98	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	17.63	0.00	20.63	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	18.61	0.00	21.61	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE160) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	24.16	30.00	1.0000	Complies

NSS2

Test Mode	UNII-5_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	5955	11.12	0.12	14.24	30.00	1.0000	Complies
45	6175	10.95	0.12	14.07	30.00	1.0000	Complies
93	6415	11.22	0.12	14.34	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	5955	13.56	0.12	16.68	30.00	1.0000	Complies
45	6175	13.15	0.12	16.27	30.00	1.0000	Complies
93	6415	12.84	0.12	15.96	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	5955	18.64	30.00	1.0000	Complies
45	6175	18.32	30.00	1.0000	Complies
93	6415	18.24	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	5965	12.68	0.12	15.80	30.00	1.0000	Complies
43	6165	13.52	0.12	16.64	30.00	1.0000	Complies
91	6405	13.64	0.12	16.76	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	5965	15.26	0.12	18.38	30.00	1.0000	Complies
43	6165	15.68	0.12	18.80	30.00	1.0000	Complies
91	6405	15.32	0.12	18.44	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	5965	20.29	30.00	1.0000	Complies
43	6165	20.87	30.00	1.0000	Complies
91	6405	20.70	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
07	5985	15.15	0.18	18.33	30.00	1.0000	Complies
39	6145	16.67	0.18	19.85	30.00	1.0000	Complies
87	6385	16.42	0.18	19.60	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
07	5985	17.67	0.18	20.85	30.00	1.0000	Complies
39	6145	19.13	0.18	22.31	30.00	1.0000	Complies
87	6385	17.97	0.18	21.15	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
07	5985	22.78	30.00	1.0000	Complies
39	6145	24.26	30.00	1.0000	Complies
87	6385	23.45	30.00	1.0000	Complies

Test Mode	UNII-5_TX AC(HE160) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
15	6025	18.84	0.14	21.98	30.00	1.0000	Complies
47	6185	19.63	0.14	22.77	30.00	1.0000	Complies
79	6345	19.67	0.14	22.81	30.00	1.0000	Complies

Test Mode	UNII-5_TX AC(HE160) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
15	6025	21.62	0.14	24.76	30.00	1.0000	Complies
47	6185	21.65	0.14	24.79	30.00	1.0000	Complies
79	6345	21.22	0.14	24.36	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE160) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
15	6025	26.60	30.00	1.0000	Complies
47	6185	26.91	30.00	1.0000	Complies
79	6345	26.66	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	11.24	0.12	14.36	30.00	1.0000	Complies
105	6475	11.47	0.12	14.59	30.00	1.0000	Complies
113	6515	11.72	0.12	14.84	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	13.01	0.12	16.13	30.00	1.0000	Complies
105	6475	13.13	0.12	16.25	30.00	1.0000	Complies
113	6515	13.36	0.12	16.48	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	18.35	30.00	1.0000	Complies
105	6475	18.51	30.00	1.0000	Complies
113	6515	18.75	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	13.44	0.12	16.56	30.00	1.0000	Complies
107	6485	13.45	0.12	16.57	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	14.93	0.12	18.05	30.00	1.0000	Complies
107	6485	15.13	0.12	18.25	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	20.38	30.00	1.0000	Complies
107	6485	20.51	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	16.57	0.18	19.75	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	18.24	0.18	21.42	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	23.67	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	11.78	0.12	14.90	30.00	1.0000	Complies
149	6695	11.79	0.12	14.91	30.00	1.0000	Complies
181	6855	12.02	0.12	15.14	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	13.28	0.12	16.40	30.00	1.0000	Complies
149	6695	13.07	0.12	16.19	30.00	1.0000	Complies
181	6855	12.84	0.12	15.96	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	18.73	30.00	1.0000	Complies
149	6695	18.61	30.00	1.0000	Complies
181	6855	18.58	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	13.78	0.12	16.90	30.00	1.0000	Complies
147	6685	14.23	0.12	17.35	30.00	1.0000	Complies
179	6845	14.17	0.12	17.29	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	15.32	0.12	18.44	30.00	1.0000	Complies
147	6685	15.36	0.12	18.48	30.00	1.0000	Complies
179	6845	15.16	0.12	18.28	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	20.75	30.00	1.0000	Complies
147	6685	20.97	30.00	1.0000	Complies
179	6845	20.83	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	17.02	0.18	20.20	30.00	1.0000	Complies
151	6705	17.18	0.18	20.36	30.00	1.0000	Complies
167	6785	17.08	0.18	20.26	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	18.42	0.18	21.60	30.00	1.0000	Complies
151	6705	18.35	0.18	21.53	30.00	1.0000	Complies
167	6785	18.23	0.18	21.41	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	23.97	30.00	1.0000	Complies
151	6705	23.99	30.00	1.0000	Complies
167	6785	23.88	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE160) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	19.94	0.14	23.08	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE160) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	21.19	0.14	24.33	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE160) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	26.76	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	13.69	0.12	16.81	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	15.16	0.12	18.28	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE40) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	20.62	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	16.87	0.18	20.05	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	18.35	0.18	21.53	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE80) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	23.86	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	19.84	0.14	22.98	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	21.34	0.14	24.48	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE160) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	26.80	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	11.44	0.12	14.56	30.00	1.0000	Complies
213	7015	11.32	0.12	14.44	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	12.23	0.12	15.35	30.00	1.0000	Complies
213	7015	12.35	0.12	15.47	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	17.99	30.00	1.0000	Complies
213	7015	18.00	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	14.53	0.12	17.65	30.00	1.0000	Complies
211	7005	14.27	0.12	17.39	30.00	1.0000	Complies
227	7085	14.33	0.12	17.45	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	15.48	0.12	18.6	30.00	1.0000	Complies
211	7005	15.06	0.12	18.18	30.00	1.0000	Complies
227	7085	15.21	0.12	18.33	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	21.17	30.00	1.0000	Complies
211	7005	20.82	30.00	1.0000	Complies
227	7085	20.93	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	17.19	0.18	20.37	30.00	1.0000	Complies
215	7025	17.21	0.18	20.39	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	18.19	0.18	21.37	30.00	1.0000	Complies
215	7025	17.98	0.18	21.16	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	23.91	30.00	1.0000	Complies
215	7025	23.80	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE160) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	19.78	0.14	22.92	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE160) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	20.75	0.14	23.89	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE160) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	26.44	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	11.85	0.12	14.97	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	12.81	0.12	15.93	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE20) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	18.49	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	14.82	0.12	17.94	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	15.47	0.12	18.59	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE40) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	21.29	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	17.09	0.18	20.27	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	17.96	0.18	21.14	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE80) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	23.74	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	20.15	0.14	23.29	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	21.17	0.14	24.31	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE160) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	26.84	30.00	1.0000	Complies

**Beamforming
NSS1**

Test Mode	UNII-5_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	5955	7.33	0.00	13.33	30.00	1.0000	Complies
45	6175	8.04	0.00	14.04	30.00	1.0000	Complies
93	6415	8.28	0.00	14.28	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	5955	9.64	0.00	15.64	30.00	1.0000	Complies
45	6175	10.25	0.00	16.25	30.00	1.0000	Complies
93	6415	9.82	0.00	15.82	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	5955	17.65	30.00	1.0000	Complies
45	6175	18.29	30.00	1.0000	Complies
93	6415	18.13	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	5965	9.57	0.10	15.67	30.00	1.0000	Complies
43	6165	10.47	0.10	16.57	30.00	1.0000	Complies
91	6405	10.22	0.10	16.32	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	5965	11.77	0.10	17.87	30.00	1.0000	Complies
43	6165	12.76	0.10	18.86	30.00	1.0000	Complies
91	6405	11.84	0.10	17.94	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	5965	19.92	30.00	1.0000	Complies
43	6165	20.87	30.00	1.0000	Complies
91	6405	20.22	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
07	5985	12.08	0.00	18.08	30.00	1.0000	Complies
39	6145	12.50	0.00	18.50	30.00	1.0000	Complies
87	6385	12.74	0.00	18.74	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
07	5985	14.86	0.00	20.86	30.00	1.0000	Complies
39	6145	14.93	0.00	20.93	30.00	1.0000	Complies
87	6385	14.52	0.00	20.52	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
07	5985	22.70	30.00	1.0000	Complies
39	6145	22.89	30.00	1.0000	Complies
87	6385	22.73	30.00	1.0000	Complies

Test Mode	UNII-5_TX AC(HE160) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
15	6025	15.18	0.00	21.18	30.00	1.0000	Complies
47	6185	16.27	0.00	22.27	30.00	1.0000	Complies
79	6345	16.91	0.00	22.91	30.00	1.0000	Complies

Test Mode	UNII-5_TX AC(HE160) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
15	6025	18.14	0.00	24.14	30.00	1.0000	Complies
47	6185	18.29	0.00	24.29	30.00	1.0000	Complies
79	6345	18.63	0.00	24.63	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE160) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
15	6025	25.92	30.00	1.0000	Complies
47	6185	26.41	30.00	1.0000	Complies
79	6345	26.86	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	8.37	0.00	14.37	30.00	1.0000	Complies
105	6475	7.89	0.00	13.89	30.00	1.0000	Complies
113	6515	8.18	0.00	14.18	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	9.94	0.00	15.94	30.00	1.0000	Complies
105	6475	9.64	0.00	15.64	30.00	1.0000	Complies
113	6515	9.69	0.00	15.69	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	18.24	30.00	1.0000	Complies
105	6475	17.86	30.00	1.0000	Complies
113	6515	18.01	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	9.70	0.10	15.80	30.00	1.0000	Complies
107	6485	10.05	0.10	16.15	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	11.51	0.10	17.61	30.00	1.0000	Complies
107	6485	11.61	0.10	17.71	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	19.81	30.00	1.0000	Complies
107	6485	20.01	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	13.14	0.00	19.14	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	14.73	0.00	20.73	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	23.02	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	8.25	0.00	14.25	30.00	1.0000	Complies
149	6695	8.03	0.00	14.03	30.00	1.0000	Complies
181	6855	7.95	0.00	13.95	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	9.71	0.00	15.71	30.00	1.0000	Complies
149	6695	9.09	0.00	15.09	30.00	1.0000	Complies
181	6855	9.04	0.00	15.04	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	18.05	30.00	1.0000	Complies
149	6695	17.60	30.00	1.0000	Complies
181	6855	17.54	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	10.85	0.10	16.95	30.00	1.0000	Complies
147	6685	10.59	0.10	16.69	30.00	1.0000	Complies
179	6845	10.86	0.10	16.96	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	12.30	0.10	18.40	30.00	1.0000	Complies
147	6685	12.07	0.10	18.17	30.00	1.0000	Complies
179	6845	11.83	0.10	17.93	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	20.75	30.00	1.0000	Complies
147	6685	20.50	30.00	1.0000	Complies
179	6845	20.48	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	13.37	0.00	19.37	30.00	1.0000	Complies
151	6705	13.64	0.00	19.64	30.00	1.0000	Complies
167	6785	13.55	0.00	19.55	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	14.85	0.00	20.85	30.00	1.0000	Complies
151	6705	14.82	0.00	20.82	30.00	1.0000	Complies
167	6785	14.67	0.00	20.67	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	23.18	30.00	1.0000	Complies
151	6705	23.28	30.00	1.0000	Complies
167	6785	23.16	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE160) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	17.09	0.00	23.09	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE160) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	18.48	0.00	24.48	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE160) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	26.85	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	10.15	0.10	16.25	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	11.77	0.10	17.87	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE40) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	20.15	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	13.65	0.00	19.65	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	15.20	0.00	21.20	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE80) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	23.50	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	16.97	0.00	22.97	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	18.38	0.00	24.38	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE160) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	26.74	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	7.83	0.00	13.83	30.00	1.0000	Complies
213	7015	8.32	0.00	14.32	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	8.97	0.00	14.97	30.00	1.0000	Complies
213	7015	9.41	0.00	15.41	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	17.45	30.00	1.0000	Complies
213	7015	17.91	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	10.67	0.10	16.77	30.00	1.0000	Complies
211	7005	10.61	0.10	16.71	30.00	1.0000	Complies
227	7085	11.07	0.10	17.17	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	11.68	0.10	17.78	30.00	1.0000	Complies
211	7005	11.94	0.10	18.04	30.00	1.0000	Complies
227	7085	12.02	0.10	18.12	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	20.31	30.00	1.0000	Complies
211	7005	20.44	30.00	1.0000	Complies
227	7085	20.68	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	13.75	0.00	19.75	30.00	1.0000	Complies
215	7025	13.81	0.00	19.81	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	14.81	0.00	20.81	30.00	1.0000	Complies
215	7025	14.70	0.00	20.70	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	23.32	30.00	1.0000	Complies
215	7025	23.29	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE160) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	16.90	0.00	22.90	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE160) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	17.92	0.00	23.92	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE160) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	26.45	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	8.16	0.00	14.16	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	8.96	0.00	14.96	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE20) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	17.59	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	10.72	0.10	16.82	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	11.83	0.10	17.93	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE40) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	20.42	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	13.94	0.00	19.94	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	14.96	0.00	20.96	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE80) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	23.49	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	17.16	0.00	23.16	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	18.09	0.00	24.09	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE160) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	26.66	30.00	1.0000	Complies

NSS2

Test Mode	UNII-5_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	5955	10.58	0.12	16.70	30.00	1.0000	Complies
45	6175	10.44	0.12	16.56	30.00	1.0000	Complies
93	6415	10.68	0.12	16.80	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	5955	13.04	0.12	19.16	30.00	1.0000	Complies
45	6175	12.60	0.12	18.72	30.00	1.0000	Complies
93	6415	12.38	0.12	18.50	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	5955	21.12	30.00	1.0000	Complies
45	6175	20.79	30.00	1.0000	Complies
93	6415	20.75	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	5965	12.19	0.12	18.31	30.00	1.0000	Complies
43	6165	13.01	0.12	19.13	30.00	1.0000	Complies
91	6405	13.17	0.12	19.29	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	5965	14.75	0.12	20.87	30.00	1.0000	Complies
43	6165	15.15	0.12	21.27	30.00	1.0000	Complies
91	6405	14.86	0.12	20.98	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	5965	22.78	30.00	1.0000	Complies
43	6165	23.34	30.00	1.0000	Complies
91	6405	23.22	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
07	5985	14.61	0.18	20.79	30.00	1.0000	Complies
39	6145	16.17	0.18	22.35	30.00	1.0000	Complies
87	6385	15.95	0.18	22.13	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
07	5985	17.20	0.18	23.38	30.00	1.0000	Complies
39	6145	18.67	0.18	24.85	30.00	1.0000	Complies
87	6385	17.46	0.18	23.64	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
07	5985	25.29	30.00	1.0000	Complies
39	6145	26.79	30.00	1.0000	Complies
87	6385	25.96	30.00	1.0000	Complies

Test Mode	UNII-5_TX AC(HE160) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
15	6025	18.37	0.14	24.51	30.00	1.0000	Complies
47	6185	19.15	0.14	25.29	30.00	1.0000	Complies
79	6345	19.14	0.14	25.28	30.00	1.0000	Complies

Test Mode	UNII-5_TX AC(HE160) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
15	6025	21.13	0.14	27.27	30.00	1.0000	Complies
47	6185	21.14	0.14	27.28	30.00	1.0000	Complies
79	6345	20.75	0.14	26.89	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE160) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
15	6025	29.11	30.00	1.0000	Complies
47	6185	29.41	30.00	1.0000	Complies
79	6345	29.17	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	10.74	0.12	16.86	30.00	1.0000	Complies
105	6475	10.93	0.12	17.05	30.00	1.0000	Complies
113	6515	11.20	0.12	17.32	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	12.51	0.12	18.63	30.00	1.0000	Complies
105	6475	12.63	0.12	18.75	30.00	1.0000	Complies
113	6515	12.89	0.12	19.01	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	20.85	30.00	1.0000	Complies
105	6475	21.00	30.00	1.0000	Complies
113	6515	21.26	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	12.96	0.12	19.08	30.00	1.0000	Complies
107	6485	12.97	0.12	19.09	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	14.42	0.12	20.54	30.00	1.0000	Complies
107	6485	14.62	0.12	20.74	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	22.88	30.00	1.0000	Complies
107	6485	23.00	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	16.07	0.18	22.25	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	17.74	0.18	23.92	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	26.17	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	11.26	0.12	17.38	30.00	1.0000	Complies
149	6695	11.25	0.12	17.37	30.00	1.0000	Complies
181	6855	11.53	0.12	17.65	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	12.82	0.12	18.94	30.00	1.0000	Complies
149	6695	12.62	0.12	18.74	30.00	1.0000	Complies
181	6855	12.33	0.12	18.45	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	21.24	30.00	1.0000	Complies
149	6695	21.12	30.00	1.0000	Complies
181	6855	21.08	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	13.29	0.12	19.41	30.00	1.0000	Complies
147	6685	13.77	0.12	19.89	30.00	1.0000	Complies
179	6845	13.67	0.12	19.79	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	14.87	0.12	20.99	30.00	1.0000	Complies
147	6685	14.83	0.12	20.95	30.00	1.0000	Complies
179	6845	14.66	0.12	20.78	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	23.28	30.00	1.0000	Complies
147	6685	23.46	30.00	1.0000	Complies
179	6845	23.32	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	16.53	0.18	22.71	30.00	1.0000	Complies
151	6705	16.72	0.18	22.90	30.00	1.0000	Complies
167	6785	16.54	0.18	22.72	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	17.98	0.18	24.16	30.00	1.0000	Complies
151	6705	17.83	0.18	24.01	30.00	1.0000	Complies
167	6785	17.75	0.18	23.93	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	26.51	30.00	1.0000	Complies
151	6705	26.50	30.00	1.0000	Complies
167	6785	26.38	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE160) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	19.46	0.14	25.60	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE160) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	20.66	0.14	26.80	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE160) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	29.25	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	13.16	0.12	19.28	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	14.62	0.12	20.74	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE40) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	23.08	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	16.35	0.18	22.53	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	17.84	0.18	24.02	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE80) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	26.35	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	19.31	0.14	25.45	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	20.83	0.14	26.97	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE160) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	29.29	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	10.98	0.12	17.10	30.00	1.0000	Complies
213	7015	10.83	0.12	16.95	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	11.71	0.12	17.83	30.00	1.0000	Complies
213	7015	11.89	0.12	18.01	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	20.50	30.00	1.0000	Complies
213	7015	20.53	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	14.02	0.12	20.14	30.00	1.0000	Complies
211	7005	13.73	0.12	19.85	30.00	1.0000	Complies
227	7085	13.82	0.12	19.94	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	14.98	0.12	21.10	30.00	1.0000	Complies
211	7005	14.54	0.12	20.66	30.00	1.0000	Complies
227	7085	14.68	0.12	20.80	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	23.65	30.00	1.0000	Complies
211	7005	23.28	30.00	1.0000	Complies
227	7085	23.40	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	16.71	0.18	22.89	30.00	1.0000	Complies
215	7025	16.67	0.18	22.85	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	17.65	0.18	23.83	30.00	1.0000	Complies
215	7025	17.50	0.18	23.68	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	26.40	30.00	1.0000	Complies
215	7025	26.29	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE160) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	19.26	0.14	25.40	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE160) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	20.26	0.14	26.40	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE160) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	28.94	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	11.33	0.12	17.45	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	12.34	0.12	18.46	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE20) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	21.00	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	14.37	0.12	20.49	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	14.98	0.12	21.10	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE40) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	23.81	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	16.57	0.18	22.75	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	17.43	0.18	23.61	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE80) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	26.21	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	19.62	0.14	25.76	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	20.70	0.14	26.84	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE160) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	29.34	30.00	1.0000	Complies

APPENDIX G - MAXIMUM POWER SPECTRAL DENSITY (E.I.R.P.)

NSS1


Test Mode	UNII-5_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
01	5955	-5.98	0.00	0.03	5.00	Complies
45	6175	-3.42	0.00	2.59	5.00	Complies
93	6415	-3.44	0.00	2.57	5.00	Complies


CH01



CH45




CH93




Test Mode	UNII-5_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
01	5955	-3.51	0.00	2.50	5.00	Complies
45	6175	-5.36	0.00	0.65	5.00	Complies
93	6415	-5.20	0.00	0.81	5.00	Complies


CH01



CH45



CH93




Test Mode	UNII-5_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
01	5955	4.45	5.00	Complies
45	6175	4.74	5.00	Complies
93	6415	4.79	5.00	Complies


Test Mode UNII-5_TX AX(HE40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
03	5965	-3.36	0.10	2.75	5.00	Complies
43	6165	-3.52	0.10	2.59	5.00	Complies
91	6405	-3.28	0.10	2.83	5.00	Complies



Test Mode UNII-5_TX AX(HE40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
03	5965	-5.80	0.10	0.31	5.00	Complies
43	6165	-5.44	0.10	0.67	5.00	Complies
91	6405	-5.16	0.10	0.95	5.00	Complies




Test Mode UNII-5_TX AX(HE40) Mode_Total

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
03	5965	4.70	5.00	Complies
43	6165	4.74	5.00	Complies
91	6405	4.94	5.00	Complies


Test Mode UNII-5_TX AX(HE80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
07	5985	-3.20	0.00	2.81	5.00	Complies
39	6145	-3.72	0.00	2.29	5.00	Complies
87	6385	-3.62	0.00	2.39	5.00	Complies



Test Mode UNII-5_TX AX(HE80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
07	5985	-5.99	0.00	0.02	5.00	Complies
39	6145	-5.59	0.00	0.42	5.00	Complies
87	6385	-5.36	0.00	0.65	5.00	Complies




Test Mode UNII-5_TX AX(HE80) Mode_Total

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
07	5985	4.64	5.00	Complies
39	6145	4.47	5.00	Complies
87	6385	4.62	5.00	Complies


Test Mode UNII-5_TX AX(HE160) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
15	6025	-3.24	0.00	2.77	5.00	Complies
47	6185	-3.54	0.00	2.47	5.00	Complies
79	6345	-3.50	0.00	2.51	5.00	Complies



Test Mode UNII-5_TX AX(HE160) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
15	6025	-6.27	0.00	-0.26	5.00	Complies
47	6185	-5.49	0.00	0.52	5.00	Complies
79	6345	-4.79	0.00	1.22	5.00	Complies




Test Mode UNII-5_TX AX(HE160) Mode_Total

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
15	6025	4.53	5.00	Complies
47	6185	4.62	5.00	Complies
79	6345	4.92	5.00	Complies


Test Mode UNII-6_TX AX(HE20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
97	6435	-3.41	0.00	2.60	5.00	Complies
105	6475	-3.64	0.00	2.37	5.00	Complies
113	6515	-3.48	0.00	2.53	5.00	Complies



Test Mode UNII-6_TX AX(HE20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
97	6435	-4.90	0.00	1.11	5.00	Complies
105	6475	-5.50	0.00	0.51	5.00	Complies
113	6515	-5.04	0.00	0.97	5.00	Complies




Test Mode UNII-6_TX AX(HE20) Mode_Total

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
97	6435	4.93	5.00	Complies
105	6475	4.55	5.00	Complies
113	6515	4.83	5.00	Complies


Test Mode UNII-6_TX AX(HE40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
99	6445	-3.78	0.10	2.33	5.00	Complies
107	6485	-3.76	0.10	2.35	5.00	Complies

CH99




CH107




Test Mode UNII-6_TX AX(HE40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
99	6445	-5.42	0.10	0.69	5.00	Complies
107	6485	-5.43	0.10	0.68	5.00	Complies

CH99



CH107




Test Mode UNII-6_TX AX(HE40) Mode_Total

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
99	6445	4.59	5.00	Complies
107	6485	4.60	5.00	Complies


Test Mode	UNII-6_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
103	6465	-3.52	0.00	2.49	5.00	Complies



Test Mode	UNII-6_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
103	6465	-5.17	0.00	0.84	5.00	Complies




Test Mode	UNII-6_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
103	6465	4.75	5.00	Complies


Test Mode UNII-7_TX AX(HE20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
117	6535	-3.56	0.00	2.45	5.00	Complies
149	6695	-3.85	0.00	2.16	5.00	Complies
181	6855	-4.01	0.00	2.00	5.00	Complies


CH117



CH149




CH181




Test Mode UNII-7_TX AX(HE20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
117	6535	-5.00	0.00	1.01	5.00	Complies
149	6695	-5.09	0.00	0.92	5.00	Complies
181	6855	-5.00	0.00	1.01	5.00	Complies


CH117



CH149



CH181



Test Mode UNII-7_TX AX(HE20) Mode_Total

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
117	6535	4.80	5.00	Complies
149	6695	4.60	5.00	Complies
181	6855	4.54	5.00	Complies