



Test Mode UNII-7\_TX AX(HE40) Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
123	6565	-3.54	0.10	2.57	5.00	Complies
147	6685	-3.50	0.10	2.61	5.00	Complies
179	6845	-4.28	0.10	1.83	5.00	Complies


CH123



CH147




CH179




Test Mode UNII-7\_TX AX(HE40) Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
123	6565	-4.86	0.10	1.25	5.00	Complies
147	6685	-5.05	0.10	1.06	5.00	Complies
179	6845	-4.84	0.10	1.27	5.00	Complies


CH123



CH147



CH179




Test Mode UNII-7\_TX AX(HE40) Mode\_Total

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
123	6565	4.97	5.00	Complies
147	6685	4.91	5.00	Complies
179	6845	4.57	5.00	Complies


Test Mode UNII-7\_TX AX(HE80) Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
135	6625	-3.67	0.00	2.34	5.00	Complies
151	6705	-4.07	0.00	1.94	5.00	Complies
167	6785	-3.67	0.00	2.34	5.00	Complies


CH135



CH151




CH167




Test Mode UNII-7\_TX AX(HE80) Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
135	6625	-5.23	0.00	0.78	5.00	Complies
151	6705	-4.95	0.00	1.06	5.00	Complies
167	6785	-4.94	0.00	1.07	5.00	Complies


CH135



CH151



CH167




Test Mode UNII-7\_TX AX(HE80) Mode\_Total

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
135	6625	4.64	5.00	Complies
151	6705	4.54	5.00	Complies
167	6785	4.76	5.00	Complies

Test Mode	UNII-7_TX AX(HE160) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
143	6665	-3.61	0.00	2.40	5.00	Complies


CH143



Test Mode	UNII-7_TX AX(HE160) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
143	6665	-4.90	0.00	1.11	5.00	Complies

CH143




Test Mode	UNII-7_TX AX(HE160) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
143	6665	4.81	5.00	Complies

Test Mode UNII-6+UNII-7\_TX AX(HE40) Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
115	6525	-3.70	0.10	2.41	5.00	Complies


CH115



Test Mode UNII-6+UNII-7\_TX AX(HE40) Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
115	6525	-5.32	0.10	0.79	5.00	Complies

CH115




Test Mode UNII-6+UNII-7\_TX AX(HE40) Mode\_Total

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
115	6525	4.68	5.00	Complies

Test Mode UNII-6+UNII-7\_TX AX(HE80) Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
119	6545	-3.38	0.00	2.63	5.00	Complies


CH119



Test Mode UNII-6+UNII-7\_TX AX(HE80) Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
119	6545	-5.04	0.00	0.97	5.00	Complies

CH119




Test Mode UNII-6+UNII-7\_TX AX(HE80) Mode\_Total

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
119	6545	4.89	5.00	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
111	6505	-3.50	0.00	2.51	5.00	Complies


CH111



Test Mode	UNII-6+UNII-7_TX AX(HE160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
111	6505	-5.32	0.00	0.69	5.00	Complies

CH111




Test Mode	UNII-6+UNII-7_TX AX(HE160) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
111	6505	4.70	5.00	Complies


Test Mode UNII-8\_TX AX(HE20) Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
189	6895	-4.41	0.00	1.60	5.00	Complies
213	7015	-4.11	0.00	1.90	5.00	Complies

CH189




CH213




Test Mode UNII-8\_TX AX(HE20) Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
189	6895	-4.77	0.00	1.24	5.00	Complies
213	7015	-4.90	0.00	1.11	5.00	Complies

CH189



CH213




Test Mode UNII-8\_TX AX(HE20) Mode\_Total

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
189	6895	4.44	5.00	Complies
213	7015	4.53	5.00	Complies


Test Mode UNII-8\_TX AX(HE40) Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
195	6925	-4.08	0.10	2.03	5.00	Complies
211	7005	-3.89	0.10	2.22	5.00	Complies
227	7085	-3.79	0.10	2.32	5.00	Complies



Test Mode UNII-8\_TX AX(HE40) Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
195	6925	-4.93	0.10	1.18	5.00	Complies
211	7005	-4.65	0.10	1.46	5.00	Complies
227	7085	-4.56	0.10	1.55	5.00	Complies



Test Mode UNII-8\_TX AX(HE40) Mode\_Total


Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
195	6925	4.63	5.00	Complies
211	7005	4.87	5.00	Complies
227	7085	4.96	5.00	Complies




Test Mode UNII-8\_TX AX(HE80) Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
199	6945	-4.20	0.00	1.81	5.00	Complies
215	7025	-4.02	0.00	1.99	5.00	Complies

CH199




CH215




Test Mode UNII-8\_TX AX(HE80) Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
199	6945	-4.99	0.00	1.02	5.00	Complies
215	7025	-5.03	0.00	0.98	5.00	Complies

CH199



CH215




Test Mode UNII-8\_TX AX(HE80) Mode\_Total

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
199	6945	4.44	5.00	Complies
215	7025	4.53	5.00	Complies

Test Mode	UNII-8_TX AX(HE160) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
207	6985	-3.64	0.00	2.37	5.00	Complies


CH207



Test Mode	UNII-8_TX AX(HE160) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
207	6985	-4.63	0.00	1.38	5.00	Complies

CH207




Test Mode	UNII-8_TX AX(HE160) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
207	6985	4.92	5.00	Complies

Test Mode UNII-7+UNII-8\_TX AX(HE20) Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
185	6875	-3.89	0.00	2.12	5.00	Complies


### CH185



Test Mode UNII-7+UNII-8\_TX AX(HE20) Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
185	6875	-4.82	0.00	1.19	5.00	Complies

### CH185




Test Mode UNII-7+UNII-8\_TX AX(HE20) Mode\_Total

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
185	6875	4.69	5.00	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
187	6885	-4.18	0.10	1.93	5.00	Complies


CH187



Test Mode	UNII-7+UNII-8_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
187	6885	-5.04	0.10	1.07	5.00	Complies

CH187




Test Mode	UNII-7+UNII-8_TX AX(HE40) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
187	6885	4.53	5.00	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
183	6865	-3.94	0.00	2.07	5.00	Complies


CH183



Test Mode	UNII-7+UNII-8_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
183	6865	-4.92	0.00	1.09	5.00	Complies

CH183




Test Mode	UNII-7+UNII-8_TX AX(HE80) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
183	6865	4.62	5.00	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
175	6825	-3.52	0.00	2.49	5.00	Complies


CH175



Test Mode	UNII-7+UNII-8_TX AX(HE160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
175	6825	-4.63	0.00	1.38	5.00	Complies

CH175



Test Mode	UNII-7+UNII-8_TX AX(HE160) Mode_Total
-----------	---------------------------------------


Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
175	6825	4.98	5.00	Complies

## NSS2


Test Mode	UNII-5_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
01	5955	-0.23	0.12	2.89	5.00	Complies
45	6175	-0.33	0.12	2.79	5.00	Complies
93	6415	-0.95	0.12	2.17	5.00	Complies


CH01



CH45




CH93




Test Mode	UNII-5_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
01	5955	-2.90	0.12	0.22	5.00	Complies
45	6175	-2.52	0.12	0.60	5.00	Complies
93	6415	-2.70	0.12	0.42	5.00	Complies


CH01



CH45



CH93



Test Mode	UNII-5_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
01	5955	4.77	5.00	Complies
45	6175	4.84	5.00	Complies
93	6415	4.40	5.00	Complies