



Test Mode UNII-5_TX AX(HE40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
03	5965	-0.44	0.12	2.68	5.00	Complies
43	6165	-0.83	0.12	2.29	5.00	Complies
91	6405	-0.44	0.12	2.68	5.00	Complies



Test Mode UNII-5_TX AX(HE40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
03	5965	-3.21	0.12	-0.09	5.00	Complies
43	6165	-2.90	0.12	0.22	5.00	Complies
91	6405	-2.20	0.12	0.92	5.00	Complies




Test Mode UNII-5_TX AX(HE40) Mode_Total

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
03	5965	4.53	5.00	Complies
43	6165	4.39	5.00	Complies
91	6405	4.90	5.00	Complies


Test Mode UNII-5_TX AX(HE80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
07	5985	-0.22	0.18	2.96	5.00	Complies
39	6145	-0.21	0.18	2.97	5.00	Complies
87	6385	-0.91	0.18	2.27	5.00	Complies



Test Mode UNII-5_TX AX(HE80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
07	5985	-3.33	0.18	-0.15	5.00	Complies
39	6145	-2.58	0.18	0.60	5.00	Complies
87	6385	-2.70	0.18	0.48	5.00	Complies




Test Mode UNII-5_TX AX(HE80) Mode_Total

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
07	5985	4.69	5.00	Complies
39	6145	4.96	5.00	Complies
87	6385	4.47	5.00	Complies


Test Mode UNII-5_TX AX(HE160) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
15	6025	-0.37	0.14	2.77	5.00	Complies
47	6185	-0.66	0.14	2.48	5.00	Complies
79	6345	-0.48	0.14	2.66	5.00	Complies



Test Mode UNII-5_TX AX(HE160) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
15	6025	-3.14	0.14	0.00	5.00	Complies
47	6185	-1.82	0.14	1.32	5.00	Complies
79	6345	-2.39	0.14	0.75	5.00	Complies




Test Mode UNII-5_TX AX(HE160) Mode_Total

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
15	6025	4.61	5.00	Complies
47	6185	4.95	5.00	Complies
79	6345	4.82	5.00	Complies


Test Mode UNII-6_TX AX(HE20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
97	6435	-1.00	0.12	2.12	5.00	Complies
105	6475	-0.72	0.12	2.40	5.00	Complies
113	6515	-0.44	0.12	2.68	5.00	Complies



Test Mode UNII-6_TX AX(HE20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
97	6435	-2.52	0.12	0.60	5.00	Complies
105	6475	-2.49	0.12	0.63	5.00	Complies
113	6515	-2.29	0.12	0.83	5.00	Complies



Test Mode UNII-6_TX AX(HE20) Mode_Total

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
97	6435	4.44	5.00	Complies
105	6475	4.62	5.00	Complies
113	6515	4.87	5.00	Complies


Test Mode UNII-6_TX AX(HE40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
99	6445	-0.57	0.12	2.55	5.00	Complies
107	6485	-0.66	0.12	2.46	5.00	Complies

CH99




CH107




Test Mode UNII-6_TX AX(HE40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
99	6445	-2.26	0.12	0.86	5.00	Complies
107	6485	-2.24	0.12	0.88	5.00	Complies

CH99



CH107




Test Mode UNII-6_TX AX(HE40) Mode_Total

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
99	6445	4.80	5.00	Complies
107	6485	4.76	5.00	Complies

Test Mode	UNII-6_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
103	6465	-0.59	0.18	2.59	5.00	Complies


CH103



Test Mode	UNII-6_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
103	6465	-2.23	0.18	0.95	5.00	Complies

CH103




Test Mode	UNII-6_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
103	6465	4.85	5.00	Complies


Test Mode UNII-7_TX AX(HE20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
117	6535	-0.74	0.12	2.38	5.00	Complies
149	6695	-0.68	0.12	2.44	5.00	Complies
181	6855	-0.60	0.12	2.52	5.00	Complies


CH117



CH149




CH181




Test Mode UNII-7_TX AX(HE20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
117	6535	-2.16	0.12	0.99	5.00	Complies
149	6695	-2.10	0.12	1.05	5.00	Complies
181	6855	-1.92	0.12	1.23	5.00	Complies


CH117



CH149



CH181




Test Mode UNII-7_TX AX(HE20) Mode_Total

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
117	6535	4.74	5.00	Complies
149	6695	4.80	5.00	Complies
181	6855	4.92	5.00	Complies


Test Mode UNII-7_TX AX(HE40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
123	6565	-0.74	0.12	2.38	5.00	Complies
147	6685	-0.90	0.12	2.22	5.00	Complies
179	6845	-1.24	0.12	1.88	5.00	Complies


CH123



CH147




CH179




Test Mode UNII-7_TX AX(HE40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
123	6565	-2.07	0.12	1.05	5.00	Complies
147	6685	-2.09	0.12	1.03	5.00	Complies
179	6845	-2.18	0.12	0.94	5.00	Complies


CH123



CH147



CH179




Test Mode UNII-7_TX AX(HE40) Mode_Total

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
123	6565	4.78	5.00	Complies
147	6685	4.68	5.00	Complies
179	6845	4.45	5.00	Complies


Test Mode UNII-7_TX AX(HE80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
135	6625	-0.69	0.18	2.49	5.00	Complies
151	6705	-0.77	0.18	2.41	5.00	Complies
167	6785	-1.12	0.18	2.06	5.00	Complies


CH135



CH151




CH167




Test Mode UNII-7_TX AX(HE80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
135	6625	-2.22	0.18	0.96	5.00	Complies
151	6705	-2.17	0.18	1.01	5.00	Complies
167	6785	-2.35	0.18	0.83	5.00	Complies


CH135



CH151



CH167




Test Mode UNII-7_TX AX(HE80) Mode_Total

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
135	6625	4.80	5.00	Complies
151	6705	4.78	5.00	Complies
167	6785	4.50	5.00	Complies

Test Mode	UNII-7_TX AX(HE160) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
143	6665	-0.62	0.14	2.52	5.00	Complies


CH143



Test Mode	UNII-7_TX AX(HE160) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
143	6665	-1.97	0.14	1.17	5.00	Complies

CH143




Test Mode	UNII-7_TX AX(HE160) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
143	6665	4.90	5.00	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
115	6525	-0.74	0.12	2.38	5.00	Complies


CH115



Test Mode	UNII-6+UNII-7_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
115	6525	-1.87	0.12	1.25	5.00	Complies

CH115



Test Mode	UNII-6+UNII-7_TX AX(HE40) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
115	6525	4.87	5.00	Complies