

# Antenna Specification

Product Model: Archer T4U Plus

Version: 1.0

Date: \_\_\_\_\_

Checked By: \_\_\_\_\_

TP-Link Corporation Limited  
Room 901, 9/F. , New East Ocean Centre, 9 Science Museum  
Road, Tsim Sha Tsui, Kowloon, Hong Kong

# Index

I. Antenna Distribution.....	3
II. Electrical Characteristics .....	3
III. Antenna Peak Gain.....	4
IV. Antenna Radiation Pattern .....	4

# I. Antenna Distribution



# II. Electrical Characteristics

Ant1	
Frequency	2400-2500MHz&5150MHz-5850MHz
Impedance	50Ohm
Antenna Type	Dipole
Antenna Gain	2.00dBi@2400-2500MHz 3.00dBi@5150MHz-5850MHz
Radiation pattern	Omni-Directional

### III. Antenna Peak Gain

Ant1											
Freq(MHz)	2400	2410	2420	2430	2440	2450	2460	2470	2480	2490	2500
Gain(dBi)	1.95	1.87	2.00	1.93	1.96	1.97	1.87	1.88	1.78	1.69	1.65
Freq(MHz)	5150	5200	5250	5300	5350	5400	5450	5500	5550	5600	5650
Gain(dBi)	2.02	2.45	2.32	2.58	2.48	2.61	2.55	2.94	2.31	2.10	2.30
Freq(MHz)	5700	5750	5800	5850							
Gain(dBi)	2.91	2.04	2.31	2.50							

### IV. Antenna Radiation Pattern

