










CH03 – 10th Harmonic of the fundamental frequency



CH06 – 10th Harmonic of the fundamental frequency




CH09 – 10th Harmonic of the fundamental frequency




Test Mode TX N(HT40) Mode_Ant. 2

Reference Level-CH03




Date: 12.MAY.2021 16:50:00

Reference Level-CH06




Date: 12.MAY.2021 16:49:23

Reference Level-CH09




Date: 12.MAY.2021 16:48:59

Bandedge-CH03




Date: 13.MAY.2021 09:10:46

Bandedge-CH09




Date: 13.MAY.2021 09:12:23


CH03 – 10th Harmonic of the fundamental frequency



Date: 13.MAY.2021 09:16:25




Date: 13.MAY.2021 09:16:32




Date: 13.MAY.2021 09:16:40


CH06 – 10th Harmonic of the fundamental frequency



Date: 13.MAY.2021 09:17:10




Date: 13.MAY.2021 09:17:18




Date: 13.MAY.2021 09:17:25


CH09 – 10th Harmonic of the fundamental frequency



Date: 13.MAY.2021 09:17:54




Date: 13.MAY.2021 09:18:01



Date: 13.MAY.2021 09:18:09


Test Mode TX AX(HE20) Mode_Ant. 1

Reference Level-CH01




Date: 12.MAY.2021 16:35:30

Reference Level-CH06




Date: 12.MAY.2021 16:34:56

Reference Level-CH11




Date: 12.MAY.2021 16:34:24

Bandedge-CH01




Date: 12.MAY.2021 17:30:22

Bandedge-CH11




Date: 12.MAY.2021 17:32:04


CH01 – 10th Harmonic of the fundamental frequency



Date: 12.MAY.2021 17:35:31




Date: 12.MAY.2021 17:35:39




Date: 12.MAY.2021 17:35:56


CH06 – 10th Harmonic of the fundamental frequency



Date: 12.MAY.2021 17:36:22




Date: 12.MAY.2021 17:36:30




Date: 12.MAY.2021 17:36:38


CH11 – 10th Harmonic of the fundamental frequency



Date: 12.MAY.2021 17:37:09




Date: 12.MAY.2021 17:37:17



Date: 12.MAY.2021 17:37:35


Test Mode TX AX(HE20) Mode_Ant. 2

Reference Level-CH01




Date: 12.MAY.2021 16:57:00

Reference Level-CH06




Date: 12.MAY.2021 16:56:33

Reference Level-CH11




Date: 12.MAY.2021 16:55:59

Bandedge-CH01




Date: 12.MAY.2021 19:29:16

Bandedge-CH11




Date: 12.MAY.2021 19:31:27


CH01 – 10th Harmonic of the fundamental frequency



Date: 12.MAY.2021 19:34:48




Date: 12.MAY.2021 19:34:55




Date: 12.MAY.2021 19:35:13


CH06 – 10th Harmonic of the fundamental frequency



Date: 12.MAY.2021 19:35:47




Date: 12.MAY.2021 19:35:54




Date: 12.MAY.2021 19:36:02


CH11 – 10th Harmonic of the fundamental frequency



Date: 12.MAY.2021 19:36:31




Date: 12.MAY.2021 19:36:38



Date: 12.MAY.2021 19:36:56


Test Mode TX AX(HE40) Mode_Ant. 1

Reference Level-CH03




Date: 12.MAY.2021 16:31:11

Reference Level-CH06




Date: 12.MAY.2021 16:46:18

Reference Level-CH09




Date: 12.MAY.2021 16:28:14

Bandedge-CH03




Date: 12.MAY.2021 17:55:41

Bandedge-CH09




Date: 12.MAY.2021 17:57:08


CH03 – 10th Harmonic of the fundamental frequency



Date: 12.MAY.2021 18:32:30




Date: 12.MAY.2021 18:32:38




Date: 12.MAY.2021 18:32:46


CH06 – 10th Harmonic of the fundamental frequency



Date: 12.MAY.2021 18:33:19




Date: 12.MAY.2021 18:33:28




Date: 12.MAY.2021 18:33:36


CH09 – 10th Harmonic of the fundamental frequency



Date: 12.MAY.2021 18:34:01




Date: 12.MAY.2021 18:34:09



Date: 12.MAY.2021 18:34:16


Test Mode TX AX(HE40) Mode_Ant. 2

Reference Level-CH03




Date: 12.MAY.2021 16:47:20

Reference Level-CH06




Date: 12.MAY.2021 16:48:03

Reference Level-CH09




Date: 12.MAY.2021 16:48:31

Bandedge-CH03




Date: 13.MAY.2021 09:19:24

Bandedge-CH09




Date: 13.MAY.2021 09:21:01


CH03 – 10th Harmonic of the fundamental frequency



Date: 13.MAY.2021 09:24:12




Date: 13.MAY.2021 09:24:19




Date: 13.MAY.2021 09:24:27


CH06 – 10th Harmonic of the fundamental frequency



Date: 13.MAY.2021 09:24:56




Date: 13.MAY.2021 09:25:03




Date: 13.MAY.2021 09:25:11


CH09 – 10th Harmonic of the fundamental frequency



Date: 13.MAY.2021 09:25:34



Date: 13.MAY.2021 09:25:42




Date: 13.MAY.2021 09:25:49


APPENDIX H - POWER SPECTRAL DENSITY

Test Mode	TX B Mode_Ant. 1
-----------	------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	4.53	8.00	Complies
06	2437	4.16	8.00	Complies
11	2462	3.65	8.00	Complies



Date: 13_MAY.2021 17:12:39




Date: 13_MAY.2021 17:13:07




Date: 13_MAY.2021 17:13:35

Test Mode	TX B Mode_Ant. 2
-----------	------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	3.61	8.00	Complies
06	2437	3.95	8.00	Complies
11	2462	4.98	8.00	Complies



Date: 13_MAY.2021 17:23:40



Date: 13_MAY.2021 17:24:16




Date: 13_MAY.2021 17:24:58

Test Mode	TX B Mode_Total
-----------	-----------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	7.33	8.00	Complies
06	2437	7.29	8.00	Complies
11	2462	7.60	8.00	Complies

Test Mode	TX G Mode_Ant. 1
-----------	------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-5.48	8.00	Complies
06	2437	-0.49	8.00	Complies
11	2462	-6.11	8.00	Complies



Date: 24.FEB.2021 10:46:19




Date: 24.FEB.2021 10:47:55




Date: 24.FEB.2021 10:49:41

Test Mode	TX G Mode_Ant. 2
-----------	------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-5.81	8.00	Complies
06	2437	-1.24	8.00	Complies
11	2462	-6.12	8.00	Complies



Date: 24.FEB.2021 11:38:27



Date: 24.FEB.2021 11:40:10




Date: 24.FEB.2021 11:41:45

Test Mode	TX G Mode_Total
-----------	-----------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-2.63	8.00	Complies
06	2437	2.16	8.00	Complies
11	2462	-3.10	8.00	Complies

Test Mode	TX N(HT20) Mode_Ant. 1
-----------	------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-3.75	8.00	Complies
06	2437	0.43	8.00	Complies
11	2462	-4.96	8.00	Complies



Date: 13_MAY.2021 17:14:24




Date: 13_MAY.2021 17:15:06




Date: 13_MAY.2021 17:15:42

Test Mode	TX N(HT20) Mode_Ant. 2
-----------	------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-4.40	8.00	Complies
06	2437	0.46	8.00	Complies
11	2462	-3.95	8.00	Complies



Date: 13_MAY.2021 17:25:36



Date: 13_MAY.2021 17:26:11




Date: 13_MAY.2021 17:26:45

Test Mode	TX N(HT20) Mode_Total
-----------	-----------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-0.83	8.00	Complies
06	2437	3.67	8.00	Complies
11	2462	-1.20	8.00	Complies

Test Mode	TX N(HT40) Mode_Ant. 1
-----------	------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
03	2422	-10.10	8.00	Complies
06	2437	-7.29	8.00	Complies
09	2452	-9.93	8.00	Complies



Date: 13.MAY.2021 17:16:19




Date: 13.MAY.2021 17:16:58




Date: 13.MAY.2021 17:17:33

Test Mode	TX N(HT40) Mode_Ant. 2
-----------	------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
03	2422	-9.50	8.00	Complies
06	2437	-7.97	8.00	Complies
09	2452	-9.77	8.00	Complies



Date: 13.MAY.2021 17:27:23



Date: 13.MAY.2021 17:27:58




Date: 13.MAY.2021 17:28:36

Test Mode	TX N(HT40) Mode_Total
-----------	-----------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
03	2422	-6.34	8.00	Complies
06	2437	-4.17	8.00	Complies
09	2452	-6.40	8.00	Complies

Test Mode	TX AX(HE20) Mode_Ant. 1
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-4.89	8.00	Complies
06	2437	-0.58	8.00	Complies
11	2462	-4.81	8.00	Complies



Date: 13_MAY.2021 17:18:15




Date: 13_MAY.2021 17:18:52




Date: 13_MAY.2021 17:19:29

Test Mode	TX AX(HE20) Mode_Ant. 2
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-5.35	8.00	Complies
06	2437	-0.66	8.00	Complies
11	2462	-5.26	8.00	Complies



Date: 13_MAY.2021 17:29:18



Date: 13_MAY.2021 17:29:53






Date: 13_MAY.2021 17:30:27

Test Mode	TX AX(HE20) Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-2.01	8.00	Complies
06	2437	2.48	8.00	Complies
11	2462	-1.93	8.00	Complies




Test Mode	TX AX(HE40) Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
03	2422	-10.36	8.00	Complies
06	2437	-7.99	8.00	Complies
09	2452	-10.31	8.00	Complies



Test Mode	TX AX(HE40) Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
03	2422	-10.03	8.00	Complies
06	2437	-8.70	8.00	Complies
09	2452	-10.06	8.00	Complies



Test Mode	TX AX(HE40) Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
03	2422	-6.99	8.00	Complies
06	2437	-5.13	8.00	Complies
09	2452	-6.98	8.00	Complies

End of Test Report