


Test Mode	UNII-2C_TX AC(VHT80) Mode 5690 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	17057.45	39.70	10.17	49.87	68.20	-18.33	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5690 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	36.83	12.79	49.62	74.00	-24.38	peak	
2		5460.000	26.81	12.79	39.60	54.00	-14.40	AVG	
3		5470.000	36.51	12.79	49.30	68.20	-18.90	peak	
4	*	5684.900	99.81	13.35	113.16	68.20	44.96	peak	No Limit
5	X	5685.500	92.81	13.35	106.16	68.20	37.96	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5720 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	17159.10	43.41	10.26	53.67	68.20	-14.53	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5720 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	37.53	12.79	50.32	74.00	-23.68	peak	
2		5460.000	26.43	12.79	39.22	54.00	-14.78	AVG	
3		5470.000	36.00	12.79	48.79	68.20	-19.41	peak	
4	*	5720.600	100.6	13.46	114.07	68.20	45.87	peak	No Limit
5	X	5720.600	94.55	13.46	108.01	68.20	39.81	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5710 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	17129.47	39.91	10.24	50.15	68.20	-18.05	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5710 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	34.10	12.79	46.89	74.00	-27.11	peak	
2		5460.000	25.63	12.79	38.42	54.00	-15.58	AVG	
3		5470.000	34.94	12.79	47.73	68.20	-20.47	peak	
4	X	5715.100	91.99	13.44	105.43	68.20	37.23	AVG	No Limit
5	*	5716.000	99.93	13.44	113.37	68.20	45.17	peak	No Limit

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5690 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	17081.97	39.28	10.19	49.47	68.20	-18.73	peak	

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5690 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	36.53	12.79	49.32	74.00	-24.68	peak	
2		5460.000	26.90	12.79	39.69	54.00	-14.31	AVG	
3		5470.000	37.76	12.79	50.55	68.20	-17.65	peak	
4	X	5685.500	92.81	13.35	106.16	68.20	37.96	AVG	No Limit
5	*	5695.400	98.46	13.39	111.85	68.20	43.65	peak	No Limit

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5755 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		39802.00	49.98	12.05	62.03	83.50	-21.47	peak	
2	*	39802.00	43.16	12.05	55.21	63.50	-8.29	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5755 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	36942.00	50.91	10.15	61.06	77.70	-16.64	peak	

REMARKS:


- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

APPENDIX E - BANDWIDTH

Test Mode	UNII-1_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	20.550	16.500
40	5200	20.459	16.400
48	5240	19.799	16.400

CH36




Date: 7.MAR.2024 09:55:31

CH40
26 dB Bandwidth




Date: 7.MAR.2024 09:56:55

CH48




Date: 7.MAR.2024 09:58:06


99 % Occupied Bandwidth



Date: 7.MAR.2024 09:55:03



Date: 7.MAR.2024 09:56:28




Date: 7.MAR.2024 09:57:37

Test Mode	UNII-1_TX AC(VHT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	20.789	17.700
40	5200	21.090	17.700
48	5240	20.590	17.700

CH36




Date: 7.MAR.2024 10:20:32

CH40
26 dB Bandwidth




Date: 7.MAR.2024 10:22:15

CH48




Date: 7.MAR.2024 10:23:05


99 % Occupied Bandwidth



Date: 7.MAR.2024 10:20:09



Date: 7.MAR.2024 10:21:48




Date: 7.MAR.2024 10:22:37

Test Mode	UNII-1_TX AC(VHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	39.300	36.200
46	5230	39.790	36.200

CH38




Date: 7.MAR.2024 10:59:10

CH46
26 dB Bandwidth




Date: 7.MAR.2024 11:00:17

99 % Occupied Bandwidth



Date: 7.MAR.2024 10:58:30




Date: 7.MAR.2024 10:59:49

Test Mode	UNII-1_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	81.200	75.200

CH42 26 dB Bandwidth



Date: 7.MAR.2024 14:42:48


99 % Occupied Bandwidth



Date: 7.MAR.2024 14:42:15


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	20.850	18.900
40	5200	20.989	18.900
48	5240	21.089	18.900

CH48



Date: 7-MAR-2024 14:57:00

99 % Occupied Bandwidth




Date: 7 MAR 2024 14:56:35

Test Mode	UNII-1_TX AX(HE40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	39.790	38.000
46	5230	40.200	37.800

CH38




Date: 8.MAR.2024 09:41:01

CH46
26 dB Bandwidth




Date: 8.MAR.2024 09:41:50

99 % Occupied Bandwidth



Date: 8.MAR.2024 09:40:24




Date: 8.MAR.2024 09:41:23

Test Mode	UNII-1_TX AX(HE80) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	82.600	76.800

CH42 26 dB Bandwidth



Date: 8.MAR.2024 09:55:22

99 % Occupied Bandwidth




Date: 8.MAR.2024 09:54:47

Test Mode	UNII-2A_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	19.900	16.400
60	5300	19.699	16.300
64	5320	19.890	16.300

CH52




Date: 7.MAR.2024 10:05:58

CH60
26 dB Bandwidth




Date: 7.MAR.2024 10:07:07

CH64




Date: 7.MAR.2024 10:09:15


99 % Occupied Bandwidth



Date: 7.MAR.2024 10:05:31



Date: 7.MAR.2024 10:06:37




Date: 7.MAR.2024 10:08:47

Test Mode	UNII-2A_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	20.550	17.600
60	5300	20.600	17.600
64	5320	20.289	17.700

CH52




Date: 7.MAR.2024 10:23:51

CH60
26 dB Bandwidth




Date: 7.MAR.2024 10:25:51

CH64




Date: 7.MAR.2024 10:26:49


99 % Occupied Bandwidth



Date: 7.MAR.2024 10:23:23



Date: 7.MAR.2024 10:25:23




Date: 7.MAR.2024 10:26:19


Test Mode	UNII-2A_TX AC(VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	39.198	36.200
62	5310	39.008	36.200



CH54



CH62
26 dB Bandwidth




99 % Occupied Bandwidth



Test Mode	UNII-2A_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	81.800	75.200

CH58 26 dB Bandwidth



Date: 7.MAR.2024 14:43:44

99 % Occupied Bandwidth




Date: 7.MAR.2024 14:43:10

Test Mode	UNII-2A_TX AX(HE20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	20.949	18.900
60	5300	21.089	18.900
64	5320	21.190	18.900

CH52




Date: 8.MAR.2024 09:27:26

CH60
26 dB Bandwidth




Date: 8.MAR.2024 09:28:19

CH64




Date: 8.MAR.2024 09:29:15


99 % Occupied Bandwidth



Date: 8.MAR.2024 09:26:59



Date: 8.MAR.2024 09:27:51




Date: 8.MAR.2024 09:28:48

Test Mode	UNII-2A_TX AX(HE40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	40.190	37.800
62	5310	40.100	37.800

CH54




Date: 8.MAR.2024 09:43:03

CH62
26 dB Bandwidth




Date: 8.MAR.2024 09:44:01



Date: 8.MAR.2024 09:42:26

99 % Occupied Bandwidth




Date: 8.MAR.2024 09:43:25

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode
-----------	-----------------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
50	5250	162.390	154.400

CH50 26 dB Bandwidth



Date: 7.MAR.2024 14:51:57

99 % Occupied Bandwidth




Date: 7.MAR.2024 14:51:23

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode
-----------	----------------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
50	5250	162.800	155.200

CH50 26 dB Bandwidth



Date: 8.MAR.2024 10:03:34

99 % Occupied Bandwidth




Date: 8.MAR.2024 10:03:01

Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	19.889	16.400
116	5580	19.589	16.400
140	5700	19.599	16.400
144	5720	15.200	16.400

CH100




Date: 7.MAR.2024 10:12:33

CH116
26 dB Bandwidth




Date: 7.MAR.2024 10:13:48

CH140




Date: 7.MAR.2024 10:15:13


99 % Occupied Bandwidth



Date: 7.MAR.2024 10:12:04




Date: 7.MAR.2024 10:13:20




Date: 7.MAR.2024 10:14:45

26 dB Bandwidth



Date: 3.APR.2024 14:56:35

CH144
99 % Occupied Bandwidth




Date: 11.MAR.2024 09:45:17

Test Mode	UNII-2C_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	20.299	17.500
116	5580	20.399	17.600
140	5700	20.690	17.600
144	5720	15.300	17.600

CH100




Date: 7.MAR.2024 10:27:41

CH116
26 dB Bandwidth




Date: 7.MAR.2024 10:32:31

CH140




Date: 7.MAR.2024 10:33:26


99 % Occupied Bandwidth



Date: 7.MAR.2024 10:27:12




Date: 7.MAR.2024 10:32:02




Date: 7.MAR.2024 10:32:57

26 dB Bandwidth



Date: 3.APR.2024 15:49:38

99 % Occupied Bandwidth




Date: 11.MAR.2024 09:51:29

Test Mode	UNII-2C_TX AC(VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	39.308	36.000
110	5550	39.100	36.000
134	5670	39.409	36.200
142	5710	35.600	36.200

CH102




Date: 7.MAR.2024 11:04:15

CH110
26 dB Bandwidth




Date: 7.MAR.2024 14:36:30

CH134




Date: 7.MAR.2024 14:37:49


99 % Occupied Bandwidth



Date: 7.MAR.2024 11:03:36




Date: 7.MAR.2024 14:35:51




Date: 7.MAR.2024 14:37:03

CH142
26 dB Bandwidth



Date: 3.APR.2024 15:22:27

CH142
99 % Occupied Bandwidth




Date: 11.MAR.2024 09:54:06

Test Mode	UNII-2C_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	81.190	75.200
122	5610	81.206	75.200
138	5690	75.800	75.200

CH106




Date: 7.MAR.2024 14:47:30

CH122
26 dB Bandwidth




Date: 7.MAR.2024 14:48:43

CH138




Date: 3.APR.2024 15:45:00


99 % Occupied Bandwidth



Date: 7.MAR.2024 14:46:54



Date: 7.MAR.2024 14:47:57




Date: 11.MAR.2024 09:56:48

Test Mode	UNII-2C_TX AX(HE20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	21.090	18.900
116	5580	21.100	18.900
140	5700	20.799	18.900
144	5720	15.800	18.900

CH100




Date: 8.MAR.2024 09:30:19

CH116
26 dB Bandwidth




Date: 8.MAR.2024 09:31:06

CH140




Date: 8.MAR.2024 09:31:54


99 % Occupied Bandwidth



Date: 8.MAR.2024 09:29:51




Date: 8.MAR.2024 09:30:39




Date: 8.MAR.2024 09:31:26

26 dB Bandwidth



Date: 3.APR.2024 15:16:36

CH144
99 % Occupied Bandwidth




Date: 11.MAR.2024 10:02:00

Test Mode	UNII-2C_TX AX(HE40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	40.100	37.800
110	5550	40.100	37.800
134	5670	40.100	37.800
142	5710	35.800	37.800

CH102




Date: 8.MAR.2024 09:49:07

CH110
26 dB Bandwidth




Date: 8.MAR.2024 09:49:55

CH134




Date: 8.MAR.2024 09:51:01


99 % Occupied Bandwidth



Date: 8.MAR.2024 09:48:30




Date: 8.MAR.2024 09:49:18




Date: 8.MAR.2024 09:50:24

CH142
26 dB Bandwidth



Date: 3.APR.2024 15:26:10

CH142
99 % Occupied Bandwidth



Date: 11.MAR.2024 10:04:52