


Orthogonal Axis	X
Test Mode	UNII-3_TX AX (HE40) Mode 5755 MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5645.800	46.92	19.96	66.88	68.20	-1.32	peak	
2		5715.000	66.76	20.02	86.78	109.40	-22.62	peak	
3		5725.000	68.89	20.02	88.91	122.20	-33.29	peak	
4		5753.800	97.05	20.04	117.09	122.20	-5.11	peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AX (HE40) Mode 5755MHz

Vertical




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11509.068	19.86	17.20	37.06	54.00	-16.94	AVG	
2	11510.682	32.54	17.20	49.74	74.00	-24.26	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AX (HE40) Mode 5795 MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5802.400	96.63	20.08	116.71	122.20	-5.49	peak	No Limit
2		5850.000	60.79	20.11	80.90	122.20	-41.30	peak	
3		5860.000	57.84	20.11	77.95	109.40	-31.45	peak	
4 *		5930.400	47.61	20.17	67.78	68.20	-0.42	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AX (HE40) Mode 5795MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11589.687	33.27	17.28	50.55	74.00	-23.45	peak	
2	*	11590.205	19.57	17.28	36.85	54.00	-17.15	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AX (HE80) Mode 5775MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5649.400	47.47	19.96	67.43	68.20	-0.77	peak	
2		5715.000	58.48	20.02	78.50	109.40	-30.90	peak	
3		5725.000	58.87	20.02	78.89	122.20	-43.31	peak	
4		5777.000	91.54	20.05	111.59	122.20	-10.61	peak	No Limit
5		5850.000	55.83	20.11	75.94	122.20	-46.26	peak	
6		5860.000	54.83	20.11	74.94	109.40	-34.46	peak	
7	*	5929.800	47.55	20.17	67.72	68.20	-0.48	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AX (HE80) Mode 5775Hz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11549.683	32.47	17.23	49.70	74.00	-24.30	peak	
2	*	11549.996	19.55	17.23	36.78	54.00	-17.22	AVG	

REMARKS:


- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

APPENDIX E - BANDWIDTH

Test Mode	UNII-1_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	21.61	17.20
40	5200	27.90	17.60
48	5240	36.89	18.00

CH36




Date: 9.EEP.2020 09:29:07

CH40
26 dB Bandwidth




Date: 9.EEP.2020 09:30:12

CH48




Date: 9.EEP.2020 09:31:09


99 % Emission Bandwidth



Date: 9.EEP.2020 09:28:45



Date: 9.EEP.2020 09:29:52




Date: 9.EEP.2020 09:30:53

Test Mode	UNII-3_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	16.35	18.20	500	Complies
157	5785	16.40	21.80	500	Complies
165	5825	16.35	26.00	500	Complies

CH149




Date: 9.SEP.2020 07:58:38

CH157
6 dB Bandwidth




Date: 9.SEP.2020 08:00:44

CH165




Date: 9.SEP.2020 08:02:07


99 % Emission Bandwidth



Date: 9.SEP.2020 07:58:13



Date: 9.SEP.2020 08:00:18




Date: 9.SEP.2020 08:01:43

Test Mode	UNII-1_TX AC (VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	21.95	18.20
40	5200	28.00	18.50
48	5240	38.19	19.00

CH36




Date: 9.SEP.2020 09:32:28

CH40
26 dB Bandwidth




Date: 9.SEP.2020 09:33:24

CH48




Date: 9.SEP.2020 09:34:16


99 % Emission Bandwidth



Date: 9.SEP.2020 09:32:06



Date: 9.SEP.2020 09:33:00




Date: 9.SEP.2020 09:34:01

Test Mode	UNII-1_TX AC (VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
38	5190	40.01	36.80
46	5230	40.39	37.20

CH38




Date: 9.SEP.2020 09:35:38

CH46
26 dB Bandwidth




Date: 9.SEP.2020 09:36:59

99 % Emission Bandwidth



Date: 9.SEP.2020 09:35:07




Date: 9.SEP.2020 09:36:32

Test Mode	UNII-1_TX AC (VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
42	5210	82.79	76.00

CH42 26 dB Bandwidth



Date: 9.SEP.2020 09:39:40

99 % Emission Bandwidth




Date: 9.SEP.2020 09:39:11

Test Mode	UNII-3_TX AC (VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	17.59	19.10	500	Complies
157	5785	17.35	23.50	500	Complies
165	5825	17.59	25.70	500	Complies

CH149




Date: 9_SEp.2020 08:03:45

CH157
6 dB Bandwidth




Date: 9_SEp.2020 08:03:02

CH165




Date: 9_SEp.2020 08:03:14


99 % Emission Bandwidth



Date: 9_SEp.2020 08:03:20



Date: 9_SEp.2020 08:03:36




Date: 9_SEp.2020 08:03:50

Test Mode	UNII-3_TX AC (VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
151	5755	35.91	37.20	500	Complies
159	5795	36.30	37.20	500	Complies

CH151




Date: 9.SEP.2020 08:41:01

CH159
6 dB Bandwidth




Date: 9.SEP.2020 08:42:17

99 % Emission Bandwidth




Date: 9.SEP.2020 08:40:30




Date: 9.SEP.2020 08:41:44

Test Mode	UNII-3_TX AC (VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
155	5775	74.81	76.00	500	Complies



Date: 9.SEP.2020 08:44:25




Date: 9.SEP.2020 08:43:52

Test Mode	UNII-1_TX AX (HE20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	21.85	19.20
40	5200	28.29	19.40
48	5240	39.10	19.60

CH36




Date: 9.EEP.2020 09:42:13

CH40
26 dB Bandwidth




Date: 9.EEP.2020 09:45:18

CH48




Date: 9.EEP.2020 09:47:58


99 % Emission Bandwidth



Date: 9.EEP.2020 09:41:30



Date: 9.EEP.2020 09:44:34




Date: 9.EEP.2020 09:47:24

Test Mode	UNII-1_TX AX (HE40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
38	5190	40.10	37.80
46	5230	39.90	38.00

CH38




Date: 9.SEP.2020 09:51:05

CH46
26 dB Bandwidth




Date: 9.SEP.2020 09:53:57

99 % Emission Bandwidth



Date: 9.SEP.2020 09:50:15




Date: 9.SEP.2020 09:53:11

Test Mode	UNII-1_TX AX (HE80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
42	5210	83.00	77.60

CH42 26 dB Bandwidth



Date: 9.SEP.2020 09:56:37

99 % Emission Bandwidth




Date: 9.SEP.2020 09:55:49

Test Mode	UNII-3_TX AX (HE20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	18.79	19.60	500	Complies
157	5785	18.50	22.60	500	Complies
165	5825	18.50	26.00	500	Complies

CH149




Date: 9.SEP.2020 08:45:55

CH157
6 dB Bandwidth




Date: 9.SEP.2020 09:00:52

CH165




Date: 9.SEP.2020 08:48:48


99 % Emission Bandwidth



Date: 9.SEP.2020 08:45:30



Date: 9.SEP.2020 09:00:26




Date: 9.SEP.2020 08:48:24

Test Mode	UNII-3_TX AX (HE40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
151	5755	36.50	38.00	500	Complies
159	5795	37.10	38.00	500	Complies

CH151




Date: 9.SEP.2020 08:50:14

CH159
6 dB Bandwidth




Date: 9.SEP.2020 08:51:30

99 % Emission Bandwidth



Date: 9.SEP.2020 08:49:42




Date: 9.SEP.2020 08:50:57

Test Mode	UNII-3_TX AX (HE80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
155	5775	76.20	77.60	500	Complies

CH155 6 dB Bandwidth



Date: 9.SEP.2020 08:53:00

99 % Emission Bandwidth



Date: 9.SEP.2020 08:52:28

APPENDIX F - MAXIMUM OUTPUT POWER

Non-Beamforming

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.06	0.22	20.28	30.00	1.00	Complies
40	5200	21.94	0.22	22.16	30.00	1.00	Complies
48	5240	22.43	0.22	22.65	30.00	1.00	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.69	0.22	19.91	30.00	1.00	Complies
40	5200	21.89	0.22	22.11	30.00	1.00	Complies
48	5240	22.21	0.22	22.43	30.00	1.00	Complies

Test Mode	UNII-1_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.16	0.22	21.38	30.00	1.00	Complies
40	5200	22.17	0.22	22.39	30.00	1.00	Complies
48	5240	22.29	0.22	22.51	30.00	1.00	Complies

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	25.34	30.00	1.00	Complies
40	5200	27.00	30.00	1.00	Complies
48	5240	27.31	30.00	1.00	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.43	0.22	25.65	30.00	1.00	Complies
157	5785	25.98	0.22	26.20	30.00	1.00	Complies
165	5825	25.39	0.22	25.61	30.00	1.00	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	24.33	0.22	24.55	30.00	1.00	Complies
157	5785	24.40	0.22	24.62	30.00	1.00	Complies
165	5825	23.75	0.22	23.97	30.00	1.00	Complies

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	28.15	30.00	1.00	Complies
157	5785	28.50	30.00	1.00	Complies
165	5825	27.88	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.05	0.00	20.05	30.00	1.00	Complies
40	5200	22.26	0.00	22.26	30.00	1.00	Complies
48	5240	23.05	0.00	23.05	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.66	0.00	20.66	30.00	1.00	Complies
40	5200	22.48	0.00	22.48	30.00	1.00	Complies
48	5240	23.21	0.00	23.21	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.21	0.00	20.21	30.00	1.00	Complies
40	5200	22.31	0.00	22.31	30.00	1.00	Complies
48	5240	23.24	0.00	23.24	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	25.09	30.00	1.00	Complies
40	5200	27.12	30.00	1.00	Complies
48	5240	27.94	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.54	0.13	18.67	30.00	1.00	Complies
46	5230	22.39	0.13	22.52	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.12	0.13	19.25	30.00	1.00	Complies
46	5230	22.76	0.13	22.89	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.37	0.13	18.50	30.00	1.00	Complies
46	5230	22.33	0.13	22.46	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	23.59	30.00	1.00	Complies
46	5230	27.40	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	18.03	0.27	18.30	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	18.67	0.27	18.94	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	18.25	0.27	18.52	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	23.37	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.21	0.00	25.21	30.00	1.00	Complies
157	5785	26.11	0.00	26.11	30.00	1.00	Complies
165	5825	25.28	0.00	25.28	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	24.03	0.00	24.03	30.00	1.00	Complies
157	5785	24.69	0.00	24.69	30.00	1.00	Complies
165	5825	24.55	0.00	24.55	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	27.67	30.00	1.00	Complies
157	5785	28.47	30.00	1.00	Complies
165	5825	27.94	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	24.65	0.13	24.78	30.00	1.00	Complies
159	5795	24.27	0.13	24.40	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.81	0.13	23.94	30.00	1.00	Complies
159	5795	23.89	0.13	24.02	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	27.39	30.00	1.00	Complies
159	5795	27.23	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.22	0.27	21.49	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.59	0.27	20.86	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	24.20	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.56	0.10	19.66	30.00	1.00	Complies
40	5200	22.62	0.10	22.72	30.00	1.00	Complies
48	5240	22.98	0.10	23.08	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.04	0.10	20.14	30.00	1.00	Complies
40	5200	22.73	0.10	22.83	30.00	1.00	Complies
48	5240	23.36	0.10	23.46	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.38	0.10	19.48	30.00	1.00	Complies
40	5200	22.66	0.10	22.76	30.00	1.00	Complies
48	5240	23.27	0.10	23.37	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	24.54	30.00	1.00	Complies
40	5200	27.54	30.00	1.00	Complies
48	5240	28.08	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.32	0.19	18.51	30.00	1.00	Complies
46	5230	22.17	0.19	22.36	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.64	0.19	18.83	30.00	1.00	Complies
46	5230	22.56	0.19	22.75	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.18	0.19	18.37	30.00	1.00	Complies
46	5230	22.24	0.19	22.43	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	23.34	30.00	1.00	Complies
46	5230	27.29	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	17.44	0.35	17.79	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	17.91	0.35	18.26	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	17.46	0.35	17.81	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	22.73	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.47	0.10	25.57	30.00	1.00	Complies
157	5785	26.11	0.10	26.21	30.00	1.00	Complies
165	5825	25.36	0.10	25.46	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	24.39	0.10	24.49	30.00	1.00	Complies
157	5785	24.61	0.10	24.71	30.00	1.00	Complies
165	5825	23.79	0.10	23.89	30.00	1.00	Complies

Test Mode	UNII-3_AX (HE20) Mode_Total
-----------	-----------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	28.07	30.00	1.00	Complies
157	5785	28.54	30.00	1.00	Complies
165	5825	27.76	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	24.67	0.19	24.86	30.00	1.00	Complies
159	5795	24.04	0.19	24.23	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	24.15	0.19	24.34	30.00	1.00	Complies
159	5795	23.62	0.19	23.81	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	27.62	30.00	1.00	Complies
159	5795	27.03	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.19	0.35	21.54	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.58	0.35	20.93	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	24.26	30.00	1.00	Complies

Beamforming

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.74	0.00	19.74	30.00	1.00	Complies
40	5200	21.97	0.00	21.97	30.00	1.00	Complies
48	5240	22.76	0.00	22.76	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.33	0.00	20.33	30.00	1.00	Complies
40	5200	22.16	0.00	22.16	30.00	1.00	Complies
48	5240	22.92	0.00	22.92	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.85	0.00	19.85	30.00	1.00	Complies
40	5200	22.04	0.00	22.04	30.00	1.00	Complies
48	5240	22.85	0.00	22.85	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	24.75	30.00	1.00	Complies
40	5200	26.83	30.00	1.00	Complies
48	5240	27.62	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.18	0.13	18.31	30.00	1.00	Complies
46	5230	22.11	0.13	22.24	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.69	0.13	18.82	30.00	1.00	Complies
46	5230	22.45	0.13	22.58	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.08	0.13	18.21	30.00	1.00	Complies
46	5230	22.03	0.13	22.16	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	23.23	30.00	1.00	Complies
46	5230	27.11	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	17.75	0.27	18.02	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	18.33	0.27	18.60	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	17.96	0.27	18.23	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	23.07	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	24.91	0.00	24.91	30.00	1.00	Complies
157	5785	25.84	0.00	25.84	30.00	1.00	Complies
165	5825	24.99	0.00	24.99	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.75	0.00	23.75	30.00	1.00	Complies
157	5785	24.36	0.00	24.36	30.00	1.00	Complies
165	5825	24.19	0.00	24.19	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	27.38	30.00	1.00	Complies
157	5785	28.17	30.00	1.00	Complies
165	5825	27.62	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	24.32	0.13	24.45	30.00	1.00	Complies
159	5795	24.05	0.13	24.18	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.47	0.13	23.60	30.00	1.00	Complies
159	5795	23.53	0.13	23.66	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	27.06	30.00	1.00	Complies
159	5795	26.94	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.98	0.27	21.25	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.26	0.27	20.53	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.92	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.19	0.10	19.29	30.00	1.00	Complies
40	5200	22.41	0.10	22.51	30.00	1.00	Complies
48	5240	22.64	0.10	22.74	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.77	0.10	19.87	30.00	1.00	Complies
40	5200	22.32	0.10	22.42	30.00	1.00	Complies
48	5240	23.08	0.10	23.18	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.07	0.10	19.17	30.00	1.00	Complies
40	5200	22.37	0.10	22.47	30.00	1.00	Complies
48	5240	23.01	0.10	23.11	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	24.23	30.00	1.00	Complies
40	5200	27.24	30.00	1.00	Complies
48	5240	27.79	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.02	0.19	18.21	30.00	1.00	Complies
46	5230	21.86	0.19	22.05	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.35	0.19	18.54	30.00	1.00	Complies
46	5230	22.19	0.19	22.38	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.72	0.19	17.91	30.00	1.00	Complies
46	5230	21.93	0.19	22.12	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	23.00	30.00	1.00	Complies
46	5230	26.96	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	17.15	0.35	17.50	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	17.64	0.35	17.99	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	17.22	0.35	17.57	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	22.46	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.12	0.10	25.22	30.00	1.00	Complies
157	5785	25.77	0.10	25.87	30.00	1.00	Complies
165	5825	25.11	0.10	25.21	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	24.08	0.10	24.18	30.00	1.00	Complies
157	5785	24.23	0.10	24.33	30.00	1.00	Complies
165	5825	23.47	0.10	23.57	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	27.74	30.00	1.00	Complies
157	5785	28.18	30.00	1.00	Complies
165	5825	27.48	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	24.33	0.19	24.52	30.00	1.00	Complies
159	5795	23.82	0.19	24.01	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.85	0.19	24.04	30.00	1.00	Complies
159	5795	23.25	0.19	23.44	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	27.30	30.00	1.00	Complies
159	5795	26.74	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.84	0.35	21.19	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.27	0.35	20.62	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE80) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.93	30.00	1.00	Complies

APPENDIX G - POWER SPECTRAL DENSITY


Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.95	0.22	10.17	17.00	Complies
40	5200	11.44	0.22	11.66	17.00	Complies
48	5240	11.74	0.22	11.96	17.00	Complies


CH36



CH40




CH48




Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.13	0.22	10.35	17.00	Complies
40	5200	11.97	0.22	12.19	17.00	Complies
48	5240	11.77	0.22	11.99	17.00	Complies


CH36



CH40




CH48



Test Mode	UNII-1_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.52	0.22	10.74	17.00	Complies
40	5200	11.90	0.22	12.12	17.00	Complies
48	5240	11.95	0.22	12.17	17.00	Complies




Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	15.20	17.00	Complies
40	5200	16.77	17.00	Complies
48	5240	16.82	17.00	Complies


Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	11.81	0.22	12.03	30.00	Complies
157	5785	12.58	0.22	12.80	30.00	Complies
165	5825	12.11	0.22	12.33	30.00	Complies


CH149



CH157




CH165




Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	13.36	0.22	13.58	30.00	Complies
157	5785	13.73	0.22	13.95	30.00	Complies
165	5825	12.34	0.22	12.56	30.00	Complies


CH149



CH157



CH165




Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	15.89	30.00	Complies
157	5785	16.43	30.00	Complies
165	5825	15.46	30.00	Complies


Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.27	0.00	9.27	17.00	Complies
40	5200	11.27	0.00	11.27	17.00	Complies
48	5240	12.04	0.00	12.04	17.00	Complies


CH36



CH40




CH48




Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.67	0.00	9.67	17.00	Complies
40	5200	11.67	0.00	11.67	17.00	Complies
48	5240	12.11	0.00	12.11	17.00	Complies


CH36



CH40




CH48




Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.15	0.00	10.15	17.00	Complies
40	5200	12.18	0.00	12.18	17.00	Complies
48	5240	12.18	0.00	12.18	17.00	Complies


CH36



CH40



CH48




Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	14.48	17.00	Complies
40	5200	16.49	17.00	Complies
48	5240	16.88	17.00	Complies


Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	5.00	0.13	5.13	17.00	Complies
46	5230	8.98	0.13	9.11	17.00	Complies

CH38




CH46




Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	5.81	0.13	5.94	17.00	Complies
46	5230	9.39	0.13	9.52	17.00	Complies

CH38




CH46




Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	5.86	0.13	5.99	17.00	Complies
46	5230	8.82	0.13	8.95	17.00	Complies

CH38



CH46




Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	10.48	17.00	Complies
46	5230	13.98	17.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	1.67	0.27	1.94	17.00	Complies


CH42



Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	2.17	0.27	2.44	17.00	Complies


CH42



Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	1.78	0.27	2.05	17.00	Complies

CH42




Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	6.92	17.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	11.73	0.00	11.73	30.00	Complies
157	5785	12.26	0.00	12.26	30.00	Complies
165	5825	11.73	0.00	11.73	30.00	Complies



Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	13.08	0.00	13.08	30.00	Complies
157	5785	13.50	0.00	13.50	30.00	Complies
165	5825	12.48	0.00	12.48	30.00	Complies

