




11AC20MIMO_Ant4_5785




11AC20MIMO_Ant2_5825




11AC20MIMO_Ant4_5825






11AC40MIMO_Ant2_5190




11AC40MIMO_Ant4_5190




11AC40MIMO_Ant2_5230









11AC40MIMO_Ant2_5795







11AC40MIMO_Ant4_5795




11AC80MIMO_Ant2_5210











11AX20MIMO_Ant4_5180




11AX20MIMO_Ant2_5200




11AX20MIMO_Ant4_5200







11AX20MIMO_Ant4_5745




11AX20MIMO_Ant2_5785




11AX20MIMO_Ant4_5785




11AX20MIMO_Ant2_5825




11AX20MIMO_Ant4_5825




11AX40MIMO_Ant2_5190






11AX40MIMO_Ant4_5190






11AX40MIMO_Ant2_5230




11AX40MIMO_Ant4_5230




11AX40MIMO_Ant2_5795







11AX80MIMO_Ant2_5775




11AX80MIMO_Ant4_5775




11AX160MIMO_Ant2_5250




Test Mode	Antenna	Channel	Test Result [dBm]	Limit [dBm]	Verdict
11AX20MIMO	Ant2	5240	-3.30	-1.520	PASS
11AX40MIMO	Ant2	5230	-3.33	-1.250	PASS
11AX80MIMO	Ant2	5210	-9.34	-7.510	PASS



11AX20MIMO_Ant2 Spurious Emission 5240



11AX40MIMO_Ant2 Spurious Emission 5230



11AX80MIMO_Ant2 Spurious Emission 5210


Note: All the modes and antennas have been tested, only the worst data were recorded in the report.




11.3. APPENDIX C: MIN EMISSION BANDWIDTH


11.3.1. Test Result

Test Mode	Antenna	Channel	6db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A-CDD	Ant2	5745	16.36	5736.80	5753.16	≥0.5	PASS
	Ant4	5745	16.36	5736.80	5753.16	≥0.5	PASS
	Ant2	5785	16.36	5776.80	5793.16	≥0.5	PASS
	Ant4	5785	16.36	5776.80	5793.16	≥0.5	PASS
	Ant2	5825	16.36	5816.80	5833.16	≥0.5	PASS
	Ant4	5825	16.36	5816.80	5833.16	≥0.5	PASS
11AC20MIMO	Ant2	5745	17.56	5736.16	5753.72	≥0.5	PASS
	Ant4	5745	17.56	5736.16	5753.72	≥0.5	PASS
	Ant2	5785	17.56	5776.16	5793.72	≥0.5	PASS
	Ant4	5785	17.56	5776.16	5793.72	≥0.5	PASS
	Ant2	5825	17.56	5816.16	5833.72	≥0.5	PASS
	Ant4	5825	17.56	5816.16	5833.72	≥0.5	PASS
11AC40MIMO	Ant2	5755	36.32	5736.76	5773.08	≥0.5	PASS
	Ant4	5755	36.32	5736.76	5773.08	≥0.5	PASS
	Ant2	5795	36.32	5776.76	5813.08	≥0.5	PASS
	Ant4	5795	36.32	5776.76	5813.08	≥0.5	PASS
11AC80MIMO	Ant2	5775	76.32	5736.76	5813.08	≥0.5	PASS
	Ant4	5775	75.68	5736.76	5812.44	≥0.5	PASS
11AX20MIMO	Ant2	5745	19.12	5735.40	5754.52	≥0.5	PASS
	Ant4	5745	19.08	5735.44	5754.52	≥0.5	PASS
	Ant2	5785	19.12	5775.40	5794.52	≥0.5	PASS
	Ant4	5785	19.12	5775.44	5794.56	≥0.5	PASS
	Ant2	5825	18.12	5815.60	5833.72	≥0.5	PASS
	Ant4	5825	19.08	5815.44	5834.52	≥0.5	PASS
11AX40MIMO	Ant2	5755	37.92	5736.04	5773.96	≥0.5	PASS
	Ant4	5755	38.24	5735.88	5774.12	≥0.5	PASS
	Ant2	5795	38.08	5775.88	5813.96	≥0.5	PASS
	Ant4	5795	38.08	5775.88	5813.96	≥0.5	PASS
11AX80MIMO	Ant2	5775	78.08	5735.80	5813.88	≥0.5	PASS
	Ant4	5775	77.92	5735.96	5813.88	≥0.5	PASS


11.3.2. Test Graphs











11AC20MIMO_Ant2_5745




11AC20MIMO_Ant4_5745




11AC20MIMO_Ant2_5785









11AC40MIMO_Ant2_5755




11AC40MIMO_Ant4_5755




11AC40MIMO_Ant2_5795









11AX20MIMO_Ant2_5745




11AX20MIMO_Ant4_5745




11AX20MIMO_Ant2_5785







11AX40MIMO_Ant2_5755




11AX40MIMO_Ant4_5755




11AX40MIMO_Ant2_5795



11AX40MIMO_Ant4_5795



11AX80MIMO_Ant2_5775



11AX80MIMO_Ant4_5775

11.4. APPENDIX D: MAXIMUM CONDUCTED OUTPUT POWER

11.4.1. Test Result For FCC

Test Mode	Antenna	Channel	Power [dBm]	FCC Limit [dBm]	Verdict
11A-CDD	Ant2	5180	23.39	≤30.00	PASS
	Ant4	5180	22.89	≤30.00	PASS
	total	5180	26.16	≤30.00	PASS
	Ant2	5200	24.68	≤30.00	PASS
	Ant4	5200	24.94	≤30.00	PASS
	total	5200	27.82	≤30.00	PASS
	Ant2	5240	24.33	≤30.00	PASS
	Ant4	5240	24.47	≤30.00	PASS
	total	5240	27.41	≤30.00	PASS
	Ant2	5745	26.23	≤30.00	PASS
	Ant4	5745	25.72	≤30.00	PASS
	total	5745	28.99	≤30.00	PASS
	Ant2	5785	24.95	≤30.00	PASS
	Ant4	5785	25.25	≤30.00	PASS
	total	5785	28.11	≤30.00	PASS
11AC20MIMO	Ant2	5180	25.56	≤23.98	PASS
	Ant4	5180	25.31	≤23.98	PASS
	total	5180	28.45	≤23.98	PASS
	Ant2	5200	26.18	≤23.98	PASS
	Ant4	5200	26.13	≤23.98	PASS
	total	5200	29.17	≤23.98	PASS
	Ant2	5240	25.71	≤23.98	PASS
	Ant4	5240	26.18	≤23.98	PASS
	total	5240	28.96	≤23.98	PASS
	Ant2	5745	25.24	≤30.00	PASS
	Ant4	5745	25.76	≤30.00	PASS
	total	5745	28.52	≤30.00	PASS
	Ant2	5785	24.41	≤30.00	PASS
	Ant4	5785	25.12	≤30.00	PASS
	total	5785	27.79	≤30.00	PASS
11AC40MIMO	Ant2	5190	21.52	≤23.98	PASS
	Ant4	5190	21.78	≤23.98	PASS
	total	5190	24.66	≤23.98	PASS
	Ant2	5230	25.78	≤23.98	PASS
	Ant4	5230	26.52	≤23.98	PASS
	total	5230	29.18	≤23.98	PASS
	Ant2	5755	25.84	≤30.00	PASS
	Ant4	5755	25.64	≤30.00	PASS
	total	5755	28.75	≤30.00	PASS
11AC80MIMO	Ant2	5795	25.14	≤30.00	PASS
	Ant4	5795	25.82	≤30.00	PASS
	total	5795	28.50	≤30.00	PASS
	Ant2	5210	19.91	≤23.98	PASS
	Ant4	5210	20.16	≤23.98	PASS
11AC80MIMO	total	5210	23.05	≤23.98	PASS
	Ant2	5775	23.89	≤30.00	PASS
	Ant4	5775	24.08	≤30.00	PASS
	total	5775	24.08	≤30.00	PASS

	total	5775	27.00	≤30.00	PASS
11AC160MIMO	Ant2	5250_UNII-1	14.96	≤23.98	PASS
	Ant4	5250_UNII-1	15.07	≤23.98	PASS
	total	5250_UNII-1	18.03	≤23.98	PASS
	Ant2	5250_UNII-2A	14.14	≤23.98	PASS
	Ant4	5250_UNII-2A	14.40	≤23.98	PASS
	total	5250_UNII-2A	17.28	≤23.98	PASS
11AX20MIMO	Ant2	5180	24.19	≤30.00	PASS
	Ant4	5180	23.92	≤30.00	PASS
	total	5180	27.07	≤30.00	PASS
	Ant2	5200	24.64	≤30.00	PASS
	Ant4	5200	25.01	≤30.00	PASS
	total	5200	27.84	≤30.00	PASS
	Ant2	5240	24.37	≤30.00	PASS
	Ant4	5240	24.48	≤30.00	PASS
	total	5240	27.44	≤30.00	PASS
	Ant2	5745	26.31	≤30.00	PASS
	Ant4	5745	25.84	≤30.00	PASS
	total	5745	29.09	≤30.00	PASS
	Ant2	5785	25.11	≤30.00	PASS
	Ant4	5785	25.42	≤30.00	PASS
	total	5785	28.28	≤30.00	PASS
	Ant2	5825	25.16	≤30.00	PASS
	Ant4	5825	24.40	≤30.00	PASS
	total	5825	27.81	≤30.00	PASS
11AX40MIMO	Ant2	5190	19.38	≤30.00	PASS
	Ant4	5190	19.21	≤30.00	PASS
	total	5190	22.31	≤30.00	PASS
	Ant2	5230	24.75	≤30.00	PASS
	Ant4	5230	24.55	≤30.00	PASS
	total	5230	27.66	≤30.00	PASS
	Ant2	5755	24.12	≤30.00	PASS
	Ant4	5755	24.23	≤30.00	PASS
	total	5755	27.19	≤30.00	PASS
	Ant2	5795	25.15	≤30.00	PASS
	Ant4	5795	25.17	≤30.00	PASS
	total	5795	28.17	≤30.00	PASS
11AX80MIMO	Ant2	5210	18.49	≤30.00	PASS
	Ant4	5210	18.34	≤30.00	PASS
	total	5210	21.43	≤30.00	PASS
	Ant2	5775	22.08	≤30.00	PASS
	Ant4	5775	22.01	≤30.00	PASS
	total	5775	25.06	≤30.00	PASS
11AX160MIMO	Ant2	5250_UNII-1	16.00	≤23.98	PASS
	Ant4	5250_UNII-1	15.56	≤23.98	PASS
	total	5250_UNII-1	18.80	≤23.98	PASS
	Ant2	5250_UNII-2A	14.73	≤23.98	PASS
	Ant4	5250_UNII-2A	14.82	≤23.98	PASS
	total	5250_UNII-2A	17.79	≤23.98	PASS

Note: The Duty Cycle Factor is compensated in the test data.


11.4.2. Test Result For ISED


Test Mode	Antenna	Channel	Power [dBm]	ISED Limit [dBm]	EIRP [dBm]	Limit [dBm]	Verdict
11A-CDD	Ant2	5180	13.63	---	14.63	≤22.27	PASS
	Ant4	5180	13.92	---	14.92	≤22.37	PASS
	total	5180	16.79	---	17.79	≤22.27	PASS
	Ant2	5200	13.35	---	14.35	≤22.37	PASS
	Ant4	5200	14.11	---	15.11	≤22.29	PASS
	total	5200	16.76	---	17.76	≤22.29	PASS
	Ant2	5240	13.72	---	14.72	≤22.36	PASS
	Ant4	5240	13.81	---	14.81	≤22.28	PASS
	total	5240	16.78	---	17.78	≤22.28	PASS
	Ant2	5745	26.23	≤30.00	27.23	---	PASS
	Ant4	5745	25.72	≤30.00	26.72	---	PASS
	total	5745	28.99	≤30.00	29.99	---	PASS
	Ant2	5785	24.95	≤30.00	25.95	---	PASS
	Ant4	5785	25.25	≤30.00	26.25	---	PASS
	total	5785	28.11	≤30.00	29.11	---	PASS
Ant2	5825	25.02	≤30.00	26.02	---	PASS	
Ant4	5825	24.19	≤30.00	25.19	---	PASS	
total	5825	27.64	≤30.00	28.64	---	PASS	
11AC20MIMO	Ant2	5180	15.25	---	16.25	≤22.65	PASS
	Ant4	5180	15.22	---	16.22	≤22.59	PASS
	total	5180	18.25	---	19.25	≤22.59	PASS
	Ant2	5200	15.26	---	16.26	≤22.63	PASS
	Ant4	5200	16.19	---	17.19	≤22.59	PASS
	total	5200	18.76	---	19.76	≤22.59	PASS
	Ant2	5240	18.56	---	19.56	≤22.65	PASS
	Ant4	5240	14.94	---	15.94	≤22.62	PASS
	total	5240	18.45	---	19.45	≤22.62	PASS
	Ant2	5745	25.24	≤30.00	25.24	---	PASS
	Ant4	5745	25.76	≤30.00	25.76	---	PASS
	total	5745	28.52	≤30.00	28.52	---	PASS
	Ant2	5785	24.41	≤30.00	24.41	---	PASS
	Ant4	5785	25.12	≤30.00	25.12	---	PASS
	total	5785	27.79	≤30.00	27.79	---	PASS
Ant2	5825	24.66	≤30.00	24.66	---	PASS	
Ant4	5825	25.33	≤30.00	25.33	---	PASS	
total	5825	28.02	≤30.00	28.02	---	PASS	
11AC40MIMO	Ant2	5190	18.52	---	19.52	≤23.00	PASS
	Ant4	5190	18.67	---	19.67	≤23.00	PASS
	total	5190	21.61	---	22.61	≤23.00	PASS
	Ant2	5230	18.36	---	19.36	≤23.00	PASS
	Ant4	5230	19.12	---	20.12	≤23.00	PASS
	total	5230	21.77	---	22.77	≤23.00	PASS
	Ant2	5755	25.84	≤30.00	25.84	---	PASS
	Ant4	5755	25.64	≤30.00	25.64	---	PASS
	total	5755	28.75	≤30.00	28.75	---	PASS
	Ant2	5795	25.14	≤30.00	25.14	---	PASS
Ant4	5795	25.82	≤30.00	25.82	---	PASS	
total	5795	28.50	≤30.00	28.50	---	PASS	
11AC80MIMO	Ant2	5210	17.67	---	18.67	≤23.00	PASS
	Ant4	5210	17.61	---	18.61	≤23.00	PASS
	total	5210	20.65	---	21.65	≤23.00	PASS
	Ant2	5775	23.89	≤30.00	23.89	---	PASS
	Ant4	5775	24.08	≤30.00	24.08	---	PASS
total	5775	27.00	≤30.00	27.00	---	PASS	

11AC160MIMO	Ant2	5250_UNII-1	14.96	---	15.96	≤23.00	PASS
	Ant4	5250_UNII-1	15.07	---	16.07	≤23.00	PASS
	total	5250_UNII-1	18.03	---	19.03	≤23.00	PASS
	Ant2	5250_UNII-2A	14.14	≤23.98	15.14	≤30.00	PASS
	Ant4	5250_UNII-2A	14.40	≤23.98	15.40	≤30.00	PASS
	total	5250_UNII-2A	17.28	≤23.98	18.28	≤30.00	PASS
11AX20MIMO	Ant2	5180	14.26	---	15.26	≤22.86	PASS
	Ant4	5180	13.82	---	14.82	≤22.86	PASS
	total	5180	17.06	---	18.06	≤22.86	PASS
	Ant2	5200	14.01	---	15.01	≤22.86	PASS
	Ant4	5200	14.88	---	15.88	≤22.85	PASS
	total	5200	17.48	---	18.48	≤22.85	PASS
	Ant2	5240	14.29	---	15.29	≤22.87	PASS
	Ant4	5240	13.63	---	14.63	≤22.86	PASS
	total	5240	16.98	---	17.98	≤22.86	PASS
	Ant2	5745	26.31	≤30.00	27.31	---	PASS
	Ant4	5745	25.84	≤30.00	26.84	---	PASS
	total	5745	29.09	≤30.00	30.09	---	PASS
	Ant2	5785	25.11	≤30.00	26.11	---	PASS
	Ant4	5785	25.42	≤30.00	26.42	---	PASS
	total	5785	28.28	≤30.00	29.28	---	PASS
	Ant2	5825	25.16	≤30.00	26.16	---	PASS
	Ant4	5825	24.40	≤30.00	25.40	---	PASS
	total	5825	27.81	≤30.00	28.81	---	PASS
11AX40MIMO	Ant2	5190	17.42	---	18.42	≤23.00	PASS
	Ant4	5190	17.24	---	18.24	≤23.00	PASS
	total	5190	20.34	---	21.34	≤23.00	PASS
	Ant2	5230	17.02	---	18.02	≤23.00	PASS
	Ant4	5230	16.90	---	17.90	≤23.00	PASS
	total	5230	19.97	---	20.97	≤23.00	PASS
	Ant2	5755	24.12	≤30.00	25.12	---	PASS
	Ant4	5755	24.23	≤30.00	25.23	---	PASS
	total	5755	27.19	≤30.00	28.19	---	PASS
	Ant2	5795	25.15	≤30.00	26.15	---	PASS
	Ant4	5795	25.17	≤30.00	26.17	---	PASS
	total	5795	28.17	≤30.00	29.17	---	PASS
11AX80MIMO	Ant2	5210	18.49	≤22.01	19.49	≤23.00	PASS
	Ant4	5210	18.34	≤22.01	19.34	≤23.00	PASS
	total	5210	21.43	≤22.01	22.43	≤23.00	PASS
	Ant2	5775	22.08	≤30.00	23.08	---	PASS
	Ant4	5775	22.01	≤30.00	23.01	---	PASS
	total	5775	25.06	≤30.00	26.06	---	PASS
11AX160MIMO	Ant2	5250_UNII-1	16.00	---	17.00	≤23.00	PASS
	Ant4	5250_UNII-1	15.56	---	16.56	≤23.00	PASS
	total	5250_UNII-1	18.80	---	19.80	≤23.00	PASS
	Ant2	5250_UNII-2A	14.73	≤23.98	15.73	≤30.00	PASS
	Ant4	5250_UNII-2A	14.82	≤23.98	15.82	≤30.00	PASS
	total	5250_UNII-2A	17.79	≤23.98	18.79	≤30.00	PASS


Note: The Duty Cycle Factor is compensated in the test data.

11.4.3. Test Graphs







11AC160MIMO_Ant4_5250_UNII-2A




11AX160MIMO_Ant2_5250_UNII-1



11AX160MIMO_Ant4_5250_UNII-1



11AX160MIMO_Ant2_5250_UNII-2A



11AX160MIMO_Ant4_5250_UNII-2A

11.4.4. Verify Test Result for Deco XE75

Test Mode	Antenna	Channel	Power [dBm]	FCC Limit [dBm]	Verdict
11A-CDD	Ant2	5180	22.26	≤30.00	PASS
	Ant4	5180	22.15	≤30.00	PASS
	total	5180	25.22	≤30.00	PASS
	Ant2	5200	24.20	≤30.00	PASS
	Ant4	5200	24.20	≤30.00	PASS
	total	5200	27.21	≤30.00	PASS
	Ant2	5240	23.61	≤30.00	PASS
	Ant4	5240	23.89	≤30.00	PASS
	total	5240	26.76	≤30.00	PASS

Note: The Duty Cycle Factor is compensated in the test data.

11.5. APPENDIX E: MAXIMUM POWER SPECTRAL DENSITY

11.5.1. Test Result For FCC

Test Mode	Antenna	Channel	Power [dBm/MHz]	Limit [dBm/MHz]	Verdict
11A-CDD	Ant2	5180	12.22	≤17.00	PASS
	Ant4	5180	11.75	≤17.00	PASS
	total	5180	15.00	≤17.00	PASS
	Ant2	5200	13.52	≤17.00	PASS
	Ant4	5200	14.16	≤17.00	PASS
	total	5200	16.86	≤17.00	PASS
	Ant2	5240	13.4	≤17.00	PASS
	Ant4	5240	13.26	≤17.00	PASS
	total	5240	16.34	≤17.00	PASS
	Ant2	5745	12.14	≤30.00	PASS
	Ant4	5745	11.89	≤30.00	PASS
	total	5745	15.03	≤30.00	PASS
	Ant2	5785	11.1	≤30.00	PASS
	Ant4	5785	11.29	≤30.00	PASS
	total	5785	14.21	≤30.00	PASS
	Ant2	5825	11.25	≤30.00	PASS
	Ant4	5825	10.56	≤30.00	PASS
	total	5825	13.93	≤30.00	PASS
11AC20MIMO	Ant2	5180	11.83	≤11.00	PASS
	Ant4	5180	11.93	≤11.00	PASS
	total	5180	14.89	≤11.00	PASS
	Ant2	5200	12.62	≤11.00	PASS
	Ant4	5200	12.76	≤11.00	PASS
	total	5200	15.70	≤11.00	PASS
	Ant2	5240	12.44	≤11.00	PASS
	Ant4	5240	13.08	≤11.00	PASS
	total	5240	15.78	≤11.00	PASS
	Ant2	5745	8.51	≤30.00	PASS
	Ant4	5745	8.94	≤30.00	PASS
	total	5745	11.74	≤30.00	PASS
	Ant2	5785	7.84	≤30.00	PASS
	Ant4	5785	8.34	≤30.00	PASS
	total	5785	11.11	≤30.00	PASS
	Ant2	5825	8.25	≤30.00	PASS
	Ant4	5825	9.05	≤30.00	PASS
	total	5825	11.68	≤30.00	PASS
11AC40MIMO	Ant2	5190	5.27	≤11.00	PASS
	Ant4	5190	4.99	≤11.00	PASS
	total	5190	8.14	≤11.00	PASS
	Ant2	5230	9.42	≤11.00	PASS
	Ant4	5230	9.48	≤11.00	PASS
	total	5230	12.46	≤11.00	PASS
	Ant2	5755	5.65	≤30.00	PASS
	Ant4	5755	6.18	≤30.00	PASS
	total	5755	8.93	≤30.00	PASS
	Ant2	5795	5.85	≤30.00	PASS
	Ant4	5795	6.05	≤30.00	PASS
	total	5795	8.96	≤30.00	PASS
11AC80MIMO	Ant2	5210	0.44	≤11.00	PASS
	Ant4	5210	0.3	≤11.00	PASS
	total	5210	3.38	≤11.00	PASS
	Ant2	5775	1.04	≤30.00	PASS
	Ant4	5775	1.51	≤30.00	PASS
	total	5775	4.29	≤30.00	PASS
11AC160MIMO	Ant2	5250_UNII-1	-2.07	≤11.00	PASS

	Ant4	5250_UNII-1	-2.91	≤11.00	PASS
	total	5250_UNII-1	0.54	≤11.00	PASS
	Ant2	5250_UNII-2A	-3	≤11.00	PASS
	Ant4	5250_UNII-2A	-3.41	≤11.00	PASS
	total	5250_UNII-2A	-0.19	≤11.00	PASS
11AX20MIMO	Ant2	5180	12.45	≤17.00	PASS
	Ant4	5180	12.44	≤17.00	PASS
	total	5180	15.46	≤17.00	PASS
	Ant2	5200	12.91	≤17.00	PASS
	Ant4	5200	13.43	≤17.00	PASS
	total	5200	16.19	≤17.00	PASS
	Ant2	5240	12.83	≤17.00	PASS
	Ant4	5240	12.74	≤17.00	PASS
	total	5240	15.80	≤17.00	PASS
	Ant2	5745	11.63	≤30.00	PASS
	Ant4	5745	11.07	≤30.00	PASS
	total	5745	14.37	≤30.00	PASS
	Ant2	5785	10.45	≤30.00	PASS
	Ant4	5785	10.66	≤30.00	PASS
	total	5785	13.57	≤30.00	PASS
	Ant2	5825	10.63	≤30.00	PASS
	Ant4	5825	9.93	≤30.00	PASS
	total	5825	13.30	≤30.00	PASS
11AX40MIMO	Ant2	5190	4.8	≤17.00	PASS
	Ant4	5190	4.53	≤17.00	PASS
	total	5190	7.68	≤17.00	PASS
	Ant2	5230	10	≤17.00	PASS
	Ant4	5230	9.7	≤17.00	PASS
	total	5230	12.86	≤17.00	PASS
	Ant2	5755	6.36	≤30.00	PASS
	Ant4	5755	6.51	≤30.00	PASS
	total	5755	9.45	≤30.00	PASS
	Ant2	5795	7.41	≤30.00	PASS
	Ant4	5795	7.55	≤30.00	PASS
	total	5795	10.49	≤30.00	PASS
11AX80MIMO	Ant2	5210	0.63	≤17.00	PASS
	Ant4	5210	0.69	≤17.00	PASS
	total	5210	3.67	≤17.00	PASS
	Ant2	5775	1.56	≤30.00	PASS
	Ant4	5775	1.47	≤30.00	PASS
total	5775	4.53	≤30.00	PASS	
11AX160MIMO	Ant2	5250_UNII-1	-1.19	≤11.00	PASS
	Ant4	5250_UNII-1	-1.99	≤11.00	PASS
	total	5250_UNII-1	1.44	≤11.00	PASS
	Ant2	5250_UNII-2A	-2.51	≤11.00	PASS
	Ant4	5250_UNII-2A	-2.38	≤11.00	PASS
	total	5250_UNII-2A	0.57	≤11.00	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

2.The Duty Cycle Factor and RBW Factor is compensated in the graph.

11.5.2. Test Graphs For FCC

