

# **FCC Test Report**

Report No.: AGC00248200801FE02

FCC ID : 2AXMX-G3

**APPLICATION PURPOSE** : Original Equipment

**PRODUCT DESIGNATION**: Mobile Phone

**BRAND NAME**: artfone

**MODEL NAME** : G3, G6, F30, CF241A, C10, F20

**APPLICANT** : Shenzhen Kuxuntong Technology Co., Ltd.

**DATE OF ISSUE** : Sep. 17, 2020

**STANDARD(S)** : FCC Part 22H & 24E Rules

**REPORT VERSION**: V1.0

# Attestation of Global Compliance (Shenzhen) Co., Ltd.



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the specificated restriction of Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test result presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuence of the test report Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 2 of 69

# REPORT REVISE RECORD

Report Version	Revise Time	Issued Date	Valid Version	Notes
V1.0	1	Sep. 17, 2020	Valid	Initial Release

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the special pedicated fresh dynaspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter appropriation of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



# TABLE OF CONTENTS

	1.VERIFICATION OF COMPLIANCE	5
	2. GENERAL INFORMATION	6
	2.1 PRODUCT DESCRIPTION	
	2.2RELATED SUBMITTAL(S) / GRANT (S)	
	2.3 TEST METHODOLOGY	8
	2.4 TEST FACILITY	9
	2.6 SPECIAL ACCESSORIES	11
	2.7 EQUIPMENT MODIFICATIONS	11
	3. SYSTEM TEST CONFIGURATION	12
	3.1 EUT CONFIGURATION	
	3.2 EUT EXERCISE	12
	3.3 CONFIGURATION OF EUT SYSTEM	
	4. SUMMARY OF TEST RESULTS	13
	5. DESCRIPTION OF TEST MODES	14
	6. OUTPUT POWER	15
	6.1 CONDUCTED OUTPUT POWER	15
	6.2 RADIATED OUTPUT POWER	21
	6.2.1 MEASUREMENT METHOD	21
	6.2.2 PROVISIONS APPLICABLE	
	6.3. PEAK-TO-AVERAGE RATIO	
	6.3.1 MEASUREMENT METHOD	25
	6.3.2 PROVISIONS APPLICABLE	
	6.3.3 MEASUREMENT RESULT	26
	7. OCCUPIED BANDWIDTH	
	7.1 MEASUREMENT METHOD	27
	7.2 PROVISIONS APPLICABLE	27
	7.3 MEASUREMENT RESULT	28
	8. BAND EDGE	34
	8.1 MEASUREMENT METHOD	34
	8.2 PROVISIONS APPLICABLE	
	8.3 MEASUREMENT RESULT	35
	9. SPURIOUS EMISSION	37
	9.1 CONDUCTED SPURIOUS EMISSION	
	9.2 RADIATED SPURIOUS EMISSION	53
	9.2.2 TEST SETUP.	54
Ai Si	9.2.2 TEST SETUP.  ny report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Bedicated Pesting/Inspection tamp" of the sentent of the report in not permitted without the written without arthur without authorized her in a sentent of the report in not permitted without the written without arthur without and in the sentent of the report in not permitted without the written without a sentent of the report in not permitted.	58
pr Fu	resented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. urther en Qirl d Mark SURIZME Nite MEdot ODlid be addressed to AGC by agc@agc=cert.com.	58



Report No.: AGC00248200801FE02
Page 4 of 69

•	1 2 10 10 7 11 11 0 10 0 1 1 2 0 1 1 2 0 1 1 1 1 1	-
Α	PPENDIX A: PHOTOGRAPHS OF TEST SETUP	69
	10.3 WEASONEMENT RESULT	OC
	10.3 MEASUREMENT RESULT	60
	10.2 I NOVIOIONO/A I EIO/ABEE	U
	10.2 PROVISIONS APPLICABLE	50

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the scheducated resting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 5 of 69

# 1. VERIFICATION OF COMPLIANCE

Shenzhen Kuxuntong Technology Co., Ltd.
1A1320,Logan Nine Diamond Buildings,Hongshan,Longhua District,Shenzhen,China.
Shenzhen Kuxuntong Technology Co., Ltd.
1A1320,Logan Nine Diamond Buildings,Hongshan,Longhua District,Shenzhen,China.
Shenzhen Kuxuntong Technology Co., Ltd.
1A1320,Logan Nine Diamond Buildings,Hongshan,Longhua District,Shenzhen,China.
Mobile Phone
artfone
G3,
G6, F30, CF241A, C10, F20
All the same except the model name.
Aug. 14, 2020~Sep. 17, 2020
No any deviation from the test method.
Normal
AGCRT-US-3G2G/RF

We hereby certify that:

The above equipment was tested by Attestation of Global Compliance(Shenzhen) Co., Ltd. The data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI/TIA-603-E-2016. The sample tested as described in this report is in compliance with the FCC Rules Part 22H and 24E. The test results of this report relate only to the tested sample identified in this report.

Donjon Huang
(Project Engineer)

Reviewed By

Max Zhang
(Reviewer)

Approved By

Format Lei

Forrest Lei

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been standed by the control of the stander of the control of the con



Page 6 of 69

# 2. GENERAL INFORMATION

# 2.1 PRODUCT DESCRIPTION

A major technical description of EUT is described as following:

Product Designation:	Mobile Phone			
c.C	☑GPRS 850 ☑PCS1900 (U.S. Bands)			
	⊠GSM 900 ⊠DCS 1800 (Non-U.S. Bands)			
Frequency Bands:	☑UMTS FDD Band II ☐UMTS FDD Band IV			
	⊠UMTS FDD Band V (U.S. Bands)			
	⊠UMTS FDD Band I ⊠UMTS FDD Band VIII (Non-U.S. Bands)			
Hardware Version	W3A MB_V2.0			
Software Version	artfone_G3_V11			
Antenna Type	PIFA Antenna			
Antonno maio	GSM850:0.96dBi; PCS1900: 1.25dBi			
Antenna gain	WCDMA850:0.96dBi; WCDMA1900:1.25dBi			
Power Supply:	DC 3.7V by Built-in Li-ion Battery			
Battery parameter:	DC 3.7V 1000mAh			
Dual Card:	GSM /WCDMA Card Slot			
GPRS Class	12			
Extreme Vol. Limits:	DC3.15V to 4.2V (Normal: DC 3.7V)			
Extreme Temp. Tolerance	-10°C to +40°C			
*** Note: 1. The High Voltage	DC4.2 V and Low Voltage DC3.15V were declared by manufacturer			
2. The EUT couldn't	be operating normally with higher or lower voltage.			

<sup>\*\*\*</sup> **Note:**1. The maximum power levels are GSM for GPRS, CS1 coding scheme, and RMC 12.2kbps mode for WCDMA band II, WCDMA band V only these modes were used for all tests.

2. We found out the test mode with the highest power level after we analyze all the data rates. So we chose worst cases a representative.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written appropriation of AGE. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 7 of 69

# **GSM/WCDMA Slot 1:**

	Maximum ERP/EIRP	Max. Average
	(dBm)	Burst Power (dBm)
GSM 850	30.83	32.37
PCS 1900	27.06	27.87
UMTS BAND V	21.11	22.32
UMTS BAND II	20.74	21.77

# **GSM/WCDMA Slot 2:**

	Maximum ERP/EIRP	Max. Average	
	(dBm)	Burst Power (dBm)	
GSM 850	30.21	31.76	
PCS 1900	25.97	27.32	

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 8 of 69

# 2.2 RELATED SUBMITTAL(S) / GRANT (S)

This submittal(s) (test report) is intended for **FCC ID: 2AXMX-G3**, filing to comply with the FCC Part 22H&24E requirements.

#### 2.3 TEST METHODOLOGY

The radiated emission testing was performed according to the procedures of ANSI/TIA-603-E-2016, and KDB 971168 D01 Power Means License Digital Systems V03R01.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Festing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter authorization of AGC he test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issued of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 9 of 69

# 2.4 TEST FACILITY

Test Site	Attestation of Global Compliance (Shenzhen) Co., Ltd		
Location	1-2/F, Building 19, Junfeng Industrial Park, Chongqing Road, Heping Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China		
Designation Number	CN1259		
FCC Test Firm Registration Number	975832		
A2LA Cert. No.	5054.02		
Description	Attestation of Global Compliance(Shenzhen) Co., Ltd is accredited by A2LA		

# **ALL TEST EQUIPMENT LIST**

Equipment	Manufacturer	Model	S/N	Cal. Date	Cal. Due
TEST RECEIVER	R&S	ESPI	101206	May 15, 2020	May 14, 2021
LISN	R&S	ESH2-Z5	100086	Jul. 03, 2020	Jul. 02, 2021
TEST RECEIVER	R&S	ESCI	10096	May 15, 2020	May 14, 2021
EXA Signal Analyzer	Aglient	N9010A	MY53470504	Dec.18, 2019	Dec.17, 2020
Horn antenna	SCHWARZBECK	BBHA 9170	#768	Sep. 21, 2019	Sep. 20, 202
preamplifier	ChengYi	EMC184045SE	980508	Sep. 23, 2019	Sep. 22, 202
Double-Ridged Waveguide Horn	ETS LINDGREN	3117	00034609	May. 17, 2019	May. 16, 202
Broadband Preamplifier	SCHWARZBECK	BBV 9718	9718-205	Jun.10, 2020	Jun.09, 2021
ANTENNA	SCHWARZBECK	VULB9168	D69250	Sep.20, 2019	Sep.19, 2020
SIGNAL ANALYZER	Agilent	N9020A	MY52090123	Sep. 09, 2019	Sep. 09, 202
USB Wideband Power Sensor	Agilent	U2021XA	MY54110007	Sep. 09, 2019	Sep. 09, 202
Universal Radio Communication Tester	R&S	CMU200	120237	Jul. 03, 2020	Jul. 02, 2021
Universal Radio Communication Tester	Agilent	8960	GB46200384	Oct. 09, 2019	Oct. 08, 2020
Power Splitter	Agilent	11636A	34	Jun.10, 2020	Jun.09, 2021
Attenuator	JFW	50FHC-006-50	N/A	Jun.10, 2020	Jun.09, 2021



Report No.: AGC00248200801FE02 Page 10 of 69

Horn Ant (18G-40GHz)	ETS	QWH_SL_18_4 0_K_SG	-,C	Sep. 21, 2019	Sep. 20, 2021
Power Splitter	Agilent	11636A	1	Sep.18, 2019	Sep.17, 2020
Power Splitter	Agilent	11636A	1 6	Sep.16, 2020	Sep.15, 2021
CMU200	R&S	120237		July 03, 2020	July 02, 2021
Artificial Mains Network ENV216	R&S	101242	1	July 03, 2020	July 02, 2022
Filter Bank Notch 1(880-915MHz)	MICRO-TRONICS	010		Feb. 25, 2020	Feb. 24, 2021
Filter Bank Notch 2 (1710-1785MHz)	MICRO-TRONICS	009		Feb. 25, 2020	Feb. 24, 2021
Filter Bank Notch 3 (1920-1980MHz)	MICRO-TRONICS	008		Feb. 25, 2020	Feb. 24, 2021

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pseudo/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written perhorization of AGC who he test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 11 of 69

#### 2.6 SPECIAL ACCESSORIES

The battery was supplied by the applicant were used as accessories and being tested with EUT intended for FCC grant together.

#### 2.7 EQUIPMENT MODIFICATIONS

Not available for this EUT intended for grant.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Restriction Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written application of AGC, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc=cert.com.



Page 12 of 69

# 3. SYSTEM TEST CONFIGURATION

#### 3.1 EUT CONFIGURATION

The EUT configuration for testing is installed on RF field strength measurement to meet the Commission's requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

#### 3.2 EUT EXERCISE

The Transmitter was operated in the maximum output power mode through Communication Tester. The TX frequency was fixed which was for the purpose of the measurements.

#### 3.3 CONFIGURATION OF EUT SYSTEM

Fig. 2-1 Configuration of EUT System




Table 2-1 Equipment Used in EUT System

Item	Equipment	Model No.	ID or Specification	Remark	
1	Mobile Phone	G3	2AXMX-G3	EUT	
2	Adapter	HSKL-E0501000	Input: AC 120-240V 50/60Hz Output: DC 5.0V 500mA	AE	
3	Battery	BL-5C	DC 3.7V 1000mA	AE	
4	Charger	N/A	N/A	AE	

<sup>\*\*\*</sup>Note:

- 1. All the accessories have been used during the test. The following "EUT" in setup diagram means EUT system.
- 2. The battery is full-charged during the test

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Festing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGE. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 13 of 69

# 4. SUMMARY OF TEST RESULTS

Item Number	Item De	scription	FCC Rules	Result	
7.C	Output Power	Conducted Output Power	2.1046	Page	
•	1 Output Power	Radiated Output Power	22.913(a) (2) / 24.232 (c)	Pass	
2	Peak-to-Average Ratio	Peak-to-Average Ratio	24.232(d)	Pass	
3	Spurious	Conducted Spurious Emission	2.1051/22.917(a)/24.238(a)	Pass	
	Emission	Radiated Spurious Emission			
4	Frequen	cy Stability	2.1053/22.917(a)/24.238(a)	Pass	
5	Occupied	d Bandwidth	2.1049	Pass	
6	Bane	d Edge	2.1051/22.917(a)/24.238(a)	Pass	

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Festing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 14 of 69

# 5. DESCRIPTION OF TEST MODES

During the testing, the EUT was controlled via Rhode & Schwarz Digital Radio Communication Tester (CMU 200)to ensure max power transmission and proper modulation. Three channels (The top channel, the middle channel and the bottom channel) were chosen for testing on both GSM and PCS frequency band.

\*\*\*Note: GSM/GPRS 850, GSM/GPRS 1900, WCDMA/HSPA band II, WCDMA/HSPA band V mode have been tested during the test.

The worst condition was recorded in the test report if no other modes test data.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Feating/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of ACC he test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuence of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 15 of 69

# 6. OUTPUT POWER

#### **6.1 CONDUCTED OUTPUT POWER**

#### **6.1.1 MEASUREMENT METHOD**

The transmitter output port was connected to base station.

The RF output of EUT was connected to the spectrum analyzer by RF cable and attenuator.

The path loss was compensated to the results for each measurement.

Measure the maximum burst average power and average power for other modulation signal.

The EUT was setup for the max output power with pseudo random data modulation. Power was measured with Spectrum Analyzer. The measurements were performed on all modes(GSM/GPRS 850, GSM/GPRS 1900, WCDMA/HSPA band II, WCDMA/HSPA band V)at 3 typical channels(the Top Channel, the Middle Channel and the Bottom Channel) for each band.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the condicated restrouting portion of Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.



Page 16 of 69

# GSM 850:

Mode	Frequency (MHz)	Avg.Burst Power	Duty cycle Factor(dB)	Frame Power(dBm)
8	824.2	32.03	-9	23.03
GSM 850	836.6	32.12	-9	23.12
	848.8	32.37	-9	23.37
0000 050	824.2	31.98	-9	22.98
GPRS 850	836.6	32.05	-9	23.05
(1 Slot)	848.8	32.29	-9	23.29
000000	824.2	29.74	-6	23.74
GPRS 850	836.6	29.69	-6	23.69
(2 Slot)	848.8	29.81	-6	23.81
0000 050	824.2	27.85	-4.26	23.59
GPRS 850	836.6	27.80	-4.26	23.54
(3 Slot)	848.8	27.71	-4.26	23.45
0000 050	824.2	26.64	-3	23.64
GPRS 850	836.6	26.58	-3	23.58
(4 Slot)	848.8	26.71	-3	23.71

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Festing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 17 of 69

# PCS 1900:

Mode	Frequency (MHz)	Avg.Burst Power	Duty cycle Factor(dB)	Frame Power(dBm)
· ·	1850.2	27.48	-9	18.48
GSM1900	1880	27.55	-9	18.55
100	1909.8	27.87	-9	18.87
00004000	1850.2	27.48	-9	18.48
GPRS1900	1880	27.54	-9	18.54
(1 Slot)	1909.8	27.80	-9	18.80
0000 4000	1850.2	26.47	-6	20.47
GPRS 1900	1880	26.65	-6	20.65
(2 Slot)	1909.8	26.72	-6	20.72
0000 4000	1850.2	25.64	-4.26	21.38
GPRS 1900	1880	25.38	-4.26	21.12
(3 Slot)	1909.8	25.51	-4.26	21.25
0000 1000	1850.2	24.35	-3	21.35
GPRS 1900	1880	24.42	-3	21.42
(4 Slot)	1909.8	24.67	-3	21.67

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Festing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



**UMTS BAND V** 

Report No.: AGC00248200801FE02 Page 18 of 69

# r age

Mode	Frequency (MHz)	Reference power	Avg.Burst Power
	826.4	24	21.72
WCDMA 850 RMC	836.4	24	22.32
	846.6	24	21.24
	826.4	24	21.11
WCDMA850 AMR	836.4	24	21.37
	846.6	24	21.28
HSDPA	826.4	24	21.66
	836.4	24	22.34
Subtest 1	846.6	24	21.30
HSDPA	826.4	24	19.93
	836.4	24	20.54
Subtest 2	846.6	24	19.52
HSDPA	826.4	24	19.89
	836.4	24	20.48
Subtest 3	846.6	24	19.45
HSDPA	826.4	24	19.80
Subtest 4	836.4	24	20.50
Sublest 4	846.6	24	19.41
HSUPA	826.4	24	19.55
	836.4	24	20.26
Subtest 1	846.6	24	19.25
HSUPA	826.4	24	18.51
Subtest 2	836.4	24	19.15
Sublest 2	846.6	24	18.13
HSUPA	826.4	24	19.06
Subtest 3	836.4	24	19.77
Sublest 3	846.6	24	18.76
HSUPA	826.4	24	19.61
Subtest 4	836.4	24	20.10
Sublest 4	846.6	24	19.24
HSUPA	826.4	24	19.19
Subtest 5	836.4	24	19.75
Sublest 5	846.6	24	18.75

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Report No.: AGC00248200801FE02 Page 19 of 69

#### **UMTS BAND II**

Mode	Frequency (MHz)	Reference power	Avg.Burst Power
	1852.4	24	21.77
WCDMA 1900 RMC	1880	24	21.38
	1907.6	24	20.77
	1852.4	24	21.11
WCDMA1900 AMR	1880	24	21.13
	1907.6	24	21.14
HSDPA	1852.4	24	21.69
®	1880	24	21.46
Subtest 1	1907.6	24	20.65
HSDPA	1852.4	24	20.02
Subtest 2	1880	24	19.73
Sublest 2	1907.6	24	19.16
HSDPA	1852.4	24	19.92
	1880	24	19.72
Subtest 3	1907.6	24	19.21
HSDPA	1852.4	24	19.91
Subtest 4	1880	24	19.66
Sublest 4	1907.6	24	19.21
HSUPA	1852.4	24	19.67
	1880	24	19.36
Subtest 1	1907.6	24	18.66
HSUPA	1852.4	24	18.49
Subtest 2	1880	24	18.23
Sublest 2	1907.6	24	17.67
HSUPA	1852.4	24	19.13
	1880	24	18.90
Subtest 3	1907.6	24	18.19
HSUPA -	1852.4	24	19.56
	1880	24	19.40
Subtest 4	1907.6	24	18.71
HSUPA	1852.4	24	19.15
Subtest 5	1880	24	18.86
Sublest 5	1907.6	24	18.15

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the specificated resting/inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter pathorization of AGC, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Report No.: AGC00248200801FE02 Page 20 of 69

According to 3GPP 25.101 sub-clause 6.2.2, the maximum output power is allowed to be reduced by following the table.

Table 6.1aA: UE maximum output power with HS-DPCCH and E-DCH

UE Transmit Channel Configuration	CM(db)	MPR(db)
For all combinations of ,DPDCH,DPCCH	0<01422.5	MAY(CM 4 O)
HS-DPDCH,E-DPDCH and E-DPCCH	0≤ CM≤3.5	MAX(CM-1,0)

Note: CM=1 for  $\beta$   $_{c}/\beta$   $_{d}$ =12/15,  $\beta$   $_{hs}/\beta$   $_{c}$ =24/15.For all other combinations of DPDCH, DPCCH, HS-DPCCH, E-DPDCH and E-DPCCH the MPR is based on the relative CM difference.

The device supports MPR to solve linearity issues (ACLR or SEM) due to the higher peak-to average ratios (PAR) of the HSUPA signal. This prevents saturating the full range of the TX DAC inside of device and provides a reduced power output to the RF transceiver chip according to the Cubic Metric (a function of the combinations of DPDCH, DPCCH, HS-DPCCH, E-DPDCH and E-DPCCH).

When E-DPDCH channels are present the beta gains on those channels are reduced firsts to try to get the power under the allowed limit. If the beta gains are lowered as far as possible, then a hard limiting is applied at the maximum allowed level.

The SW currently recalculates the cubic metric every time the beta gains on the E-DPDCH are reduced. The cubic metric will likely get lower each time this is done. However, there is no reported reduction of maximum output power in the HSUPA mode since the device also provides a compensate for the power back-off by increasing the gain of TX\_AGC in the transceiver (PA) device.

The end effect is that the DUT output power is identical to the case where there is no MPR in the device.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Bedicated Postuo/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGE. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.



Page 21 of 69

# **6.2 RADIATED OUTPUT POWER** 6.2.1 MEASUREMENT METHOD

The measurements procedures specified in ANSI/TIA-603-E-2016 were applied.

- 1. Effective Radiated Power (ERP) and Equivalent Isotropic Radiated Power (EIRP) measurements are performed using the substitution method described in ANSI/TIA-603-E-2016 with the EUT transmitting into an integral antenna. Measurements on signal operating below 1GHz are performed using dipole antennas. Measurements on signals operating above 1GHz are performed using broadband horn antennas. All measurements are performed as RMS average measurements while the EUT operating at its maximum duty cycle, at maximum power, and at the approximate frequencies.
- 2. In an anechoic antenna test chamber, a half-wave dipole antenna for the frequency band of interest is placed at the reference centre of the chamber. An RF Signal source for the frequency band of interest is connected to the dipole with a cable that has been constructed to not interfere with the radiation pattern of the antenna. A known (measured) power (Pin) is applied to the input of the dipole, and the power received (Pr) at the chamber's probe antenna is recorded.
- 3. The substitution method is used. Substitution values at each frequency are measured before and saved to the test software. A "reference path loss" is established as ARpl=Pin + 2.15 - Pr. TheARpl is the attenuation of "reference path loss", and including the gain of receive antenna, the cable loss and the air loss. The measurement results are obtained as described below: Power=PMea+ARpl
- 4. The EUT is substituted for the dipole at the reference centre of the chamber and a scan is performed to obtain the radiation pattern.
- 5. From the radiation pattern, the co-ordinates where the maximum antenna gain occurs are identified.
- 6. The EUT is then put into continuously transmitting mode at its maximum power level.
- 7. Power mode measurements are performed with the receiving antenna placed at the coordinates determined in Step 3 to determine the output power as defined in Rule 24.232 (b) and (c). The "reference path loss" from Step1 is added to this result.
- 8. This value is EIRP since the measurement is calibrated using a half-wave dipole antenna of known gain (2.15 dBi) and known input power (Pin).
- 9. ERP can be calculated from EIRP by subtracting the gain of the dipole, ERP = EIRP -2.15dBi...

Compliance Besting/Inspection Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter at horization of AGE The test results ce of the test report. presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 22 of 69

# **6.2.2 PROVISIONS APPLICABLE**

Mode	Nominal Peak Power
GSM/GPRS 850	<=38.45dBm (7W). ERP
GSM/GPRS 1900	<=33dBm (2W). EIRP
UMTS BAND II	<=33dBm (2W),EIRP
UMTS BAND V	<=38.45dBm (7W).ERP

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Festing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Report No.: AGC00248200801FE02 Page 23 of 69

# **6.2.3 MEASUREMENT RESULT**

Radiated Power (ERP) for GSM/GPRS 850						
		Res				
Mode	Frequency	Max. Peak ERP (dBm)	Polarization Of Max. ERP	Conclusion		
	824.2	30.74	Horizontal	Pass		
8	836.6	30.83	Horizontal	Pass		
CCM	848.8	30.69	Horizontal	Pass		
GSM	824.2	28.42	Vertical	Pass		
0	836.6	28.36	Vertical	Pass		
C	848.8	28.51	Vertical	Pass		
	824.2	24.28	Horizontal	Pass		
®	836.6	24.33	Horizontal	Pass		
ODDO	848.8	24.17	Horizontal	Pass		
GPRS	824.2	22.03	Vertical	Pass		
®	836.6	22.15	Vertical	Pass		
.C	848.8	22.27	Vertical	Pass		

Radiated Power (E.I.R.P) for GSM/GPRS 1900						
		Result				
Mode	Frequency	Max. Peak E.I.R.P.(dBm)	Polarization Of Max. E.I.R.P.	Conclusion		
C.C	1850.2	27.06	Horizontal	Pass		
	1880.0	26.95	Horizontal	Pass		
CCM	1909.8	26.87	Horizontal	Pass		
GSM	1850.2	25.96	Vertical	Pass		
	1880.0	25.77	Vertical	Pass		
8	1909.8	25.88	Vertical	Pass		
	1850.2	24.43	Horizontal	Pass		
	1880.0	24.57	Horizontal	Pass		
ODDO	1909.8	24.74	Horizontal	Pass		
GPRS -	1850.2	23.64	Vertical	Pass		
100 I	1880.0	23.47	Vertical	Pass		
	1909.8	23.85	Vertical	Pass		

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the specificated resting/inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter pathorization of AGC, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.





	Ra	ndiated Power (E.I.R.P) for	· UMTS band II	
		Res	ult	
Mode	Frequency	Max. Peak E.I.R.P	Polarization	Conclusion
		(dBm)	Of Max. E.I.R.P	
	1852.4	21.08	Horizontal	Pass
	1880	21.11	Horizontal	Pass
UMTS	1907.6	21.03	Horizontal	Pass
UMTS	1852.4	19.43	Vertical	Pass
	1880	19.84	Vertical	Pass
	1907.6	19.77	Vertical	Pass

	I	Radiated Power (ERP) for UMT	S band V	
		Res	sult	
Mode	Frequency	Max. Peak ERP (dBm)	Polarization	Conclusion
			Of Max. ERP	
-C	826.4	20.74	Horizontal	Pass
×0	836.4	20.56	Horizontal	Pass
LIMTO	846.6	20.58	Horizontal	Pass
UMTS	826.4	19.87	Vertical	Pass
100	836.4	19.66	Vertical	Pass
	846.6	19.89	Vertical	Pass

Note: Above is the worst mode data.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Festing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC within 15day after the issuance of the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Report No.: AGC00248200801FE02 Page 25 of 69

6.3. PEAK-TO-AVERAGE RATIO

#### **6.3.1 MEASUREMENT METHOD**

Use one of the procedures presented in 4.1 to measure the total peak power and record as PPk. Use one of the applicable procedures presented 4.2 to measure the total average power and record as PAvg. Both the peak and average power levels must be expressed in the same logarithmic units (e.g., dBm). Determine the PAPR from:

PAPR(dB) = PPk(dBm) - PAvg(dBm).

#### 6.3.2 PROVISIONS APPLICABLE

This is the test for the Peak-to-Average Ratio from the EUT.

Power Complementary Cumulative Distribution Function (CCDF) curves provide a means for characterizing the power peaks of a digitally modulated signal on a statistical basis. A CCDF curve depicts the probability of the peak signal amplitude exceeding the average power level. Most contemporary measurement instrumentation include the capability to produce CCDF curves for an input signal provided that the instrument's resolution bandwidth can be set wide enough to accommodate the entire input signal bandwidth. In measuring transmissions in this band using an average power technique, the peak-to-average ratio (PAR) of the transmission may not exceed 13 dB.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Bedicated restrou/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.



Page 26 of 69

# **6.3.3 MEASUREMENT RESULT**

Modes	GSM850(GSM)			
Channel	128	190	251	
Channel	(Low)	(Mid)	(High)	
Frequency	824.2	836.6	848.8	
(MHz)	024.2	030.0	040.0	
Peak-To-Average Ratio (dB)/GSM	1.58	1.69	1.74	

Modes	PCS1900 (GSM)		
Channel	512	661	810
Channel	(Low)	(Mid)	(High)
Frequency	1950.2	4000	4000.0
(MHz)	1850.2	1880	1909.8
Peak-To-Average Ratio (dB)/GSM	2.12	2.05	2.17

Modes	UMTS BAND II		
Channel	9262	9400	9538
Channel	(Low)	(Mid)	(High)
Frequency	4050 4	4000	4007.0
(MHz)	1852.4	1880	1907.6
Peak-To-Average Ratio (dB)	1.00	1.13	1.21

Modes	UMTS BAND V		
Channel	4132	4182	4233
Channel	(Low)	(Mid)	(High)
Frequency	000.4	020.4	0.40
(MHz)	826.4	836.4	846.6
Peak-To-Average Ratio (dB)	1.52	1.47	1.63

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 27 of 69

# 7. OCCUPIED BANDWIDTH

#### 7.1 MEASUREMENT METHOD

- 1. The Occupied bandwidth, that is the frequency bandwidth such that, below its lower and above its upper Frequency limits, the mean power radiated are each equal to 0.5 percent of the total mean power radiated by a given emission shall be measured.
- 2. RBW=1~5% of the expected OBW, VBW>=3 x RBW, Detector=Peak, Trace mode=max hold, Sweep=auto couple, and the trace was allowed to stabilize.

#### 7.2 PROVISIONS APPLICABLE

The emission bandwidth is defined as two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26dB below the transmitter power

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the condicated restrouting portion of Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.



Page 28 of 69

# 7.3 MEASUREMENT RESULT

# **Test Results**

Test	Test	Test	Occupied Bandwidth	Emission Bandwidth	Verdict
Band	Mode	Channel	(KHZ)	(KHZ)	verdict
SO		LCH	245.2	312	PASS
	GSM	MCH	246.2	307	PASS
CCM 0F0		HCH	249.5	319	PASS
GSM 850	G <sup>C</sup>	LCH	245.6	312	PASS
8	GPRS	MCH	243.7	316	PASS
0		HCH	245.5	314	PASS

Test Band	Test	Test	Occupied Bandwidth	Emission Bandwidth	Verdict
Test Dallu	Mode	Channel	(KHZ)	(KHZ)	verdict
®		LCH	248.4	313	PASS
GC	GSM	MCH	248.5	317	PASS
PCS 1900	-C	НСН	247.6	315	PASS
PCS 1900	©	LCH	245.3	315	PASS
- G(	GPRS	MCH	245.6	315	PASS
		HCH	246.6	313	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Festing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Page 29 of 69


# For GSM

#### Test Band=GSM 850/PCS1900


#### Test Mode= GSM/GPRS




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Dedicated Pest no/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC he test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.








Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Dedicated Festivo/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC he test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.







Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Festing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written annorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



	-	-	_	-	_	
Ρ	а	g	е	32	of	69

Test Band	Test	Test	Occupied Bandwidth	Emission Bandwidth	Verdict
	Mode	Channel	(KHZ)	(KHZ)	
WCDMA	100	LCH	4160.2	4660	PASS
850	UMTS	MCH	4173.1	4662	PASS
650	8	HCH	4149.0	4660	PASS

Test Band	Test	Test	Occupied Bandwidth	Emission Bandwidth	Verdict
	Mode	Channel	(KHZ)	(KHZ)	
WCDMA		LCH	4172.3	4680	PASS
1900	UMTS	MCH	4170.2	4691	PASS
1900	- GO	HCH	4173.5	4669	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 33 of 69

#### For WCDMA

#### Test Band=WCDMA850/WCDMA1900

#### Test Mode=UMTS







Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter achorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



Page 34 of 69

# 8. BAND EDGE

#### **8.1 MEASUREMENT METHOD**

- 1. All out of band emissions are measured with an analyzer spectrum connected to the antenna terminal of the EUT while the EUT at its maximum duty cycle, at maximum power, and at the approximate frequencies. All data rates were investigated to determine the worst case configuration
- 2. The test set up and general procedure is similar to conducted peak output power test. Only different for setting the measurement configuration of the measuring instrument of Spectrum Analyzer.
- 3. Start and stop frequency were set such that the band edge would be placed in the center of the plot.
- 4. Span was set large enough so as to capture all out of band emissions near the band edge.
- 5. RBW>1% of the emission bandwidth, VBW >=3 x RBW, Detector=RMS, Number of points>=2 x Span/RBW, Trace mode=max hold, Sweep time=auto couple, and the trace was allowed to stabilize

#### **8.2 PROVISIONS APPLICABLE**

As Specified in FCC rules of 22.917(a) , 24.238(a)and KDB 971168 D1 V03R01.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGE, he test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.



Page 35 of 69

# **8.3 MEASUREMENT RESULT**


**Test Results** 

For GSM


Test Band=GSM 850/PCS 1900

Test Mode=GSM/GPRS







Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Dedicated Pest no/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC he test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.









Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated restriction. Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter pathorization of AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Page 37 of 69

# For WCDMA

#### Test Band=WCDMA850/WCDMA1900

#### Test Mode=UMTS





Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Restriction Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter pathorization of AGC, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Report No.: AGC00248200801FE02 Page 38 of 69

# 9. SPURIOUS EMISSION


#### 9.1 CONDUCTED SPURIOUS EMISSION

#### 9.1.1MEASUREMENT METHOD

The following steps outline the procedure used to measure the conducted emissions from the EUT.

- 1. The level of the carrier and the various conducted spurious and harmonic frequency is measured by means of a calibrated spectrum analyzer. The spectrum is scanned from the lowest frequency generated in the equipment up to a frequency including its 10<sup>th</sup> harmonic. All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at maximum power, and at the approximate frequencies. All data rates were investigated to determine the worst case configuration.
- 2. Determine frequency range for measurements: From CFR 2.1057 the spectrum should be investigated from the lowest radio frequency generated in the equipment up to at least the 10th harmonic of the carrier frequency. For the equipment of PCS1900 band, this equates to a frequency range of 30 MHz to 19.1 GHz, data taken from 30 MHz to 20 GHz. For GSM850, data taken from 30 MHz to 9 GHz.
- 3. Determine EUT transmit frequencies: the following typical channelswere chosen to conducted emissions testing.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bolicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGE. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc=cert.com.





Typical Channels for testing of GSM 850					
Channel	Frequency (MHz)				
128	824.2				
190	836.6				
251	848.8				

Typical Channels for testing of PCS 1900				
Channel Frequency (MHz)				
512	1850.2			
661	1880.0			
810	1909.8			

Typical Channels for testing of UMTS band II					
Channel Frequency (MHz)					
9262	1852.4				
9400	1880				
9538	1907.6				

Typical Channels for testing of UMTS band V					
Channel Frequency (MHz)					
4132	826.4				
4182	836.4				
4233	846.6				

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.



Page 40 of 69

# 9.1.2 PROVISIONS APPLICABLE

On any frequency outside frequency band of the USPCS spectrum, the power of any emission shall be attenuated below the transmitter power (P, in Watts) by at least 43+10Log(P) dB. For all power levels +30 dBm to 0 dBm, this becomes a constant specification limit of -13 dBm.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Festing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuence of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Page 41 of 69

# 9.1.3MEASUREMENT RESULT


#### **Test Results**

#### Test Band=GSM 850/PCS1900


#### Test Mode=GSM/GPRS




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Dedicated Festing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC he test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.









Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Festivo/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC he test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.









Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated restriction. Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter pathorization of AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.








Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the coefficient responsibility of the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.







Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the coefficient of Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC, where the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.