



TESTING LABORATORY
CERTIFICATE#4323.01



FCC PART 27
FCC PART 22H, PART 24E
TEST REPORT

For

Beijing Wiseasy Technology CO., Ltd.

7th Floor, Block B, Wangxin Mansion, No.28 Xiaoyun Road, Chaoyang District, 100027, Beijing, China

FCC ID: 2AXOJ-WPOS-3

Report Type: Original Report	Product Type: WPOS Intelligent Business Terminal
Project Engineer: Jack Jiao	<i>Jack Jiao</i>
Report Number: RKSA200927001-00D	
Report Date: 2020-12-05	
Reviewed By: Oscar Ye EMC Manager	<i>Oscar Ye</i>
Prepared By: Bay Area Compliance Laboratories Corp. (Kunshan) No.248 Chenghu Road, Kunshan, Jiangsu province, China Tel: +86-0512-86175000 Fax: +86-0512-88934268 www.baclcorp.com.cn	

TABLE OF CONTENTS

GENERAL INFORMATION	4
PRODUCT DESCRIPTION FOR EQUIPMENT UNDER TEST (EUT).....	4
OBJECTIVE.....	4
RELATED SUBMITTAL(S)/GRANT(S).....	4
TEST METHODOLOGY.....	5
MEASUREMENT UNCERTAINTY.....	5
TEST FACILITY.....	5
SYSTEM TEST CONFIGURATION	6
JUSTIFICATION.....	6
CHANNEL LIST.....	6
EQUIPMENT MODIFICATIONS.....	9
SUPPORT EQUIPMENT LIST AND DETAILS.....	9
EXTERNAL I/O CABLE.....	9
BLOCK DIAGRAM OF TEST SETUP.....	10
SUMMARY OF TEST RESULTS	12
TEST EQUIPMENT LIST	13
FCC §1.1307(B) & §2.1093 - RF EXPOSURE INFORMATION	15
TEST RESULT.....	15
FCC §2.1047 - MODULATION CHARACTERISTIC	16
FCC §2.1046; § 22.913 (A); § 24.232 (C); §27.50 (C) (D) - RF OUTPUT POWER	17
APPLICABLE STANDARDS.....	17
TEST PROCEDURE.....	17
TEST DATA.....	18
FCC §2.1049, §22.917, §22.905 & §24.238; §27.53 - OCCUPIED BANDWIDTH	59
APPLICABLE STANDARDS.....	59
TEST PROCEDURE.....	59
TEST DATA.....	59
FCC § 2.1051; § 22.917 (A); § 24.238 (A); §27.53 (G) (H) - SPURIOUS EMISSIONS AT ANTENNA TERMINALS	157
APPLICABLE STANDARDS.....	157
TEST PROCEDURE.....	157
TEST DATA.....	157
FCC § 2.1053; § 22.917 (A); § 24.238 (A) ; § 27.53 (G) (H) - SPURIOUS RADIATED EMISSIONS	326
APPLICABLE STANDARDS.....	326
TEST PROCEDURE.....	326
TEST DATA.....	327
FCC § 22.917 (A); § 24.238 (A); §27.53 (G) (H)- BAND EDGES	338
APPLICABLE STANDARDS.....	338
TEST PROCEDURE.....	338
TEST DATA.....	338
FCC § 2.1055; § 22.355; § 24.235; §27.54 - FREQUENCY STABILITY	395
APPLICABLE STANDARDS.....	395

TEST PROCEDURE	395
TEST DATA	396

GENERAL INFORMATION

Product Description for Equipment under Test (EUT)

Applicant:	Beijing Wiseasy Technology CO., Ltd.
Tested Model:	WPOS-3
Product Type:	WPOS Intelligent Business Terminal
Power Supply:	DC 5.0V from adapter and DC 3.7V from battery
RF Function:	GPRS/EGPRS, WCDMA, LTE
Operating Band/Frequency:	GPRS/EGPRS 850: 824-849 MHz(TX), 869-894 MHz(RX) GPRS/EGPRS 1900: 1850-1910 MHz(TX), 1930-1990 MHz(RX) WCDMA Band II: 1850-1910 MHz(TX), 1930-1990 MHz(RX) WCDMA Band V: 824-849 MHz(TX), 869-894 MHz(RX) LTE Band 2: 1850-1910 MHz(TX), 1930MHz-1990 MHz(RX) LTE Band 4: 1710-1755 MHz(TX), 2110-2155 MHz(RX) LTE Band 5: 824-849 MHz(TX), 869-894 MHz(RX) LTE Band 12: 699-716 MHz(TX), 729-746 MHz(RX) LTE Band 17: 704-716 MHz(TX), 734-746 MHz(RX)
Modulation Type:	GPRS/EGPRS: GMSK/8PSK WCDMA: BPSK,QPSK,16QAM LTE: QPSK,16QAM
Antenna Type:	FPC Antenna
*Maximum Antenna Gain:	GPRS/EGPRS 850: 1.0 dBi WCDMA Band II/ Band V: 1.0 dBi LTE Band 2/4/5/12/17: 1.0 dBi

Note: The antenna gain was provided by the applicant.

**All measurement and test data in this report was gathered from production sample serial number: 20200927001. (Assigned by the BACL. The EUT supplied by the applicant was received on 2020-09-27)*

Objective

This type approval report is prepared on behalf of *Beijing Wiseasy Technology CO., Ltd.* in accordance with Part 2, Part 22-Subpart H and Part 24-Subpart E, Part 27 of the Federal Communication Commission's rules.

The objective is to determine the compliance of EUT with FCC rules for output power, modulation characteristic, occupied bandwidth, and spurious emission at antenna terminal, spurious radiated emission, frequency stability, and band edge.

Related Submittal(s)/Grant(s)

FCC Part 15.247 DSS submissions with FCC ID: 2AXOJ-WPOS-3
FCC Part 15.247 DTS submissions with FCC ID: 2AXOJ-WPOS-3
FCC Part 15.407 NII submissions with FCC ID: 2AXOJ-WPOS-3
FCC Part 15.225 DXX submissions with FCC ID: 2AXOJ-WPOS-3

Test Methodology

All tests and measurements indicated in this document were performed in accordance with the Code of Federal Regulations Title 47 Part 2, Sub-Part J as well as the following parts:

Part 22 Subpart H - Public Mobile Services
 Part 24 Subpart E - Personal Communication Services
 Part 27 – Miscellaneous wireless communications services

Applicable Standards: ANSI C63.26-2015.

All radiated and conducted emissions measurements were performed at Bay Area Compliance Laboratories Corp. (Kunshan). The radiated testing was performed at an antenna-to-EUT distance of 3 meters.

Measurement Uncertainty

Item		Uncertainty
AC Power Lines Conducted Emissions		3.19dB
RF conducted test with spectrum		0.9dB
RF Output Power with Power meter		0.5dB
Radiated emission	30MHz~1GHz	5.91dB
	1GHz~6GHz	4.68dB
	6GHz~18GHz	4.92dB
	18GHz~40GHz	5.21dB
Occupied Bandwidth		0.5kHz
Temperature		1.0°C
Humidity		6%

Test Facility

The test site used by Bay Area Compliance Laboratories Corp. (Kunshan) to collect test data is located on the No.248 Chenghu Road, Kunshan, Jiangsu province, China.

Bay Area Compliant Laboratories Corp. (Kunshan) Lab is accredited to ISO/IEC 17025 by A2LA (Lab code: 4323.01) and the FCC designation No. CN1185 under the FCC KDB 974614 D01 and CAB identifier CN0004 under the ISED requirement. The facility also complies with the radiated and AC line conducted test site criteria set forth in ANSI C63.4-2014.

SYSTEM TEST CONFIGURATION

Justification

The EUT was configured for testing according to ANSI C63.26-2015.

The final qualification test was performed with the EUT operating at normal mode.

Channel List

Mode		Channel		Frequency (MHz)
GPRS/EGPRS 850	Low	128	824.2	
	Middle	190	836.6	
	High	251	848.8	
GPRS/EGPRS 1900	Low	512	1850.2	
	Middle	661	1880.0	
	High	810	1909.8	
WCDMA Band II	Low	9262	1852.4	
	Middle	9400	1880.0	
	High	9538	1907.6	
WCDMA Band V	Low	4132	826.4	
	Middle	4183	836.6	
	High	4233	846.6	
LTE Band 2	1.4M	Low	18607	1850.7
		Middle	18900	1880.0
		High	19193	1909.3
	3M	Low	18615	1851.5
		Middle	18900	1880.0
		High	19185	1908.5
	5M	Low	18625	1852.5
		Middle	18900	1880.0
		High	19175	1907.5
	10M	Low	18650	1855.0
		Middle	18900	1880.0
		High	19150	1905.0
	15M	Low	18675	1857.5
		Middle	18900	1880.0
		High	19125	1902.5
20M	Low	18700	1860.0	
	Middle	18900	1880.0	
	High	19100	1900.0	

Mode		Channel		Frequency (MHz)
LTE Band 4	1.4M	Low	19957	1710.7
		Middle	20175	1732.5
		High	20393	1754.3
	3M	Low	19965	1711.5
		Middle	20175	1732.5
		High	20385	1753.5
	5M	Low	19975	1712.5
		Middle	20175	1732.5
		High	20375	1752.5
	10M	Low	20000	1715.0
		Middle	20175	1732.5
		High	20350	1750.0
	15M	Low	20025	1717.5
		Middle	20175	1732.5
		High	20325	1747.5
20M	Low	20050	1720.0	
	Middle	20175	1732.5	
	High	20300	1745.0	
LTE Band 5	1.4M	Low	20407	824.7
		Middle	20525	836.5
		High	20643	848.3
	3M	Low	20415	825.5
		Middle	20525	836.5
		High	20635	847.5
	5M	Low	20425	826.5
		Middle	20525	836.5
		High	20625	846.5
10M	Low	20450	829.0	
	Middle	20525	836.5	
	High	20600	844.0	
LTE Band 12	1.4M	Low	23017	699.7
		Middle	23095	707.5
		High	23173	715.3
	3M	Low	23025	700.5
		Middle	23095	707.5
		High	23165	714.5
	5M	Low	23035	701.5
		Middle	23095	707.5
		High	23155	713.5
10M	Low	23060	704.0	
	Middle	23095	707.5	
	High	23130	711.0	

Mode		Channel		Frequency (MHz)
LTE Band 17	5M	Low	23755	706.5
		Middle	23790	710.0
		High	23825	713.5
	10M	Low	23780	709.0
		Middle	23790	710.0
		High	23800	711.0

Equipment Modifications

No modifications were made to the EUT.

Support Equipment List and Details


Manufacturer	Description	Model	Serial Number
Aihuaxin technology	Antenna	/	/
Rohde & Schwarz	Universal Radio Communication Tester	CMU200	110605
Rohde & Schwarz	Wideband Radio Communication Tester	CMW500	104478

External I/O Cable


Cable Description	Length (m)	From Port	To
Power Cable	1.0	EUT	Adapter
Power Cable	1.0	Adapter	LISN/AC Source

Block Diagram of Test Setup

For Radiated Emissions (Below 1GHz):



For Radiated Emissions (Above 1GHz):



SUMMARY OF TEST RESULTS

FCC Rules	Description of Test	Result
§1.1307(b)(1)& §2.1093	RF Exposure Information	Compliant
§2.1046; § 22.913 (a); § 24.232 (c); § 27.50 (c) (d)	RF Output Power	Compliant
§ 2.1047	Modulation Characteristics	Not Applicable
§ 2.1049; § 22.905; § 22.917; § 24.238; §27.53	Occupied Bandwidth	Compliant
§ 2.1051; § 22.917 (a); § 24.238 (a); §27.53 (g) (h)	Spurious Emissions at Antenna Terminal	Compliant
§ 2.1053; § 22.917 (a); § 24.238 (a); §27.53 (g) (h)	Spurious Radiated Emissions	Compliant
§ 22.917 (a); § 24.238 (a); §27.53 (g) (h)	Band Edge	Compliant
§ 2.1055; § 22.355; § 24.235; §27.54	Frequency stability	Compliant

TEST EQUIPMENT LIST

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
Radiated Emission Test (Chamber 1#)					
Rohde & Schwarz	EMI Test Receiver	ESCI	100195	2019-12-14	2020-12-13
HP	Signal Generator	N5183A	MY51040755	2019-12-14	2020-12-13
Sunol Sciences	Broadband Antenna	JB3	A090413-1	2017-12-26	2020-12-25
Sunol Sciences	Broadband Antenna	JB3	A090314-2	2019-01-09	2022-01-08
Sonoma Instrument	Pre-amplifier	310N	171205	2020-08-14	2021-08-13
Rohde & Schwarz	Auto test Software	EMC32	100361	/	/
MICRO-COAX	Coaxial Cable	Cable-6	006	2020-08-15	2021-08-14
MICRO-COAX	Coaxial Cable	Cable-8	008	2020-08-15	2021-08-14
MICRO-COAX	Coaxial Cable	Cable-9	009	2020-08-15	2021-08-14
MICRO-COAX	Coaxial Cable	Cable-10	010	2020-08-15	2021-08-14
Rohde & Schwarz	Universal Radio Communication Tester	CMU200	110605	2020-04-01	2021-03-31
Rohde & Schwarz	Wideband Radio Communication Tester	CMW500	104478	2020-08-05	2021-08-04
Radiated Emission Test (Chamber 2#)					
HP	Signal Generator	N5183A	MY51040755	2019-12-14	2020-12-13
Rohde & Schwarz	EMI Test Receiver	ESU40	100207	2020-04-01	2021-03-31
ETS-LINDGREN	Horn Antenna	3115	9207-3900	2020-07-15	2023-07-14
ETS-LINDGREN	Horn Antenna	3115	6229	2020-01-10	2023-01-09
ETS-LINDGREN	Horn Antenna	3116	00084159	2019-10-18	2022-10-17
ETS-LINDGREN	Horn Antenna	3116	2516	2020-01-17	2023-01-16
A.H.Systems,inc	Amplifier	PAM-0118P	512	2020-02-20	2021-02-19
EM Electronics Corporation	Amplifier	EM18G40G	060726	2020-03-22	2021-03-21
Rohde & Schwarz	Auto test Software	EMC32	100361	/	/
MICRO-COAX	Coaxial Cable	Cable-6	006	2020-08-15	2021-08-14
MICRO-COAX	Coaxial Cable	Cable-11	011	2020-08-15	2021-08-14
MICRO-COAX	Coaxial Cable	Cable-12	012	2020-08-15	2021-08-14
MICRO-COAX	Coaxial Cable	Cable-13	013	2020-08-15	2021-08-14
MICRO-COAX	Coaxial Cable	Cable-16	016	2020-08-15	2021-08-14
Rohde & Schwarz	Universal Radio Communication Tester	CMU200	110605	2020-04-01	2021-03-31
Rohde & Schwarz	Wideband Radio Communication Tester	CMW500	104478	2020-08-05	2021-08-04

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
RF Conducted Test					
Rohde & Schwarz	Signal Analyzer	FSIQ26	836131/009	2019-12-14	2020-12-13
Rohde & Schwarz	EMI Test Receiver	ESIB26	100146	2019-12-14	2020-12-13
Narda	Attenuator	10dB	010	2020-08-15	2021-08-14
Rohde & Schwarz	Universal Radio Communication Tester	CMU200	110605	2020-04-01	2021-03-31
Rohde & Schwarz	Wideband Radio Communication Tester	CMW500	104478	2020-08-05	2021-08-04
Mini-Circuits	Power splitter	ZFRSC-14-S+	SF019411452	2019-11-10	2020-11-09
BACL	Temperature & Humidity Chamber	BTH-150	30023	2019-12-20	2020-12-19
EAST	Regulated DC Power Supply	MCH-303D-II	14070562	2020-10-10	2021-10-09
Beijing Wiseasy	RF Cable	Beijing Wiseasy C01	C01	Each Time	/

* **Statement of Traceability:** Bay Area Compliance Laboratories Corp. (Kunshan) attests that all calibrations have been performed in accordance to requirements that traceable to National Primary Standards and International System of Units (SI).

FCC §1.1307(b) & §2.1093 - RF EXPOSURE INFORMATION

Applicable Standard

FCC§1.1307,§2.1093.

Test Result

Compliance, please refer to the SAR report: RKSA200927001-26

FCC §2.1047 - MODULATION CHARACTERISTIC

According to FCC § 2.1047(d), Part 22H & 24E, Part 27 there is no specific requirement for digital modulation, therefore modulation characteristic is not presented.

FCC §2.1046; § 22.913 (a); § 24.232 (c); §27.50 (c) (d) - RF OUTPUT POWER**Applicable Standards**

According to FCC §2.1046 and §22.913 (a), the ERP of mobile transmitters and auxiliary test transmitters must not exceed 7 watts (38.45dBm).

According to FCC §2.1046 and §24.232 (c), mobile and portable stations are limited to 2 watts (33dBm) EIRP and the equipment must employ a means for limiting power to the minimum necessary for successful communications.


According to §27.50(d), the maximum EIRP must not exceed 1Watts (30dBm) for 1710-1755MHz.

According to §27.50(c), Portable stations (hand-held devices) in the 600 MHz uplink band and the 698-746 MHz band, and fixed and mobile stations in the 600 MHz uplink band are limited to 3 watts ERP.

The peak-to-average power ratio (PAPR) of the transmitter output power must not exceed 13 dB.

Test Procedure**Conducted method:**

The RF output of the transmitter was connected to the CMW500/CMU200 through sufficient attenuation.

**Radiated Output Power:**

The measurements procedures specified in ANSI C63.26-2015 were applied.

- a) Connect the equipment as illustrated. Mount the equipment with the manufacturer specified antenna in a vertical orientation on a manufacturer specified mounting surface located on a non-conducting rotating platform of a RF anechoic chamber (preferred) or a standard radiation site.
- b) Key the transmitter, then rotate the EUT 360o azimuthally and record spectrum analyzer power level (LVL) measurements at angular increments that are sufficiently small to permit resolution of all peaks. If a standard radiation test site is used, raise and lower the test antenna to obtain a maximum reading at each angular increment. (Note: several batteries may be needed to offset the effect of battery voltage droop, which should not exceed 5% of the manufactured specified battery voltage during transmission).

c) Replace the transmitter under test with a vertically polarized half-wave dipole (or an antenna whose gain is known relative to an ideal half-wave dipole). The center of the antenna should be at the same location as the center of the antenna under test.

d) Connect the antenna to a signal generator with a known output power ,If a standard radiation test site is used, raise and lower the test antenna to obtain a maximum reading and adjustment signal generator level, make the value of the spectrum analyzer equal to the test value of step b (LVL), record this value as submitted Level (dBm).

$$\text{ERP/ EIRP (dBm)} = \text{Submitted Level (dBm)} - \text{Cable loss(dB)} + \text{Antenna Gain(dBd/dBi)}$$

Test Data

Environmental Conditions

Temperature:	24.7~24.9 °C
Relative Humidity:	52~53 %
ATM Pressure:	101.7~101.9 kPa

The testing was performed by CK Huang from 2020-11-20 to 2020-11-26.

Conducted Power:

GPRS/EGPRS 850 Band

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)				Limit (dBm)
			1 slot	2 slots	3 slots	4 slots	
GPRS	128	824.20	33.10	32.43	31.11	30.48	38.45
	190	836.60	33.99	32.69	31.88	30.79	38.45
	251	848.80	33.59	32.87	31.98	30.66	38.45

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)				Limit (dBm)
			1 slot	2 slots	3 slots	4 slots	
EGPRS	128	824.20	28.56	27.97	26.73	25.61	38.45
	190	836.60	28.58	27.38	26.17	25.78	38.45
	251	848.80	28.81	27.61	26.33	25.57	38.45

WCDMA Band V

Mode	Test Condition	Test Mode	3GPP Sub Test	Average Output Power (dBm)		
				Low Frequency	Middle Frequency	High Frequency
WCDMA (Band V)	Normal	Rel 99	1	22.65	22.45	22.59
		HSDPA	1	22.03	22.13	22.18
			2	22.08	22.07	22.16
			3	22.06	21.98	22.26
			4	22.13	21.96	22.07
		HSUPA	1	21.99	22.09	22.10
			2	22.13	22.05	22.16
			3	22.08	22.02	22.24
			4	21.99	22.06	22.27
			5	21.93	22.09	22.22
		HSPA+	1	22.13	21.95	22.02

PCS 1900 Band

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)				Limit (dBm)
			1 slot	2 slots	3 slots	4 slots	
GPRS	512	1850.2	31.52	29.56	27.25	25.62	33
	661	1880.0	31.44	29.00	27.07	25.52	33
	810	1909.8	31.38	29.68	27.53	25.53	33

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)				Limit (dBm)
			1 slot	2 slots	3 slots	4 slots	
EGPRS	512	1850.2	25.38	24.67	23.74	22.86	33
	661	1880.0	25.81	24.80	23.13	22.96	33
	810	1909.8	25.56	24.27	23.19	22.44	33

WCDMA Band II

Mode	Test Condition	Test Mode	3GPP Sub Test	Average Output Power (dBm)		
				Low Frequency	Middle Frequency	High Frequency
WCDMA (Band II)	Normal	Rel 99	1	20.84	20.65	20.58
		HSDPA	1	20.33	20.17	20.06
			2	20.28	20.04	20.22
			3	20.24	20.02	20.15
			4	20.30	20.05	20.11
		HSUPA	1	20.17	20.03	20.08
			2	20.34	19.98	20.13
			3	20.33	19.92	20.15
			4	20.22	20.06	20.04
			5	20.36	19.96	20.23
		HSPA+	1	20.23	20.13	20.20

Maximum Output Power:

LTE Band 2

Test Bandwidth	Test Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
1.4M	QPSK	1#0	20.59	20.66	20.84
		1#3	20.60	20.66	20.77
		1#5	20.55	20.52	20.71
		3#0	20.54	20.55	20.73
		3#1	20.54	20.50	20.75
		3#3	20.60	20.42	20.67
		6#0	20.61	20.39	20.74
	16-QAM	1#0	20.54	20.39	20.72
		1#3	20.53	20.35	20.75
		1#5	20.56	20.37	20.75
		3#0	20.64	20.35	20.77
		3#1	20.60	20.35	20.79
		3#3	20.67	20.44	20.92
		6#0	20.67	20.33	20.92
3M	QPSK	1#0	20.62	20.38	20.90
		1#7	20.61	20.36	20.86
		1#14	20.61	20.27	20.93
		8#0	20.65	20.22	20.95
		8#4	20.75	20.25	20.97
		8#7	20.77	20.18	20.92
		15#0	20.71	20.17	20.95
	16-QAM	1#0	20.76	20.06	20.98
		1#7	20.76	20.07	20.94
		1#14	20.75	20.02	20.92
		8#0	20.73	20.02	20.98
		8#4	20.69	20.97	20.96
		8#7	20.71	20.92	21.06
		15#0	20.71	20.80	21.05

Test Bandwidth	Test Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
5M	QPSK	1#0	20.77	20.89	20.94
		1#12	20.8	20.81	20.98
		1#24	20.87	20.83	21.05
		12#0	20.77	20.78	21.16
		12#6	20.80	20.76	21.15
		12#11	20.80	20.67	21.12
		25#0	20.69	20.66	21.08
	16-QAM	1#0	20.79	20.69	20.94
		1#12	20.88	20.72	21.02
		1#24	20.87	20.71	20.98
		12#0	20.93	20.7	20.97
		12#6	20.83	20.72	21.02
		12#11	20.88	20.81	20.94
		25#0	20.79	20.80	20.99
10M	QPSK	1#0	20.87	20.85	20.97
		1#24	20.82	20.75	20.96
		1#49	20.79	20.72	20.99
		25#0	20.74	20.78	21.04
		25#12	20.73	20.74	20.91
		25#24	20.60	20.66	20.81
		50#0	20.61	20.68	20.89
	16-QAM	1#0	20.61	20.71	20.82
		1#24	20.54	20.69	20.81
		1#49	20.46	20.63	20.86
		25#0	20.37	20.59	20.87
		25#12	20.34	20.64	20.90
		25#24	20.25	20.63	20.91
		50#0	20.23	20.55	20.85

Test Bandwidth	Test Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
15M	QPSK	1#0	20.26	20.49	20.82
		1#37	20.27	20.52	20.72
		1#74	20.31	20.47	20.78
		36#0	20.23	20.42	20.73
		36#17	20.32	20.50	20.72
		36#35	20.35	20.57	20.74
		75#0	20.35	20.63	20.69
	16-QAM	1#0	20.24	20.6	20.67
		1#37	20.20	20.55	20.60
		1#74	20.22	20.56	20.59
		36#0	20.18	20.52	20.54
		36#17	20.29	20.56	20.56
		36#35	20.28	20.59	20.54
		75#0	20.31	20.53	20.51
20M	QPSK	1#0	20.98	21.20	20.92
		1#49	20.75	20.92	20.82
		1#99	20.24	20.35	20.44
		50#0	20.19	20.39	20.56
		50#24	20.21	20.53	20.63
		50#49	20.22	20.53	20.59
		100#0	20.27	20.53	20.59
	16-QAM	1#0	20.23	20.52	20.48
		1#49	20.25	20.53	20.56
		1#99	20.20	20.62	20.64
		50#0	20.24	20.59	20.54
		50#24	20.37	20.58	20.60
		50#49	20.27	20.58	20.63
		100#0	20.15	20.57	20.60

LTE Band 4

Test Bandwidth	Test Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
1.4M	QPSK	1#0	20.87	20.96	20.98
		1#3	20.75	21.01	21.05
		1#5	20.81	20.97	21.06
		3#0	20.77	20.88	21.03
		3#1	20.87	20.81	21.03
		3#3	20.88	20.87	21.03
		6#0	20.94	20.86	21.12
	16-QAM	1#0	21.06	20.86	21.20
		1#3	21.02	20.92	21.21
		1#5	21.00	20.93	21.24
		3#0	20.96	20.92	21.28
		3#1	20.91	20.97	21.20
		3#3	20.90	21.10	21.26
		6#0	20.91	21.04	21.16
3M	QPSK	1#0	20.89	21.07	21.18
		1#7	20.90	21.14	21.23
		1#14	20.82	21.07	21.27
		8#0	20.90	21.11	21.31
		8#4	21.01	21.14	21.32
		8#7	20.92	21.06	21.33
		15#0	20.86	21.14	21.31
	16-QAM	1#0	20.86	21.26	21.38
		1#7	20.81	21.29	21.49
		1#14	20.88	21.30	21.51
		8#0	20.88	21.18	21.39
		8#4	20.97	20.97	21.38
		8#7	20.91	20.92	21.48
		15#0	20.91	20.80	21.37

Test Bandwidth	Test Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
5M	QPSK	1#0	20.93	20.89	21.49
		1#12	20.99	20.81	21.50
		1#24	20.98	20.83	21.48
		12#0	20.90	20.78	21.41
		12#6	20.79	20.76	21.36
		12#11	20.82	20.67	21.34
		25#0	20.84	20.66	21.26
	16-QAM	1#0	20.90	20.69	21.29
		1#12	20.85	20.72	21.23
		1#24	20.80	20.71	21.24
		12#0	20.70	20.70	21.29
		12#6	20.69	20.72	21.38
		12#11	20.70	20.81	21.29
		25#0	20.79	20.80	21.28
10M	QPSK	1#0	20.76	20.85	21.22
		1#24	20.68	20.75	21.24
		1#49	20.75	20.72	21.36
		25#0	20.71	20.78	21.38
		25#12	20.68	20.74	21.36
		25#24	20.70	20.66	21.41
		50#0	20.71	20.68	21.51
	16-QAM	1#0	20.74	20.71	21.51
		1#24	20.66	20.69	21.63
		1#49	20.67	20.63	21.77
		25#0	20.76	20.59	21.74
		25#12	20.76	20.64	21.66
		25#24	20.85	20.63	21.66
		50#0	20.88	20.55	21.72

Test Bandwidth	Test Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
15M	QPSK	1#0	20.95	20.49	21.81
		1#37	20.92	20.52	21.80
		1#74	20.88	20.47	21.91
		36#0	20.84	20.42	21.93
		36#17	20.73	20.50	21.91
		36#35	20.63	20.57	21.92
		75#0	20.73	20.63	21.88
	16-QAM	1#0	20.76	20.60	21.94
		1#37	20.79	20.55	22.04
		1#74	20.79	20.56	21.92
		36#0	20.80	20.52	21.85
		36#17	20.77	20.56	21.84
		36#35	20.84	20.59	21.94
		75#0	20.78	20.53	21.97
20M	QPSK	1#0	20.80	22.07	22.00
		1#49	20.74	21.38	22.03
		1#99	20.62	21.44	21.94
		50#0	20.63	20.39	21.93
		50#24	20.69	20.53	21.96
		50#49	20.72	20.53	21.93
		100#0	20.63	20.53	21.91
	16-QAM	1#0	20.71	20.52	21.92
		1#49	20.66	20.53	22.02
		1#99	20.79	20.62	22.06
		50#0	20.84	20.59	22.03
		50#24	20.78	20.58	22.00
		50#49	20.91	20.58	22.03
		100#0	20.96	20.57	22.03

LTE Band 5

Test Bandwidth	Test Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
1.4M	QPSK	1#0	21.93	21.98	21.37
		1#3	22.03	21.96	21.46
		1#5	22.16	22.08	21.44
		3#0	22.12	22.07	21.45
		3#1	22.06	22.12	21.47
		3#3	22.18	22.05	21.47
		6#0	22.17	22.09	21.56
	16-QAM	1#0	22.16	21.99	21.62
		1#3	22.18	22.07	21.7
		1#5	22.15	22.03	21.64
		3#0	22.08	22.06	21.53
		3#1	22.11	22.08	21.52
		3#3	22.03	22.08	21.56
		6#0	22.14	22.18	21.62
3M	QPSK	1#0	22.11	22.13	21.58
		1#7	22.19	22.09	21.44
		1#14	22.15	22.07	21.44
		8#0	22.17	22.1	21.36
		8#4	22.11	22.03	21.4
		8#7	21.99	22.09	21.37
		15#0	21.94	22.07	21.43
	16-QAM	1#0	21.96	22.1	21.48
		1#7	21.94	22.12	21.61
		1#14	22.03	22.16	21.53
		8#0	22.03	22.14	21.55
		8#4	21.99	22.11	21.63
		8#7	22.01	22.2	21.63
		15#0	21.9	22.31	21.67

Test Bandwidth	Test Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
5M	QPSK	1#0	21.89	22.25	21.77
		1#12	21.99	22.26	21.9
		1#24	22.05	22.24	21.91
		12#0	22.08	22.16	21.88
		12#6	21.98	22.14	21.91
		12#11	21.93	22.11	21.85
		25#0	21.93	22.14	21.87
	16-QAM	1#0	21.92	22.13	21.85
		1#12	21.89	22.08	21.92
		1#24	21.85	22.04	21.81
		12#0	21.91	22.04	21.76
		12#6	21.9	22.09	21.72
		12#11	21.84	22.07	21.73
		25#0	21.72	22.16	21.75
10M	QPSK	1#0	21.78	22.54	21.65
		1#24	21.75	22.19	21.63
		1#49	21.65	22.25	21.69
		25#0	21.52	22.36	21.77
		25#12	21.57	22.47	21.78
		25#24	21.6	22.45	21.79
		50#0	21.68	22.48	21.73
	16-QAM	1#0	21.63	22.5	21.73
		1#24	21.73	22.52	21.79
		1#49	21.86	22.43	21.82
		25#0	21.89	22.51	21.79
		25#12	21.86	22.53	21.68
		25#24	21.8	22.51	21.64
		50#0	21.84	22.49	21.75

LTE Band 12

Test Bandwidth	Test Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
1.4M	QPSK	1#0	21.86	22.2	21.6
		1#3	21.87	22.16	21.58
		1#5	21.89	22.26	21.53
		3#0	21.81	22.27	21.49
		3#1	21.89	22.28	21.42
		3#3	21.87	22.19	21.46
		6#0	21.97	22.16	21.49
	16-QAM	1#0	22.06	22.04	21.56
		1#3	22.15	21.91	21.63
		1#5	22.09	21.89	21.55
		3#0	22.19	21.77	21.68
		3#1	22.17	21.75	21.57
		3#3	22.21	21.76	21.64
		6#0	22.19	21.74	21.63
3M	QPSK	1#0	22.26	21.76	21.55
		1#7	22.31	21.74	21.58
		1#14	22.29	21.79	21.6
		8#0	22.37	21.82	21.68
		8#4	22.28	21.9	21.69
		8#7	22.34	21.87	21.72
		15#0	22.43	21.81	21.75
	16-QAM	1#0	22.48	21.79	21.77
		1#7	22.56	21.74	21.75
		1#14	22.52	21.62	21.82
		8#0	22.49	21.57	21.86
		8#4	22.49	21.52	21.95
		8#7	22.52	21.5	21.97
		15#0	22.57	21.44	21.99

Test Bandwidth	Test Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
5M	QPSK	1#0	22.41	21.41	21.97
		1#12	22.57	21.49	22.02
		1#24	22.59	21.51	21.92
		12#0	22.60	21.54	21.83
		12#6	22.50	21.59	21.87
		12#11	22.50	21.50	21.86
		25#0	22.28	21.56	21.87
	16-QAM	1#0	22.29	21.52	21.89
		1#12	22.30	21.61	22.00
		1#24	22.41	21.67	22.01
		12#0	22.57	21.73	22.05
		12#6	22.24	21.70	22.05
		12#11	22.25	21.71	22.15
		25#0	22.34	21.72	22.10
10M	QPSK	1#0	22.45	22.61	22.07
		1#24	22.29	21.75	22.05
		1#49	22.11	21.84	22.08
		25#0	22.14	22.39	22.00
		25#12	22.02	21.90	22.05
		25#24	22.39	21.96	22.08
		50#0	22.45	22.49	22.02
	16-QAM	1#0	22.04	21.88	21.98
		1#24	22.44	21.87	22.07
		1#49	22.36	21.90	22.17
		25#0	22.35	21.86	22.13
		25#12	22.26	21.84	22.09
		25#24	22.12	21.88	22.10
		50#0	22.22	21.90	22.20

LTE Band 17

Test Bandwidth	Test Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
5M	QPSK	1#0	21.68	21.85	21.82
		1#12	21.68	21.93	21.80
		1#24	21.68	21.93	21.74
		12#0	21.65	21.96	21.79
		12#6	21.67	21.88	21.68
		12#11	21.68	21.92	21.72
		25#0	21.70	21.85	21.61
	16-QAM	1#0	21.71	21.80	21.64
		1#12	21.66	21.69	21.65
		1#24	21.63	21.74	21.74
		12#0	21.62	21.75	21.67
		12#6	21.65	21.75	21.70
		12#11	21.78	21.77	21.73
		25#0	21.72	21.77	21.63
10M	QPSK	1#0	21.72	21.76	21.75
		1#24	21.85	21.74	21.70
		1#49	21.88	21.65	21.76
		25#0	21.86	21.76	21.78
		25#12	21.94	21.88	21.75
		25#24	21.96	21.83	21.72
		50#0	22.07	21.89	21.64
	16-QAM	1#0	22.12	21.95	21.60
		1#24	22.06	21.91	21.53
		1#49	22.05	21.97	21.58
		25#0	22.05	22.05	21.48
		25#12	22.04	22.08	21.51
		25#24	22.11	22.14	21.51
		50#0	22.07	22.02	21.50

Peak-to-average ratio (PAR):

GPRS/ EGPRS 850 Band

Mode	Channel	PAR (dB)	Limit (dB)
GPRS	Low	2.15	≤ 13
	Middle	2.06	≤ 13
	High	2.07	≤ 13

Mode	Channel	PAR (dB)	Limit (dB)
EGPRS	Low	2.00	≤ 13
	Middle	2.20	≤ 13
	High	2.03	≤ 13

WCDMA Band V

Mode	Channel	PAR (dB)	Limit (dB)
WCDMA (Rel99)	Low	2.13	≤ 13
	Middle	2.11	≤ 13
	High	2.21	≤ 13
WCDMA (HSDPA)	Low	2.00	≤ 13
	Middle	2.16	≤ 13
	High	1.98	≤ 13
WCDMA (HSUPA)	Low	2.19	≤ 13
	Middle	2.09	≤ 13
	High	2.25	≤ 13
WCDMA (HSPA+)	Low	2.16	≤ 13
	Middle	1.98	≤ 13
	High	1.98	≤ 13

PCS 1900

Mode	Channel	PAR (dB)	Limit (dB)
GPRS	Low	2.21	13
	Middle	2.05	13
	High	2.03	13

Mode	Channel	PAR (dB)	Limit (dB)
EGPRS	Low	2.07	13
	Middle	2.21	13
	High	2.16	13

WCDMA Band II

Mode	Channel	PAR (dB)	Limit (dB)
WCDMA (Rel99)	Low	2.02	≤ 13
	Middle	2.03	≤ 13
	High	2.15	≤ 13
WCDMA (HSDPA)	Low	2.08	≤ 13
	Middle	2.12	≤ 13
	High	2.26	≤ 13
WCDMA (HSUPA)	Low	2.13	≤ 13
	Middle	2.02	≤ 13
	High	2.02	≤ 13
WCDMA (HSPA+)	Low	2.19	≤ 13
	Middle	2.05	≤ 13
	High	1.96	≤ 13

LTE Band 2

Test Modulation		Test Bandwidth	Low Channel (dB)	Middle Channel (dB)	High Channel (dB)	Limit (dB)
QPSK	1 RB	20M	3.15	3.16	3.12	13
	100 RB		5.16	5.10	5.19	13
16-QAM	1 RB	20M	4.15	4.18	4.19	13
	100 RB		6.01	6.08	6.18	13

LTE Band 4

Test Modulation		Test Bandwidth	Low Channel (dB)	Middle Channel (dB)	High Channel (dB)	Limit(dB)
QPSK	1 RB	20M	3.08	3.15	3.03	13
	100 RB		5.08	5.00	5.11	13
16-QAM	1 RB	20M	4.03	4.13	4.07	13
	100 RB		6.11	6.10	6.17	13

LTE Band 5

Test Modulation		Test Bandwidth	Low Channel (dB)	Middle Channel (dB)	High Channel (dB)	Limit(dB)
QPSK	1 RB	10M	3.17	3.15	3.14	13
	50 RB		5.04	5.16	5.08	13
16-QAM	1 RB	10M	4.20	4.15	4.18	13
	50 RB		6.07	6.02	6.07	13

LTE Band 12

Test Modulation		Test Bandwidth	Low Channel (dB)	Middle Channel (dB)	High Channel (dB)	Limit(dB)
QPSK	1 RB	10M	3.02	3.13	3.04	13
	50 RB		5.01	5.10	5.19	13
16-QAM	1 RB	10M	4.15	4.08	4.05	13
	50 RB		6.09	6.17	6.08	13

LTE Band 17

Test Modulation		Test Bandwidth	Low Channel (dB)	Middle Channel (dB)	High Channel (dB)	Limit(dB)
QPSK	1 RB	10M	3.18	3.09	3.08	≤ 13
	50 RB		5.14	5.01	5.10	≤ 13
16-QAM	1 RB	10M	4.08	4.17	4.08	≤ 13
	50 RB		6.20	6.08	6.07	≤ 13

Radiated Power:

GPRS/EGPRS Mode

Frequency (MHz)	Receiver Reading (dBµV)	Turntable Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Height (cm)	Polar (H/V)	Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
GPRS 850, Low Channel (ERP)										
824.20	98.90	77	200	H	34.1	0.62	-1.18	32.3	38.45	6.15
824.20	99.12	310	157	V	34.32	0.62	-1.18	32.52	38.45	5.93
EGPRS 850, Low Channel (ERP)										
824.20	93.61	56	152	H	29.95	0.62	-1.18	28.15	38.45	10.30
824.20	94.13	254	175	V	30.47	0.62	-1.18	28.67	38.45	9.78
GPRS 1900, Low Channel (EIRP)										
1850.20	91.21	225	198	H	19.29	0.84	8.76	27.21	33.00	5.79
1850.20	90.53	350	174	V	18.61	0.84	8.76	26.53	33.00	6.47
EGPRS 1900, Low Channel (EIRP)										
1850.20	87.10	275	163	H	16.18	0.84	8.76	24.1	33.00	8.90
1850.20	89.50	300	112	V	18.58	0.84	8.76	26.5	33.00	6.50

GPRS/EGPRS Mode

Frequency (MHz)	Receiver Reading (dBµV)	Turntable Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Height (cm)	Polar (H/V)	Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
GPRS 850, Middle Channel (ERP)										
836.60	98.02	80	100	H	33.16	0.63	-1.14	31.39	38.45	7.06
836.60	99.85	253	150	V	34.99	0.63	-1.14	33.22	38.45	5.23
EGPRS 850, Middle Channel (ERP)										
836.60	93.10	7	150	H	28.24	0.63	-1.14	26.47	38.45	11.98
836.60	94.72	351	100	V	29.86	0.63	-1.14	28.09	38.45	10.36
GPRS 1900, Middle Channel (EIRP)										
1880.00	91.67	89	150	H	21.54	0.85	8.81	29.50	33.00	3.50
1880.00	90.26	90	100	V	20.13	0.85	8.81	28.09	33.00	4.91
EGPRS 1900, Middle Channel (EIRP)										
1880.00	87.40	183	150	H	17.27	0.85	8.81	25.23	33.00	7.77
1880.00	89.25	319	100	V	19.12	0.85	8.81	27.08	33.00	5.92

GPRS/EGPRS Mode

Frequency (MHz)	Receiver Reading (dBµV)	Turntable Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Height (cm)	Polar (H/V)	Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
GPRS 850, High Channel (ERP)										
848.80	98.75	77	200	H	36.21	0.63	-1.1	34.48	38.45	3.97
848.80	99.40	310	157	V	36.86	0.63	-1.1	35.13	38.45	3.32
EGPRS 850, High Channel (ERP)										
848.80	93.19	56	152.00	H	30.65	0.63	-1.10	28.92	38.45	9.53
848.80	94.15	254	175.00	V	31.61	0.63	-1.10	29.88	38.45	8.57
GPRS 1900, High Channel (EIRP)										
1909.80	91.75	225	198	H	20.21	0.85	8.85	28.21	33.00	4.79
1909.80	90.91	350	174	V	19.37	0.85	8.85	27.37	33.00	5.63
EGPRS 1900, High Channel (EIRP)										
1909.80	87.95	275	163	H	17.41	0.85	8.85	25.41	33.00	7.59
1909.80	90.00	300	112	V	19.46	0.85	8.85	27.46	33.00	5.54

WCDMA Mode

Frequency (MHz)	Receiver Reading (dBμV)	Turntable Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Height (cm)	Polar (H/V)	Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
WCDMA Band V, Low Channel(ERP)										
826.40	87.46	229	200	H	22.60	0.63	-1.17	20.80	38.45	17.65
826.40	88.66	233	150	V	23.80	0.63	-1.17	22.00	38.45	16.45
WCDMA Band II, Low Channel(EIRP)										
1852.40	86.26	189	200	H	16.13	0.84	8.76	24.05	33.00	8.95
1852.40	85.40	7	150	V	15.27	0.84	8.76	23.19	33.00	9.81

WCDMA Mode

Frequency (MHz)	Receiver Reading (dBμV)	Turntable Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Height (cm)	Polar (H/V)	Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
WCDMA Band V, Middle Channel(ERP)										
836.60	87.51	319	200	H	22.65	0.63	-1.14	20.88	38.45	17.57
836.60	88.28	33	150	V	23.42	0.63	-1.14	21.65	38.45	16.80
WCDMA Band II, Middle Channel(EIRP)										
1880.00	85.93	254	200	H	15.80	0.85	8.81	23.76	33.00	9.24
1880.00	85.67	22	150	V	15.54	0.85	8.81	23.50	33.00	9.50

WCDMA Mode

Frequency (MHz)	Receiver Reading (dBμV)	Turntable Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Height (cm)	Polar (H/V)	Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
WCDMA Band V, High Channel(ERP)										
846.60	87.91	123	200	H	23.05	0.63	-1.11	21.31	38.45	17.14
846.60	86.90	110	150	V	22.04	0.63	-1.11	20.30	38.45	18.15
WCDMA Band II, High Channel(EIRP)										
1907.60	86.20	46	200	H	16.07	0.85	8.85	24.07	33.00	8.93
1907.60	87.41	133	150	V	17.28	0.85	8.85	25.28	33.00	7.72

EIRP:

LTE Band 2

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 1.4M BW Low Channel								
1850.7	H	89.24	14.51	0.84	8.76	22.43	33	10.57
1850.7	V	88.80	14.07	0.84	8.76	21.99	33	11.01
16-QAM 1.4M BW Low Channel								
1850.7	H	89.67	14.94	0.84	8.76	22.86	33	10.14
1850.7	V	88.88	14.15	0.84	8.76	22.07	33	10.93
QPSK 3M BW Low Channel								
1851.5	H	89.88	15.15	0.84	8.76	23.07	33	9.93
1851.5	V	88.01	13.28	0.84	8.76	21.2	33	11.80
16-QAM 3M BW Low Channel								
1851.5	H	89.57	14.84	0.84	8.76	22.76	33	10.24
1851.5	V	88.74	14.01	0.84	8.76	21.93	33	11.07
QPSK 5M BW Low Channel								
1852.5	H	89.07	14.34	0.84	8.76	22.26	33	10.74
1852.5	V	88.03	13.30	0.84	8.76	21.22	33	11.78
16-QAM 5M BW Low Channel								
1852.5	H	89.79	15.06	0.84	8.76	22.98	33	10.02
1852.5	V	88.78	14.05	0.84	8.76	21.97	33	11.03
QPSK 10M BW Low Channel								
1855.0	H	89.10	14.37	0.84	8.77	22.3	33	10.70
1855.0	V	88.88	14.15	0.84	8.77	22.08	33	10.92
16-QAM 10M BW Low Channel								
1855.0	H	89.84	15.11	0.84	8.77	23.04	33	9.96
1855.0	V	88.06	13.33	0.84	8.77	21.26	33	11.74
QPSK 15M BW Low Channel								
1857.5	H	89.85	15.12	0.84	8.77	23.05	33	9.95
1857.5	V	88.47	13.74	0.84	8.77	21.67	33	11.33
16-QAM 15M BW Low Channel								
1857.5	H	89.64	14.91	0.84	8.77	22.84	33	10.16
1857.5	V	88.56	13.83	0.84	8.77	21.76	33	11.24

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 20M BW Low Channel								
1860.0	H	89.32	14.59	0.84	8.78	22.53	33	10.47
1860.0	V	88.05	13.32	0.84	8.78	21.26	33	11.74
16-QAM 20M BW Low Channel								
1860.0	H	89.16	14.43	0.84	8.78	22.37	33	10.63
1860.0	V	88.81	14.08	0.84	8.78	22.02	33	10.98

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 1.4M BW Middle Channel								
1880	H	89.00	14.27	0.85	8.81	22.23	33	10.77
1880	V	88.33	13.60	0.85	8.81	21.56	33	11.44
16-QAM 1.4M BW Middle Channel								
1880	H	89.76	15.03	0.85	8.81	22.99	33	10.01
1880	V	88.06	13.33	0.85	8.81	21.29	33	11.71
QPSK 3M BW Middle Channel								
1880	H	89.80	15.07	0.85	8.81	23.03	33	9.97
1880	V	88.44	13.71	0.85	8.81	21.67	33	11.33
16-QAM 3M BW Middle Channel								
1880	H	89.30	14.57	0.85	8.81	22.53	33	10.47
1880	V	88.02	13.29	0.85	8.81	21.25	33	11.75
QPSK 5M BW Middle Channel								
1880	H	89.4	14.67	0.85	8.81	22.63	33	10.37
1880	V	88.72	13.99	0.85	8.81	21.95	33	11.05
16-QAM 5M BW Middle Channel								
1880	H	89.30	14.57	0.85	8.81	22.53	33	10.47
1880	V	89.00	14.27	0.85	8.81	22.23	33	10.77
QPSK 10M BW Middle Channel								
1880	H	89.81	15.08	0.85	8.81	23.04	33	9.96
1880	V	88.10	13.37	0.85	8.81	21.33	33	11.67
16-QAM 10M BW Middle Channel								
1880	H	89.05	14.32	0.85	8.81	22.28	33	10.72
1880	V	88.48	13.75	0.85	8.81	21.71	33	11.29
QPSK 15M BW Middle Channel								
1880	H	89.29	14.56	0.85	8.81	22.52	33	10.48
1880	V	88.82	14.09	0.85	8.81	22.05	33	10.95
16-QAM 15M BW Middle Channel								
1880	H	89.83	15.10	0.85	8.81	23.06	33	9.94
1880	V	88.32	13.59	0.85	8.81	21.55	33	11.45

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 20M BW Middle Channel								
1880	H	89.12	14.39	0.85	8.81	22.35	33	10.65
1880	V	88.42	13.69	0.85	8.81	21.65	33	11.35
16-QAM 20M BW Middle Channel								
1880	H	89.12	14.39	0.85	8.81	22.35	33	10.65
1880	V	88.46	13.73	0.85	8.81	21.69	33	11.31

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 1.4M BW High Channel								
1909.3	H	89.25	14.52	0.85	8.85	22.52	33	10.48
1909.3	V	88.42	13.69	0.85	8.85	21.69	33	11.31
16-QAM 1.4M BW High Channel								
1909.3	H	89.63	14.9	0.85	8.85	22.9	33	10.10
1909.3	V	88.99	14.26	0.85	8.85	22.26	33	10.74
QPSK 3M BW High Channel								
1908.5	H	89.07	14.34	0.85	8.85	22.34	33	10.66
1908.5	V	88.55	13.82	0.85	8.85	21.82	33	11.18
16-QAM 3M BW Low Channel								
1908.5	H	89.07	14.34	0.85	8.85	22.34	33	10.66
1908.5	V	88.11	13.38	0.85	8.85	21.38	33	11.62
QPSK 5M BW High Channel								
1907.5	H	89.93	15.2	0.85	8.85	23.2	33	9.80
1907.5	V	88.32	13.59	0.85	8.85	21.59	33	11.41
16-QAM 5M BW High Channel								
1907.5	H	89.06	14.33	0.85	8.85	22.33	33	10.67
1907.5	V	88.18	13.45	0.85	8.85	21.45	33	11.55
QPSK 10M BW High Channel								
1905.0	H	89.92	15.19	0.85	8.85	23.19	33	9.81
1905.0	V	88.75	14.02	0.85	8.85	22.02	33	10.98
16-QAM 10M BW High Channel								
1905.0	H	89.19	14.46	0.85	8.85	22.46	33	10.54
1905.0	V	88.84	14.11	0.85	8.85	22.11	33	10.89
QPSK 15M BW High Channel								
1902.5	H	89.82	15.09	0.85	8.84	23.08	33	9.92
1902.5	V	88.72	13.99	0.85	8.84	21.98	33	11.02
16-QAM 15M BW High Channel								
1902.5	H	89.74	15.01	0.85	8.84	23.00	33	10.00
1902.5	V	88.61	13.88	0.85	8.84	21.87	33	11.13

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 20M BW High Channel								
1900.0	H	89.99	15.26	0.85	8.84	23.25	33	9.75
1900.0	V	88.17	13.44	0.85	8.84	21.43	33	11.57
16-QAM 20M BW High Channel								
1900.0	H	89.83	15.10	0.85	8.84	23.09	33	9.91
1900.0	V	88.37	13.64	0.85	8.84	21.63	33	11.37

LTE Band 4

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 1.4M BW Low Channel								
1710.7	H	89.54	13.79	0.84	8.54	21.49	30	8.51
1710.7	V	88.51	12.76	0.84	8.54	20.46	30	9.54
16-QAM 1.4M BW Low Channel								
1710.7	H	89.45	13.70	0.84	8.54	21.4	30	8.60
1710.7	V	88.49	12.74	0.84	8.54	20.44	30	9.56
QPSK 3M BW Low Channel								
1711.5	H	89.64	13.89	0.84	8.54	21.59	30	8.41
1711.5	V	88.96	13.21	0.84	8.54	20.91	30	9.09
16-QAM 3M BW Low Channel								
1711.5	H	89.71	13.96	0.84	8.54	21.66	30	8.34
1711.5	V	88.21	12.46	0.84	8.54	20.16	30	9.84
QPSK 5M BW Low Channel								
1712.5	H	89.49	13.74	0.84	8.54	21.44	30	8.56
1712.5	V	88.00	12.25	0.84	8.54	19.95	30	10.05
16-QAM 5M BW Low Channel								
1712.5	H	89.02	13.27	0.84	8.54	20.97	30	9.03
1712.5	V	88.09	12.34	0.84	8.54	20.04	30	9.96
QPSK 10M BW Low Channel								
1715.0	H	89.03	13.28	0.84	8.54	20.98	30	9.02
1715.0	V	88.10	12.35	0.84	8.54	20.05	30	9.95
16-QAM 10M BW Low Channel								
1715.0	H	89.53	13.78	0.84	8.54	21.48	30	8.52
1715.0	V	88.62	12.87	0.84	8.54	20.57	30	9.43
QPSK 15M BW Low Channel								
1717.5	H	89.55	13.80	0.84	8.55	21.51	30	8.49
1717.5	V	88.62	12.87	0.84	8.55	20.58	30	9.42
16-QAM 15M BW Low Channel								
1717.5	H	89.74	13.99	0.84	8.55	21.7	30	8.30
1717.5	V	88.78	13.03	0.84	8.55	20.74	30	9.26

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 20M BW Low Channel								
1720.0	H	89.92	14.17	0.84	8.55	21.88	30	8.12
1720.0	V	88.93	13.18	0.84	8.55	20.89	30	9.11
16-QAM 20M BW Low Channel								
1720.0	H	89.70	13.95	0.84	8.55	21.66	30	8.34
1720.0	V	88.24	12.49	0.84	8.55	20.2	30	9.80

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 1.4M BW Middle Channel								
1732.5	H	89.74	13.99	0.84	8.57	21.72	30	8.28
1732.5	V	88.72	12.97	0.84	8.57	20.7	30	9.30
16-QAM 1.4M BW Middle Channel								
1732.5	H	89.48	13.73	0.84	8.57	21.46	30	8.54
1732.5	V	88.24	12.49	0.84	8.57	20.22	30	9.78
QPSK 3M BW Middle Channel								
1732.5	H	89.39	13.64	0.84	8.57	21.37	30	8.63
1732.5	V	88.99	13.24	0.84	8.57	20.97	30	9.03
16-QAM 3M BW Middle Channel								
1732.5	H	89.39	13.64	0.84	8.57	21.37	30	8.63
1732.5	V	88.72	12.97	0.84	8.57	20.7	30	9.30
QPSK 5M BW Middle Channel								
1732.5	H	89.23	13.48	0.84	8.57	21.21	30	8.79
1732.5	V	88.44	12.69	0.84	8.57	20.42	30	9.58
16-QAM 5M BW Middle Channel								
1732.5	H	89.47	13.72	0.84	8.57	21.45	30	8.55
1732.5	V	88.03	12.28	0.84	8.57	20.01	30	9.99
QPSK 10M BW Middle Channel								
1732.5	H	89.77	14.02	0.84	8.57	21.75	30	8.25
1732.5	V	88.67	12.92	0.84	8.57	20.65	30	9.35
16-QAM 10M BW Middle Channel								
1732.5	H	89.51	13.76	0.84	8.57	21.49	30	8.51
1732.5	V	88.07	12.32	0.84	8.57	20.05	30	9.95
QPSK 15M BW Middle Channel								
1732.5	H	89.89	14.14	0.84	8.57	21.87	30	8.13
1732.5	V	88.69	12.94	0.84	8.57	20.67	30	9.33
16-QAM 15M BW Middle Channel								
1732.5	H	89.49	13.74	0.84	8.57	21.47	30	8.53
1732.5	V	88.38	12.63	0.84	8.57	20.36	30	9.64

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 20M BW Middle Channel								
1732.5	H	89.58	13.83	0.84	8.57	21.56	30	8.44
1732.5	V	88.53	12.78	0.84	8.57	20.51	30	9.49
16-QAM 20M BW Middle Channel								
1732.5	H	89.58	13.83	0.84	8.57	21.56	30	8.44
1732.5	V	88.95	13.20	0.84	8.57	20.93	30	9.07

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 1.4M BW High Channel								
1754.3	H	89.18	13.43	0.84	8.61	21.20	30	8.80
1754.3	V	88.16	12.41	0.84	8.61	20.18	30	9.82
16-QAM 1.4M BW High Channel								
1754.3	H	89.62	13.87	0.84	8.61	21.64	30	8.36
1754.3	V	88.28	12.53	0.84	8.61	20.30	30	9.70
QPSK 3M BW High Channel								
1753.5	H	89.07	13.32	0.84	8.6	21.08	30	8.92
1753.5	V	88.94	13.19	0.84	8.6	20.95	30	9.05
16-QAM 3M BW High Channel								
1753.5	H	89.62	13.87	0.84	8.6	21.63	30	8.37
1753.5	V	88.20	12.45	0.84	8.6	20.21	30	9.79
QPSK 5M BW High Channel								
1752.5	H	89.91	14.16	0.84	8.6	21.92	30	8.08
1752.5	V	88.55	12.80	0.84	8.6	20.56	30	9.44
16-QAM 5M BW High Channel								
1752.5	H	89.30	13.55	0.84	8.6	21.31	30	8.69
1752.5	V	88.15	12.40	0.84	8.6	20.16	30	9.84
QPSK 10M BW High Channel								
1750.0	H	89.50	13.75	0.84	8.6	21.51	30	8.49
1750.0	V	88.01	12.26	0.84	8.6	20.02	30	9.98
16-QAM 10M BW High Channel								
1750.0	H	89.13	13.38	0.84	8.6	21.14	30	8.86
1750.0	V	88.63	12.88	0.84	8.6	20.64	30	9.36
QPSK 15M BW High Channel								
1747.5	H	89.44	13.69	0.84	8.6	21.45	30	8.55
1747.5	V	88.25	12.50	0.84	8.6	20.26	30	9.74
16-QAM 15M BW High Channel								
1747.5	H	89.46	13.71	0.84	8.6	21.47	30	8.53
1747.5	V	88.80	13.05	0.84	8.6	20.81	30	9.19

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 20M BW High Channel								
1745.0	H	89.22	13.47	0.84	8.59	21.22	30	8.78
1745.0	V	88.05	12.30	0.84	8.59	20.05	30	9.95
16-QAM 20M High Channel								
1745.0	H	89.05	13.3	0.84	8.59	21.05	30	8.95
1745.0	V	88.20	12.45	0.84	8.59	20.20	30	9.80

LTE Band 5

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 1.4M BW Low Channel								
824.7	H	90.86	26.99	0.62	-1.18	25.19	38.45	13.26
824.7	V	88.97	25.10	0.62	-1.18	23.30	38.45	15.15
16-QAM 1.4M BW Low Channel								
824.7	H	90.35	26.48	0.62	-1.18	24.68	38.45	13.77
824.7	V	88.94	25.07	0.62	-1.18	23.27	38.45	15.18
QPSK 3M BW Low Channel								
825.5	H	90.02	26.15	0.63	-1.17	24.35	38.45	14.10
825.5	V	88.25	24.38	0.63	-1.17	22.58	38.45	15.87
16-QAM 3M BW Low Channel								
825.5	H	90.53	26.66	0.63	-1.17	24.86	38.45	13.59
825.5	V	88.76	24.89	0.63	-1.17	23.09	38.45	15.36
QPSK 5M BW Low Channel								
826.5	H	90.50	26.63	0.63	-1.17	24.83	38.45	13.62
826.5	V	88.95	25.08	0.63	-1.17	23.28	38.45	15.17
16-QAM 5M BW Low Channel								
826.5	H	90.17	26.30	0.63	-1.17	24.5	38.45	13.95
826.5	V	88.84	24.97	0.63	-1.17	23.17	38.45	15.28
QPSK 10M BW Low Channel								
829.0	H	90.59	26.72	0.63	-1.16	24.93	38.45	13.52
829.0	V	88.47	24.60	0.63	-1.16	22.81	38.45	15.64
16-QAM 10M BW Low Channel								
829.0	H	90.15	26.28	0.63	-1.16	24.49	38.45	13.96
829.0	V	88.35	24.48	0.63	-1.16	22.69	38.45	15.76

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 1.4M BW Middle Channel								
836.5	H	90.33	26.46	0.63	-1.14	24.69	38.45	13.76
836.5	V	88.66	24.79	0.63	-1.14	23.02	38.45	15.43
16-QAM 1.4M BW Middle Channel								
836.5	H	90.44	26.57	0.63	-1.14	24.8	38.45	13.65
836.5	V	88.55	24.68	0.63	-1.14	22.91	38.45	15.54
QPSK 3M BW Middle Channel								
836.5	H	90.28	26.41	0.63	-1.14	24.64	38.45	13.81
836.5	V	88.24	24.37	0.63	-1.14	22.60	38.45	15.85
16-QAM 3M BW Middle Channel								
836.5	H	90.45	26.58	0.63	-1.14	24.81	38.45	13.64
836.5	V	88.69	24.82	0.63	-1.14	23.05	38.45	15.40
QPSK 5M BW Middle Channel								
836.5	H	90.35	26.48	0.63	-1.14	24.71	38.45	13.74
836.5	V	88.1	24.23	0.63	-1.14	22.46	38.45	15.99
16-QAM 5M BW Middle Channel								
836.5	H	90.08	26.21	0.63	-1.14	24.44	38.45	14.01
836.5	V	88.08	24.21	0.63	-1.14	22.44	38.45	16.01
QPSK 10M BW Middle Channel								
836.5	H	90.09	26.22	0.63	-1.14	24.45	38.45	14.00
836.5	V	88.62	24.75	0.63	-1.14	22.98	38.45	15.47
16-QAM 10M BW Middle Channel								
836.5	H	90.12	26.25	0.63	-1.14	24.48	38.45	13.97
836.5	V	88.49	24.62	0.63	-1.14	22.85	38.45	15.60

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 1.4M BW High Channel								
848.3	H	90.85	26.98	0.63	-1.11	25.24	38.45	13.21
848.3	V	88.32	24.45	0.63	-1.11	22.71	38.45	15.74
16-QAM 1.4M BW High Channel								
848.3	H	90.10	26.23	0.63	-1.11	24.49	38.45	13.96
848.3	V	88.65	24.78	0.63	-1.11	23.04	38.45	15.41
QPSK 3M BW High Channel								
847.5	H	90.84	26.97	0.63	-1.11	25.23	38.45	13.22
847.5	V	88.82	24.95	0.63	-1.11	23.21	38.45	15.24
16-QAM 3M BW High Channel								
847.5	H	90.09	26.22	0.63	-1.11	24.48	38.45	13.97
847.5	V	88.16	24.29	0.63	-1.11	22.55	38.45	15.90
QPSK 5M BW High Channel								
846.5	H	90.93	27.06	0.63	-1.11	25.32	38.45	13.13
846.5	V	88.32	24.45	0.63	-1.11	22.71	38.45	15.74
16-QAM 5M BW High Channel								
846.5	H	90.94	27.07	0.63	-1.11	25.33	38.45	13.12
846.5	V	88.51	24.64	0.63	-1.11	22.90	38.45	15.55
QPSK 10M BW High Channel								
844.0	H	90.25	26.38	0.63	-1.12	24.63	38.45	13.82
844.0	V	88.02	24.15	0.63	-1.12	22.40	38.45	16.05
16-QAM 10M BW High Channel								
844.0	H	90.60	26.73	0.63	-1.12	24.98	38.45	13.47
844.0	V	88.06	24.19	0.63	-1.12	22.44	38.45	16.01

ERP:

LTE Band 12

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBµV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 1.4M BW Low Channel								
699.7	H	88.43	22.79	0.62	-1.75	20.42	34.77	14.35
699.7	V	87.97	22.33	0.62	-1.75	19.96	34.77	14.81
16-QAM 1.4M BW Low Channel								
699.7	H	88.61	22.97	0.62	-1.75	20.60	34.77	14.17
699.7	V	87.47	21.83	0.62	-1.75	19.46	34.77	15.31
QPSK 3M BW Low Channel								
700.5	H	88.38	22.74	0.62	-1.75	20.37	34.77	14.40
700.5	V	87.44	21.8	0.62	-1.75	19.43	34.77	15.34
16-QAM 3M BW Low Channel								
700.5	H	88.50	22.86	0.62	-1.75	20.49	34.77	14.28
700.5	V	87.91	22.27	0.62	-1.75	19.90	34.77	14.87
QPSK 5M BW Low Channel								
701.5	H	88.67	23.03	0.62	-1.74	20.67	34.77	14.10
701.5	V	87.53	21.89	0.62	-1.74	19.53	34.77	15.24
16-QAM 5M BW Low Channel								
701.5	H	88.09	22.45	0.62	-1.74	20.09	34.77	14.68
701.5	V	87.70	22.06	0.62	-1.74	19.70	34.77	15.07
QPSK 10M BW Low Channel								
704.0	H	88.21	22.57	0.62	-1.73	20.22	34.77	14.55
704.0	V	87.80	22.16	0.62	-1.73	19.81	34.77	14.96
16-QAM 10M BW Low Channel								
704.0	H	88.96	23.32	0.62	-1.73	20.97	34.77	13.80
704.0	V	87.36	21.72	0.62	-1.73	19.37	34.77	15.40

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 1.4M BW Middle Channel								
707.5	H	88.16	24.67	0.62	-1.71	22.34	34.77	12.43
707.5	V	87.16	23.67	0.62	-1.71	21.34	34.77	13.43
16-QAM 1.4M BW Middle Channel								
707.5	H	88.21	24.72	0.62	-1.71	22.39	34.77	12.38
707.5	V	87.34	23.85	0.62	-1.71	21.52	34.77	13.25
QPSK 3M BW Middle Channel								
707.5	H	88.46	24.97	0.62	-1.71	22.64	34.77	12.13
707.5	V	87.36	23.87	0.62	-1.71	21.54	34.77	13.23
16-QAM 3M BW Middle Channel								
707.5	H	88.16	24.67	0.62	-1.71	22.34	34.77	12.43
707.5	V	87.46	23.97	0.62	-1.71	21.64	34.77	13.13
QPSK 5M BW Middle Channel								
707.5	H	88.46	24.97	0.62	-1.71	22.64	34.77	12.13
707.5	V	87.25	23.76	0.62	-1.71	21.43	34.77	13.34
16-QAM 5M BW Middle Channel								
707.5	H	88.19	24.70	0.62	-1.71	22.37	34.77	12.40
707.5	V	87.48	23.99	0.62	-1.71	21.66	34.77	13.11
QPSK 10M BW Middle Channel								
707.5	H	88.49	25.00	0.62	-1.71	22.67	34.77	12.10
707.5	V	87.05	23.56	0.62	-1.71	21.23	34.77	13.54
16-QAM 10M BW Middle Channel								
707.5	H	87.89	24.40	0.62	-1.71	22.07	34.77	12.70
707.5	V	86.30	22.81	0.62	-1.71	20.48	34.77	14.29

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 1.4M BW High Channel								
715.3	H	88.74	22.82	0.62	-1.67	20.53	34.77	14.24
715.3	V	87.31	21.39	0.62	-1.67	19.10	34.77	15.67
16-QAM 1.4M BW High Channel								
715.3	H	88.38	22.46	0.62	-1.67	20.17	34.77	14.60
715.3	V	87.87	21.95	0.62	-1.67	19.66	34.77	15.11
QPSK 3M BW High Channel								
714.5	H	88.28	22.36	0.62	-1.68	20.06	34.77	14.71
714.5	V	87.93	22.01	0.62	-1.68	19.71	34.77	15.06
16-QAM 3M BW High Channel								
714.5	H	88.32	22.40	0.62	-1.68	20.10	34.77	14.67
714.5	V	87.10	21.18	0.62	-1.68	18.88	34.77	15.89
QPSK 5M BW High Channel								
713.5	H	88.99	23.07	0.62	-1.68	20.77	34.77	14.00
713.5	V	87.88	21.96	0.62	-1.68	19.66	34.77	15.11
16-QAM 5M BW High Channel								
713.5	H	88.28	22.36	0.62	-1.68	20.06	34.77	14.71
713.5	V	87.07	21.15	0.62	-1.68	18.85	34.77	15.92
QPSK 10M BW High Channel								
711.0	H	88.43	22.51	0.62	-1.7	20.19	34.77	14.58
711.0	V	87.10	21.18	0.62	-1.7	18.86	34.77	15.91
16-QAM 10M BW High Channel								
711.0	H	88.30	22.38	0.62	-1.7	20.06	34.77	14.71
711.0	V	87.85	21.93	0.62	-1.7	19.61	34.77	15.16

ERP:

LTE Band 17

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 5M BW Low Channel								
706.5	H	88.50	23.34	0.62	-1.72	21.00	34.77	13.77
706.5	V	87.83	22.67	0.62	-1.72	20.33	34.77	14.44
16-QAM 5M BW Low Channel								
706.5	H	88.96	23.80	0.62	-1.72	21.46	34.77	13.31
706.5	V	87.59	22.43	0.62	-1.72	20.09	34.77	14.68
QPSK 10M BW Low Channel								
709.0	H	88.13	22.97	0.62	-1.71	20.64	34.77	14.13
709.0	V	87.76	22.60	0.62	-1.71	20.27	34.77	14.50
16-QAM 10M BW Low Channel								
709.0	H	88.83	23.67	0.62	-1.71	21.34	34.77	13.43
709.0	V	87.21	22.05	0.62	-1.71	19.72	34.77	15.05

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 5M BW Middle Channel								
710.0	H	88.86	22.87	0.62	-1.7	20.55	34.77	14.22
710.0	V	87.05	21.06	0.62	-1.7	18.74	34.77	16.03
16-QAM 5M BW Middle Channel								
710.0	H	88.18	22.19	0.62	-1.7	19.87	34.77	14.90
710.0	V	87.85	21.86	0.62	-1.7	19.54	34.77	15.23
QPSK 10M BW Middle Channel								
710.0	H	88.89	22.90	0.62	-1.7	20.58	34.77	14.19
710.0	V	87.15	21.16	0.62	-1.7	18.84	34.77	15.93
16-QAM 10M BW Middle Channel								
710.0	H	88.96	22.97	0.62	-1.7	20.65	34.77	14.12
710.0	V	87.71	21.72	0.62	-1.7	19.40	34.77	15.37

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 5M BW High Channel								
713.5	H	88.03	23.21	0.62	-1.68	20.91	34.77	13.86
713.5	V	87.12	22.30	0.62	-1.68	20.00	34.77	14.77
16-QAM 5M BW High Channel								
713.5	H	88.35	23.53	0.62	-1.68	21.23	34.77	13.54
713.5	V	87.60	22.78	0.62	-1.68	20.48	34.77	14.29
QPSK 10M BW High Channel								
711.0	H	88.44	23.62	0.62	-1.7	21.30	34.77	13.47
711.0	V	87.92	23.10	0.62	-1.7	20.78	34.77	13.99
16-QAM 10M BW High Channel								
711.0	H	88.45	23.63	0.62	-1.7	21.31	34.77	13.46
711.0	V	87.18	22.36	0.62	-1.7	20.04	34.77	14.73

Note:

All above data were tested without amplifier.

Absolute Level (dBm) = Submitted Level (dBm) - Cable loss (dB) + Antenna Gain (dBd/dBi)

Margin (dB) = Limit (dBm) - Absolute Level (dBm)

FCC §2.1049, §22.917, §22.905 & §24.238; §27.53 - OCCUPIED BANDWIDTH


Applicable Standards

FCC 47 §2.1049, §22.917, §22.905 & §24.238 and §27.53.

Test Procedure

The RF output of the transmitter was connected to the simulator and the spectrum analyzer through sufficient attenuation.

The resolution bandwidth of the spectrum analyzer was set at 5 kHz (Cellular /PCS) & 100 kHz (WCDMA) & 30 kHz/50 kHz/100 kHz/300 kHz (LTE), and the 26 dB & 99% bandwidth was recorded.



Test Data

Environmental Conditions

Temperature:	24.9~25.3 °C
Relative Humidity:	50~52 %
ATM Pressure:	100.7~102.9 kPa

The testing was performed by Jack Jiao from 2020-10-13 to 2020-12-02.

EUT operation mode: Transmitting

Test Result: Compliance.

GSM 850 Band

Mode	Frequency (MHz)	26 dB Emission Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
GPRS (GMSK)	824.2	0.315	0.244
	836.6	0.317	0.242
	848.8	0.321	0.244
EGPRS (8PSK)	824.2	0.325	0.246
	836.6	0.311	0.242
	848.8	0.317	0.244

WCDMA Band V

Mode	Frequency (MHz)	26 dB Emission Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
WCDMA (Rel 99)	826.4	4.749	4.148
	836.6	4.729	4.148
	846.6	4.770	4.168
WCDMA (HSDPA)	826.4	4.770	4.168
	836.6	4.749	4.148
	846.6	4.749	4.168
WCDMA (HSUPA)	826.4	4.749	4.168
	836.6	4.749	4.148
	846.6	4.749	4.128
WCDMA (HSPA+)	826.4	4.770	4.148
	836.6	4.749	4.148
	846.6	4.770	4.148

PCS 1900


Mode	Frequency (MHz)	26 dB Emission Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
GPRS (GMSK)	1850.2	0.317	0.246
	1880.0	0.321	0.244
	1909.8	0.319	0.242
EGPRS (8PSK)	1850.2	0.317	0.248
	1880.0	0.321	0.246
	1909.8	0.319	0.244

WCDMA Band II


Mode	Frequency (MHz)	26 dB Emission Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
WCDMA (Rel 99)	1852.4	4.749	4.168
	1880.0	4.770	4.168
	1907.6	4.729	4.168
WCDMA (HSDPA)	1852.4	4.729	4.168
	1880.0	4.749	4.168
	1907.6	4.749	4.168
WCDMA (HSUPA)	1852.4	4.749	4.148
	1880.0	4.729	4.128
	1907.6	4.749	4.148
WCDMA (HSPA+)	1852.4	4.749	4.128
	1880.0	4.729	4.128
	1907.6	4.749	4.148

GSM 850 Band


99% Occupied & 26 dB Emissions Bandwidth for GPRS (GMSK) Low channel




99% Occupied & 26 dB Emissions Bandwidth for GPRS (GMSK) Middle channel




99% Occupied & 26 dB Emissions Bandwidth for GPRS (GMSK) High channel




99% Occupied & 26 dB Emissions Bandwidth for EGPRS (GMSK) Low channel



99% Occupied & 26 dB Emissions Bandwidth for EGPRS (GMSK) Middle channel




99% Occupied & 26 dB Emissions Bandwidth for EGPRS (GMSK) High channel




WCDMA Band V


99% Occupied & 26 dB Emissions Bandwidth for WCDMA (Rel 99) Low channel




99% Occupied & 26 dB Emissions Bandwidth for WCDMA (Rel 99) Middle channel




99% Occupied & 26 dB Emissions Bandwidth for WCDMA (HSDPA) Low channel




99% Occupied & 26 dB Emissions Bandwidth for WCDMA (HSDPA) Middle channel




99% Occupied & 26 dB Emissions Bandwidth for WCDMA (HSUPA) Low channel




99% Occupied & 26 dB Emissions Bandwidth for WCDMA (HSUPA) Middle channel




99% Occupied & 26 dB Emissions Bandwidth for WCDMA (HSUPA) High channel




99% Occupied & 26 dB Emissions Bandwidth for WCDMA (HSPA+) Low channel



99% Occupied & 26 dB Emissions Bandwidth for WCDMA (HSPA+) Middle channel




99% Occupied & 26 dB Emissions Bandwidth for WCDMA (HSPA+) High channel




PCS 1900 Band


99% Occupied & 26 dB Emissions Bandwidth for GPRS (GMSK) Low channel




99% Occupied & 26 dB Emissions Bandwidth for GPRS (GMSK) Middle channel




99% Occupied & 26 dB Emissions Bandwidth for GPRS (GMSK) High channel




99% Occupied & 26 dB Emissions Bandwidth for EGPRS (8PSK) Low channel



99% Occupied & 26 dB Emissions Bandwidth for EGPRS (8PSK) Middle channel




99% Occupied & 26 dB Emissions Bandwidth for EGPRS (8PSK) High channel




WCDMA Band II


99% Occupied & 26 dB Emissions Bandwidth for WCDMA (Rel 99) Low channel




99% Occupied & 26 dB Emissions Bandwidth for WCDMA (Rel 99) Middle channel




99% Occupied & 26 dB Emissions Bandwidth for WCDMA (HSDPA) Low channel




99% Occupied & 26 dB Emissions Bandwidth for WCDMA (HSDPA) Middle channel




99% Occupied & 26 dB Emissions Bandwidth for WCDMA (HSUPA) Low channel




99% Occupied & 26 dB Emissions Bandwidth for WCDMA (HSUPA) Middle channel




99% Occupied & 26 dB Emissions Bandwidth for WCDMA (HSPA+) Low channel



99% Occupied & 26 dB Emissions Bandwidth for WCDMA (HSPA+) Middle channel



99% Occupied & 26 dB Emissions Bandwidth for WCDMA (HSPA+) High channel




LTE Band 2:


Test Modulation	Test Bandwidth	Test Channel	26 dB Bandwidth	99% Occupied Bandwidth
			MHz	MHz
QPSK	1.4M	Low	1.335	1.111
	3M		2.970	2.705
	5M		4.930	4.509
	10M		10.301	9.058
	15M		15.030	13.587
	20M		19.559	17.956
	1.4M	Middle	1.324	1.111
	3M		2.958	2.693
	5M		4.950	4.489
	10M		9.820	8.978
	15M		14.910	13.467
	20M		19.559	17.956
	1.4M	High	1.358	1.111
	3M		2.934	2.705
	5M		4.950	4.509
	10M		9.940	8.978
	15M		15.030	13.587
	20M		19.479	17.956

Test Modulation	Test Bandwidth	Test Channel	26 dB Bandwidth	99% Occupied Bandwidth
			MHz	MHz
16-QAM	1.4M	Low	1.324	1.105
	3M		2.970	2.705
	5M		4.930	4.509
	10M		10.301	9.058
	15M		15.090	13.587
	20M		19.559	17.956
	1.4M	Middle	1.313	1.105
	3M		2.970	2.693
	5M		4.950	4.489
	10M		9.820	8.978
	15M		14.910	13.467
	20M		19.559	17.956
	1.4M	High	1.330	1.105
	3M		2.946	2.705
	5M		4.970	4.509
	10M		9.900	8.978
	15M		15.030	13.527
	20M		19.639	17.956


QPSK (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel




QPSK (3 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel




QPSK (5 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel




QPSK (10MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel




QPSK (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel




QPSK (3 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel




QPSK (5 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel




QPSK (10MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel




QPSK (15 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel




QPSK (20 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel




QPSK (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel




QPSK (3 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel




QPSK (5 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel




QPSK (10MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel




QPSK (15 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel




QPSK (20 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel




16-QAM (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel




16-QAM (3 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel




16-QAM (5 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel




16-QAM (10 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel




16-QAM (15 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel




16-QAM (20 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel




16-QAM (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel




16-QAM (3 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel




16-QAM (5 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel




16-QAM (10 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel




16-QAM (15 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel




16-QAM (20 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel




16-QAM (5 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel




16-QAM (10 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel



16-QAM (15 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel



16-QAM (20 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel




LTE Band 4:


Test Modulation	Test Bandwidth	Test Channel	26 dB Bandwidth	99% Occupied Bandwidth
			MHz	MHz
QPSK	1.4M	Low	1.324	1.111
	3M		2.958	2.693
	5M		4.95	4.509
	10M		9.78	8.978
	15M		15.15	13.647
	20M		19.639	18.116
	1.4M	Middle	1.296	1.111
	3M		2.97	2.705
	5M		4.97	4.509
	10M		9.82	8.978
	15M		14.97	13.587
	20M		19.399	17.956
	1.4M	High	1.313	1.105
	3M		2.982	2.693
	5M		4.93	4.509
	10M		9.82	8.978
	15M		15.03	13.647
	20M		19.639	18.036

Test Modulation	Test Bandwidth	Test Channel	26 dB Bandwidth	99% Occupied Bandwidth
			MHz	MHz
16-QAM	1.4M	Low	1.307	1.111
	3M		2.946	2.693
	5M		4.930	4.509
	10M		9.860	8.978
	15M		14.970	13.647
	20M		19.639	18.116
	1.4M	Middle	1.285	1.111
	3M		2.958	2.705
	5M		4.950	4.509
	10M		9.820	8.978
	15M		14.970	13.587
	20M		19.319	17.876
	1.4M	High	1.324	1.105
	3M		2.982	2.693
	5M		4.970	4.489
	10M		9.820	8.978
	15M		15.030	13.587
	20M		19.639	17.956


QPSK (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel




QPSK (3 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel




QPSK (5MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel




QPSK (10 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel




QPSK (15 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel




QPSK (20 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel




QPSK (5MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel




QPSK (10 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel




QPSK (15 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel




QPSK (20 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel




QPSK (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel




QPSK (3 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel




QPSK (5MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel




QPSK (10 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel




QPSK (15 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel




QPSK (20 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel




16-QAM (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel




16-QAM (3 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel




16-QAM (5 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel




16-QAM (10 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel




16-QAM (15 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel




16-QAM (20 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel




16-QAM (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel




16-QAM (3 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel




16-QAM (5 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel




16-QAM (10 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel




16-QAM (15 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel




16-QAM (20 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel




16-QAM (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel



16-QAM (3 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel




16-QAM (5 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel




Date: 13.OCT.2020 11:46:33

16-QAM (10 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel




Date: 13.OCT.2020 11:56:50

16-QAM (15 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel




16-QAM (20 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel




LTE Band 5:

Test Modulation	Test Bandwidth	Test Channel	26 dB Bandwidth	99% Occupied Bandwidth
			MHz	MHz
QPSK	1.4M	Low	1.313	1.105
	3M		2.970	2.693
	5M		4.950	4.509
	10M		9.659	8.978
	1.4M	Middle	1.335	1.105
	3M		2.946	2.705
	5M		4.970	4.509
	10M		9.860	8.978
	1.4M	High	1.330	1.111
	3M		2.958	2.705
	5M		4.970	4.509
	10M		9.900	8.978
16-QAM	1.4M	Low	1.330	1.105
	3M		2.970	2.693
	5M		4.970	4.509
	10M		9.739	8.978
	1.4M	Middle	1.324	1.105
	3M		2.958	2.705
	5M		4.950	4.509
	10M		9.860	8.978
	1.4M	High	1.341	1.111
	3M		2.946	2.705
	5M		4.990	4.509
	10M		9.820	8.978


QPSK (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel




QPSK (3.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel




QPSK (5.0MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel




QPSK (10.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel




QPSK (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel




QPSK (3.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel




QPSK (5.0MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel




QPSK (10.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel




QPSK (5.0MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel




QPSK (10.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel




16-QAM (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel




16-QAM (3.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel




16-QAM (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel




16-QAM (3.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel




16-QAM (5.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel




16-QAM (10.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel



16-QAM (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel




16-QAM (3.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel




LTE Band 12:

Test Modulation	Test Bandwidth	Test Channel	26 dB Bandwidth	99% Occupied Bandwidth
			MHz	MHz
QPSK	1.4M	Low	1.307	1.117
	3M		2.946	2.705
	5M		4.990	4.509
	10M		9.860	8.978
	1.4M	Middle	1.324	1.105
	3M		2.946	2.705
	5M		5.050	4.549
	10M		9.780	8.978
	1.4M	High	1.319	1.105
	3M		2.946	2.705
	5M		4.970	4.509
	10M		9.900	9.018
16-QAM	1.4M	Low	1.296	1.117
	3M		2.946	2.693
	5M		4.970	4.509
	10M		9.780	8.978
	1.4M	Middle	1.324	1.105
	3M		2.946	2.705
	5M		5.070	4.549
	10M		9.820	8.978
	1.4M	High	1.313	1.105
	3M		2.946	2.705
	5M		4.970	4.509
	10M		9.820	8.978


QPSK (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel




QPSK (3 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel




QPSK (5 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel




QPSK (10MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel




QPSK (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel




QPSK (3 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel




QPSK (5 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel




QPSK (10MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel




QPSK (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel




QPSK (3 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel




QPSK (5 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel




QPSK (10MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel




16-QAM (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel




16-QAM (3 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel




16-QAM (5 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel




16-QAM (10 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel




16-QAM (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel




16-QAM (3 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel




16-QAM (5 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel




16-QAM (10 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel




16-QAM (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel




16-QAM (3 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel



16-QAM (5 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel




16-QAM (10 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel




LTE Band 17:

Test Modulation	Test Bandwidth	Test Channel	26 dB Bandwidth	99% Occupied Bandwidth
			MHz	MHz
QPSK	5M	Low	4.970	4.489
	10M		9.860	8.978
	5M	Middle	4.930	4.509
	10M		9.900	8.978
	5M	High	4.990	4.509
	10M		9.860	8.978
16-QAM	5M	Low	4.950	4.489
	10M		9.900	8.978
	5M	Middle	4.930	4.509
	10M		9.900	8.978
	5M	High	4.990	4.509
	10M		9.860	8.978


QPSK (5 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel




QPSK (10MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel




QPSK (5 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel




QPSK (10MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel




QPSK (5 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel




QPSK (10MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel




16-QAM (5 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel




16-QAM (10 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel



16-QAM (5 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel



16-QAM (10 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel



FCC § 2.1051; § 22.917 (a); § 24.238 (a); §27.53 (g) (h) - SPURIOUS EMISSIONS AT ANTENNA TERMINALS

Applicable Standards

FCC §2.1051, §22.917(a) , §24.238(a) and §27.53 (g) (h).

The spectrum was to be investigated to the tenth harmonics of the highest fundamental frequency as specified in § 2.1051.


According to §22.917(a),the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

(g) For operations in the 600 MHz band and the 698-746 MHz band, the power of any emission outside a licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, by at least $43 + 10 \log(P)$ dB.

(h) For operations in the 1710-1755 MHz, 1755-1780 MHz, the power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) in watts by at least $43 + 10 \log(P)$ dB.

Test Procedure

The RF output of the transceiver was connected to a spectrum analyzer and simulator through appropriate attenuation. The resolution bandwidth of the spectrum analyzer was set at 100 kHz for below 1GHz & 1MHz for above 1GHz. sufficient scans were taken to show any out of band emissions up to 10th harmonic.



Test Data

Environmental Conditions

Temperature:	23.5~24.9 °C
Relative Humidity:	50~52 %
ATM Pressure:	100.7~101.9 kPa


The testing was performed by Jack Jiao from 2020-10-13 to 2020-12-02.

EUT operation mode: Transmitting


Test Result: Compliance.

GSM 850 Band:


30 MHz – 1GHz(GPRS Mode), Low channel




1 GHz – 10 GHz (GPRS Mode), Low channel




30 MHz – 1GHz(EGPRS Mode) , Low channel




1 GHz – 10 GHz (EGPRS Mode) , Low channel




30 MHz – 1GHz(GPRS Mode) , Middle channel




1 GHz – 10 GHz (GPRS Mode) , Middle channel




30 MHz – 1GHz(EGPRS Mode) , Middle channel




1 GHz – 10 GHz (EGPRS Mode), Middle channel




30 MHz – 1GHz(GPRS Mode), High channel




1 GHz – 10 GHz (GPRS Mode), High channel



30 MHz – 1GHz(EGPRS Mode), High channel




1 GHz – 10 GHz (EGPRS Mode), High channel




WCDMA Band V:


30 MHz – 1GHz WCDMA (Rel 99) Mode, Low channel




1 GHz – 10 GHz WCDMA (Rel 99) Mode, Low channel




30 MHz – 1GHz WCDMA (HSDPA) Mode, Low channel




1 GHz – 10 GHz WCDMA (HSDPA) Mode, Low channel




30 MHz – 1GHz WCDMA (HSUPA) Mode, Low channel




1 GHz – 10 GHz WCDMA (HSUPA) Mode, Low channel




30 MHz – 1GHz WCDMA (HSPA+) Mode, Low channel




1 GHz – 10 GHz WCDMA (HSPA+) Mode, Low channel




30 MHz – 1GHz WCDMA (HSUPA) Mode, Middle channel



1 GHz – 10 GHz WCDMA (HSUPA) Mode, Middle channel




30 MHz – 1GHz WCDMA (HSPA+) Mode, Middle channel



Date: 20.OCT.2020 14:01:26


Fundamental

1 GHz – 10 GHz WCDMA (HSPA+) Mode, Middle channel




Date: 20.OCT.2020 10:50:29


30 MHz – 1GHz WCDMA (HSDPA) Mode, High channel




1 GHz – 10 GHz WCDMA (HSDPA) Mode, High channel




30 MHz – 1GHz WCDMA (HSUPA) Mode, High channel




1 GHz – 10 GHz WCDMA (HSUPA) Mode, High channel



30 MHz – 1GHz WCDMA (HSPA+) Mode, High channel




1 GHz – 10 GHz WCDMA (HSPA+) Mode, High channel




PCS 1900 Band:


30 MHz – 1GHz(GPRS Mode) , Low channel




1 GHz – 20 GHz (GPRS Mode) , Low channel




30 MHz – 1GHz(EGPRS Mode) , Low channel




1 GHz – 20 GHz (EGPRS Mode) , Low channel




30 MHz – 1GHz(GPRS Mode) , High channel




1 GHz – 20 GHz (GPRS Mode) , High channel



30 MHz – 1GHz(EGPRS Mode) , High channel




1 GHz – 20 GHz (EGPRS Mode) , High channel




WCDMA Band II:


30 MHz – 1GHz WCDMA (Rel 99) Mode , Low channel




1 GHz – 20 GHz WCDMA (Rel 99) Mode , Low channel




30 MHz – 1GHz WCDMA (HSDPA) Mode , Low channel




1 GHz – 20 GHz WCDMA (HSDPA) Mode , Low channel




30 MHz – 1GHz WCDMA (HSUPA) Mode , Low channel




1 GHz – 20 GHz WCDMA (HSUPA) Mode , Low channel




30 MHz – 1GHz WCDMA (Rel 99) Mode , Middle channel




1 GHz – 20 GHz WCDMA (Rel 99) Mode , Middle channel




30 MHz – 1GHz WCDMA (HSDPA) Mode , Middle channel




1 GHz – 20 GHz WCDMA (HSDPA) Mode , Middle channel




30 MHz – 1GHz WCDMA (HSUPA) Mode , Middle channel




1 GHz – 20 GHz WCDMA (HSUPA) Mode , Middle channel




30 MHz – 1GHz WCDMA (HSPA+) Mode , Middle channel




1 GHz – 20 GHz WCDMA (HSPA+) Mode , Middle channel




30 MHz – 1GHz WCDMA (Rel 99) Mode , High channel




1 GHz – 20 GHz WCDMA (Rel 99) Mode , High channel




30 MHz – 1GHz WCDMA (HSDPA) Mode , High channel




1 GHz – 20 GHz WCDMA (HSDPA) Mode , High channel




30 MHz – 1GHz WCDMA (HSUPA) Mode , High channel




1 GHz – 20 GHz WCDMA (HSUPA) Mode , High channel



30 MHz – 1GHz WCDMA (HSPA+) Mode , High channel




1 GHz – 20 GHz WCDMA (HSPA+) Mode , High channel




LTE Band 2:


30 MHz - 1 GHz (1.4 MHz, QPSK, Low Channel)




1 GHz – 20 GHz (1.4 MHz, QPSK, Low Channel)




30 MHz - 1 GHz (3 MHz, QPSK, Low Channel)




1 GHz – 20 GHz (3 MHz, QPSK, Low Channel)




30 MHz - 1 GHz (5 MHz, 16-QAM, Low Channel)




1 GHz – 20 GHz (5 MHz, 16-QAM, Low Channel)




30 MHz - 1 GHz (10 MHz, 16-QAM, Low Channel)




1 GHz – 20 GHz (10 MHz, 16-QAM, Low Channel)




30 MHz - 1 GHz (1.4 MHz, QPSK, Middle Channel)




1 GHz – 20 GHz (1.4 MHz, QPSK, Middle Channel)




30 MHz - 1 GHz (3 MHz, 16-QAM, Middle Channel)




1 GHz – 20 GHz (3 MHz, 16-QAM, Middle Channel)




30 MHz - 1 GHz (5 MHz, QPSK, Middle Channel)




1 GHz – 20 GHz (5 MHz, QPSK, Middle Channel)




30 MHz - 1 GHz (5 MHz, 16-QAM, Middle Channel)




1 GHz – 20 GHz (5 MHz, 16-QAM, Middle Channel)




30 MHz - 1 GHz (10 MHz, QPSK, Middle Channel)




1 GHz – 20 GHz (10 MHz, QPSK, Middle Channel)




30 MHz - 1 GHz (1.4 MHz, QPSK, High Channel)




1 GHz – 20 GHz (1.4 MHz, QPSK, High Channel)




30 MHz - 1 GHz (3 MHz, QPSK, High Channel)




1 GHz – 20 GHz (3 MHz, QPSK, High Channel)




30 MHz - 1 GHz (5 MHz, QPSK, High Channel)




1 GHz – 20 GHz (5 MHz, QPSK, High Channel)




30 MHz - 1 GHz (10 MHz, 16-QAM, High Channel)




1 GHz – 20 GHz (10 MHz, 16-QAM, High Channel)



30 MHz - 1 GHz (15 MHz, QPSK, High Channel)




1 GHz – 20 GHz (15 MHz, QPSK, High Channel)




LTE Band 4:


30 MHz - 1 GHz (1.4 MHz, QPSK, Low Channel)




1 GHz – 20 GHz (1.4 MHz, QPSK, Low Channel)




30 MHz - 1 GHz (3 MHz, QPSK, Low Channel)




1 GHz – 20 GHz (3 MHz, QPSK, Low Channel)




30 MHz - 1 GHz (3 MHz, 16-QAM, Low Channel)




1 GHz – 20 GHz (3 MHz, 16-QAM, Low Channel)




30 MHz - 1 GHz (10 MHz, QPSK, Low Channel)



1 GHz – 20 GHz (10 MHz, QPSK, Low Channel)




30 MHz - 1 GHz (1.4 MHz, QPSK, Middle Channel)



Date: 14.OCT.2020 11:02:43


1 GHz – 20 GHz (1.4 MHz, QPSK, Middle Channel)




Date: 14.OCT.2020 10:45:36

Fundamental


30 MHz - 1 GHz (1.4 MHz, 16-QAM, Middle Channel)




1 GHz – 20 GHz (1.4 MHz, 16-QAM, Middle Channel)




30 MHz - 1 GHz (3 MHz, 16-QAM, Middle Channel)




1 GHz – 20 GHz (3 MHz, 16-QAM, Middle Channel)




30 MHz - 1 GHz (10 MHz, QPSK, Middle Channel)




1 GHz – 20 GHz (10 MHz, QPSK, Middle Channel)




30 MHz - 1 GHz (10 MHz, 16-QAM, Middle Channel)




1 GHz – 20 GHz (10 MHz, 16-QAM, Middle Channel)




30 MHz - 1 GHz (15 MHz, 16-QAM, Middle Channel)




1 GHz – 20 GHz (15 MHz, 16-QAM, Middle Channel)




30 MHz - 1 GHz (1.4 MHz, QPSK, High Channel)




1 GHz – 20 GHz (1.4 MHz, QPSK, High Channel)




30 MHz - 1 GHz (1.4 MHz, 16-QAM, High Channel)




1 GHz – 20 GHz (1.4 MHz, 16-QAM, High Channel)




30 MHz - 1 GHz (3 MHz, QPSK, High Channel)




1 GHz – 20 GHz (3 MHz, QPSK, High Channel)




30 MHz - 1 GHz (5 MHz, QPSK, High Channel)




1 GHz – 20 GHz (5 MHz, QPSK, High Channel)




30 MHz - 1 GHz (15 MHz, QPSK, High Channel)




1 GHz – 20 GHz (15 MHz, QPSK, Middle Channel)




30 MHz - 1 GHz (20 MHz, QPSK, High Channel)




1 GHz – 20 GHz (20 MHz, QPSK, High Channel)



30 MHz - 1 GHz (20 MHz, 16-QAM, High Channel)




1 GHz – 20 GHz (20 MHz, 16-QAM, High Channel)




LTE Band 5:


30 MHz - 1 GHz (QPSK, 1.4 MHz, Low Channel)




1 GHz – 10 GHz (QPSK, 1.4 MHz, Low Channel)




30 MHz - 1 GHz (QPSK, 3.0 MHz, Low Channel)




1 GHz – 10 GHz (QPSK, 3.0 MHz, Low Channel)




30 MHz - 1 GHz (QPSK, 5.0 MHz, Low Channel)




1 GHz – 10 GHz (QPSK, 5.0MHz, Low Channel)




30 MHz - 1 GHz (16QAM, 1.4 MHz, Low Channel)




1 GHz – 10 GHz (16QAM, 1.4 MHz, Low Channel)




30 MHz - 1 GHz (16QAM, 3.0 MHz, Low Channel)




1 GHz – 10 GHz (16QAM, 3.0 MHz, Low Channel)




30 MHz - 1 GHz (16QAM, 5.0 MHz, Low Channel)




1 GHz – 10 GHz (16QAM, 5.0MHz, Low Channel)




30 MHz - 1 GHz (QPSK, 3.0 MHz, Middle Channel)




1 GHz – 10 GHz (QPSK, 3.0 MHz, Middle Channel)




30 MHz - 1 GHz (QPSK, 5.0 MHz, Middle Channel)




1 GHz – 10 GHz (QPSK, 5.0MHz, Middle Channel)




30 MHz - 1 GHz (16QAM, 3.0 MHz, Middle Channel)




1 GHz – 10 GHz (16QAM, 3.0 MHz, Middle Channel)




30 MHz - 1 GHz (16QAM, 10.0 MHz, Middle Channel)




1 GHz – 10 GHz (16QAM, 10.0 MHz, Middle Channel)




30 MHz - 1 GHz (QPSK, 3.0 MHz, High Channel)




1 GHz – 10 GHz (QPSK, 3.0 MHz, High Channel)




30 MHz - 1 GHz (QPSK, 10.0 MHz, High Channel)




1 GHz – 10 GHz (QPSK, 10.0 MHz, High Channel)




30 MHz - 1 GHz (16QAM, 1.4 MHz, High Channel)




1 GHz – 10 GHz (16QAM, 1.4 MHz, High Channel)




30 MHz - 1 GHz (16QAM, 5.0 MHz, High Channel)




1 GHz - 10 GHz (16QAM, 5.0MHz, High Channel)



30 MHz - 1 GHz (3 MHz, 16-QAM, Low Channel)




1 GHz – 10 GHz (3 MHz, 16-QAM, Low Channel)



30 MHz - 1 GHz (5 MHz, 16-QAM, Low Channel)

⚠ Marker 1 [T1] RBW 100 kHz RF Att 30 dB
 Ref Lvl -42.47 dBm VBW 300 kHz
 27 dBm 951.40280561 MHz SWT 245 ms Unit dBm




Date: 13.OCT.2020 16:38:49

Fundamental


1 GHz - 10 GHz (5 MHz, 16-QAM, Low Channel)

⚠ Marker 1 [T1] RBW 1 MHz RF Att 30 dB
 Ref Lvl -36.28 dBm VBW 3 MHz
 27 dBm 6.71743487 GHz SWT 52 ms Unit dBm




Date: 14.OCT.2020 09:14:35


30 MHz - 1 GHz (10 MHz, 16-QAM, Low Channel)




1 GHz - 10 GHz (10 MHz, 16-QAM, Low Channel)



30 MHz - 1 GHz (1.4 MHz, 16-QAM, Middle Channel)


	Ref Lvl	Marker 1 [T1]	RBW	100 kHz	RF Att	30 dB
	27 dBm	-48.67 dBm	VBW	300 kHz	Unit	dBm
		931.96392786 MHz	SWT	245 ms		




Date: 13.OCT.2020 16:59:29

Fundamental


1 GHz – 10 GHz (1.4 MHz, 16-QAM, Middle Channel)

	Ref Lvl	Marker 1 [T1]	RBW	1 MHz	RF Att	30 dB
	27 dBm	-36.79 dBm	VBW	3 MHz	Unit	dBm
		6.64529058 GHz	SWT	52 ms		




Date: 14.OCT.2020 09:36:05

30 MHz - 1 GHz (3 MHz, QPSK, Middle Channel)




1 GHz – 10 GHz (3 MHz, QPSK, Middle Channel)



30 MHz - 1 GHz (3 MHz, 16-QAM, Middle Channel)

⚠ Marker 1 [T1] RBW 100 kHz RF Att 30 dB
 Ref Lvl -42.44 dBm VBW 300 kHz
 27 dBm 758.95791583 MHz SWT 245 ms Unit dBm




Date: 13.OCT.2020 16:57:37

Fundamental


1 GHz - 10 GHz (3 MHz, 16-QAM, Middle Channel)

⚠ Marker 1 [T1] RBW 1 MHz RF Att 30 dB
 Ref Lvl -36.29 dBm VBW 3 MHz
 27 dBm 6.75350701 GHz SWT 52 ms Unit dBm




Date: 14.OCT.2020 09:37:16


30 MHz - 1 GHz (5 MHz, QPSK, Middle Channel)



1 GHz – 10 GHz (5 MHz, QPSK, Middle Channel)



30 MHz - 1 GHz (5 MHz, 16-QAM, Middle Channel)



1 GHz – 10 GHz (5 MHz, 16-QAM, Middle Channel)

