





# LINKABLE SOLAR MOTION SENSOR LIGHTS

## User Manual






1. It is recommended to turn off the light and charge it under direct sunlight for 1-2 days before the first use. Make sure the product has enough power.
2. Solar linkage wall Light must be installed outdoors to get enough sunshine from the sun.
3. If the brightness of the light is found to be low in the process of use, it means that the light enters a low power protection state, which is a normal phenomenon. It will return to high brightness after it's fully charged.
4. The solar panel should be cleaned with a damp cotton cloth on a regular basis for ensure optimal performance and battery charging.





**Be sure to keep the solar panels in an environment with sufficient sunlight.**


Incl.




Excl.



! MODE




**AUTO-LINK:** Dim Light + Motion Sensor Mode :Light will stay dim at dusk for 6h timer, and light up when motion detected.



**TIP:**At night, it receives linkage signals from other lamps to trigger the lights to turn on.


1 Drilling holes.




2 Fixing screw.




3 Turn on.



4 Installing lights.



Positioning Model 1: 1



# FCC Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Caution: Any changes or modifications to this device not explicitly approved by manufacturer could void your authority to operate this equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

## RF Exposure Information

The device has been evaluated to meet general RF exposure requirement.

The device can be used in portable exposure condition, compliance with exposure requirements.