CBT002 keyboard operating instructions:

1. Operating steps:

Charging: the MicroUSB charging port is connected to DC5V, the red light of Charge is always on and the full light is off during charging;

Start-up: Turn the switch to the ON position to the right, and the Power blue light turns on for 3 seconds, then the light goes out

Pairing: Press the "Connect" key briefly, and the Bluetooth blue light flashes for 3 minutes every second. If it is not connected, it will go to sleep.

Connection: Click the pairing name "Keyboard", and the indicator light goes off:

Backlight: press the backlight key on the keyboard (the first gear turns on white light, and the RGB key can switch colors; The backlight of the second gear changes automatically, and the third gear is closed), the backlight goes out after 1 minute of no operation, and the backlight does not light in the low power

State Keys: Test one by one, and the Caps key is displayed synchronously with the CAPS blue light

Low Power: when the voltage is lower than 3.4V, the alarm prompts, the power blue light flashes once every 1 second, the backlight does not light up, and the keyboard sleeps below 3.0.

Sleep: pairing is not connected or connected for 10 minutes without operation, the sleep light is off, and the button can wake up

**Shutdown**: toggle the switch to the left to turn OFF

2. Key function:

2.1. system switching

fn+Q-> Android system; 2) fn+W-> win system; 3) fn+E-> iOS system; Note: Bluetooth blue light flashes three times after successful switching

2.2　Media function in the first row: (default is A, press B in combination with FN key) A: "F1" main page, "f1" darkness, "F2" brightness, "F3" virtual keyboard, "F4" screen capture, "F5" search, "F6" language switch, "F7" upward tune, "F8" play | pause, "F9" downward tune, "F10" mute,. B: ESC, F1, F2, F3, F4, F5, F6, F7, F8, F9, F10, F11, F12, lock screen

Other: FN+→---End, FN+←---Home, FN+↑---PgUp, FN+↓---PgDn, FN+ 🔆 ---R-Alt, FN+ ⚛ ---R-Win , CONNECT---enter the pairing state; Key-free connection; Backlight switch: third gear (first gear turns on monochrome; Second gear cycle white/red/purple/yellow/blue/ice/green, switching one color every 3 seconds; Third gear is closed); "RGB" key switches the always-on monochrome backlight; The backlight can be used as long as it is turned on, and the low-power backlight does not light up

▢	Andriod&IOS: Home WIN: IE	☀	Darkness adjustment	☀	brightness
⌨	IOS: Virtual keyboard	⚲	Screenshot	🔍	Search
🌐	Language Switch	◀◀	Last	▶II	Play │ Pause
▶▶	Next song	◀	Mute	◀)	reduce
◀))	Increase	🔒	Android&IOS: Lock the screen	Connect	Pairing
Q For Android	FN+Q： switch to Android	W For Win	FN+W： switch to WIN	E For IOS	FN+E：switch to IOS system
Fn	Function key (used with blue characters)	✷	Backlight switch	⚛	Backlight color switching

FCC Warning

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any inte rference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interferenceto radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

• Reorient or relocate the receiving antenna.
• Increase the separation between the equipment and receiver.
• Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
• Consult the dealer or an experienced radio/TV technician for help.

Radiation Exposure Statement
The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.