

RF Test Data for BT(BDR/EDR) (Conducted Measurement)**Product Name: Bone Conduction Headphone****Trade Mark: N/A****Test Model: X7****FCC ID: 2AXV7-X7****Environmental Conditions**


Temperature:	25.5°C
Relative Humidity:	55%
ATM Pressure:	100.0 kPa
Test Engineer:	Anna Hu
Supervised by:	Hugo Chen
NOTE	N/A

Appendix A: 20dB Emission Bandwidth**Test Result**


TestMode	Antenna	Channel	20db EBW[MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
DH5	Ant1	2402	0.867	2401.556	2402.423	---	---
		2441	0.891	2440.556	2441.447	---	---
		2480	0.891	2479.556	2480.447	---	---
2DH5	Ant1	2402	1.323	2401.352	2402.675	---	---
		2441	1.287	2440.361	2441.648	---	---
		2480	1.308	2479.358	2480.666	---	---
3DH5	Ant1	2402	1.302	2401.361	2402.663	---	---
		2441	1.302	2440.364	2441.666	---	---
		2480	1.299	2479.364	2480.663	---	---

Test Graphs


DH5_Ant1_2402




DH5_Ant1_2441




DH5_Ant1_2480




2DH5_Ant1_2402




2DH5_Ant1_2441




2DH5_Ant1_2480




3DH5_Ant1_2402



3DH5_Ant1_2441



3DH5_Ant1_2480



Appendix B: Occupied Channel Bandwidth

Test Result


TestMode	Antenna	Channel	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
DH5	Ant1	2402	0.81138	2401.606	2402.418	---	---
		2441	0.82682	2440.598	2441.425	---	---
		2480	0.81974	2479.605	2480.425	---	---
2DH5	Ant1	2402	1.1672	2401.429	2402.596	---	---
		2441	1.1687	2440.428	2441.596	---	---
		2480	1.1710	2479.427	2480.598	---	---
3DH5	Ant1	2402	1.1734	2401.422	2402.595	---	---
		2441	1.1785	2440.419	2441.597	---	---
		2480	1.1729	2479.426	2480.599	---	---

Test Graphs

DH5_Ant1_2402



DH5_Ant1_2441



DH5_Ant1_2480



2DH5_Ant1_2402



2DH5_Ant1_2441



2DH5_Ant1_2480




3DH5_Ant1_2402



3DH5_Ant1_2441



3DH5_Ant1_2480




Appendix C: Maximum conducted output power

Test Result


TestMode	Antenna	Channel	Result[dBm]	Limit[dBm]	Verdict
DH5	Ant1	2402	-1.42	≤30	PASS
		2441	-2.99	≤30	PASS
		2480	-4.16	≤30	PASS
2DH5	Ant1	2402	-0.93	≤20.97	PASS
		2441	-2.53	≤20.97	PASS
		2480	-3.59	≤20.97	PASS
3DH5	Ant1	2402	-0.32	≤20.97	PASS
		2441	-2.11	≤20.97	PASS
		2480	-3.15	≤20.97	PASS

Test Graphs


DH5_Ant1_2402




DH5_Ant1_2441




DH5_Ant1_2480




2DH5_Ant1_2402




2DH5_Ant1_2441




2DH5_Ant1_2480




3DH5_Ant1_2402



3DH5_Ant1_2441



3DH5_Ant1_2480



Appendix D: Carrier frequency separation

Test Result


TestMode	Antenna	Channel	Result[MHz]	Limit[MHz]	Verdict
DH5	Ant1	Hop	0.996	≥0.891	PASS
2DH5	Ant1	Hop	0.98	≥0.882	PASS
3DH5	Ant1	Hop	0.99	≥0.868	PASS

Test Graphs


DH5_Ant1_Hop



2DH5_Ant1_Hop



3DH5_Ant1_Hop





Appendix E: Time of occupancy

Test Result


TestMode	Antenna	Channel	BurstWidth [ms]	TotalHops [Num]	Result[s]	Limit[s]	Verdict
DH5	Ant1	Hop	2.90	120	0.348	≤0.4	PASS
2DH5	Ant1	Hop	2.91	120	0.349	≤0.4	PASS
3DH5	Ant1	Hop	2.91	80	0.233	≤0.4	PASS


Test Graphs

DH5_Ant1_Hop





2DH5_Ant1_Hop





3DH5_Ant1_Hop




Appendix F: Number of hopping channels

Test Result


TestMode	Antenna	Channel	Result[Num]	Limit[Num]	Verdict
DH5	Ant1	Hop	79	≥15	PASS
2DH5	Ant1	Hop	79	≥15	PASS
3DH5	Ant1	Hop	79	≥15	PASS

Test Graphs


DH5_Ant1_Hop



2DH5_Ant1_Hop



3DH5_Ant1_Hop




Appendix G: Band edge measurements

Test Result


TestMode	Antenna	ChName	Channel	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant1	Low	2402	-1.83	-49.72	≤-21.83	PASS
		High	2480	-4.81	-49.21	≤-24.81	PASS
		Low	Hop_2402	-2.60	-50.61	≤-22.6	PASS
		High	Hop_2480	-4.57	-49.57	≤-24.57	PASS
2DH5	Ant1	Low	2402	-1.78	-48.03	≤-21.78	PASS
		High	2480	-4.75	-49.28	≤-24.75	PASS
		Low	Hop_2402	-6.15	-50.48	≤-26.15	PASS
		High	Hop_2480	-5.12	-48.53	≤-25.12	PASS
3DH5	Ant1	Low	2402	-1.91	-49.86	≤-21.91	PASS
		High	2480	-5.86	-49.5	≤-25.86	PASS
		Low	Hop_2402	-4.40	-50.65	≤-24.4	PASS
		High	Hop_2480	-6.89	-49.53	≤-26.89	PASS

Test Graphs


DH5_Ant1_Low_2402




DH5_Ant1_High_2480




DH5_Ant1_Low_Hop_2402




DH5_Ant1_High_Hop_2480




2DH5_Ant1_Low_2402




2DH5_Ant1_High_2480




2DH5_Ant1_Low_Hop_2402




2DH5_Ant1_High_Hop_2480




3DH5_Ant1_Low_2402




3DH5_Ant1_High_2480



3DH5_Ant1_Low_Hop_2402



3DH5_Ant1_High_Hop_2480




Appendix H: Conducted Spurious Emission

Test Result


TestMode	Antenna	Channel	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant1	2402	Reference	-2.45	-2.45	---	PASS
			30~1000	-2.45	-61.15	≤-22.45	PASS
			1000~26500	-2.45	-50.26	≤-22.45	PASS
		2441	Reference	-4.27	-4.27	---	PASS
			30~1000	-4.27	-61.12	≤-24.27	PASS
			1000~26500	-4.27	-50.42	≤-24.27	PASS
		2480	Reference	-4.85	-4.85	---	PASS
			30~1000	-4.85	-61.39	≤-24.85	PASS
			1000~26500	-4.85	-51.9	≤-24.85	PASS
2DH5	Ant1	2402	Reference	-2.24	-2.24	---	PASS
			30~1000	-2.24	-60.95	≤-22.24	PASS
			1000~26500	-2.24	-49.93	≤-22.24	PASS
		2441	Reference	-4.77	-4.77	---	PASS
			30~1000	-4.77	-61.98	≤-24.77	PASS
			1000~26500	-4.77	-51.57	≤-24.77	PASS
		2480	Reference	-5.78	-5.78	---	PASS
			30~1000	-5.78	-61.79	≤-25.78	PASS
			1000~26500	-5.78	-50.57	≤-25.78	PASS
3DH5	Ant1	2402	Reference	-2.92	-2.92	---	PASS
			30~1000	-2.92	-61.57	≤-22.92	PASS
			1000~26500	-2.92	-50.86	≤-22.92	PASS
		2441	Reference	-3.86	-3.86	---	PASS
			30~1000	-3.86	-61.08	≤-23.86	PASS
			1000~26500	-3.86	-50.6	≤-23.86	PASS
		2480	Reference	-5.56	-5.56	---	PASS
			30~1000	-5.56	-61.38	≤-25.56	PASS
			1000~26500	-5.56	-51.23	≤-25.56	PASS

Test Graphs


DH5_Ant1_2402_0~Reference




DH5_Ant1_2402_30~1000




DH5_Ant1_2402_1000~26500




DH5_Ant1_2441_0~Reference




DH5_Ant1_2441_30~1000




DH5_Ant1_2441_1000~26500




DH5_Ant1_2480_0~Reference




DH5_Ant1_2480_30~1000




DH5_Ant1_2480_1000~26500




2DH5_Ant1_2402_0~Reference




2DH5_Ant1_2402_30~1000




2DH5_Ant1_2402_1000~26500




2DH5_Ant1_2441_0~Reference




2DH5_Ant1_2441_30~1000




2DH5_Ant1_2441_1000~26500




2DH5_Ant1_2480_0~Reference




2DH5_Ant1_2480_30~1000




2DH5_Ant1_2480_1000~26500




3DH5_Ant1_2402_0~Reference




3DH5_Ant1_2402_30~1000




3DH5_Ant1_2402_1000~26500




3DH5_Ant1_2441_0~Reference




3DH5_Ant1_2441_30~1000




3DH5_Ant1_2441_1000~26500




3DH5_Ant1_2480_0~Reference



3DH5_Ant1_2480_30~1000



3DH5_Ant1_2480_1000~26500




Appendix I: Duty Cycle

Test Result


TestMode	Antenna	Channel	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	1/T[kHz]
DH5	Ant1	2402	2.90	3.75	77.33	0.34
		2441	2.90	3.75	77.33	0.34
		2480	2.90	3.75	77.33	0.34
2DH5	Ant1	2402	2.91	3.75	77.60	0.34
		2441	2.91	3.76	77.39	0.34
		2480	2.91	3.75	77.60	0.34
3DH5	Ant1	2402	2.91	3.75	77.60	0.34
		2441	2.91	3.75	77.60	0.34
		2480	2.91	3.76	77.39	0.34

Test Graphs


DH5_Ant1_2402




DH5_Ant1_2441




DH5_Ant1_2480




2DH5_Ant1_2402




2DH5_Ant1_2441




2DH5_Ant1_2480




3DH5_Ant1_2402



3DH5_Ant1_2441



3DH5_Ant1_2480



Appendix J: Emissions in Restricted Bands

Test Result


TestMode	Antenna	ChName	Channel	Detector	Freq(MHz)	Result(dBm)	Limit(dBm)	Verdict
DH5	Ant1	Low	2402	AV	2310.000	-49.29	≤-41.20	PASS
				AV	2375.915	-48.53	≤-41.20	PASS
				AV	2390.000	-48.92	≤-41.20	PASS
				Peak	2310.000	-42.21	≤-21.20	PASS
				Peak	2314.595	-39.02	≤-21.20	PASS
				Peak	2390.000	-41.52	≤-21.20	PASS
		High	2480	AV	2483.500	-48.43	≤-41.20	PASS
				AV	2498.960	-48.17	≤-41.20	PASS
				AV	2500.000	-48.26	≤-41.20	PASS
				Peak	2483.500	-40.83	≤-21.20	PASS
				Peak	2495.360	-38.83	≤-21.20	PASS
				Peak	2500.000	-40.84	≤-21.20	PASS
2DH5	Ant1	Low	2402	AV	2310.000	-49.24	≤-41.20	PASS
				AV	2380.850	-48.73	≤-41.20	PASS
				AV	2390.000	-48.91	≤-41.20	PASS
				Peak	2310.000	-42.86	≤-21.20	PASS
				Peak	2370.560	-38.59	≤-21.20	PASS
				Peak	2390.000	-40.72	≤-21.20	PASS
		High	2480	AV	2483.500	-48.37	≤-41.20	PASS
				AV	2498.640	-48.18	≤-41.20	PASS
				AV	2500.000	-48.29	≤-41.20	PASS
				Peak	2483.500	-41.11	≤-21.20	PASS
				Peak	2489.600	-38.28	≤-21.20	PASS
				Peak	2500.000	-41.15	≤-21.20	PASS
3DH5	Ant1	Low	2402	AV	2310.000	-49.17	≤-41.20	PASS
				AV	2383.895	-48.78	≤-41.20	PASS
				AV	2390.000	-48.92	≤-41.20	PASS
				Peak	2310.000	-42.56	≤-21.20	PASS
				Peak	2388.725	-38.62	≤-21.20	PASS
				Peak	2390.000	-42.32	≤-21.20	PASS
		High	2480	AV	2483.500	-48.42	≤-41.20	PASS
				AV	2496.480	-48.12	≤-41.20	PASS
				AV	2500.000	-48.18	≤-41.20	PASS
				Peak	2483.500	-40.37	≤-21.20	PASS
				Peak	2487.520	-38.79	≤-21.20	PASS
				Peak	2500.000	-41.15	≤-21.20	PASS

Note:


1. The Antenna Gain is compensated in the graph with 2dBi and Antenna Gain which is Higher.
2. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

Test Graphs


DH5_Ant1_Low_2402_AV




DH5_Ant1_Low_2402_Peak




DH5_Ant1_High_2480_AV




DH5_Ant1_High_2480_Peak




2DH5_Ant1_Low_2402_AV




2DH5_Ant1_Low_2402_Peak




2DH5_Ant1_High_2480_AV




2DH5_Ant1_High_2480_Peak




3DH5_Ant1_Low_2402_AV



3DH5_Ant1_Low_2402_Peak



3DH5_Ant1_High_2480_AV



3DH5_Ant1_High_2480_Peak

