




10.5.5.1.1.2.1.2 Mask C




with the input signal amplitude set the AGC threshold
Low Frequency: 769.00625MHz




with the input signal amplitude set 3 dB above the AGC
threshold Low Frequency: 769.00625MHz




with the input signal amplitude set the AGC threshold
Middle Frequency: 772.0MHz



with the input signal amplitude set 3 dB above the AGC
threshold Middle Frequency: 772.0MHz




with the input signal amplitude set the AGC threshold
High Frequency: 774.99375MHz




with the input signal amplitude set 3 dB above the AGC
threshold, High Frequency: 774.99375MHz

10.5.5.1.1.2.2 Uplink transmit

10.5.5.1.1.2.2.1 Mask B




Date: 18 JUN 2021 13:31:02




Date: 18 JUN 2021 13:31:54

with the input signal amplitude set the AGC threshold
Low Frequency: 798.00625MHz

with the input signal amplitude set 3 dB above the AGC
threshold Low Frequency: 798.00625MHz




Date: 18 JUN 2021 13:33:29




Date: 18 JUN 2021 13:33:52

with the input signal amplitude set the AGC threshold
Middle Frequency: 801.5MHz

with the input signal amplitude set 3 dB above the AGC
threshold Middle Frequency: 801.5MHz



Date: 18 JUN 2021 13:35:53




Date: 18 JUN 2021 13:35:34


with the input signal amplitude set the AGC threshold
High Frequency: 804.99375MHz

with the input signal amplitude set 3 dB above the AGC
threshold, High Frequency: 804.99375MHz


10.5.5.1.1.2.2.2 Mask C




with the input signal amplitude set the AGC threshold
Low Frequency: 798.00625MHz




with the input signal amplitude set 3 dB above the AGC
threshold Low Frequency: 798.00625MHz




with the input signal amplitude set the AGC threshold
Middle Frequency: 801.5MHz



with the input signal amplitude set 3 dB above the AGC
threshold Middle Frequency: 801.5MHz



with the input signal amplitude set the AGC threshold
High Frequency: 804.99375MHz




with the input signal amplitude set 3 dB above the AGC
threshold, High Frequency: 804.99375MHz


10.5.5.1.1.3 P25 Phase II (H-DQPSK) mode

10.5.5.1.1.3.1 Downlink transmit


10.5.5.1.1.3.1.1 Mask B




with the input signal amplitude set the AGC threshold
Low Frequency: 768.00625MHz




with the input signal amplitude set 3 dB above the AGC
threshold Low Frequency: 768.00625MHz




with the input signal amplitude set the AGC threshold
Middle Frequency: 771.5MHz



with the input signal amplitude set 3 dB above the AGC
threshold Middle Frequency: 771.5MHz




with the input signal amplitude set the AGC threshold
High Frequency: 774.99375MHz




with the input signal amplitude set 3 dB above the AGC
threshold, High Frequency: 774.99375MHz


10.5.5.1.1.3.1.2 Mask C




with the input signal amplitude set the AGC threshold
Low Frequency: 768.00625MHz




with the input signal amplitude set 3 dB above the AGC threshold
Low Frequency: 768.00625MHz




with the input signal amplitude set the AGC threshold
Middle Frequency: 771.5MHz



with the input signal amplitude set 3 dB above the AGC threshold
Middle Frequency: 771.5MHz




with the input signal amplitude set the AGC threshold
High Frequency: 774.99375MHz



with the input signal amplitude set 3 dB above the AGC threshold,
High Frequency: 774.99375MHz


10.5.5.1.1.3.2 Uplink transmit

10.5.5.1.1.3.2.1 Mask B




Date: 18 JUN 2021 15:34:20

with the input signal amplitude set the AGC threshold
Low Frequency: 798.00625MHz




Date: 18 JUN 2021 15:34:34

with the input signal amplitude set 3 dB above the AGC threshold
Low Frequency: 798.00625MHz




Date: 18 JUN 2021 15:33:32

with the input signal amplitude set the AGC threshold
Middle Frequency: 801.5MHz




Date: 18 JUN 2021 15:33:50

with the input signal amplitude set 3 dB above the AGC threshold
Middle Frequency: 801.5MHz



Date: 18 JUN 2021 15:32:53


with the input signal amplitude set the AGC threshold
High Frequency: 804.99375MHz




Date: 18 JUN 2021 15:32:36

with the input signal amplitude set 3 dB above the AGC threshold,
High Frequency: 804.99375MHz


10.5.5.1.1.3.2.2 Mask C




with the input signal amplitude set the AGC threshold
Low Frequency: 798.00625MHz




with the input signal amplitude set 3 dB above the AGC threshold
Low Frequency: 798.00625MHz




with the input signal amplitude set the AGC threshold
Middle Frequency: 801.5MHz



with the input signal amplitude set 3 dB above the AGC threshold
Middle Frequency: 801.5MHz



with the input signal amplitude set the AGC threshold
High Frequency: 804.99375MHz




with the input signal amplitude set 3 dB above the AGC threshold,
High Frequency: 804.99375MHz


10.5.5.1.1.4 Analog FM mode

10.5.5.1.1.4.1 Downlink transmit


10.5.5.1.1.4.1.1 Mask B




with the input signal amplitude set the AGC threshold
Low Frequency: 768.0125MHz




with the input signal amplitude set 3 dB above the AGC threshold
Low Frequency: 768.0125MHz




with the input signal amplitude set the AGC threshold
Middle Frequency: 771.5MHz



with the input signal amplitude set 3 dB above the AGC threshold,
Middle Frequency: 771.5MHz




with the input signal amplitude set the AGC threshold
High Frequency: 774.9875MHz




with the input signal amplitude set 3 dB above the AGC threshold,
High Frequency: 774.9875MHz


10.5.5.1.1.4.1.2 Mask G




with the input signal amplitude set the AGC threshold
Low Frequency: 768.0125MHz




with the input signal amplitude set 3 dB above the AGC
threshold Low Frequency: 768.0125MHz




with the input signal amplitude set the AGC threshold
Middle Frequency: 771.5MHz



with the input signal amplitude set 3 dB above the AGC
threshold, Middle Frequency: 771.5MHz




with the input signal amplitude set the AGC threshold
High Frequency: 774.9875MHz




with the input signal amplitude set 3 dB above the AGC
threshold, High Frequency: 774.9875MHz

10.5.5.1.1.4.2 Uplink transmit


10.5.5.1.1.4.2.1 Mask B




with the input signal amplitude set the AGC threshold
Low Frequency: 798.0125MHz




with the input signal amplitude set 3 dB above the AGC threshold
Low Frequency: 798.0125MHz




with the input signal amplitude set the AGC threshold
Middle Frequency: 801.5MHz



with the input signal amplitude set 3 dB above the AGC threshold,
Middle Frequency: 801.5MHz



with the input signal amplitude set the AGC threshold
High Frequency: 804.9875MHz



with the input signal amplitude set 3 dB above the AGC threshold,
High Frequency: 804.9875MHz