

10.5.4.2. Occupied bandwidth

10.5.4.2.1. P25 Phase I(C4FM) mode

| Carrier frequency | Input signal status | Test Data |
|---------------------------------|------------------------------------------------------------------|-------------------------|
| (1) Downlink transmit mode | | |
| Low frequency: 450.00625 MHz | with the input signal amplitude set the AGC threshold | See clause 10.5.5.2.1.1 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.2.1.1 |
| Mid frequency: 479.0 MHz | with the input signal amplitude set the AGC threshold | See clause 10.5.5.2.1.1 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.2.1.1 |
| High frequency: 508.99375MHz | with the input signal amplitude set the AGC threshold | See clause 10.5.5.2.1.1 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.2.1.1 |
| (2) Uplink transmit mode | | |
| Low frequency: 455.00625 MHz | with the input signal amplitude set the AGC threshold | See clause 10.5.5.2.2.1 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.2.2.1 |
| Mid frequency: 484.0 MHz | with the input signal amplitude set the AGC threshold | See clause 10.5.5.2.2.1 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.2.2.1 |
| High frequency: 511.99375MHz | with the input signal amplitude set the AGC threshold | See clause 10.5.5.2.2.1 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.2.2.1 |

————— The following blanks —————

10.5.4.2.2. P25 Phase II(H-DQPSK) mode

| Carrier frequency | Input signal status | Test Data |
|---------------------------------|------------------------------------------------------------------|-------------------------|
| (3) Downlink transmit mode | | |
| Low frequency: 450.00625 MHz | with the input signal amplitude set the AGC threshold | See clause 10.5.5.2.1.2 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.2.1.2 |
| Mid frequency: 479.0 MHz | with the input signal amplitude set the AGC threshold | See clause 10.5.5.2.1.2 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.2.1.2 |
| High frequency: 508.99375MHz | with the input signal amplitude set the AGC threshold | See clause 10.5.5.2.1.2 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.2.1.2 |
| (4) Uplink transmit mode | | |
| Low frequency: 455.00625 MHz | with the input signal amplitude set the AGC threshold | See clause 10.5.5.2.2.2 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.2.2.2 |
| Mid frequency: 484.0 MHz | with the input signal amplitude set the AGC threshold | See clause 10.5.5.2.2.2 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.2.2.2 |
| High frequency: 511.99375MHz | with the input signal amplitude set the AGC threshold | See clause 10.5.5.2.2.2 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.2.2.2 |

————— The following blanks —————

10.5.4.2.3. 6.25kHz Analog FM mode

| Carrier frequency | Input signal status | Test Data |
|---------------------------------|------------------------------------------------------------------|-------------------------|
| (5) Downlink transmit mode | | |
| Low frequency: 450.00313 MHz | with the input signal amplitude set the AGC threshold | See clause 10.5.5.2.1.3 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.2.1.3 |
| Mid frequency: 479.0 MHz | with the input signal amplitude set the AGC threshold | See clause 10.5.5.2.1.3 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.2.1.3 |
| High frequency: 508.99688MHz | with the input signal amplitude set the AGC threshold | See clause 10.5.5.2.1.3 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.2.1.3 |
| (6) Uplink transmit mode | | |
| Low frequency: 455.00313 MHz | with the input signal amplitude set the AGC threshold | See clause 10.5.5.2.2.3 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.2.2.3 |
| Mid frequency: 484.0 MHz | with the input signal amplitude set the AGC threshold | See clause 10.5.5.2.2.3 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.2.2.3 |
| High frequency: 511.99688MHz | with the input signal amplitude set the AGC threshold | See clause 10.5.5.2.2.3 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.2.2.3 |

————— The following blanks —————

10.5.4.2.4. 12.5kHz Analog FM mode

| Carrier frequency | Input signal status | Test Data |
|---------------------------------|------------------------------------------------------------------|-------------------------|
| (7) Downlink transmit mode | | |
| Low frequency: 450.00625 MHz | with the input signal amplitude set the AGC threshold | See clause 10.5.5.2.1.4 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.2.1.4 |
| Mid frequency: 479.0 MHz | with the input signal amplitude set the AGC threshold | See clause 10.5.5.2.1.4 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.2.1.4 |
| High frequency: 508.99375MHz | with the input signal amplitude set the AGC threshold | See clause 10.5.5.2.1.4 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.2.1.4 |
| (8) Uplink transmit mode | | |
| Low frequency: 455.00625 MHz | with the input signal amplitude set the AGC threshold | See clause 10.5.5.2.2.4 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.2.2.4 |
| Mid frequency: 484.0 MHz | with the input signal amplitude set the AGC threshold | See clause 10.5.5.2.2.4 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.2.2.4 |
| High frequency: 511.99375MHz | with the input signal amplitude set the AGC threshold | See clause 10.5.5.2.2.4 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.2.2.4 |

————— The following blanks —————

10.5.4.2.5. 25kHz Analog FM mode

| Carrier frequency | Input signal status | Test Data |
|--------------------------------|------------------------------------------------------------------|-------------------------|
| (9) Downlink transmit mode | | |
| Low frequency: 450.0125 MHz | with the input signal amplitude set the AGC threshold | See clause 10.5.5.2.1.5 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.2.1.5 |
| Mid frequency: 479.0 MHz | with the input signal amplitude set the AGC threshold | See clause 10.5.5.2.1.5 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.2.1.5 |
| High frequency: 508.9875MHz | with the input signal amplitude set the AGC threshold | See clause 10.5.5.2.1.5 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.2.1.5 |
| (10) Uplink transmit mode | | |
| Low frequency: 455.0125 MHz | with the input signal amplitude set the AGC threshold | See clause 10.5.5.2.2.5 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.2.2.5 |
| Mid frequency: 484.0 MHz | with the input signal amplitude set the AGC threshold | See clause 10.5.5.2.2.5 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.2.2.5 |
| High frequency: 511.9875MHz | with the input signal amplitude set the AGC threshold | See clause 10.5.5.2.2.5 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.2.2.5 |

————— The following blanks —————

10.5.4.3. Input VS output Comparison

10.5.4.3.1. P25 Phase I(C4FM) mode

| Carrier frequency | Input VS output Comparison status | Test data |
|---------------------------------|------------------------------------------------------------------|-------------------------|
| (1) Downlink transmit mode | | |
| Low frequency: 450.00625 MHz | Input signal | See clause 10.5.5.3.1.1 |
| | with the input signal amplitude set the AGC threshold | See clause 10.5.5.3.1.1 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.3.1.1 |
| Mid frequency: 479.0 MHz | Input signal | See clause 10.5.5.3.1.1 |
| | with the input signal amplitude set the AGC threshold | See clause 10.5.5.3.1.1 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.3.1.1 |
| High frequency: 508.99375MHz | Input signal | See clause 10.5.5.3.1.1 |
| | with the input signal amplitude set the AGC threshold | See clause 10.5.5.3.1.1 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.3.1.1 |
| (2) Uplink transmit mode | | |
| Low frequency: 450.00625 MHz | Input signal | See clause 10.5.5.3.2.1 |
| | with the input signal amplitude set the AGC threshold | See clause 10.5.5.3.2.1 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.3.2.1 |
| Mid frequency: 479.0 MHz | Input signal | See clause 10.5.5.3.2.1 |
| | with the input signal amplitude set the AGC threshold | See clause 10.5.5.3.2.1 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.3.2.1 |
| High frequency: 508.99375MHz | Input signal | See clause 10.5.5.3.2.1 |
| | with the input signal amplitude set the AGC threshold | See clause 10.5.5.3.2.1 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.3.2.1 |

————— The following blanks ————

10.5.4.3.2. P25 Phase II(H-DQPSK) mode

| Carrier frequency | Input VS output Comparison status | Test data |
|---------------------------------|------------------------------------------------------------------|-------------------------|
| (3) Downlink transmit mode | | |
| Low frequency: 450.00625 MHz | Input signal | See clause 10.5.5.3.1.2 |
| | with the input signal amplitude set the AGC threshold | See clause 10.5.5.3.1.2 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.3.1.2 |
| Mid frequency: 479.0 MHz | Input signal | See clause 10.5.5.3.1.2 |
| | with the input signal amplitude set the AGC threshold | See clause 10.5.5.3.1.2 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.3.1.2 |
| High frequency: 508.99375MHz | Input signal | See clause 10.5.5.3.1.2 |
| | with the input signal amplitude set the AGC threshold | See clause 10.5.5.3.1.2 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.3.1.2 |
| (4) Uplink transmit mode | | |
| Low frequency: 450.00625 MHz | Input signal | See clause 10.5.5.3.2.2 |
| | with the input signal amplitude set the AGC threshold | See clause 10.5.5.3.2.2 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.3.2.2 |
| Mid frequency: 479.0 MHz | Input signal | See clause 10.5.5.3.2.2 |
| | with the input signal amplitude set the AGC threshold | See clause 10.5.5.3.2.2 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.3.2.2 |
| High frequency: 508.99375MHz | Input signal | See clause 10.5.5.3.2.2 |
| | with the input signal amplitude set the AGC threshold | See clause 10.5.5.3.2.2 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.3.2.2 |

————— The following blanks —————

10.5.4.3.3. 6.25kHz Analog FM mode

| Carrier frequency | Input VS output Comparison status | Test data |
|---------------------------------|------------------------------------------------------------------|-------------------------|
| (5) Downlink transmit mode | | |
| Low frequency: 450.00313 MHz | Input signal | See clause 10.5.5.3.1.3 |
| | with the input signal amplitude set the AGC threshold | See clause 10.5.5.3.1.3 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.3.1.3 |
| Mid frequency: 479.0 MHz | Input signal | See clause 10.5.5.3.1.3 |
| | with the input signal amplitude set the AGC threshold | See clause 10.5.5.3.1.3 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.3.1.3 |
| High frequency: 508.99688MHz | Input signal | See clause 10.5.5.3.1.3 |
| | with the input signal amplitude set the AGC threshold | See clause 10.5.5.3.1.3 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.3.1.3 |
| (6) Uplink transmit mode | | |
| Low frequency: 455.00313 MHz | Input signal | See clause 10.5.5.3.2.3 |
| | with the input signal amplitude set the AGC threshold | See clause 10.5.5.3.2.3 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.3.2.3 |
| Mid frequency: 484.0 MHz | Input signal | See clause 10.5.5.3.2.3 |
| | with the input signal amplitude set the AGC threshold | See clause 10.5.5.3.2.3 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.3.2.3 |
| High frequency: 511.99688MHz | Input signal | See clause 10.5.5.3.2.3 |
| | with the input signal amplitude set the AGC threshold | See clause 10.5.5.3.2.3 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.3.2.3 |

————— The following blanks —————

10.5.4.3.4. 12.5kHz Analog FM mode

| Carrier frequency | Input VS output Comparison status | Test data |
|---------------------------------|------------------------------------------------------------------|-------------------------|
| (7) Downlink transmit mode | | |
| Low frequency: 450.00625 MHz | Input signal | See clause 10.5.5.3.1.4 |
| | with the input signal amplitude set the AGC threshold | See clause 10.5.5.3.1.4 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.3.1.4 |
| Mid frequency: 479.0 MHz | Input signal | See clause 10.5.5.3.1.4 |
| | with the input signal amplitude set the AGC threshold | See clause 10.5.5.3.1.4 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.3.1.4 |
| High frequency: 508.99375MHz | Input signal | See clause 10.5.5.3.1.4 |
| | with the input signal amplitude set the AGC threshold | See clause 10.5.5.3.1.4 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.3.1.4 |
| (8) Uplink transmit mode | | |
| Low frequency: 450.00625 MHz | Input signal | See clause 10.5.5.3.2.4 |
| | with the input signal amplitude set the AGC threshold | See clause 10.5.5.3.2.4 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.3.2.4 |
| Mid frequency: 479.0 MHz | Input signal | See clause 10.5.5.3.2.4 |
| | with the input signal amplitude set the AGC threshold | See clause 10.5.5.3.2.4 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.3.2.4 |
| High frequency: 508.99375MHz | Input signal | See clause 10.5.5.3.2.4 |
| | with the input signal amplitude set the AGC threshold | See clause 10.5.5.3.2.4 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.3.2.4 |

————— The following blanks —————

10.5.4.3.5. 25kHz Analog FM mode

| Carrier frequency | Input VS output Comparison status | Test data |
|---------------------------------|------------------------------------------------------------------|-------------------------|
| (9) Downlink transmit mode | | |
| Low frequency: 450.00625 MHz | Input signal | See clause 10.5.5.3.1.5 |
| | with the input signal amplitude set the AGC threshold | See clause 10.5.5.3.1.5 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.3.1.5 |
| Mid frequency: 479.0 MHz | Input signal | See clause 10.5.5.3.1.5 |
| | with the input signal amplitude set the AGC threshold | See clause 10.5.5.3.1.5 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.3.1.5 |
| High frequency: 508.99375MHz | Input signal | See clause 10.5.5.3.1.5 |
| | with the input signal amplitude set the AGC threshold | See clause 10.5.5.3.1.5 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.3.1.5 |
| (10) Uplink transmit mode | | |
| Low frequency: 450.00625 MHz | Input signal | See clause 10.5.5.3.2.5 |
| | with the input signal amplitude set the AGC threshold | See clause 10.5.5.3.2.5 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.3.2.5 |
| Mid frequency: 479.0 MHz | Input signal | See clause 10.5.5.3.2.5 |
| | with the input signal amplitude set the AGC threshold | See clause 10.5.5.3.2.5 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.3.2.5 |
| High frequency: 508.99375MHz | Input signal | See clause 10.5.5.3.2.5 |
| | with the input signal amplitude set the AGC threshold | See clause 10.5.5.3.2.5 |
| | with the input signal amplitude set 3 dB above the AGC threshold | See clause 10.5.5.3.2.5 |


————— The following blanks —————

10.5.5. Test screenshot

10.5.5.1. Emission mask


10.5.5.1.1. Downlink

10.5.5.1.1.1. P25 Phase I(C4FM) mode



Date: 27.JAN.2024 09:40:47

With the input signal amplitude set the AGC threshold
Low Frequency: 450.00625MHz



Date: 27.JAN.2024 09:40:56

With the input signal amplitude set 3 dB above the AGC threshold
Low Frequency: 450.00625MHz