



Date: 27.JAN.2024 09:42:29

With the input signal amplitude set the AGC threshold  
Middle Frequency: 479.0MHz




Date: 27.JAN.2024 09:42:43

With the input signal amplitude set 3 dB above the AGC threshold  
Middle Frequency: 479.0MHz



Date: 27. JAN. 2024 09:47:11


With the input signal amplitude set the AGC threshold  
High Frequency: 508.99375MHz



Date: 27. JAN. 2024 09:47:23


With the input signal amplitude set 3 dB above the AGC threshold  
High Frequency: 508.99375MHz

10.5.5.1.1.2. P25 Phase II(H-DQPSK) mode




Date: 27.JAN.2024 09:58:42

With the input signal amplitude set the AGC threshold  
Low Frequency: 450.00625MHz




Date: 27.JAN.2024 09:59:03

With the input signal amplitude set 3 dB above the AGC threshold  
Low Frequency: 450.00625MHz




Date: 27.JAN.2024 09:56:53

With the input signal amplitude set the AGC threshold  
Middle Frequency: 479.0MHz




Date: 27.JAN.2024 09:57:10

With the input signal amplitude set 3 dB above the AGC threshold  
Middle Frequency: 479.0MHz



Date: 27.JAN.2024 09:53:26


With the input signal amplitude set the AGC threshold  
High Frequency: 508.99375MHz



Date: 27.JAN.2024 09:53:59


With the input signal amplitude set 3 dB above the AGC threshold  
High Frequency: 508.99375MHz

10.5.5.1.1.3. 6.25kHz Analog FM mode



Date: 27.JAN.2024 10:04:23


With the input signal amplitude set the AGC threshold  
Low Frequency: 450.00313MHz



Date: 27.JAN.2024 10:04:40


With the input signal amplitude set 3 dB above the AGC threshold  
Low Frequency: 450.00313MHz






Date: 27.JAN.2024 10:05:21

With the input signal amplitude set the AGC threshold  
Middle Frequency: 479.0MHz




Date: 27.JAN.2024 10:05:31

With the input signal amplitude set 3 dB above the AGC threshold  
Middle Frequency: 479.0MHz



Date: 27.JAN.2024 10:06:08

With the input signal amplitude set the AGC threshold  
High Frequency: 508.99688MHz




Date: 27.JAN.2024 10:06:21

With the input signal amplitude set 3 dB above the AGC threshold  
High Frequency: 508.99688MHz




10.5.5.1.1.4. 12.5kHz Analog FM mode




Date: 27.JAN.2024 10:12:11

With the input signal amplitude set the AGC threshold  
Low Frequency: 450.00625MHz




Date: 27.JAN.2024 10:12:21

With the input signal amplitude set 3 dB above the AGC threshold  
Low Frequency: 450.00625MHz




Date: 27.JAN.2024 10:10:53

With the input signal amplitude set the AGC threshold  
Middle Frequency: 479.0MHz




Date: 27.JAN.2024 10:11:00

With the input signal amplitude set 3 dB above the AGC threshold  
Middle Frequency: 479.0MHz



Date: 27.JAN.2024 10:09:18


With the input signal amplitude set the AGC threshold  
High Frequency: 508.99375MHz



Date: 27.JAN.2024 10:09:27


With the input signal amplitude set 3 dB above the AGC threshold  
High Frequency: 508.99375MHz

10.5.5.1.1.5. 25kHz Analog FM mode




Date: 27.JAN.2024 10:18:28

With the input signal amplitude set the AGC threshold  
Low Frequency: 450.0125MHz




Date: 27.JAN.2024 10:18:37

With the input signal amplitude set 3 dB above the AGC threshold  
Low Frequency: 450.0125MHz



Date: 27.JAN.2024 10:19:29


With the input signal amplitude set the AGC threshold  
Middle Frequency: 479.0MHz



Date: 27.JAN.2024 10:19:40


With the input signal amplitude set 3 dB above the AGC threshold  
Middle Frequency: 479.0MHz





Date: 27.JAN.2024 10:20:32

With the input signal amplitude set the AGC threshold  
High Frequency: 508.9875MHz




Date: 27.JAN.2024 10:20:39

With the input signal amplitude set 3 dB above the AGC threshold  
High Frequency: 508.9875MHz




10.5.5.1.2. Uplink

10.5.5.1.2.1. P25 Phase I(C4FM) mode




Date: 27.JAN.2024 10:52:32

With the input signal amplitude set the AGC threshold  
Low Frequency: 455.00625MHz




Date: 27.JAN.2024 10:52:38

With the input signal amplitude set 3 dB above the AGC threshold  
Low Frequency: 455.00625MHz



Date: 27.JAN.2024 10:51:27

With the input signal amplitude set the AGC threshold  
Middle Frequency: 484.0MHz



Date: 27.JAN.2024 10:51:36

With the input signal amplitude set 3 dB above the AGC threshold  
Middle Frequency: 484.0MHz