


Date: 27.JAN.2024 10:50:28


With the input signal amplitude set the AGC threshold  
High Frequency: 511.99375MHz



Date: 27.JAN.2024 10:50:34


With the input signal amplitude set 3 dB above the AGC threshold  
High Frequency: 511.99375MHz

10.5.5.1.2.2. P25 Phase II(H-DQPSK) mode




Date: 27. JAN. 2024 10:46:39

With the input signal amplitude set the AGC threshold  
Low Frequency: 455.00625MHz




Date: 27. JAN. 2024 10:46:47

With the input signal amplitude set 3 dB above the AGC threshold  
Low Frequency: 455.00625MHz




Date: 27.JAN.2024 10:47:46

With the input signal amplitude set the AGC threshold  
Middle Frequency: 484.0MHz




Date: 27.JAN.2024 10:47:52

With the input signal amplitude set 3 dB above the AGC threshold  
Middle Frequency: 484.0MHz



Date: 27.JAN.2024 10:48:27


With the input signal amplitude set the AGC threshold  
High Frequency: 511.99375MHz



Date: 27.JAN.2024 10:50:28


With the input signal amplitude set 3 dB above the AGC threshold  
High Frequency: 511.99375MHz

10.5.5.1.2.3. 6.25kHz Analog FM mode




Date: 27. JAN. 2024 10:39:52

With the input signal amplitude set the AGC threshold  
Low Frequency: 455.00313MHz




Date: 27. JAN. 2024 10:40:00

With the input signal amplitude set 3 dB above the AGC threshold  
Low Frequency: 455.00313MHz




Date: 27.JAN.2024 10:40:42

With the input signal amplitude set the AGC threshold  
Middle Frequency: 484.0MHz




Date: 27.JAN.2024 10:40:48

With the input signal amplitude set 3 dB above the AGC threshold  
Middle Frequency: 484.0MHz



Date: 27.JAN.2024 10:44:10


With the input signal amplitude set the AGC threshold  
High Frequency: 511.99688MHz



Date: 27.JAN.2024 10:44:35


With the input signal amplitude set 3 dB above the AGC threshold  
High Frequency: 511.99688MHz

10.5.5.1.2.4. 12.5kHz Analog FM mode



Date: 27. JAN. 2024 10:36:18


With the input signal amplitude set the AGC threshold  
Low Frequency: 455.00625MHz



Date: 27. JAN. 2024 10:36:26


With the input signal amplitude set 3 dB above the AGC threshold  
Low Frequency: 455.00625MHz






Date: 27.JAN.2024 10:37:20

With the input signal amplitude set the AGC threshold  
Middle Frequency: 484.0MHz




Date: 27.JAN.2024 10:37:26

With the input signal amplitude set 3 dB above the AGC threshold  
Middle Frequency: 484.0MHz



Date: 27.JAN.2024 10:37:53


With the input signal amplitude set the AGC threshold  
High Frequency: 511.99375MHz



Date: 27.JAN.2024 10:38:00


With the input signal amplitude set 3 dB above the AGC threshold  
High Frequency: 511.99375MHz

10.5.5.1.2.5. 25kHz Analog FM mode




Date: 27. JAN. 2024 10:28:38

With the input signal amplitude set the AGC threshold  
Low Frequency: 455.0125MHz




Date: 27. JAN. 2024 10:28:59

With the input signal amplitude set 3 dB above the AGC threshold  
Low Frequency: 455.0125MHz




Date: 27.JAN.2024 10:30:24

With the input signal amplitude set the AGC threshold  
Middle Frequency: 484.0MHz




Date: 27.JAN.2024 10:30:31

With the input signal amplitude set 3 dB above the AGC threshold  
Middle Frequency: 484.0MHz



Date: 27.JAN.2024 10:32:14

With the input signal amplitude set the AGC threshold  
High Frequency: 511.9875MHz




Date: 27.JAN.2024 10:32:23

With the input signal amplitude set 3 dB above the AGC threshold  
High Frequency: 511.9875MHz


10.5.5.2. Occupied bandwidth

10.5.5.2.1. Downlink


10.5.5.2.1.1. P25 Phase I(C4FM) mode




With the input signal amplitude set the AGC threshold  
Low Frequency: 450.00625MHz




With the input signal amplitude set 3 dB above the AGC threshold  
Low Frequency: 450.00625MHz




With the input signal amplitude set the AGC threshold  
Middle Frequency: 479.0MHz



With the input signal amplitude set 3 dB above the AGC threshold  
Middle Frequency: 479.0MHz



With the input signal amplitude set the AGC threshold  
High Frequency: 508.99375MHz



With the input signal amplitude set 3 dB above the AGC threshold  
High Frequency: 508.99375MHz