




10.5.5.2.1.2. P25 Phase II(H-DQPSK) mode




With the input signal amplitude set the AGC threshold
Low Frequency: 450.00625MHz




With the input signal amplitude set 3 dB above the AGC threshold
Low Frequency: 450.00625MHz




With the input signal amplitude set the AGC threshold
Middle Frequency: 479.0MHz



With the input signal amplitude set 3 dB above the AGC threshold
Middle Frequency: 479.0MHz




With the input signal amplitude set the AGC threshold
High Frequency: 508.99375MHz




With the input signal amplitude set 3 dB above the AGC threshold
High Frequency: 508.99375MHz


10.5.5.2.1.3. 6.25kHz Analog FM mode




With the input signal amplitude set the AGC threshold
Low Frequency: 450.00313MHz




With the input signal amplitude set 3 dB above the AGC threshold
Low Frequency: 450.00313MHz




With the input signal amplitude set the AGC threshold
Middle Frequency: 479.0MHz



With the input signal amplitude set 3 dB above the AGC threshold
Middle Frequency: 479.0MHz




With the input signal amplitude set the AGC threshold
High Frequency: 508.99688MHz




With the input signal amplitude set 3 dB above the AGC threshold
High Frequency: 508.99688MHz


10.5.5.2.1.4. 12.5kHz Analog FM mode




With the input signal amplitude set the AGC threshold
 Low Frequency: 450.00625MHz




With the input signal amplitude set 3 dB above the AGC threshold
 Low Frequency: 450.00625MHz




With the input signal amplitude set the AGC threshold
Middle Frequency: 479.0MHz



With the input signal amplitude set 3 dB above the AGC threshold
Middle Frequency: 479.0MHz




With the input signal amplitude set the AGC threshold
 High Frequency: 508.99375MHz




With the input signal amplitude set 3 dB above the AGC threshold
 High Frequency: 508.99375MHz


10.5.5.2.1.5. 25kHz Analog FM mode




With the input signal amplitude set the AGC threshold
Low Frequency: 450.0125MHz




With the input signal amplitude set 3 dB above the AGC threshold
Low Frequency: 450.0125MHz




With the input signal amplitude set the AGC threshold
Middle Frequency: 479.0MHz



With the input signal amplitude set 3 dB above the AGC threshold
Middle Frequency: 479.0MHz




With the input signal amplitude set the AGC threshold
High Frequency: 508.9875MHz



With the input signal amplitude set 3 dB above the AGC threshold
High Frequency: 508.9875MHz


10.5.5.2.2. Uplink

10.5.5.2.2.1. P25 Phase I(C4FM) mode




Date: 27. JAN. 2024 12:04:31

With the input signal amplitude set the AGC threshold
 Low Frequency: 455.00625MHz




Date: 27. JAN. 2024 12:04:45

With the input signal amplitude set 3 dB above the AGC threshold
 Low Frequency: 455.00625MHz




Date: 27.JAN.2024 12:05:22

With the input signal amplitude set the AGC threshold
 Middle Frequency: 484.0MHz




Date: 27.JAN.2024 12:05:48

With the input signal amplitude set 3 dB above the AGC threshold
 Middle Frequency: 484.0MHz



Date: 27.JAN.2024 12:06:36


With the input signal amplitude set the AGC threshold
 High Frequency: 511.99375MHz



Date: 27.JAN.2024 12:26:16


With the input signal amplitude set 3 dB above the AGC threshold
 High Frequency: 511.99375MHz

10.5.5.2.2.2. P25 Phase II(H-DQPSK) mode



Date: 27. JAN. 2024 12:01:43

With the input signal amplitude set the AGC threshold
 Low Frequency: 455.00625MHz



Date: 27. JAN. 2024 12:01:49

With the input signal amplitude set 3 dB above the AGC threshold
 Low Frequency: 455.00625MHz