




FCC/IC E-labeling

1. Access to the Wiliot app

Download the Wiliot app from Google Play (<https://play.google.com/store/apps/details?id=com.easternpeak.wiliot>) or the App store (<https://apps.apple.com/us/app/wiliotapp/id1443545774>) and login



2. Select your Battery-free Wiliot Tag

Select the Wiliot tag to get more information

The screenshot shows the 'What's Nearby?' app interface. At the top, there is a green header with the text 'What's Nearby?' and a gear icon. Below the header is an RSSI signal strength indicator. The main content area displays a list of four Wiliot tags, each with a signal strength icon, a tag ID, and a long alphanumeric string. The first tag, '0000c0024b4e', is highlighted with a red border. At the bottom, there are two tabs: 'Wiliot' (selected) and 'All'.

Signal Strength	Tag ID	Alphanumeric String
1	0000c0024b4e	00050100000F70C00382D13B20B6B7B2E9A1...
6	4-00407	000501000065CB972CB94E4044DFF3A3AE1...
2	4-00416	00050100007CF24D363EB6F4A793FF1680B9...
0	SD38E0-16300013	000501000034699A3C5A181B0B9CBE04101...

3. Select your Battery-free Wiliot Tag

You can find the FCC ID and IC number on the top right left corner of the tag, highlighted in the red-box in this picture

