



### EXHIBIT 3 - EUT INTERNAL PHOTOGRAPHS

**EUT Housing and Board  
View 1**







**EUT Housing and Board  
View 2**






<p><b>EUT Housing and Board</b> <b>View 3</b></p>	
<p><b>Solder</b> <b>Board-Component View</b> <b>1</b></p>	



<p style="text-align: center;"><b>Solder Board-Component View 4</b></p>	 A photograph of a small green PCB component with a central circular hole. The component is populated with several surface-mount components, including resistors and capacitors, some of which are labeled C1, C2, D1, and E. The component is placed on a blue textured surface next to a black ruler with white markings in millimeters. The ruler shows the component is approximately 40mm wide and 30mm high.
<p style="text-align: center;"><b>Solder Board-Component View 5</b></p>	 A photograph of a small green PCB component with a white wire soldered to it. The component is populated with various surface-mount components, including a large integrated circuit (IC) and several resistors. The component is placed on a blue textured surface next to a black ruler with white markings in millimeters. The ruler shows the component is approximately 40mm wide and 30mm high.

<p style="text-align: center;"><b>Solder Board-Component View 6</b></p>	 <p>A photograph of a green printed circuit board (PCB) component with a white cable soldered to it. The component features a red battery, a small LCD display showing '88', and various electronic components. It is placed on a blue fabric surface next to a black ruler with white markings in millimeters. The ruler is oriented vertically on the left side of the component, with the 0 mark at the top. The component is positioned between the 100 and 110 mm marks on the ruler.</p>
<p style="text-align: center;"><b>Solder Board-Component View 7</b></p>	 <p>A photograph of the same green PCB component as in View 6, but from a different angle. The white cable is soldered to the top of the component. The component is placed on a blue fabric surface next to a black ruler with white markings in millimeters. The ruler is oriented vertically on the left side of the component, with the 0 mark at the top. The component is positioned between the 100 and 110 mm marks on the ruler.</p>



<p style="text-align: center;"><b>Solder Board-Component View 10</b></p>	 <p>A photograph of a green printed circuit board (PCB) component mounted on a blue textured surface. The component is positioned horizontally. A black ruler with white markings is placed below the component, showing measurements in millimeters. The ruler is oriented vertically in the image, with markings from 0 to 100 mm visible. The component has several labels, including 'SRD TX Antenna' and '439471V-A4-B'. The component is soldered to the blue surface.</p>
<p style="text-align: center;"><b>Antenna View</b></p>	 <p>A photograph of the same green PCB component as in the previous view, but with a red box highlighting the antenna section. A red line points from a label 'SRD TX Antenna' to the highlighted area. The component is positioned horizontally. A black ruler with white markings is placed below the component, showing measurements in millimeters. The ruler is oriented vertically in the image, with markings from 0 to 100 mm visible. The component has several labels, including 'SRD TX Antenna' and '439471V-A4-B'. The component is soldered to the blue textured surface.</p>

**Antenna View**

