










<p style="text-align: center;">Solder Board-Component View 4</p>	 A photograph showing a small black rectangular component with four gold-colored solder points. The component is placed on a blue textured surface. A black ruler with white markings is positioned below the component, showing measurements in millimeters. The ruler markings are visible from 0 to 100 mm.
<p style="text-align: center;">Solder Board-Component View 5</p>	 A photograph showing a larger component with a grey plastic housing and a white ribbon cable. The component is connected to a black PCB with several gold-colored solder points. The component is placed on a blue textured surface. A black ruler with white markings is positioned below the component, showing measurements in millimeters. The ruler markings are visible from 0 to 100 mm.

<p>Solder Board-Component View 6</p>	 A photograph showing a USB connector component soldered to a black PCB. The component is a small metal USB plug with a black plastic housing. It is connected to a ribbon cable with red, green, and blue wires. The component is positioned on a blue textured surface. A black ruler with white markings is visible in the background, showing measurements in millimeters. The ruler is oriented vertically and horizontally, with markings from 0 to 100 mm.
<p>Solder Board-Component View 7</p>	 A photograph showing a USB connector component soldered to a black PCB. The component is a small metal USB plug with a black plastic housing. It is connected to a ribbon cable with red, green, and blue wires. The component is positioned on a blue textured surface. A black ruler with white markings is visible in the background, showing measurements in millimeters. The ruler is oriented vertically and horizontally, with markings from 0 to 100 mm.

<p style="text-align: center;">Solder Board-Component View 8</p>	 A photograph showing a small, rectangular printed circuit board (PCB) component. The board is populated with various electronic components, including integrated circuits, resistors, and capacitors. It is connected to three wires: red, green, and black. The component is placed on a blue textured surface. A black ruler with white markings is positioned below the component, showing measurements in millimeters. The ruler is oriented vertically, with the 0 mark at the top and the 100 mark at the bottom.
<p style="text-align: center;">Solder Board-Component View 9</p>	 A photograph showing a square-shaped component with a prominent copper coil in the center. The component is mounted on a black PCB. It is connected to three wires: red, green, and black. The component is placed on a blue textured surface. A black ruler with white markings is positioned below the component, showing measurements in millimeters. The ruler is oriented vertically, with the 0 mark at the top and the 100 mark at the bottom.



<p>Antenna View</p>	 <p>Wireless Charger Antenna</p> <p>This image shows the back cover of a device with the wireless charger antenna exposed. The antenna is a copper-colored coil with two leads extending from it. A red box highlights the coil, and a red line points to a label 'Wireless Charger Antenna'. A ruler is visible in the background for scale.</p>
<p>Antenna View</p>	 <p>Wireless Charger Antenna</p> <p>This image is a close-up view of the wireless charger antenna. It shows a circular copper coil mounted on a black PCB. Two wires, one red and one green, are connected to the coil. A red box highlights the coil, and a red line points to a label 'Wireless Charger Antenna'. A ruler is visible in the background for scale.</p>